

## Index

### a

absorption 304  
 ADC, *see* analogue-to-digital converter  
 addition modulo 2 56  
 alphabet 41, 44, 47, 48  
 amplitude damping channel 26, 115  
 amplitude quadrature 237  
 analogue-to-digital converter 164  
 ancilla system 23, 24, 28, 29, 114  
 annihilation operator 20, 84, 89, 91, 94, 96,  
 183, 232, 233, 260  
 atom 51, 70, 71, 79, 99, 210, 299, 301, 302,  
 319  
 atomic system  
 – dipole transition 302  
 – two-level system 302  
 authentication 43  
 avalanche photodiode 240, 308, 314

### b

Baker-Campbell-Hausdorff (BCH) formula  
 54, 59, 96, 97  
 basis  
 – Hermitian 11, 27  
 – localized 307  
 – unitary 25, 28, 29, 38, 53, 115, 116, 122,  
 272, 281, 282  
 BB84 protocol 42, 43  
 BCH, *see* Baker-Campbell-Hausdorff  
 beam splitter  
 – asymmetric 183–186, 205, 236, 256, 262  
 – homodyne detection 40, 81, 100, 165,  
 175, 189, 226, 254, 256, 262, 287, 292,  
 301, 305  
 – input-output relation 249, 254, 261  
 – symmetric 132, 144, 173, 183–186, 205,  
 227, 236, 256, 262  
 – transmittance 110, 111, 173, 197, 232,  
 254–256, 287, 305

Bell basis 36, 75, 76, 120, 128, 147, 150, 269  
 Bell measurement 39–41, 48, 53, 74, 75, 117,  
 120, 121, 180, 182, 183, 187, 189, 199, 205,  
 212, 245, 247, 253, 266–270, 283, 313, 314  
 Bell state 33, 34, 37, 39–41, 48, 74, 121, 128,  
 129, 131–133, 135, 142, 180, 182, 187, 299,  
 310–312  
 bipartite mixed state 37  
 bipartite pure state 37  
 birefringence 140  
 biseparable state 130  
 bit-flip 55, 60, 63, 64, 66–68, 218, 220, 221  
 bit-flip error 63, 64, 66  
 Bloch  
 – sphere 12, 13, 19, 21, 63, 99, 100  
 – vector 12  
 boson 54, 79, 86, 87, 109, 259  
 boundary condition  
 – periodic 85  
 BS, *see* beam splitter

### c

cascade 273, 274, 278  
 cat state 210, 300–309, 318  
 cavity 163, 165, 174, 205, 211, 227, 240, 254,  
 255, 262, 287, 302, 304–308, 313  
 – Hamiltonian 302  
 – input-output relation 254  
 – mode function 306, 307  
 – quality 211, 255  
 – Wigner function 254, 304, 306–308  
 channel 23–26, 114–116  
 – depolarizing 217, 223  
 – discrete 3, 4, 64, 66, 218, 223, 225  
 – noiseless 48  
 – product 25, 29, 68, 200  
 characteristic function 95–97

- circuit
    - quantum 40, 49, 52, 69, 74, 75, 210, 220, 221, 252, 266
  - CK, *see* cross-Kerr nonlinearity
  - classical communication 7, 32, 37–41, 45, 47, 50, 130, 180, 210, 231, 234, 235, 237, 238, 245, 314
  - classical computer 50, 56, 121
  - classical state 82, 97, 260, 285, 303, 306
  - classicality 97, 189, 210, 285, 295, 303
  - classically correlated 34
  - Clifford group 19, 20, 40, 57, 132, 284
  - Clifford parallelism 273, 283
  - cloning 6–8, 10, 30, 40, 42, 45, 62, 63, 120, 179, 183–186, 196–202, 204, 210, 211, 214
  - cluster state 3, 53, 127, 131, 132, 138–142, 154, 155, 157, 159, 160, 170–178, 260, 271–285, 291–297, 320–322
  - CNOT gate 40, 55, 56, 60, 63, 70, 72–76, 248–252
  - code
    - quantum 218
    - repetition 64, 67, 68, 218, 318
    - stabilizer 67–69, 103, 120, 218, 219
  - coherence 9, 73, 82, 83, 222
  - coherent state
    - mean photon number 90
    - nonlinear 112, 120, 200, 255, 293, 301, 304
    - P function 192
  - coherent superposition 9, 11, 218
  - coincidence 135, 138, 181–183, 187, 188, 221
  - commutation relation 14, 86–88, 103, 104, 109, 163
    - bosonic 109
  - commutator 14, 25, 54, 59, 87, 107, 113, 118, 147, 316, 318
  - complete positivity 23
  - completely positive map 148
    - Gaussian 148
  - completely positive trace-decreasing (CPTD) map 23, 28, 29, 31, 114, 116
  - completely positive trace-preserving (CPTP) map 9, 23–26, 29, 66, 114, 117
  - completely positive unity-preserving (CPUP) map 25, 26, 116
  - completeness relation 90
  - complexity 50, 69
  - composability 111
  - composite system 24, 28, 316
  - computational basis 13, 16, 52, 56, 71, 100, 218, 272, 274, 281, 292
  - concurrence 36
  - conditional probability 48
  - conditional variance 261, 264, 266
  - configuration
    - space 208, 223
    - state 208, 211, 223, 255, 304
  - connection 37, 41, 46, 101, 127, 129
  - continuous variables 40, 148, 203, 204, 223, 253, 259, 284
  - continuous wave 87, 107, 199, 200, 211, 262, 287, 305
  - control qubit 250, 251
  - convex sum 34
  - cooling 76
  - coordinate
    - orthogonal 90
    - spherical 12
  - correlation
    - degree of 33, 163, 208, 211, 214
    - matrix 103–107, 144–146, 149, 154
  - Coulomb gauge 84
  - coupling
    - deterministic 292
    - effective 122, 280, 292, 302
    - mode 122, 280, 287, 292, 294, 302, 317
    - strong 122
  - covariance matrix 103, 118
  - CPTD, *see* completely positive trace-decreasing
  - CPTP, *see* completely positive trace-preserving
  - CPUP, *see* completely positive unity-preserving
  - creation operator 71, 109, 110, 303
  - criterion 35, 37, 121, 128, 146–149, 154, 167, 179, 211, 265, 312
    - negative partial transpose (npt) 148, 149, 154
    - partial transpose 35–37, 128, 146, 148, 149, 154
  - cross-Kerr nonlinearity 122
  - cryptography 42, 50
  - CSIGN 247
  - current fluctuations 190, 192
  - CV experiment 107, 236, 239, 300, 306, 308
  - CV graph state 142, 154–157, 159, 172
  - CW, *see* continuous wave
- d**
- decoherence 235, 237, 252, 254
    - independent 237
  - decomposition
    - orthogonal 11, 114, 311
    - polar 86
    - spectral 11

- degeneracy 160
- dense coding 48, 49, 204
- density matrix 35, 309, 310
  - reduced 310
- density operator 7, 9, 11, 18, 23, 24, 26, 27, 29, 32, 34–36, 43, 64, 104, 106, 128, 148, 152, 233, 235
  - reduced 24, 32, 36, 43, 64
  - thermal 106
- depolarizing channel 223
- Deutsch-Jozsa algorithm 50, 52
- discrete modes 84
- dispersion 85
- dispersion relation 85
- displacement operator 17, 89, 94, 269, 284
- distillability 128
- distillation 7, 44, 45, 48, 69, 217, 218, 223, 231–233, 235–241
- distillation protocol 217, 223, 237
- distribution, Gaussian 290, 303, 308, 312
- dual-rail encoding 99, 122, 123, 247, 248, 318
  
- e**
- efficiency 121, 141, 142, 191–195, 201, 205, 226, 247, 248, 251, 252, 256, 304–306
- eigenbasis 11, 27, 147
- eigenstate 12, 13, 15–17, 33, 52, 59, 89, 94, 100–102, 155, 171, 291, 319
- eigenvalue 10, 11, 16, 21, 27, 32–35, 37, 67, 68, 89, 101, 104–107, 120, 128, 130, 142, 145, 146, 150, 155–157, 168, 207, 219, 291, 302
- eigenvector 67, 68, 128, 219
- Einstein-Podolsky-Rosen (EPR)
  - beam 164, 165, 189–193, 195, 196, 313, 314
  - correlation 160–162, 164–166, 300, 313
  - state 34, 142, 160, 188, 189, 211, 267, 268
- Ekert protocol 7
- electric field 83, 85–88, 90
- electro-optic modulator 213, 226, 227, 253, 255, 262, 263, 277, 286
- electromagnetic field 82–87, 89, 90, 107, 160, 189, 203
  - Hamiltonian 86
  - mode expansion 87
  - photon 83, 84, 86, 89, 107, 160
  - radiation 82
  - wave equation 83
- electronic state 71, 73
- energy
  - resonance 70
  - total 80
  - vibrational 70
  - zero-point 13
- entanglement 31–38, 127–178
  - bipartite 31, 32, 34, 36, 37, 127, 128, 130, 143, 144, 146, 149, 154, 196–198, 203, 204, 210, 310, 311
  - partial transposition 35, 36, 128, 148, 149, 311, 312
  - two-party 34, 128, 129, 150, 151, 236
  - witness 31, 34–37, 127–130, 132, 142, 146–151, 154, 176, 219, 220, 311
- entanglement distillation 7, 44, 45, 69, 217, 218, 231–233, 235–241
- entropy
  - classical 32
  - von Neumann 12, 32, 36, 47, 143, 145
- EOM, *see* electro-optic modulator
- EPR, *see* Einstein-Podolsky-Rosen
- error, bit-flip 63, 64, 66, 67, 218, 221
- excitation
  - energy 13
  - thermal 103, 105, 106
  
- f**
- Fourier transform
  - discrete 15, 284
  - quantum 15, 17, 50, 96, 267, 281, 282, 284, 292, 293
- function
  - balanced 256, 306
  - constant 84
  
- g**
- Gaussian computation 271, 282
- Gaussian qumode gates 252
- Gaussian unitaries 57, 98, 105, 113, 119, 159
- GHZ, *see* Greenberger-Horne-Zeilinger
- GKP (Gottesman, Kitaev, and Preskill) 300, 315, 318–321
- Gottesman-Knill theorem 56, 59, 60, 120
- graph state 38, 69, 102, 127, 131, 132, 141, 142, 154–157, 159, 172
- Greenberger-Horne-Zeilinger (GHZ) state 130, 131, 135–137, 150, 154, 167, 168, 170, 197, 204, 208
  
- h**
- Hadamard
  - beam splitter 40, 66, 99, 100, 221
  - gate 15, 40, 55, 98, 99, 121, 131, 221, 272, 284, 303, 318
  - transformation 13, 100, 140, 274

- half beam splitter 133, 136, 137, 151, 160, 163, 164, 175, 181, 183, 189, 197–199, 201, 202, 205, 206, 211, 212, 227, 236–238, 240, 292, 305, 306
- half wave plate 133, 135–138, 140, 188, 220–222, 227, 235, 236, 249, 251, 253, 256, 262, 277, 305
- Hamiltonian
  - approximate 54, 55, 57, 292, 316
  - decomposition 54, 57, 109, 316
  - electromagnetic field 86
  - Hermitian 13
  - hybrid 300, 315
  - interaction 54, 91, 109, 315
  - light-matter interaction 315
  - matrix 54, 55
- harmonic oscillator 4, 13, 83, 86, 89
  - coherent state 89
  - number state 13
  - quantum 4, 13, 83, 86, 89
- HBS, *see* half beam splitter
- homodyne detection
  - beam splitter 40, 81, 100, 165, 175, 189, 226, 254, 256, 262, 287, 292, 301, 305
  - local oscillator 81, 161, 175, 192, 225, 256, 262, 286, 292, 305
  - quadrature 81, 165, 169, 189, 192, 212, 214, 224, 225, 254, 256, 283, 287, 292, 295, 300, 307
  - squeezed light 300
- horseshoe cluster 276, 277, 279
- HWP, *see* half wave plate
- hybrid entanglement 32, 44, 299, 310, 311
- hybrid Hamiltonian 300, 315
- hybrid quantum computing 315–322
  
- i**
- inequality, Schwarz 147, 153
- input-output relation
  - beam splitter 249, 254, 261
  - cavity 254
- interaction Hamiltonian 54, 91, 109, 315
  - approximate 54
- interaction, two-particle 51
- ion
  - motional state 76
  - phase gate 56–59, 75, 76, 248, 267, 268, 283–285, 317, 319–321
  - trap 70, 71, 223
  - two-qubit gate 53, 247, 274–277
  - wavefunction 312
  
- j**
- joint measurement 38, 199, 205, 245
- joint probability 43
  
- k**
- Kerr effect 109, 112
- Kerr nonlinearities 247
- key 3, 6, 7, 30, 41–44, 48, 50, 230, 312, 314
  - exchange 43
  - transmission 7, 42
- Kraus operator 23, 25, 27, 66, 115, 116
  
- l**
- Langevin equation 25
- laser
  - control 205, 255, 262, 305
  - field 82, 89, 160
  - single-mode 226, 287
- leakage 307
- Lie algebra 57, 318
- light
  - frequency of 163, 223
  - polarization 51, 79, 83, 90, 99, 107, 133, 300
  - speed of 7, 40, 46, 83, 107
  - wavelength of 262
- light source 174, 300
- linear ion trap 223
- linear optical element 51, 122, 317
- linear optics 79, 100, 112, 116, 117, 120, 122, 158, 172, 182, 223, 233, 246, 249, 266
- linear unitary Bogoliubov (LUBO) transformation 110–114, 119, 122, 143, 158, 254, 272, 292–294
- local measurement 53, 237, 238, 292, 294
- local observable 34
- local operation 32, 37, 45, 46, 130, 203, 231
- local oscillator 80, 81, 118, 119, 161, 164, 170, 174, 175, 190, 192, 205, 212, 225–227, 240, 253, 255–257, 262, 263, 284, 286, 292, 305, 308, 309
- logic circuit 279
- logic gate 4, 273
- lossy channel 114, 118, 120
- LUBO, *see* linear unitary Bogoliubov transformation
  
- m**
- Mach-Zehnder interferometer 183, 185, 261, 262, 287
- macroscopic superposition 302
- magnetic field 82–87, 89, 90, 107, 160, 189, 203
- magnetic resonance 70

- magnetization 83
- map, completely positive 9, 23–25, 148
- Markovian approximation 25
- master equation 25
- matrix
  - density 32, 35, 309, 310
  - generator 132, 155, 158
  - Pauli 12, 274, 318
  - reduced density 32, 310
  - rotation 55, 103, 157, 173
- Maxwell equation 83, 84, 87
- measurement
  - exchange 43
  - minimal 30, 218
  - non-selective 26, 29
  - selective 26, 29
- measurement-induced nonlinearities 123
- measurement outcome 27, 28, 30, 38, 53, 227, 254, 256, 273, 282, 321
- message 3, 43, 47
- mixing 80, 81, 110, 190, 212
- mixture 11, 34, 106, 115, 152, 153
  - separable 34, 152
  - statistical 11
- mode
  - bosonic 79, 259
  - cavity 163, 174, 211, 227, 254, 255, 262, 287, 302, 304–307
  - expansion 87
  - function 84, 85, 306, 307
- model
  - measurement-based 52, 53, 217, 271, 284
- momentum
  - conjugate 14, 16, 59, 89, 160, 285, 291
  - electron 82, 169
- multipartite entanglement 127, 129–132, 144, 196, 197
- mutual information 47, 48
- n**
- Naimark extension 29, 116, 117
- negative-frequency part 84
- negativity 36–38, 97, 104, 146, 232, 241, 308, 312
- network 6, 45, 112, 150, 156, 159, 172, 179, 197, 203, 204, 209, 223, 249, 251
- nine-qubit code 66, 218, 219, 223
- no-cloning theorem 6, 8, 30, 62, 196
- nonclassical
  - characteristic function 97
  - entanglement 34, 42, 82, 136, 179, 210, 218, 230, 304
  - state 97, 303, 306
- nondegenerate optical parametric amplifier or oscillator 144, 160
- nonlinear optics 79, 120
- nonlocality 34
- NOPO, *see* nondegenerate optical parametric amplifier or oscillator
- normalization 10, 14, 85, 95, 251, 310
- NOT gate 40, 55, 56, 60, 63, 70, 72–74, 76, 221, 248–252, 259
- NSS gate 247, 297, 322
- nuclear magnetic resonance 70
- number operator 13, 87–89
- number state 13, 14, 71, 251, 303, 304, 307
  - Wigner function 303, 304, 307
- o**
- observable 4, 5, 8, 10–17, 19, 22, 25–27, 34, 35, 82, 88, 118, 146, 147, 150, 176, 260, 281, 282, 285
  - classical 4, 5, 8, 15, 82, 118, 260, 285
- one-time pad 43
- one-way quantum computation 53, 279, 284, 292, 295, 296
- OPA, *see* optical parametric amplifier
- operator
  - annihilation 20, 71, 84, 86, 89, 91, 94, 96, 109, 110, 183, 232, 233, 260, 302
  - computation 16, 18, 54, 56, 100, 109, 131, 172, 282, 284
  - creation 71, 84, 86, 91, 96, 109, 110, 302, 303
  - density 7, 9, 11, 18, 23, 24, 26, 27, 29, 32, 34–36, 43, 64, 104, 106, 128, 148, 152, 192, 233, 235
  - expansion 17, 88, 89, 301
  - function 17, 95–97, 107, 129, 148, 192, 312
  - Hamilton 13, 18, 21, 54, 57, 86, 91, 92, 109, 114, 260, 284, 292, 302, 315, 316
  - Hermitian 11, 13, 14, 27, 35, 83, 84, 89, 101, 111, 157
  - position 20, 65
  - projection 27
  - symmetrized 96
  - unitary 18, 19, 27, 54, 122, 272, 302
- OPO, *see* optical parametric oscillator
- optical experiments 218
- optical fiber 3, 45, 112, 254
- optical parametric amplifier (OPA) 90, 92, 238, 301, 304
- optical parametric oscillator (OPO) 144, 159, 160, 162–164, 174, 175, 190, 197, 200, 201, 205, 211, 212, 226, 227, 237, 238, 240, 241,

- 253, 255, 262, 286, 287, 293, 295, 304–309, 313, 314
  - optical QEC 217
  - optical quantum computation 121–123
  - oscillator, harmonic 4, 13, 83, 86, 89
- p**
- parametric amplifiers 237
  - parametric down conversion (PDC) 79, 127, 133, 134, 138, 220, 222, 261, 303, 304
  - partial trace 7
  - partial transpose 35–37, 128, 146, 148, 149, 154, 311, 312
  - passive transformation 110, 111, 113, 158
  - Paul trap 70
  - Pauli
    - channel 26, 64
    - group 67
    - matrices 12, 274, 318
    - operator 13, 17, 19, 22, 33, 40, 55–57, 129, 131, 301, 302, 319
  - PBS, *see* polarization beam splitter
  - PDC, *see* parametric down conversion
  - periodic boundary condition 85
  - periodically-poled KTiOPO<sub>4</sub> (PPKTP) 174, 227, 255, 262, 287, 304, 305, 308
  - permittivity 83
  - phase
    - commutation relation 88
    - Hermitian 13, 111, 157
    - operational 157, 192
    - reconstruction 76
    - transition 71, 73, 302
    - uncertainty 15, 80, 82, 91, 106, 200
  - phase flip 38, 60, 318
  - phase gate 56–61, 75, 76, 109, 248, 267, 268, 275, 277, 283–285, 317, 319–321
  - phase quadrature 160, 254, 299
  - phase shifter 110, 111, 113, 122
  - phase space
    - displacements 103, 110, 112, 113, 155, 157, 158, 189, 224, 225, 292
    - representation 94, 97
      - P function 97
      - Wigner function 97
    - variables 15, 66, 94, 100, 191
  - phase state 61, 267, 320, 321
  - phonon 70–74, 76
  - photoelectric effect 83
  - photomultiplier tube (PMT) 75
  - photon
    - cavity 163, 165, 304–308
    - coherent state 89, 90, 100, 115, 117, 118, 120, 162, 179, 210, 300, 301, 304
      - number operator 87, 88
      - number state 251, 303
  - photon number resolving (PNR) detection 232, 296, 301, 321
  - PMT, *see* photomultiplier tube
  - PNR, *see* photon number resolving
  - Pockels cell 221, 222
  - Poissonian distribution 90
  - polarization beam splitter 100, 133, 135–140, 188, 221, 227, 233, 251, 315
  - polarization entanglement 132
  - polarization qubit 99, 100, 135, 138, 140, 183, 185, 251, 274, 314, 315
  - positive-frequency part 83
  - positive map 148
  - positive operator 23, 27, 311
  - positive-operator valued measure (POVM) 27–31, 43, 48, 116, 117, 121, 122, 297, 322
    - element 27, 28, 30, 121, 122, 297, 322
    - measurement 27–31, 43, 48, 116, 117, 121, 297, 322
  - positive partial transposition 128
  - postselection 48, 135, 138, 141, 179, 251, 275, 277, 280, 291, 293, 300–302
  - POVM, *see* positive-operator valued measure
  - PPKTP, *see* periodically-poled KTiOPO<sub>4</sub>
  - privacy amplification 48
  - probability
    - classical 95–97
    - conditional 48
    - density 23, 29, 43, 64, 93
  - projective measurement 73, 269
  - projector 28, 65, 69, 121, 129
  - pure quantum state 10
  - purification 45, 47, 69, 238
- q**
- QEC, *see* quantum error correction
  - QKD, *see* quantum key distribution
  - QND, *see* quantum nondemolition
  - quadratic interactions 120
  - quadrature
    - eigenstate 89, 93, 101, 155, 171, 285
  - quadrature components 81, 195, 263, 265
  - quadrature distribution
    - measurement 307
    - sum 307
  - quadrature operators 91, 92, 145, 163, 189, 192, 225, 230, 285
  - quadrature-phase amplitudes 190
  - quadrupole 71
  - quantum
    - harmonic oscillator 4, 13, 83, 86, 89

- quantum algorithm 49, 50, 52
  - quantum channel 3, 4, 43, 48, 224
  - quantum circuit 40, 49, 52, 69, 74, 75, 210, 220, 221, 252, 266
  - quantum cloning 42
  - quantum code 218
  - quantum coherence 9
  - quantum communication 3, 4, 7, 31, 38, 41–49, 62, 69, 197, 203, 210, 217
  - quantum computation 3, 4, 7, 18, 20, 38, 49–62, 69, 80, 109, 120–123, 131, 172, 197, 203, 217, 246–248, 252, 259, 260, 271, 279–281, 284, 292, 295, 296, 301, 316–318
    - Heisenberg picture 203
    - linear optical 51, 80, 122, 246, 301
    - measurement-based 3, 38, 52, 53, 217, 260, 271, 284
    - one-way 18, 53, 54, 248, 279, 284, 292, 295, 296
  - quantum computer 5, 38, 41, 49–51, 62, 121, 123, 246, 253
  - quantum correlation 33, 129, 132, 142, 161, 162, 173, 174, 178, 203, 208, 219, 225, 260
  - quantum cryptography 42, 50
  - quantum dot 70
  - quantum efficiency 191, 192, 201, 205, 256, 306
  - quantum error correction (QEC) 62–69, 217–231
  - quantum error correction code 120, 224, 319
  - quantum fluctuations 81, 82, 90
  - quantum Fourier transform 50
  - quantum gate 52, 121, 122, 246, 247, 271
    - local 271, 286
    - universal 52, 121, 122, 246, 271
  - quantum information theory 3, 4, 6, 82, 86, 217
  - quantum key distribution (QKD) 6, 7, 30, 41–44, 48, 50, 312
  - quantum logic 273, 284
    - circuit 284
    - gate 273, 284
  - quantum measurement 31
  - quantum memories 46, 48
  - quantum noise 190, 191, 193, 255
  - quantum nondemolition (QND) 246, 259
    - interaction 260, 263, 264, 266
    - measurement 255
    - sum gate 260, 283
  - quantum objects 13
  - quantum operation 9, 22, 23, 26, 31, 43, 114, 179, 252, 253, 293, 296
    - complete 9, 23, 43
    - reversible 22, 26, 31, 114
  - quantum parallelism 49
  - quantum repeater 3, 44–47, 217
  - quantum search algorithm 50
  - quantum simulation 50
  - quantum state
    - cloning of 10
    - coherent 43, 79, 82, 89, 162, 179, 196, 203, 210, 213, 256, 260, 287, 288, 293, 295, 304
    - entangled 8, 18, 31, 38, 39, 41, 43, 45, 52, 79, 163, 165, 179, 203, 231, 245, 253, 260, 284
    - EPR 4, 8, 43, 79, 82, 89, 94, 95, 162, 165, 180, 213, 254, 256, 260, 288, 293
    - number 10, 45, 89, 196, 231, 304
    - phase 38, 79, 82, 89, 94, 210, 213, 254, 256, 260, 284, 285, 287, 288, 293
    - pure 10
    - quadrature 79, 82, 163, 165, 213, 254, 256, 285, 287, 288, 295
    - squeezed 52, 82, 162, 165, 245, 254, 256, 260, 285, 287, 288, 295, 304
    - thermal 82, 288
  - quantum system 4, 18, 50, 148
  - quantum teleportation 38–41, 179–215, 245–270
  - quarter wave plate (QWP) 137, 138, 140, 141, 185, 186, 274, 277, 305
  - qubit
    - atomic 79, 99, 210, 299, 302
    - logical 67, 121, 218, 220, 315, 318–320
    - photonic 45, 46, 70, 79, 98, 99, 114, 116, 117, 120–122, 127, 132, 179, 210, 249, 297, 299, 300, 317, 322
    - physical 51, 63, 64, 66, 67, 218
  - qumode 13–17, 20–22, 33, 57–62, 236–241, 280–297
    - entanglement swapping 210
    - telecloning 196
    - teleportation network 150, 203
  - QWP, *see* quarter wave plate
- r**
- Rabi frequency 71
  - Radon transformation 257
    - inverse 257
  - read-out 52
  - receiver 7, 41, 47, 80, 179, 183, 196–198, 204, 205, 208, 211, 245

- reduced density operator 32, 43
- reduction 27, 57, 90, 111, 112, 114, 119, 158, 172, 190, 207, 317
- redundancy 62
- relative phase 71, 164, 167, 205, 213, 255, 287, 311
- remainder 4, 50, 52, 70, 238
- repeater 3, 44–47, 217
- repetition code 64, 67, 68, 218, 318
- resonance fluorescence 75
- reversibility 18
- RSA encryption 49, 50
  
- s**
- sampling 256, 288
- scalability 49, 62, 291
- Schmidt
  - bases 70
  - coefficients 32, 130, 146, 232, 310
  - decomposition 31, 32, 129, 143, 232
  - number 32, 143, 232
  - rank 32, 34, 37
- Schrödinger equation 148
- Schrödinger kitten 240, 241, 303, 304, 307, 308, 313, 314
- Schrödinger picture 92, 250
- Schwarz inequality 147, 153
- self-homodyning 227
- self-Kerr nonlinearity 122
- separability 24, 31, 34–36, 128, 146–149, 153, 154, 167, 168, 170, 176–178, 197, 198, 211, 239, 265, 311, 312
  - criterion 35, 128, 146, 148, 149, 154, 167, 211, 265, 312
- separability problem 149
- separable 34–37, 43, 44, 128–130, 141, 147, 148, 152, 154, 167, 177, 197, 204, 219, 275, 276, 299, 311
- separable state 35, 37, 43, 44, 128–130, 147, 148, 152, 299, 311
- Shannon theory 47
- sideband cooling 76
- sidebands 107, 160, 162, 189, 213, 255, 262, 287, 300
- signal state 24, 40, 44, 47–49, 54, 63, 66, 114, 116, 117, 220
- signal transfer 80
- simulation 50, 57, 58, 317
- single-ion 70, 72–74
- single-mode squeezer 110–112, 254, 284
- single photons 45, 99, 122, 183, 184, 240, 246, 312
- single-qubit gate 60
- singular value decomposition 111
- SK, *see* self-Kerr
- spectra 11, 107, 162, 164, 190, 192, 305, 308
  - electron 164
  - time-resolved 162
- spectral function 107
- spin 70, 76, 99, 123, 299, 318
  - electron 70, 99
  - nuclear 70
- spin-1/2 318
- spontaneous emission 8
- squeezed light 82, 142, 150, 172, 237, 297, 300, 322
  - condition 142, 237, 297, 300, 322
  - homodyne detection 300
  - optical parametric oscillator 237
- squeezed state
  - coherent 91, 100, 164, 174, 188, 255, 256, 287, 304, 311
  - minimum uncertainty 91
  - quadrature squeezing 287
  - quadrature variance 93, 285
  - squeeze operator 91
  - two-mode 34, 51, 127, 142–146, 159, 160, 232, 245, 267, 269, 270, 285, 311, 320
  - two-mode squeezed vacuum 142, 143
  - vacuum 51, 90, 91, 93, 102, 103, 142, 143, 159, 164, 172, 223, 256, 259, 287, 303, 304, 308
  - Wigner function 103, 143, 256, 303, 304, 307, 308
- squeezed vacuum state 92–94, 101, 102, 104, 106, 107, 109, 142–145, 148, 150, 151, 162, 168, 197, 204, 205, 211, 226, 266, 286, 292, 293, 301
- squeezing gates 246, 260, 272, 283, 291, 294
- stabilizer code 67–69, 103, 120, 218, 219
- stabilizer formalism 103, 217, 218
- stabilizer group 33, 56, 67, 68, 129, 155
- standard deviation 256, 258
- standard form 101, 148, 265, 299
- state
  - cat 210, 300–309, 318
  - correlated 34
  - estimation 121
  - maximally entangled 32, 33, 36, 39, 40, 143, 197, 204, 231
  - mixed 11, 12, 17, 18, 29, 31, 32, 34, 36, 37, 103–106, 130, 143–146, 232, 235, 259
  - nonclassical 97, 303, 306
  - product 32–34, 50, 54, 59, 86, 105, 106, 131, 145, 147, 155
  - reduction 27



- separable 34–37, 43, 44, 128–130, 141, 147, 148, 152, 154, 167, 177, 197, 204, 219, 275, 276, 299, 311
- transformation 16, 32
- vector 7, 10, 29, 31, 32, 39, 68, 273, 282
- Werner 9, 34
- statistical mixture 11
- subsystem 31–33, 36, 63, 66, 67, 128, 148, 197, 204, 218, 271, 299, 303, 311
- success probability 46, 117, 182, 221, 246–249, 251
- superconducting 70
- symplectic matrix 104
- system
  - closed 18
  - composite 24, 28, 71, 76, 316
- t**
- T-shape cluster 172, 174–177
- target qubit 250, 251
- telecloning 183–186, 196–202, 204
- theory
  - classical 4–6, 41, 42, 47, 49, 50, 82, 85, 192, 195, 217, 295
  - physical 3, 5, 6, 50
- thermal state 103–107, 143, 146, 198
- Ti:sapphire laser 163, 174, 200, 205, 211, 226, 255, 262, 287, 305
- time resolution 300, 313, 314
- TMSS, *see* two-mode squeezed state
- transformation
  - active 110
  - Gaussian unitary 80, 109, 148, 284
  - orthogonal 67, 113, 114, 119
  - passive 58, 110–113
  - symplectic 57, 58, 105, 110, 113, 114, 118
  - unitary 9, 18, 39–41, 80, 88, 109, 148, 158, 252, 253, 284
- transposition 24, 35, 36, 128, 146, 148, 149, 311, 312
- trap 70, 71, 73, 220, 223
  - configurations 223
- trapped atom 70
  - Paul trap 70
- trapped ion 70, 71, 73
- tree 112
- tripartite entanglement 130, 167, 196, 197, 199, 203–205, 208, 209
- two-level system 3, 51, 71, 302
- two-mode squeezed state (TMSS) 34, 51, 127, 142–146, 159, 160, 232, 245, 267, 269, 270, 311, 320
- two-mode squeezed vacuum 142–145, 148, 162, 163, 195
- two-mode squeezing 145
- two-qubit gate 53, 55, 61, 247, 274–277
- u**
- uncertainty relation 6, 15, 80, 82, 104–106, 147, 153
  - Heisenberg 6, 15, 82, 104
  - N-mode 104, 105
- unconditional security 50
- unitary operator 18, 19, 27, 54, 122, 272, 302
- universal cloning 10
- universal gate 22, 121, 122, 246, 284, 317, 319
- universal gate set 22, 284
- universal quantum gates 121, 122, 246
  - criterion 121
- universal squeezer 246, 252, 259
- v**
- vacuum
  - Rabi splitting 302
- variance matrix 103, 118
- vibrational
  - levels 70, 73
  - mode 70, 73
  - motion 70, 71
- visibility 201, 205, 256
- von Neumann entropy 12, 32, 36, 47, 143, 145
- w**
- wave equation 83–85
- wave function 17, 92, 93, 142
- waveplate 99, 100, 235
- Weyl correspondence 96, 97, 103
- Weyl-Heisenberg operator 16, 17, 284
- Wigner function 92, 94, 95, 97, 98, 102–104, 106, 107, 112, 113, 119, 143, 148, 210, 241, 254, 256, 257, 288, 289, 299, 303, 304, 306–309
- witness 31, 34, 35, 37, 127–132, 142, 146–151, 154, 176, 219, 220, 311
- z**
- zero-point energy 13