

Contents

Preface	<i>XI</i>
List of Contributors	<i>XV</i>
Acknowledgments	<i>XVII</i>

1	Introduction	<i>1</i>
	<i>Chuangtian Chen, Takatomo sasaki, and Rukang Li</i>	
1.1	History of the Theoretical Understanding of Nonlinear Optical Crystals	<i>1</i>
1.2	History of Development of NLO Borate Crystals	<i>4</i>
1.3	History of Crystals for Frequency Conversion	<i>7</i>
1.3.1	Frequency Conversion Efficiency of Second Harmonic Generation	<i>7</i>
1.3.2	Methods to Obtain Higher Efficiency for Frequency Conversion	<i>8</i>
1.3.3	Desirable Conditions for Frequency Conversion Crystals	<i>8</i>
1.3.4	History of Crystals and Techniques for Frequency Conversion	<i>9</i>
	References	<i>11</i>
2	Theoretical Basis for the Development of Borate Nonlinear Optical Crystals	<i>15</i>
	<i>Chuangtian Chen and Zheshuai Lin</i>	
2.1	The Anionic Group Theory and its Approximate Quantum Chemical Methods	<i>16</i>
2.1.1	Theoretical Model	<i>16</i>
2.1.2	Molecular Orbital Calculation Method	<i>20</i>
2.1.2.1	The CNDO-Type Approximation	<i>21</i>
2.1.2.2	The EHMO-Type Approximation	<i>24</i>
2.2	The SHG Coefficients for Typical NLO Crystals Calculated with the Anionic Group Theory	<i>25</i>
2.2.1	The Perovskite and Tungsten-Bronze Type of Crystals	<i>25</i>
2.2.1.1	Niobate Crystals	<i>25</i>
2.2.1.2	SrTiO ₃ , BaTiO ₃ , KTaO ₃ Crystals	<i>27</i>
2.2.2	Iodate Crystals	<i>29</i>
2.2.3	The Phosphate Crystals	<i>32</i>

2.2.4	The Molybdate Crystals	33
2.2.5	The Na_2SbF_5 Crystal	34
2.2.6	$\text{KB}_5\text{O}_8 \cdot 4\text{H}_2\text{O}$ or $\text{K}[\text{B}_5\text{O}_6(\text{OH})_4] \cdot 2\text{H}_2\text{O}$ (KB_5) Crystal	36
2.2.7	The NaNO_2 Crystal	37
2.3	The Relationship between the Anionic Group and the Absorption Edge of Inorganic Crystals on the UV Side	39
2.3.1	The Model and Approximation	39
2.3.2	Absorption Edge Calculations for the Isolated Anionic Group Type	44
2.3.2.1	Electronic Structure of $\beta\text{-BaB}_2\text{O}_4$ (BBO)	44
2.3.2.2	Electronic Structure of LiB_3O_5 (LBO)	47
2.3.2.3	Electronic Structure of $\text{KBe}_2\text{BO}_3\text{F}_2$ (KBBF)	49
2.3.2.4	Electronic Structure of $\text{KB}_5\text{O}_8 \cdot 4\text{H}_2\text{O}$	52
2.3.2.5	Electronic Structure of KH_2PO_4 (KDP)	55
2.3.2.6	Electronic Structure of Na_2SbF_5	57
2.3.2.7	Electronic Structure of Iodate Crystals and NaNO_2 Crystal	57
2.3.3	Summary	60
2.4	<i>Ab initio</i> Calculations on the Linear and Nonlinear Optical Properties of Borate and Other Crystals	61
2.4.1	Computational Methods	62
2.4.2	Calculations and Analysis for Borate Crystals	65
2.4.2.1	BBO and LBO Family Crystals	65
2.4.2.2	KBBF, $\text{BaAlBO}_3\text{F}_2$ (BABF) and $\text{Sr}_2\text{Be}_2\text{B}_2\text{O}_7$ (SBBO) Family Crystals	68
2.4.2.3	BIBO Crystal	71
2.4.3	Calculations and Analysis for Other NLO Crystals	74
2.4.3.1	NaNO_2	74
2.4.3.2	Na_2SbF_5	76
2.4.3.3	KH_2PO_4 (KDP)	77
2.5	The Computer-Assisted Molecular Design System for Searching New NLO Crystals	79
2.5.1	Material Requirements for NLO Devices	79
2.5.2	Theoretical Evaluation	82
2.6	The Developments of New NLO Crystals in Borate Series	87
2.6.1	The Basic Structural Units in Borate Series and Their NLO and LO Properties	87
2.6.1.1	The Second-Order Susceptibilities of the Borate Groups	93
2.6.1.2	The Band Gaps of the Borate Groups	100
2.6.2	The Development of New NLO Borate Crystals with Molecular Engineering Approach	101
2.6.2.1	The History of Discovering BBO	101
2.6.2.2	From BBO to LBO	102
2.6.2.3	From BBO to LBO to KBBF Crystal	103
2.6.2.4	From KBBF to SBBO Family	106
	References	109

3	Borate Nonlinear Optical Crystals for Frequency Conversion	117
	<i>Chuangtian Chen, Yicheng Wu, Masashi Yoshimura, Takatomo Sasaki, Yusuke Mori, Rukang Li, and Zhanggui Hu</i>	
3.1	β -BaB ₂ O ₄ (BBO)	117
3.1.1	Single-Crystal Growth of BBO	118
3.1.2	Linear Optical Properties of BBO	120
3.1.3	Nonlinear Optical Properties of the BBO Crystal	122
3.1.4	Major Applications	127
3.2	LBO Family	131
3.2.1	LiB ₃ O ₅ (LBO)	131
3.2.1.1	Single-Crystal Growth of LBO	132
3.2.1.2	Linear Optical Properties of LBO	135
3.2.1.3	Nonlinear Optical Coefficients of LBO	136
3.2.1.4	Major Applications	145
3.2.2	CsB ₃ O ₅ (CBO)	153
3.2.2.1	Single-Crystal Growth of CBO	154
3.2.2.2	Linear Optical Properties of CBO	156
3.2.2.3	Nonlinear Optical Properties of the Crystal	157
3.2.2.4	Major Applications	159
3.2.3	CsLiB ₆ O ₁₀ (CLBO)	161
	<i>Masashi Yoshimura, Takatomo Sasaki, and Yusuke Mori</i>	
3.2.3.1	Basic Structural Properties	161
3.2.3.2	Linear and Nonlinear Optical Properties	161
3.2.3.3	Degradation of CLBO Crystallinity and Solution	165
3.2.3.4	Advanced Growth Technology for High-Quality CLBO	165
3.2.3.5	Ion Beam Etching for Enhancement of Surface Damage Resistance	170
3.2.3.6	Major Applications	171
3.3	KBe ₂ BO ₃ F ₂ (KBBF) Family	178
3.3.1	KBBF Family Crystals	178
3.3.1.1	KBBF Crystal	178
3.3.1.2	RbBe ₂ (BO ₃)F ₂ (RBBF) Crystal	202
3.3.1.3	CsBe ₂ BO ₃ F ₂ (CBBF) Crystal	213
3.3.2	K ₂ Al ₂ B ₂ O ₇ (KABO)	224
3.3.3	BaAlBO ₃ F ₂ (BABF)	233
3.3.3.1	Crystal Structure Redetermination	234
3.3.3.2	Single-Crystal Growth of BABF	237
3.3.3.3	Linear and Nonlinear Optical Properties of BABF	239
3.3.3.4	Laser-Induced Damage	244
3.3.3.5	Capability for Producing UV Harmonic Generation	244
	References	246

4	Other Borate Crystals 261
	<i>Yicheng Wu, Masashi Yoshimura, Takatomo Sasaki, Yusuke Mori, Jiyang Wang, and Satoshi Uda</i>
4.1	$\text{La}_2\text{CaB}_{10}\text{O}_{19}$ (LCB) 261
	<i>Yicheng Wu</i>
4.1.1	Synthesis and Crystal Growth of LCB and RE:LCB 261
4.1.2	Basic Physical and Optical Properties of LCB and RE:LCB 263
4.1.3	The Nonlinear Properties of LCB and RE:LCB 264
4.1.4	Laser and Other Optical Applications of LCB Crystals 265
4.1.4.1	SFD Application of Nd:LCB 265
4.1.4.2	SHG and THG Applications of LCB 265
4.1.4.3	Other Applications of LCB 266
4.2	$\text{Ca}_4\text{YO}(\text{BO}_3)_3$ (YCOB) 266
	<i>Masashi Yoshimura, Takatomo Sasaki, and Yusuke Mori</i>
4.2.1	Development of ReCOB Family 266
4.2.2	Basic Structural Properties 267
4.2.3	Linear and Nonlinear Optical Properties 268
4.2.4	Major Applications 272
4.2.4.1	THG of Nd:YAG Laser Radiation 272
4.2.4.2	SHG of Nd:YAG Laser Radiation 272
4.2.4.3	Self-Frequency Doubling 274
4.3	$\text{GdCa}_4\text{O}(\text{BO}_3)_3$ (GdCOB) 275
	<i>Jiyang Wang</i>
4.3.1	GdCOB Crystal Structure 275
4.3.2	GdCOB Single-Crystal Growth 276
4.3.3	Basic Physical Property of GdCOB 278
4.3.4	The Nonlinear Properties of GdCOB 279
4.3.5	Applications of GdCOB Crystals 282
4.3.5.1	Second Harmonic Generation for GdCOB 283
4.3.5.2	GdCOB Used for a Laser Host Crystal 284
4.3.5.3	Nd:GdCOB: A Practical SFD Crystal 286
4.4	Bismuth Triborate 288
	<i>Jiyang Wang</i>
4.4.1	Crystal Structure and Phases of BiBO 288
4.4.2	Crystal Growth of α -BiBO 290
4.4.3	The Basic Physical Properties of BiBO 291
4.4.4	The Nonlinear Properties of BiBO 293
4.4.5	Applications of BiBO Crystal 297
4.4.5.1	BiBO Used for SHG 297
4.4.5.2	BiBO Crystal Used for Sum and Direct Third Harmonic Generation 299
4.4.5.3	BiBO Crystal Used for OPO and OPA 300
4.5	$\text{Gd}_x\text{Y}_{1-x}\text{Ca}_4\text{O}(\text{BO}_3)_3$ (GdCOB) 301

Masashi Yoshimura, Takatomo Sasaki, and Yusuke Mori

- 4.5.1 Basic Properties 301
- 4.5.2 Major Applications 302
 - 4.5.2.1 NCPM THG for Nd:YAG Laser 302
 - 4.5.2.2 NCPM SHG for Nd:YAG Laser 307
 - 4.5.2.3 NCPM SHG for Ti:Sapphire Laser 308
- 4.6 Tetra-LBO 309

Satoshi Uda

 - 4.6.1 Introduction 309
 - 4.6.2 Optimum Composition for the Growth and Nonlinear Properties of LB4 310
 - 4.6.2.1 Crystallization Electromotive Force 311
 - 4.6.3 Crystal Growth of LB4 312
 - 4.6.3.1 Thermal Treatment of LB4 Melt 312
 - 4.6.3.2 Cracking Problem during Growth from the Undercooled Melt 315
 - 4.6.3.3 LB4 Crystal Grown in Phase-Matching Directions 318
 - 4.6.4 Characterization of LB4 Grown along the Phase-Matching Directions 319
 - 4.6.4.1 Optical Homogeneity 319
 - 4.6.4.2 Scattering 320
 - 4.6.4.3 Linear and Nonlinear Optical Properties of LB4 323
 - 4.6.4.4 Nonlinear Optical Properties 325
 - 4.6.4.5 Fourth and Fifth Harmonic Generation of Nd:YAG Using the LB4 Crystal 327
 - 4.6.4.6 Sum Frequency Generation of Tunable Vacuum Ultraviolet Femtosecond Pulses with LB4 328
 - 4.6.4.7 Laser Damage 328
 - 4.6.4.8 Surface Damage Threshold 329
 - 4.6.5 Future Work 332
 - 4.6.6 Summary 333

5 Applications 343

Yushi Kaneda

- 5.1 Frequency Conversion Techniques 343
 - 5.1.1 Normalized Conversion Efficiency and Figures of Merit 343
 - 5.1.2 Single-Pass Conversion 347
 - 5.1.3 Continuous Wave Harmonic Generation 348
 - 5.1.4 Characterization of Optical Devices 355
 - 5.1.4.1 Photothermal Interferometry 355
 - 5.1.4.2 Resonator Measurement 355
 - 5.1.4.3 Finesse Measurement 358
- 5.2 Industrial Applications of Frequency-Converted Lasers 359
 - 5.2.1 Stereolithography 359
 - 5.2.2 Electronics Industry 360

5.2.2.1	Via Hole Drilling	360
5.2.2.2	Marking	360
5.2.2.3	Trimming	361
5.2.2.4	Disk Texturing	361
5.2.3	Microscopy and Metrology	361
5.2.3.1	Application in Optical Data Storage	363
5.2.4	FBG Fabrication	364
5.3	Advanced Instrument Making	365
	<i>Chuangtian Chen</i>	
5.3.1	The Photoemission Spectrograph	365
5.3.2	Photoemission Electron Microscopy	368
5.3.3	Stimulated Raman Spectrometer (177.3 nm)	370
	References	374

Index	377
--------------	-----