

## Index

### **a**

- aberration
  - chromatic aberration 17, 55
  - spherical aberration 17–18, 55–56
- absorption 39, 47, 57, 61–62, 80, 193, 260–261, 304, 370, 380
- acoustooptic modulators 104
- adhesion 257–258
- adiabatic conditions 346–347, 356–357, 361
- Airy pattern 28–30, 32
- analog-to-digital conversion 56, 58
- analyzer 370–374, 376–377, 379, 381–382, 391
- antireflective coating 20
- aperture 17, 28–31, 33, 41, 49, 51, 53–54, 103–104, 107, 125, 185–186, 230, 232, 236, 240–242, 252, 282, 299–300, 321, 333
- astigmatism 17–18, 56
- attenuation 5, 234, 241, 248, 256, 356, 363
- automatic gain control 75

### **b**

- Babinet-Soleil compensator 376
- bandwidth 25, 45, 66, 82, 111, 251, 255, 287
- beam splitter 22–23, 103, 173–174, 236, 251–252, 255, 267, 285, 290
- beat signal 83, 90, 100
- Bessel function 28, 54, 237, 239, 293
- bias 83, 85, 88–89, 101, 110, 122, 189, 194–195, 203, 207, 222
- birefringence 44, 104, 154–155, 241, 367, 370, 374, 376, 378, 383
- blackbody 348–349, 352, 354
- Boltzmann constant 349–351
- branch-cut method 132
- Brewster angle 7–9

### **c**

- calibration 66, 103, 113–114, 124–126, 179, 216–217, 236, 267, 314, 321, 337, 352–355, 386
- camera calibration 216
- carrier frequency 87–88, 97, 107–112, 265
- Cauchy's formula 143–144
- caustics 160–161
- CCD 57–59, 62, 65–66, 68, 82, 126, 128, 173–177, 183, 189, 199, 205, 240, 242, 244, 262, 277, 279, 284–285, 332–336, 343, 370–371
- CFRP 273–274, 357
- chain plate 167–172
- characteristic length 384
- characteristic polynomial 118, 120, 125–127, 139
- circle of least confusion 18
- cladding 42–43
- CMOS 57–60, 62–63, 65–68, 81–82, 126, 128, 183, 279, 301
- coating 20, 159, 162, 164, 168, 170–171, 304, 358–360, 363, 382–383
- coefficient
  - coefficient of linear expansion 359
  - stress-optic coefficient 369
- coherence
  - coherence layer 247–257, 261
  - coherence length 25–26, 40–41, 83, 89, 102, 106, 232–233, 244–245, 249, 251, 253–254, 256, 261–262
  - coherence width 26–27, 45
  - lateral coherence 26–27, 45
  - spatial coherence 26, 38, 42, 90, 231–232, 234
  - temporal coherence 41, 235, 252
- coherent gradient sensor 161
- color space 335

- coma 17–18, 55–56
- compact tension 241–242
- contouring 135, 279
- contrast 22–23, 25–27, 41, 51, 53, 64, 72–73, 75, 79, 81, 86, 104, 111, 122, 141, 155, 159, 188, 195, 231, 233, 236–237, 240–241, 247–249, 251, 256, 261, 268, 274, 279, 295, 299, 310, 328, 332–334
- convolution 27, 77, 108, 110, 253, 282–283
- coordinate measuring machine 303
- core 42–43, 270, 272
- correlation 64, 108–109, 158, 163, 173, 175, 177, 183–228, 237, 241, 264, 299, 305, 354
- coupling efficiency 43–44
- crack 153–154, 156, 160–161, 209–212, 222–224, 227, 268, 273–274, 364, 366, 387–390, 392
- critical angle 7
- curvature 12–13, 17–18, 33, 45, 56, 107, 157–158, 161–162, 193, 281, 305
  
- d**
- damage 270, 273–274, 357, 365
- dark current 56, 65–66, 80, 82, 127–128
- dark-field 368, 370–372, 374–377, 382, 385, 391
- decorrelation 241, 266, 274
- defect 66, 258–259, 265, 270–273, 277–278, 299
- delamination 258
- demodulation 307, 318, 323, 325–326, 332–336, 343
- depletion region 62–63
- depth of field 49, 53, 80, 241
- dielectric
  - dielectric constant 2
  - dielectric interface 7
  - dielectric permittivity 1–2
- diffraction
  - diffraction grating 29–30, 104–105
  - diffraction limit 54, 56, 332
  - Fraunhofer diffraction 27–28
  - Fresnel diffraction 27
- diffuse reflection 90, 158, 175, 271, 304–305, 322
- digital image correlation (DIC)
  - beam-DIC 226
  - FFT-based DIC 200
  - global DIC 188, 213–214, 227
  - integrated DIC 208–210, 228
  - local DIC 187, 212
  - Q4-DIC 209, 212–213, 220, 226–227
- digital volume correlation 184, 220–221, 223
- discontinuity 222, 341–342, 382
- displacement
  - in-plane displacement 201, 210, 241
  - out-of-plane displacement 155, 158, 161, 173, 230, 236, 244, 263, 266, 269–270, 273, 287, 289, 300–301
  - standard displacement uncertainty 194, 198–199, 204, 214–215, 221
- distortion
  - barrel distortion 19
  - pincushion distortion 19
- dynamic range 56, 64, 91, 126, 128, 183, 189–190, 195, 241, 256, 327, 333
  
- e**
- elastic constant 146
- elastic region 147
- electric field 2–6, 8, 19, 33, 35–36, 43, 45, 57
- electromagnetic wave 1, 3, 5, 7
- emission
  - spontaneous emission 39
  - stimulated emission 39
- emissivity 352, 354, 358–360, 363
- error
  - quantization error 71
  - systematic error 107, 194, 203
  
- f**
- f-number 24–25, 28, 31, 53, 232
- Fabry-Perot 20–22, 40, 45
- failure plane 142–143
- fatigue 153, 163, 166–167, 171, 222, 270, 364, 367, 384, 388
- feature 70, 78–79, 100, 112, 165, 262, 299, 304–305, 331, 342
- feature extraction 70, 79
- fiber
  - multimode fiber 11, 43
  - optical fiber 42, 162, 236, 242
  - single mode fiber 42–43, 45
- field of view 49, 53, 113, 131, 165, 258, 260–261, 272, 285, 299, 305, 370, 374, 379–380
- field stop 53–54, 58
- fill factor 56, 60–61, 111, 335
- filtering 44, 93, 108, 111, 132–134, 173, 189, 206, 252, 254, 299, 306–307, 310, 313–315, 317, 326, 341
- finesse 21
- finite element analysis (FEA) 356
- flux-transfer 59
- focal length 13–16, 18, 24, 28, 31, 45, 50–54, 58, 81, 173, 232, 271
- focal plane 15, 17, 28–29, 55

- focal point 28, 51–53, 216, 218  
 four-point bending 355, 386  
 Fourier holography 279  
 Fourier spectrum 111, 316  
 Fourier transform 23, 28, 97, 107, 110–111,  
   115, 187, 252–253, 283, 306–307, 311,  
   313–317, 337, 379–380  
 Fourier transform profilometry 307, 311,  
   313–315, 317  
 Fourier transform spectrometry 23  
 fracture mechanics 153–154, 160, 387  
 frame rate 56, 66, 69, 76, 241, 336, 343  
 Fraunhofer diffraction 27–28  
 Fresnel holography 230, 279, 292, 296, 301  
 Fresnel transform 280, 282–283, 297, 301  
 fringe  
   – correlation fringe 175  
   – fractional fringe 376–377  
   – fringe constant 370, 372, 383–384, 386,  
     388  
   – fringe order 84, 130, 134, 136, 163,  
     170–171, 341, 369, 374–376, 379–380,  
     383, 385–391  
   – fringe plane 309, 318, 321, 329–332, 337,  
     342  
   – fringe tracing 329  
   – isochromatic fringe 163, 368, 374–375,  
     380  
   – isoclinic fringe 376  
 fringe projection 84, 113–114, 129, 134–135,  
   303–306, 308, 310, 312, 314, 316, 318, 320,  
   322, 324, 326, 328, 330, 332, 334, 336, 338,  
   340–343  
 full well 63
- g**  
 Gaussian beam 32–33, 45  
 geometrical optics 10–11, 28, 47,  
   49–50, 304  
 graphics processing unit (GPU) 336  
 Gray code 341–342  
 gray level 72–73, 78, 128, 185–186,  
   190–191, 193, 196–199, 212–213, 221  
 grid 77–78, 112, 114, 156, 164, 305–326,  
   328–338, 341–343, 387
- h**  
 half wave plate 35  
 heat transfer 346, 356–357  
 high-speed camera 67, 183  
 histogram 72–76, 79, 125, 231–233  
 hole 49, 57, 60, 62, 151–154, 169–171, 178,  
   357–358
- holography 1, 19, 24, 41, 44, 155, 157, 163,  
   173, 175, 178, 229–230, 239, 247, 278–279,  
   281, 283–285, 287, 289, 291–293, 295–297,  
   299, 301, 304  
 honeycomb 269–273  
 Hooke's law 146, 355, 383  
 HRR field 160
- i**  
 image correlation 158, 163, 183–184, 186,  
   188, 190, 192, 194, 196, 198–220, 222, 224,  
   226–228, 299, 305  
 image formation 1, 10, 44, 47, 49, 51, 53, 55,  
   58  
 image plane 15–16, 19, 48–51, 53–54, 58,  
   217, 263  
 image processing 48–49, 70–73, 75, 77,  
   79–80, 108, 156, 183, 279, 299  
 imager formats 68  
 infrared 38, 47, 50, 62, 159, 165, 186, 229,  
   345, 348–349, 351–354, 363, 387  
 intensity 3, 5–6, 9, 19–22, 24, 26, 28, 32, 45,  
   59, 70, 78, 83–85, 89, 93, 97, 101, 105,  
   114–115, 154–158, 173, 184–185, 231–234,  
   236–238, 241–242, 254–256, 262–264, 269,  
   281, 299, 306, 309–312, 314, 322, 326,  
   334–335, 338, 349, 364, 371–373, 377–381,  
   388, 391  
 interference  
   – geometric interference 316, 322, 325  
   – interference pattern 19–20, 25–27, 45,  
     231, 235–236, 238–239, 262–266, 318,  
     334  
 interferometer  
   – Fizeau interferometer 102–103, 105, 126  
   – Mach-Zehnder interferometer 103–104,  
     251, 285  
   – Michelson interferometer 22–23, 102, 109,  
     236  
   – Twyman-Green interferometer 102–103  
 interferometry  
   – heterodyne interferometry 23, 88, 134, 304  
   – holographic interferometry 24, 230, 235,  
     299  
   – low-coherence speckle interferometry  
     246–247, 249, 251, 253, 255, 257, 259, 261  
   – moiré interferometry 164  
   – speckle pattern interferometry 229, 235,  
     237, 239, 241, 243, 245, 298, 304  
   – speckle pattern shearing interferometry  
     230, 262–263, 265, 267, 269, 271, 273,  
     275, 277, 298

- interpolation 77–78, 189–194, 196, 199, 201–203, 207, 209, 214–215, 221–222, 307, 329, 341
- irradiance 3, 83, 85–88, 91–97, 101, 110, 115–116, 118, 122, 125, 127–129
- isochromatic fringe 163, 368, 374–375, 380
- isoclinic fringe 376
- isopachics 155, 364
- isotherics 157
  
- j**
- Jones
  - Jones calculus 35, 37–38, 370
  - Jones matrix 35, 37–38
  - Jones vector 4, 35–37
  
- l**
- Lamé constant 346
- Lamé's problem 171, 178
- Laplace transform 115
- laser 1, 5–6, 22–24, 26, 31–32, 38–45, 86, 89, 102–105, 107, 113, 127, 158, 173–174, 176, 229–231, 236–237, 241, 244–245, 275–277, 284–285, 289–290, 295, 297–298, 300–302, 304
- lens
  - concave lens 15
  - convex lens 18
  - thick lens 13–14, 45
  - thin lens 13–14, 16, 50–52
- lens combination 14, 16
- lens design 19
- liquid crystal 334, 336, 342
- Lissajous figure 93, 99, 139
  
- m**
- magnetic field 1–2, 4
- magnetic permeability 1–3
- magnification 10, 15, 18, 24, 53, 77, 81, 112, 173, 205, 211, 232, 313, 319–320, 322, 330–333, 343
- Malus' law 6
- material
  - birefringent material 367, 369
  - isotropic material 146–147
  - orthotropic material 146, 156, 345, 353, 355
- Maxwell's equations 1, 49
- measurement uncertainty 127
- media
  - absorbing media 5
  - anisotropic media 4, 7, 33–34
  - biaxial media 34
  - isotropic media 33–34
- uniaxial media 34
- membrane 172, 177, 257, 259–260, 295, 337, 340
- MEMS 141, 155, 158, 161, 163, 165, 172–173, 175, 177–179, 257, 259
- microinterferometry 178
- miscalibration 124, 126
- mode
  - longitudinal mode 40–41, 45
  - transversal mode 40–41, 43
- modulation 83, 85–88, 91, 93, 97, 101, 104–105, 107, 110–112, 115–116, 127, 187–188, 194, 201, 203, 237–238, 264, 269, 274–275, 295, 310–312, 318, 332–334, 380
- Mohr's circle 163, 387
- moiré
  - geometric moiré 164
  - moiré interferometry 164
  - projection moiré 307–308
  - shadow moiré 157–158, 308–309, 316, 318–319, 321
- morphological operation 77, 79
- motion detection 78–79
- Mueller matrix 371
  
- n**
- noise
  - 1/f-noise 65–67
  - digitization noise 128–129
  - fixed-pattern noise 56
  - grid noise 306–307, 309, 318–319, 321–326, 335, 337–338, 342–343
  - kTC-noise 64, 67–68, 80
  - random noise 76, 101, 127, 316, 327
  - readout noise 56, 127–128
  - shot noise 65–66, 76, 80, 127–128
  - thermal noise 65–67
- nondestructive evaluation 391
- nonlinearity 122, 126, 329–330, 335
- numerical aperture 31, 107, 125, 282
  
- o**
- off-axis 18, 107, 279, 281
- optical coherence tomography 247
- optical flow 185–186
- optical path length difference 233
- optical system 12, 14–19, 30, 49–50, 53–54, 58–59, 236, 256, 300, 370
  
- p**
- paraxial approximation 12, 17, 33, 47, 50
- phase
  - phase jump 130

- phase map 83–84, 87–89, 111, 129–130, 132–133, 137, 242, 244–245, 250–251, 258, 279, 300, 313, 316, 339, 342  
 – unwrapped phase 84, 270, 277, 299, 314  
 – wrapped phase 84, 87–89, 111, 129, 137, 244, 265, 270, 287, 291, 299, 329
- phase shifting  
 – spatial phase shifting 88, 107  
 – temporal phase shifting 86, 102
- phase stepping 107, 237–238, 265, 333
- phase unwrapping 84, 129–131, 133–135, 137, 139, 265, 270, 307, 313, 315, 317, 321, 328, 341–342
- photodetector 57, 60, 63, 65, 351
- photodiode 57, 61–65, 82
- photoelasticity  
 – reflection photoelasticity 170, 368, 381–383, 387–388
- photoelectric effect 47–48
- photomechanics 229
- photometry 50
- piezoelectric 102, 236, 252, 267, 343
- pinhole camera 49, 216
- pixel pitch 58–59, 61, 112, 297
- pixel size 216, 265
- Planck's constant 60, 349
- Planck's law 348–349, 354
- plastic region 147–148
- point source 6, 10, 44, 322
- point-by-point 154, 159, 162, 181
- Poisson's ratio 171, 192, 210, 228, 230, 242, 346, 355
- polariscope 167–170, 368–382, 385–386, 389, 391–392
- polarization 3–4, 7–9, 34–38, 44–45, 101, 104–105, 241, 267, 279, 334, 370–371, 374
- polarized light 3–4, 6, 44, 231, 334, 367, 377, 382
- polarizer 6, 36–37, 334, 370–377, 391
- Poynting vector 3
- pressure sensor 165, 172–173, 175, 177–179, 257, 259
- principal plane 16
- principal point 14
- printed circuit board 285
- profilometry 303–308, 310–338, 340, 342–343
- projector 113–114, 136, 138, 316, 331–332, 334–336, 342–343
- q**
- quantum efficiency 56, 60
- quarter wave plate 35
- r**
- radiant flux 352
- radiation 21–22, 39–40, 47, 49–50, 54, 165, 304, 348–349, 352
- radiometry 49–50
- radius of curvature 12–13, 33, 45, 107
- ray  
 – chief ray 53  
 – marginal ray 53  
 – ray-tracing 50–52
- reflection  
 – reflection coefficient 8–9, 81, 248  
 – total internal reflection 7, 9, 42
- reflectivity 22, 126, 252–253, 280, 311–312, 322, 352
- refraction 7–9, 11–13, 51–52, 367, 369
- refractive index 2–3, 5, 7–8, 10–11, 20–21, 31, 40, 42–43, 45, 55, 80, 104, 106–107, 155, 248, 254, 257, 261–262, 367, 369, 379
- regularization 186, 188, 213–214
- residual 44, 78, 99, 156, 165, 181, 184, 186, 189, 191, 195–196, 212, 222, 363, 365, 367–368, 391
- resolution  
 – angular resolution 31–32  
 – spatial resolution 31–32, 56, 81, 89, 101, 109, 111, 204, 206, 222, 224, 229–230, 252, 268, 282, 287, 289, 297–299, 301, 306, 310, 315, 318, 326, 357
- resonator 39–41, 45
- retardation 367, 369–372, 379, 381–382, 391–392
- RGB 290–292, 335, 380, 390–391
- rigid body movement 263
- Ronchi ruling 333
- s**
- sawtooth image 84, 89, 96, 109, 132–133
- sensitivity 58–60, 66, 84, 113, 120–122, 129, 134–137, 175, 184, 195, 197, 221–222, 230, 236, 239–241, 244–245, 258, 263, 266–269, 278, 285, 287, 289–290, 295, 297–300, 302, 327, 331, 349, 354, 357, 360, 363, 365, 383
- sensitivity vector 84, 175, 240, 244, 263, 266–267, 297, 302
- shading 331, 338–339, 341
- Shannon theorem 279, 281, 297
- shape reconstruction 216, 218, 340
- shearing distance 262–264, 266, 268–269, 271, 273–274, 277, 298, 301
- shearography 158, 163, 173, 175, 177–179, 230, 262–271, 273–275, 277–278, 298, 300–301
- shutter 64, 67–69, 127, 241

- signal-to-noise ratio 50, 91, 99, 328  
 Snell's law 7–9, 12  
 specific heat 346–348  
 speckle  
   – objective speckle 231  
   – speckle averaging 239, 266, 271, 273, 301  
   – speckle correlation 158, 175  
   – speckle field 131, 236, 265, 269, 280, 299  
   – speckle pattern 24, 43, 111, 130, 158,  
     229–235, 237, 239, 241, 243, 245, 256,  
     262–263, 265–267, 269, 271, 273, 275,  
     277, 297–298, 304  
   – speckle phase 130, 132, 237–238, 263  
   – speckle size 24, 232, 235, 266, 299  
   – subjective speckle 230  
 spectral range 48–49, 60, 72  
 spectral width 25, 41  
 St. Venant's principle 384  
 Stefan-Boltzmann 349–353  
 stereo vision 216–218  
 Stokes vector 371–373, 377–378, 381  
 strain  
   – linear strain 149  
   – plane strain 209, 228, 367  
   – principal strain 149, 156, 160, 170–171,  
     180, 369  
   – shear strain 145, 215  
   – strain invariant 346  
   – strain witness 355, 359, 382–383  
 strain gauge 159–160, 162, 164, 181,  
   204–206, 348, 354, 365  
 strain-optic law 170  
 streamline fillets 163  
 stress  
   – assembly stress 164, 168  
   – normal stress 143, 161, 163, 180  
   – plane stress 146, 171, 180, 209–210, 367,  
     382, 387  
   – principal stress 148–150, 154–155, 159,  
     163, 180, 369, 372, 385–387  
   – residual stress 363, 365  
   – shear stress 143, 145, 150, 163, 180, 389  
   – stress concentration 141, 151, 153, 156,  
     160–162, 171, 391  
   – stress concentration factor 151, 171  
   – stress tensor 143–145, 149, 151, 178, 180,  
     346, 390  
   – yield stress 150, 179, 348, 362  
 stress intensity factor 388  
 stress-freezing 378, 384, 386–387  
 stress-optic coefficient 369  
 stress-optic law 369–370, 372, 374, 383, 390  
 stroboscopic illumination 239, 295  
 structured light 304–305, 310–312, 338, 342  
 super luminescence diode 251  
 surface geometry 305, 318  
 synthetic wavelength 101, 114, 134, 304
- t**
- Tardy compensation 376–377, 380  
 tensile test 205–206, 228, 241, 244, 299, 348  
 thermal conductivity 346, 356  
 thermoelastic constant 347, 354–355, 359,  
   361, 363  
 thermoelastic effect 345, 347, 359, 363  
 thermoelastic stress analysis 159, 161, 163,  
   345–346, 348, 350, 352, 354, 356, 358, 360,  
   362, 364, 366, 387  
 thermography 1, 345, 348–349, 351, 356  
 thresholding 78–79, 314  
 time-average 157, 178  
 time-edge effect 383–384  
 topography 257, 303, 316, 318, 337–340, 342  
 transmission 7, 21–23, 93, 102–104, 114,  
   125, 156, 160, 165, 167–169, 178, 192, 257,  
   310, 312, 322, 328, 334–335, 376, 390  
 triangulation 304–305  
 TSA 159, 164, 345–346, 352, 354–358,  
   361–365  
 TV-holography 173–175  
 tympanic membrane 337, 340
- v**
- V-number 43, 45  
 van Cittert-Zernike theorem 231  
 vibration 19, 24, 89, 104, 115, 127, 155, 157,  
   230, 235, 237–239, 241, 269–270, 274–277,  
   279, 292–293, 295–296, 298, 301  
 video 48, 58, 66, 69–71, 75, 79, 89–90, 109,  
   134, 235–236, 241
- w**
- wafer 58, 61, 165, 172, 238, 259, 301  
 wave  
   – circularly polarized wave 4, 35  
   – electromagnetic wave 1, 3, 5, 7  
   – elliptically polarized wave 35–36  
   – evanescent wave 9  
   – extraordinary wave 34  
   – linearly polarized wave 2, 5, 35–37  
   – monochromatic wave 2, 280  
   – ordinary wave 34  
   – plane wave 2–7, 10, 28–29, 34–36, 214,  
     269  
   – reference wave 24, 83, 86, 91, 100, 102,  
     104, 110, 173, 177, 229, 236, 241, 252, 254,  
     263, 269, 279–282, 285, 287, 297  
   – spherical wave 6, 10, 33, 269

- wave equation 1  
wavefront 10, 26, 32, 83–85, 88, 91, 101, 109–110, 130  
wavelength 2–3, 9, 11, 17, 20–21, 24–25, 30–31, 35, 41, 43, 45, 47, 49–50, 55, 59–60, 62, 83–84, 101–102, 105–107, 113–114, 134–136, 165, 171, 195, 206, 229, 247, 251, 256, 260–261, 282–283, 285–286, 289, 297, 299, 302, 304, 334, 348–354, 359, 369–370, 372, 374, 380, 391  
wavelet 316  
white-light 81, 106, 112–114, 374  
Wien's displacement 350  
Wiener-Khintchine theorem 253

**y**

- yield criterion 150, 180  
Young's double-slit experiment 19–20, 26  
Young's modulus 171, 230, 242, 346, 348, 355, 361, 383–384

**z**

- Z-transform 115–118, 123

