

Index

- Abraham, F. F., 208–212, 251
- Abrahams, E., 246, 248, 251
- Adler, D., 30, 32, 105, 106, 133, 227, 251, 255, 292, 294–296
- Agrawal, P., 192, 193, 203
- Aklonis, J. J., 4, 32
- Alben, R., 83–85
- alkali atoms in oxide glasses, 100, 101
- Ambegaokar, V., 281, 295
- amorphous chalcogenides, *see* chalcogenide glasses
- amorphous metals, *see* metallic glasses
- amorphous semiconductors:
 - applications of, 24, 28–31, 290–295
 - chalcogenide, *see* chalcogenide glasses
 - doping of, 292
 - electronic structure of, 234, 235, 254–260
 - electron transport in, 276–289
 - mobility edges in, 234, 235
 - optical properties of, 265–273
 - preparation of, 8–10, 290
 - tetrahedrally coordinated, 67–72, 76–84, 254–256, 258, 289–292
- amorphous solid, 3
- Anderson, P. W., 16, 231–233, 239–242, 246, 248, 251, 294, 295
- Anderson Hamiltonian, 239–242
- Anderson localization, *see* Anderson transition
- Anderson transition, 205, 224–226, 231–251
- Angell, C. A., 21, 32, 206, 251
- antibonding–bonding splitting, 256–260, 265
- antibonding–nonbonding splitting, 260, 265
- antibonding orbitals, 255–257
- applications of amorphous solids, 23–32, 273, 290–295
- arsenic, 64, 93, 295
- arsenic–selenium system:
 - compositional freedom in, 97–99
 - continuous random network of glasses in the, 65
 - crystalline forms in the, 63, 64
 - electrical properties of, 277, 286–288
 - glass-forming compositions in, 101
 - optical properties of, 263, 264
 - photocrystallization of, 96
 - Raman scattering of, 96, 97
 - valence alternation in, 293
 - in xerography, 24, 28, 294, 295
- arsenic–sulfur system:
 - annealing effects in, 95
 - continuous random network of glasses in the, 65
 - crystalline forms in the, 63, 64, 92
 - electronic structure of, 258–260
 - glass-forming compositions in the, 101
 - glass transition in, 6
 - macromolecular nature of, 90–93
 - optical properties of, 258–267
 - quenching rate for, 8
 - short-range order in, 44, 93
 - specific heat of, 17, 18
 - structure of, 91–96
- Aspnès, D. E., 273, 295
- atomic polyhedron, *see* Voronoi polyhedron
- average gap, 254–260
- Band conduction, 274, 276, 277
- bandgap, 235, 254–260, 271–273, 291
- bandgap states, 290–292
- band-structure effects in crystals, 225, 234, 254, 263–265, 271, 272
- band theory of electrons in crystals, 223–225, 234, 254, 274
- bandwidth, electron, 229–232, 241, 242
- Bankstahl, H., 11, 32
- Barker, J. A., 51, 52, 82, 85
- Bell, R. J., 72, 73, 84, 85
- Bennett, C. H., 81, 82, 85
- Benoit, H., 113, 120, 133
- Bernal, J. D., 50, 85, 95
- Bernal model, 50, 52
- Bethe lattice, 168, 171–174, 178–180
- Bishop, G. H., 162, 203
- bismuth, 10
- Blachnik, R., 17, 32
- Bloch functions, 223–226, 241, 274
- blocked bonds in percolation, 138
- blocked sites in percolation, 139
- Blossey, D. F., 262, 296
- boat configuration of a six-atom ring, 69, 71
- bond-angle statistics, 65–69, 72, 291
- bond circuits, *see* ring statistics
- bonding–antibonding splitting, 256–260, 265
- bonding orbitals, 255–257, 265
- bonding schematics for electronic structure, 255–258
- bond lengths in covalent glasses, 67, 69, 72

- bond percolation, 138–141, 145, 168–171, 187, 198–201
- bond reconstruction in chalcogenides, 95
- borderline dimensionality, *see* marginal dimensionality
- Boudreaux, D. S., 68, 85
- bridging oxygens, 73, 182
- bridging sulfurs, 93, 182
- Brodsky, M. H., 269, 270, 295
- Brownian motion, 115, 116, 119, 131, 132, 165
- Cardona, M., 269, 270, 295
- Cargill, G. S., 49, 80, 81, 85
- Cayley tree, *see* Bethe lattice
- chair configuration of a six-atom ring, 69, 71
- chalcogen elements, 86
- chalcogenide glasses, 17, 18, 65, 86–107, 256–260, 264–268, 277, 292–295
- Chandrasekhar, S., 114, 133
- Chaudhari, P., 7, 32, 49, 85
- chemical-bonding view of electronic structure, 255–260, 265
- chemical impurities, 103, 290–295
- chemical order in glasses, 101–104
- Chen, H. S., 11, 18, 32
- close packing: *see* crystalline close packing; random close packing
- clusters, *see* percolation clusters
- cluster size:
 - average 143, 154, 245
 - distribution, 142, 158–162, 221
- cobalt, 10
- Cohen, M. H., 20, 32, 49, 85, 189, 203, 204, 215, 219, 221, 233, 236, 251
- Cohen-Turnbull free-volume model, 215–218
- communal entropy, 221, 222
- compositional freedom in glasses, 97–101
- computer simulations of:
 - the Anderson transition, 250
 - bond percolation, 145, 198–201
 - continuum percolation, 188, 189
 - the glass transition, 206–212
 - random close packing, 51, 52
 - real-space renormalization, 198–201
 - site percolation, 160, 164
- condensation reaction, 175–178
- conductivity, 145, 190, 243–251, 274–280
- connected bonds in percolation, 138
- connected sites in percolation, 139
- connectivity transition, *see* percolation transition
- Connell, G. A. N., 82, 83, 85, 94, 134, 295
- contiguity number, 56
- continuous random network, 35, 60–73, 79, 81–85, 291
- continuous-time random walk, 285, 286
- continuum percolation, 186–191, 238, 239
- coordination number, 33, 34, 38, 39, 291, 295
- coordination shell, 40, 41
- correlation energy, 228–230, 251, 293, 294
- correlation-induced localization, *see* Mott transition
- Cotton, J. P., 113, 120, 133
- Coulomb interactions, 228–231, 293
- covalent glasses, 63–73, 76–85, 101–104, 255–258, 289–295
- covalent graphs, 62–64, 86–101, 295
- covalent networks, 62–65, 67–73, 86–101, 182, 258, 295
- Coxeter, H. S. M., 51, 85
- critical concentration for percolation, 168–171
- critical exponents:
 - dimensionality dependence of, 166
 - for localization, 245, 250, 251
 - for percolation, 156–166, 200
 - for polymer configurations, 123, 124
 - universality of, 158, 165, 166, 197, 198
- critical region, 156
- critical volume fraction for percolation, 166, 185–191, 238
- cross-linking in chalcogenide glasses, 98
- crystalline close packing, 35–38, 54, 58, 164
- crystalline order, 12, 35–38, 58
- crystallinity, 12, 15
- crystallization, 2, 5, 7, 18, 96
- Dalton, N. W., 200, 203
- dangling bonds, 104–106, 289–293
- Davis, E. A., 252, 276, 277, 295
- Dean, P., 72, 73, 84, 85
- Decker, D., 113, 120, 133
- DeConde, K., 242, 243, 251
- decoration transformation, 63, 64, 72, 73, 93
- defects in glasses, 104–107, 290–294
- DeFonzo, A. P., 96, 133
- de Gennes, P. G., 127, 133, 177, 180, 203
- Delaunay division, 60
- delocalization and kinetic energy, 46, 62, 229–231, 256
- delocalization–localization transitions, 205–251
- DeNeufville, J. P., 94, 133
- dense random packing, *see* random close packing
- density of states, 234, 235, 254–258, 290, 291
- diamond structure, 61, 62
- diffraction studies of structure, 42, 43, 73–85, 113, 119, 120

- diffusive motion, 14, 15, 115, 213–217, 221, 247, 284
- dihedral-angle statistics, 69, 70
- DiMarzio, E. A., 20, 22, 32
- dimensional invariants, 157, 170, 171, 186–188
- dimensionality:
 - of covalent networks, 87–94
 - dependence of Anderson localization, 246–251
 - dependence of close packing, 58, 59, 164
 - dependence of critical exponents, 166
 - dependence of the Flory exponent for polymers, 124–126
 - dependence of Mott's variable-range-hopping exponent, 280
 - Euclidean, 130, 132, 159
 - fractal, 131–133, 158, 161–163
 - Hausdorff-Besicovitch, 130
 - marginal, 124, 126, 164–167, 239
 - network, 87–94, 130, 182
 - noninteger, 130–133, 161–167
 - of percolation clusters, 161–163
 - of polymer configurations, 130–133
 - as a variable, 165–167
- disorder, compositional, 13
- disorder, diagonal, 240
- disorder, topological, 13, 49–73, 184
- disorder-induced localization, *see* Anderson transition
- disorder-induced scattering, 275
- disorder parameter, 232, 233, 241, 242, 247
- dispersive transport, 282–289
- Domb, C., 120, 123, 133, 200, 203
- donors in silicon, 242–245, 251, 278, 292
- Doolittle equation, 218
- doping of *a*-Si:H, 292
- Doyama, M., 82, 85
- Draws, R. E., 264–267, 296
- drift mobility, 277, 282–287
- dual graph, 60, 61, 168
- duality, 60, 61, 167
- Duwez, P., 274, 275, 296

- eclipsed bond configuration, 70
- eight-minus-*n* rule, 101–104
- Einstein, A., 115, 116, 133
- elastic shear modulus of a gel, 180, 181
- electrical networks, *see* resistor networks
- electrical properties, 274–289, 292–294
- electronic excitations, 252–254, 263–268
- electronic structure, 234, 235, 254–260, 265
- Emerald, R. L., 264–267, 296
- empty sites in percolation processes, 139

- end-to-end distance of a polymer coil, 116–119, 123
- energy gap, 235, 236, 254–260
- entropy, 17, 20–22, 221, 222
- entropy, communal, 221, 222
- entropy crisis at the glass transition, 21, 22
- epsilon expansion, 165, 198
- Euler-Poincaré relation, 51
- eutectics, 10, 11
- EXAFS, 43–45
- excluded-volume effect on chain configurations, 120, 123, 124, 128, 129
- extended-range percolation, 200, 202
- extended-state transport, 274, 276, 277

- face-centered-cubic lattice, 36, 37, 41, 54
- Farnoux, B., 113, 120, 133
- Fermi-level pinning, 290, 294
- ferromagnetism, 24, 31, 32, 274
- fiber-optic communications, 24–27, 267, 273
- filled sites in percolation processes, 139
- filling factor, 37, 49, 185–188
- Finkman, E., 96, 133
- Finney, J. L., 50–55, 81, 82, 85
- Fischer, E. W., 113, 130, 133
- Fisher, M. E., 124–127, 133, 165, 204
- Fitzpatrick, J. P., 183, 203
- fixed points, 195–197, 249, 250
- Flory, P. J., 112, 113, 116, 121–127, 133, 177, 178, 203
- Flory-Fisher argument for the self-avoiding-walk exponent, 124–127
- Flory random coil model, *see* random coil model
- Flory-Stockmayer theory of gelation, 177–180
- flow diagrams, 194, 196, 248
- fluidity, 14, 15, 218
- Flynn, C. P., 186, 204
- fractal dimensionality:
 - for percolation clusters near threshold, 158–163
 - for polymer configurations, 131–133
- fractional exponents:
 - for dispersive transport, 285, 286
 - for percolation, 157
 - for polymers, 113, 123, 124
 - for self-avoiding walks, 113, 123, 124
 - for variable-range-hopping, 280
- free-volume model of the glass transition, 20, 206, 212–223
- freezing point, 2, 5, 10, 11
- Frisch, H. L., 177, 184, 191, 203
- Fritzsche, H., 105, 106, 133, 233, 236, 251, 292, 296

froth, *see* Voronoi froth

gallium arsenide, 72, 273

Gaskell, P. H., 32

gelation, 175–182, 191–198, 206

gel macromolecule, 176–179

gel point, *see* sol-gel transition

germania, 6, 24, 27, 73

germanium, 10, 61, 72, 82–84, 252–256, 277

germanium–selenium system, 73, 97, 258

germanium–sulfur system, 73

germanium–tellurium system, 24, 30, 73

Gibbs, J. H., 20, 22, 32

Giessen, W. C., 7, 32

Gillis, J., 120, 123, 133

glass, 2, 3

glass-forming tendency, 8

glass–liquid transition, *see* glass transition

glass point, *see* glass transition

glass transition:

definition of the, 2

entropy aspects of the, 20–22, 221, 222

free-volume model of the, 20, 206, 212–223

kinetic aspects of the, 2–5, 19, 20, 223

as a localization–delocalization transition,
14, 205

Monte Carlo computer simulations of the,
206–212

and the percolation model, 206, 219–223

specific heat near the, 17–19

temperatures for representative materials, 6

thermodynamic aspects of the, 2, 5, 16–22,
218–223

glassy metals, *see* metallic glasses

glassy semiconductors, *see* amorphous
semiconductors

glow-discharge decomposition, 290

gold–silicon system, 6, 10, 11, 17, 18, 274

Graczyk, J. F., 76–78, 85

Grammatica, S., 289, 296

Grant, Cary, 295

graph concepts, uses of, 60–64, 138

graphite, 63, 64, 93

Grest, G. S., 203, 215, 219, 221, 251

Hales, Stephen, 56–58, 65

Halperin, B. I., 281, 295

Hamakawa, Y., 295

Hammersley, J. M., 139, 174, 177, 178, 184,
191, 203

Harada, Y., 94, 134

hard-sphere model, 50, 207, 212, 213

Harrison, R. J., 162, 203

Hausdorff–Besicovitch dimensionality, 130

Hauser, J. J., 277, 279, 296

Haward, R. N., 108, 133

Hayes, T. M., 94, 134

Hayward, R., 62, 85

Henisch, H. K., 176, 204

Hess, H. F., 242, 243, 251

Higgins, J. S., 113, 120, 133

high-density percolation, 203, 219–222

Hoare, M. R., 51, 52, 82, 85

honeycomb lattice, 61, 63, 64, 168, 185

honeycomb, statistical, *see* Voronoi froth

Hoppe, A., 17, 32

hopping conduction, 276–281, 287, 289

hopping integral, 239–242, 246

hopping, variable-range, 277–281

Hutchinson, J. M., 4, 32

hydrogenated amorphous silicon, 24, 30, 31,
290–292

Ibel, K., 113, 120, 133

Ichikawa, T., 75, 85

ideal chain configurations, 127–129

ideal glass, 103–105

impurities, 103, 290–295

infinite cluster, *see* percolation path

infrared absorption, 268–270

insulator–metal transitions, 137, 148, 186,
190, 223–231, 243–245

intermolecular interactions, 86, 207–209, 260

ion implantation, 273, 274

iron, 10

iron–phosphorus system, 31, 76, 77

Jannink, G., 113, 120, 133

Jortner, J., 189, 204

Josephson scaling law, 164, 165

Kadanoff, L. P., 200, 204

Kastner, M., 105, 106, 133, 255, 258, 292, 296

Kauzmann, W., 21, 32

Kauzmann's paradox, 21, 22

Kelso, S. M., 273, 295

Kilgour, D. M., 50, 85

kinetic energy and delocalization, 46, 62,
229–231, 256

kinetics of the glass transition, *see*
glass transition

Kirkpatrick, S., 145, 155, 164, 198–201, 204

Kirste, R. G., 113, 120, 133

Knights, J. C., 295

Kovacs, A. J., 4, 32

Kruse, W. A., 113, 120, 133

Langer, J. S., 281, 295

- laser glazing, 9
- Leadbetter, A. J., 93, 134
- Leath, P. L., 159, 160, 203, 204
- LeComber, P. G., 292, 296
- Lee, T. D., 220
- Lehmann, Marianne, 171, 172
- Leiser, G., 113, 120, 133
- Lennard-Jones glass, 52, 208–212
- Licciardello, D. C., 246, 248, 251
- like-atom bonds, 72
- liquid, supercooled, 7
- liquid, undercooled, 7
- liquid–crystal transition, *see* crystallization
- liquid–glass transition, *see* glass transition
- liquidity, 14, 15
- Lobb, C. J., 189, 190, 204
- localization, 155, 205, 226, 231–251
- localization, correlation-induced, *see* Mott transition
- localization, disorder-induced, *see* Anderson transition
- localization, scaling theory of, 242–251
- localization–delocalization transitions, 205–251
- localization length, 226, 250, 278, 280
- localization and percolation, 233, 236–239, 245
- localized states, 226, 235, 276–280, 287, 289
- lone-pair electrons, 257, 258, 293
- lone-pair semiconductors, 258, 260
- long-range order, 11, 12, 16, 223–225, 234, 254
- Lucovsky, G., 295
- Lynch, D. W., 273, 295
- macromolecules, 90–93, 176–179
- magnetism, 24, 31, 32, 151–153, 157, 165, 274, 294
- Malt, R. B., 183, 203
- Mandelbrot, B. B., 131, 132, 134, 161, 204
- marginal dimensionality, 124, 126, 164–167, 239
- Masumoto, T., 76, 77, 85
- Matsuoka, H., 82, 85
- mean-field theory:
 - for percolation, 164, 167, 172–174
 - for polymer coils in solution, 124–127
 - for self-avoiding walks, 127
- melt quenching, 8, 9
- melt spinning, 6, 7, 31
- metal–insulator transitions, 137, 148, 186, 190, 223–231, 243–245
- metallic glasses:
 - applications of, 24, 31
 - conductivity in, 274, 275
 - diffraction studies of, 75–77, 80–82
 - ferromagnetism in, 24, 31, 32, 274
 - glass transition in, 17, 18, 215
 - preparation of, 7–10, 215
 - random-close-packing model for, 35, 49–59, 80–82
 - split second peak in the RDF of, 81, 82, 211, 212
 - structure of, 35, 49–59, 75–77, 80–82
 - superconductivity in, 32, 274
- metastability, 16
- mobility, 277, 282–287
- mobility edge, 233–239, 250, 251, 276
- mobility gap, 236, 254, 276, 277
- molecular solids, 86–97
- Monte Carlo calculations, 198, 209–212
- Montroll, E. W., 276, 282–288, 296
- Mooser, E., 255, 296
- Mort, J., 30, 32, 289, 296
- Moss, S. C., 76–78, 85, 94, 133
- Mott, N. F., 16, 102–104, 114, 116, 134, 227, 233, 249, 251, 252, 276–280, 295, 296
- Mott insulator, 229–230
- Mott's derivation for variable-range hopping, 278–280
- Mott's use of the $8 - n$ rule, 101–104
- Mott transition, 224, 227–231, 244
- multiple trapping, 289
- Nakanishi, H., 145, 193, 194, 204
- native defects, 104–107, 290–294
- Nemanich, R. J., 94, 134
- network dimensionality, 87–94, 182, 258
- network formers, 100, 103
- network modifiers, 100, 103
- nickel–phosphorus system, 6, 8, 80, 81
- nonbonding–antibonding splitting, 260, 265
- nonbonding electrons, 257, 258, 265
- noncrystalline solid, 3
- Ober, R., 113, 120, 133
- odd-membered rings in silicon, 69, 71, 72
- Olson, C. G., 273, 295
- one-dimensional-network solids, 90, 91, 107–113
- optical:
 - absorption coefficient, 261, 266
 - absorption edge, 258–260, 265–268
 - bandgap, 258–260, 265, 266, 271–273
 - fine structure in crystals, 263–265
 - properties, 24–26, 252–254, 258–273
 - reflectivity, 252–254, 261–265
 - response functions, review of, 261

- optical (*continued*)
 transparency, 24–26, 267, 268
- organic glasses:
 applications of, 24, 27, 107, 108
 Flory random-coil model for, 107–113, 127–129
 glass transition in, 4, 6
 preparation of, 8
 structure of, 107–129
- Ovshinsky, S. R., 30, 32, 94, 133, 233, 236, 251
- oxide glasses, *see* germania; silica
- packing fraction, *see* filling factor
- pair connectedness, 154–156
- pair correlation function, *see* radial distribution function
- palladium–phosphorus system, 6, 8
- palladium–silicon system, 274, 275
- Papathodorou, G. N., 94, 134
- Paul, W., 82, 83, 85, 295
- Pauling, L., 62, 85
- Pearson, K., 114, 115, 134
- Pearson, W. B., 255, 296
- peas, 56–58
- Peierls theorem, 250
- percolation:
 applications of the theory of, 147–153, 175–182, 186, 206, 219–223
 clusters, 140, 142–146, 156–163, 221
 critical concentration for various lattices, 170
 critical exponents for, 153–167, 200
 critical volume fraction, 166, 185–191, 238
 fractal aspects of, 158–163
 and gelation, 177–181, 191–194, 197
 and the glass transition, 206, 219–223
 and localization, 155, 233, 236–239, 245
 and magnetism, 151–153, 157
 and metal–insulator transitions, 137, 148, 186, 190
 path, 139–146
 and polymers, 163
 probability, 146, 173, 174
 scaling aspects of, 156–163, 193–201
 threshold, 136–138, 145, 156–159, 168–170, 173, 187, 188, 199
 transition, 135–153
 and variable-range hopping, 281
see also bond percolation; continuum percolation; extended-range percolation; high density percolation; polychromatic percolation; site percolation; site-bond percolation
- Perrin, J., 114–116, 131, 134
- Pfister, G., 286, 288, 289, 296
- phase transitions, *see*: Anderson transition; glass transition; metal–insulator transitions; Mott transition; percolation transition; universality
- Phelps, D. J., 186, 204
- Phillips, J. C., 291, 296
- phonons, 268–270
- phosphorus-doped silicon, 242–245, 251, 278
- photoconductivity, 24, 28, 29, 186, 282, 283, 288, 294
- photocrystallization, 96
- Picot, C., 113, 120, 133
- Pierce, D. T., 271, 272, 296
- pinning of the Fermi level, 290, 294
- plastics, 24, 27, 107
- plumbing analogy for percolation, 139, 141, 191
- polarization catastrophe, 245
- political analogy for renormalization, 193, 195–197
- political flow diagram, 196
- Polk, D. E., 68, 69, 77, 79, 85
- Polk model, 68–72, 79, 81–85, 291
- polychromatic percolation, 200–203, 233
- polymer chains, 90, 91, 93, 108–113, 116, 123, 163
- polymeric solids, 90–95, 107–113
- polymerization index, 90, 93, 108
- polymerization reaction, 175, 176
- polystyrene, 6, 8, 24, 107–110
- polyvinylacetate, 3, 4
- Porter, Cole, 163, 204
- Predel, B., 11, 32
- preparation of amorphous solids, 5–10
- pressure effect, 258–260
- pseudogap, 235, 290
- quenching rate, 3–6, 8, 9
- Quinn, G. D., 162, 203
- radial distribution function, 40–43, 74, 77, 79–85, 156, 210–212
- radius of gyration, 119
- Ramakrishnan, T. V., 246, 248, 251
- Raman scattering, 96, 97, 269, 270
- random close packing, 35, 49–59, 80–82, 183, 212, 214
- random coil model, 35, 111–113, 127–129
- random flights, *see* random walks
- random potentials, 236–238
- random resistor networks, 137, 145, 167, 169, 181, 183, 200, 253
- random walks, 113–127, 285

- Rao, K. J., 206, 251
Rawson, H., 23, 32
Rayleigh, Lord, 114–116
real-space renormalization, 198
reconstructed bonds, 290, 291
Redner, S., 192, 193, 203
reflectivity spectra, 252–254, 262–265
Reich, G. R., 159, 160, 203, 204
renormalization-group fixed point, 195–197, 249, 250
renormalization-group flow diagrams, 194, 196, 248
renormalization-group theory, 193–201, 247–250
resistivity, *see* conductivity
resistor networks, 137, 145, 167, 169, 181, 183, 200, 253
Reynolds, P. J., 192–194, 203
ring statistics, 66, 71, 72, 177
Rogers, C. A., 37, 85
Rosenbaum, T. F., 242, 243, 251
- scaling exponents, *see* critical exponents
scaling laws, 163–165
scaling properties:
 of the Anderson transition, 242–251
 of bond percolation, 198–201
 of Brownian trails, 129–133
 of dispersive transport, 286, 287
 of percolation clusters, 156–163
 of political elections, 193, 195–197
 of polymer configurations, 129–133
 of random walks, 129–133
 and renormalization, 193–201
 of self-avoiding walks, 129–133, 163
 of site-bond percolation, 193, 194, 197
scaling theory of localization, 242–251
scattering experiments for studying structure, 42, 43, 73–85, 113, 119, 120
Scher, H., 185, 204, 236–238, 276, 282–288, 296
Scher-Montroll theory of dispersive transport, 282–288
Scott, G. D., 50, 85
- selenium:
 crystalline form, 90, 91
 electronic structure of, 254, 256–258
 glass transition of, 6
 photoconductivity of, 287, 288
 polymeric nature of, 90
 quenching rate for, 8
 structure of, 90–93
 valence alternation in, 105, 292, 293
 in xerography, 24, 28, 294
selenium–arsenic, *see* arsenic–selenium system
- selenium–arsenic–germanium system, 97–99, 293–295
selenium–germanium system, 73, 97, 258
self-avoiding random walks, 120–127, 163
self-repulsion effect on polymer coils, 120, 123, 124, 128, 129
self-similarity, 115, 131, 132
Shapiro, B., 193, 194, 204
short-range order, 12, 34, 39, 67, 69, 72, 101–104, 253–258, 265
Sichina, W., 21, 32
silane, 290, 292
silica:
 applications of, 23–27, 273
 continuous random network of, 72, 73
 glass transition of, 6
 network formers in, 100
 network modifiers in, 100
 quenching rate for, 8
 structure of, 72, 73, 84, 85, 176, 177
silica gel, 175–177, 182
silicate glasses, *see* silica
silicic acid, 175
silicon:
 bond-angle statistics in, 67–69, 291
 continuous random network of, 67–72
 crystalline form of, 61, 62
 dangling bonds in, 289, 290
 diffraction studies of, 76–81
 electrical properties of, 277–280
 role of hydrogen in, *see* hydrogenated
 amorphous silicon
 optical properties of, 269–273
 phosphorus-doped, 242–245, 251, 278
 preparation of, 9, 10, 290
 ring statistics in, 67, 68, 71, 72
 solar-cell applications of, 24, 30, 31, 271–273, 290–292
 structure of, 67–72, 76–81, 289
 vibrational excitations in, 268–270
silicon–gold system, 6, 10, 11, 17, 18, 274
silicon–hydrogen system, *see* hydrogenated
 amorphous silicon
silicon–palladium system, 274, 275
simplex, 59
simplicial graph, 47, 60, 61
site-bond percolation, 139, 191–198
site percolation, 139, 141–144, 168–171, 186, 187, 198
Slade, M. L., 94, 134, 259, 264–267, 296
Smith, L. N., 189, 190, 204
solar cells, 24, 30, 31, 271–273
sol–gel transition, 175–182, 191–194, 197, 206
solidity, 13–15

- Solin, S. A., 94, 134
 Spaepen, F., 183, 203
 spanning cluster, 144, 199
 spanning length, 154–157
 Spear, W. E., 292, 296
 specific heat, 17–19
 Spicer, W. E., 271, 272, 296
 splat quenching, 8, 9
 split second peak in the RDF of metallic
 glasses, 81, 82, 211, 212
 stable fixed points, 195, 196
 staggered bond configuration, 70, 109
 Stanley, H. E., 191–193, 203, 204
 Stauffer, D. J., 177, 204
 Steinhardt, P., 83–85
 stochastic geometry, 35, 130, 138, 184, 185,
 189, 244, 281
 Stockmayer, W. H., 177, 204
 Straley, J. P., 169, 204
 Street, R. A., 94, 134, 295
 sulfur, 86–89, 94
 sulfur–arsenic, *see* arsenic–sulfur system
 sulfur–germanium system, 73
 superconductivity, 32, 274
 supercooled liquid, 7
 Swiss cheese, 161, 289
 switching in amorphous semiconductors, 30

 Takahashi, T., 94, 134
 Tauc, J., 96, 133, 252, 253, 265–267, 296
 Tauc edge, 266, 267
 Taylor, P. C., 295
 tellurium, 94
 tellurium–germanium system, 24, 30
 Temkin, R. J., 82, 83, 85
 tetrahedrally coordinated continuous random
 network, 67–72, 79, 81–85, 291
 thermal expansion coefficient, 1, 4, 218
 Thomas, G. A., 242, 243, 251
 Thouless, D. J., 167, 204, 233, 246, 251
 three-dimensional-network solids, 86–89
 time-of-flight experiments, 282–289
 topological defects in covalent glasses,
 104–107
 topological disorder, 13, 49–73, 184
 Toulouse, G., 164, 204
 transfer energy, 239–241, 246
 transit time, 283–288
 transparency of glasses, 24–26, 267, 268
 transport mechanisms, 276–280, 289
 trapping, 277, 287, 289
 tunneling transport, 276–281, 287, 289
 Turnbull, D., 6, 7, 11, 18, 20, 32, 49, 85, 215,
 251

 two-dimensional-network solids, 89–93

 ultraviolet spectra, 252–254, 262–265
 unblocked bonds in percolation, 138
 unblocked sites in percolation, 139
 unbounded cluster, *see* percolation path
 undercooled liquid, 7
 universality, 158, 165, 166, 197, 198
 universality class, 197, 198
 unstable fixed points, 195–197, 249, 250

 valence alternation pairs, 104–107, 292–294
 valence-electron excitations, 252–254,
 263–268
 valence satisfaction in glasses, 101–104
 van Hove singularities, 254
 Van Vleck, J. H., 16
 vapor-condensation techniques, 9, 10
 variable-range hopping, 277–281
 vibrational excitations, 268–270
 viscosity, 23, 179, 218
 vitreous solid, 3
 Vogel-Fulcher equation, 23, 218
 Voronoi froth, 46–48, 51–55, 60, 61, 219, 221
 Voronoi polyhedron, 45–49, 53–58, 61, 214,
 216, 221
 vulcanization, 182
 Vycor glass, 176, 177

 Waseda, Y., 76, 77, 85
 water, 6, 10
 Weaire, D., 83–85, 295
 Webman, I., 189, 204
 Weinstein, B. A., 259, 296
 Wigner crystallization, 231
 Wigner-Seitz cells, 45–49, 53–58
 Wilmers, G., 120, 123, 133
 Wilson, K. G., 165, 204
 Wright, A. C., 93, 134
 wrong bonds, 72

 xerography, 24, 28, 29, 283, 294, 295

 Yamakawa, H., 118, 134
 Yamamoto, R., 82, 85
 Yoffa, E. J., 294, 295
 ytterbium, 224

 Zachariasen, W. H., 35, 63–65, 73, 85, 91, 95,
 103, 134
 Zallen, R., 88, 94, 134, 185, 200, 204, 236–238,
 251, 259, 262, 264–267, 271, 281, 296
 zero-dimensional-network solids, 89, 90
 Ziman, J. M., 236, 251



