

SUBJECT INDEX

- A**
- acceptance 12, 631
 - accidental action 30, 631
 - accidental design situation 12, 32, 631
 - accompanying action 32, 631
 - action effects 12, 29, 631
 - actions 12, 29, 631
 - actions on bars 278, 283, 374
 - active degrees of freedom 101
 - active work 105, 128
 - adaptability 394
 - addition 650
 - adjoint 114, 656
 - advanced strip method 566
 - age-adjusted effective bulk modulus 94
 - age-adjusted effective elastic modulus 92
 - age-adjusted effective shear modulus 94
 - ageing coefficient 92
 - air-hardened 79
 - algebraic complement 649
 - alternating plasticity 266, 392, 435
 - amplification factor 348, 453
 - analogies 2
 - analytical model 1, 12, 31, 631
 - anchorage of pretensioned steel 318
 - angle of internal friction 87
 - annular structure 350
 - antisymmetric 650
 - arch 137, 345
 - arch action 503
 - area of contact 47
 - area of section 645
 - area shear factor 107, 195, 645
 - argument function 661
 - associated flow rule 84
 - axial force parameter 465
 - axial stiffness 185, 360
- B**
- band matrix 650
 - bar 52, 137
 - bar axis 52, 137
 - bar cross-section 137
 - bar element 137
 - bar element rigid in shear 381
 - bar end rotation 144
 - bar extension 144, 311
 - bar polygon 165
 - bar rotation 144, 290
 - bar splice 319
 - bar substitution 170
 - barrel vault 589, 603
 - base hinge 163
 - basic invariants 56, 59, 658
 - basic system 247, 254
 - basis 651
 - basis of design 12, 15, 631
 - BAUSCHINGER effect 392
 - beam 137
 - beam column 131
 - beam in bending 326
 - beam in shear 321
 - beam mechanism 416
 - beam on elastic foundation 326
 - bending moment 51, 52, 107, 111
 - bending stiffness 185
 - bending theory 591, 596
 - bending-resistant tie 362
 - BETTI's theorem 128
 - bilinear form 652
 - bimoment 212
 - body force 43
 - body load 43
 - bond 311
 - bottom chord 167
 - bound index 655
 - boundary conditions 235
 - boundary displacement operator 106
 - boundary displacements 76, 106
 - boundary stress operator 106
 - boundary stresses 105
 - brittle 80
 - buckling 575
 - buckling length 454
 - buckling load 453, 464, 576
 - buckling modes 453
 - buckling stress curves 471, 473
 - bulk modulus 82
- C**
- cable 137, 354
 - cable curve 356
 - cable equation 355
 - cable force 355
 - cable sag 356
 - cable stretch 354
 - cable-stayed bridge 139
 - cantilever beam 138, 161
 - CASTIGLIANO's theorem 118, 122
 - catenary 357
 - centroid 187, 645
 - chain of hinges 161
 - change in form 72
 - change in temperature 94
 - change in volume 72
 - characteristic determinant 653
 - characteristic equation 58, 653
 - characteristic matrix 653
 - characteristic polynomial 653
 - characteristic value 30, 631
 - chord 167
 - coefficient of thermal expansion 94, 643
 - cogredient 651
 - cohesion 87
 - cold-formed 79
 - collapse crack 498
 - column 137, 649
 - column deflection curve 449
 - column strip 545
 - column vector 649
 - column-regular 650
 - combined mechanism 416
 - commissioning 12, 631
 - compatibility condition 104, 201, 247, 254, 491
 - compatibility theorem 411
 - compatible 85, 104, 410
 - complementary internal total potential 394
 - complementary total potential 120
 - complete bar end forces 141, 281
 - complete bar end variables 281
 - complete member stiffness matrix 282
 - complete solution 411
 - completeness 386
 - complex truss 170
 - composite cross-section 190
 - composition 12, 14, 631
 - compressible 86
 - compressive strength 643
 - computation phase 287
 - conceptual design 11, 12, 631
 - condition assessment 12, 631
 - condition number 654
 - condition survey 12, 631
 - conformity 386
 - congruence transformation 105
 - congruent matrices 651
 - conjugate load 238
 - conjugate stress resultant 238
 - conjugate system 238
 - conservation 11, 12, 631
 - conservative 118
 - conservative system 119
 - constitutive equations 79, 106
 - constitutive relationships 79
 - construction detail 94

construction inspection plan 12, 631
 construction inspections 12, 631
 construction material 631
 construction material properties 12, 31
 construction work 12, 632
 construction works 11, 12, 632
 construction works documents 11, 12, 632
 contact force 43
 contained plastic deformation 390
 continua 105
 continuity conditions 235
 continuous slab 542
 contraction 657
 contragradient 104, 651
 control measurement 12, 632
 control variable 443
 convergence requirements 385
 coordinate notation 655
 coordinate transformation 651
 coplanar deformation 72
 coplanar strain state 111
 coplanar stress state 54, 110
 corner force 112, 528
 COULOMB yield condition 87
 counting scheme 143
 coupling beam 161
 coupling joint 333
 crack spacing 319
 crack width 319
 creep 91
 creep coefficient 91
 creep deformations 90, 235
 creep function 91
 CREMONA diagram 171
 CROSS method of moment distribution 305
 cross-sectional area 107
 cross-sections remain plane 187
 crown 163
 crown hinge 163
 curl 659
 curvature 107, 112, 233, 532
 curvature tensor 531
 curved beam 137, 193, 235
 cylindrical shell 601

D

damage accumulation 96
 damage accumulation hypothesis 98
 dapped end 50
 dead load 632
 deck-stiffened polygonal arch 66, 139, 165
 decommissioning 12, 632
 deconstruction 11, 12, 632
 defect 632
 deflection 111, 531
 deflection curve 233
 deformation 71
 deformation capacity 266, 632
 deformation demand 266
 deformation diagram 233, 259
 deformation state 222
 deformation work 104

degree of freedom 47, 141
 degree of static indeterminacy 143
 density 643
 design 11, 12, 632
 design alternatives 12, 632
 design boundary conditions 12, 13, 632
 design criteria 34, 632
 design level 35
 design situation 12, 29, 32, 632
 design value 33, 632
 design working life 12, 632
 detail design 11, 632
 detailing 12, 29, 632
 deterioration 94, 632
 determinacy 47, 50
 determinant 649
 developable 532
 deviator 60
 deviatoric component 60
 deviatoric plane 60
 diagonal matrix 650
 diagonal matrix of eigenvalues 653
 diagram of the static system 140
 diagrams of stress resultants 159
 dilatation 76
 dimensioning 11, 12, 632
 direct methods 661
 direct stiffness method 284
 direct support 510
 discontinua 105
 discontinuous stress field 501
 discrete yield line 568
 discretised structural model 140
 displacement equilibrium 293
 displacement field 71
 displacement gradient 74
 displacement method 104
 displacement vector 71
 displacement 106
 dissipation 81
 distortion 76
 divergence 659
 divergent 462
 domain of admissible functions 661
 dowelled beam 333, 342
 draft design 12, 632
 DRUCKER yield condition 86
 dual methods 2
 dual vector 657
 duality theorem of linear programming 443
 dummy index 655
 durability 12, 14, 32, 632
 dyadic product 657
 dynamic action 30
 dynamics 116

E

eccentrically loaded column 474
 economy 12, 14, 632
 edge 587
 edge disturbance 353
 edge force 111

edge load 589
 edge shear force 113, 528, 589
 effective depth 191, 632
 effective strength 429
 eigenvalue 653
 eigenvector 653
 EINSTEIN summation convention 655
 elastic 79
 elastic optimisation 445
 elastic phase 390
 elastic section modulus 398
 elasticity matrix 106
 elastic-plastic 409
 elastic-plastic deformation 395
 elastic-plastic optimisation 445
 elastic-plastic phase 390
 elementary mechanism 417
 elliptical 532, 596
 elongation at failure 643
 end plate 587
 endurance limit 96, 633
 ENGESSER's theorem 118, 124
 envelopes 265
 equations of motion 3
 equilibrium conditions 45
 equilibrium conditions of the continuum 57
 equilibrium line 393
 equilibrium matrix 142
 equilibrium system 45
 equivalent conditions of the variational
 problem 662
 equivalent force systems 44
 equivalent frame 545
 essential boundary conditions 661
 estimate 633
 EULER buckling load 454
 EULER-LAGRANGE equations 662
 examination 12, 633
 exceptional case of statics 143
 execution 11, 12, 633
 execution documents 12, 633
 expansion hinge 50
 experimental statics 2
 extensible cable 358
 external deformation variables 1, 106, 141
 external force 45
 external force variables 1, 104, 105, 141
 externally anchored suspension bridge 139
 externally statically determinate 143
 extremal 661

F

failure 633
 fan action 503
 fan mechanism 568
 far-end bar stiffness 292
 fatigue 94
 fatigue behaviour 94
 fatigue loading 95
 fatigue loads 35, 96
 fatigue resistance 12, 32, 94, 96, 633
 field line 659

- final creep coefficient 91, 643
 final shrinkage strain 90, 643
 finite element method 3, 381
 finite fatigue life 633
 finite fatigue life range 96
 finite shear stiffness 108
 first moment of area 186
 first variation 663
 first-order theory 71
 fixed action 30, 633
 fixed support 48
 fixed-end forces 278
 fixed-end moment 292
 flat slab 543
 flexibility 103
 flexibility matrix 255, 256
 flexibility matrix for all members 372
 flexible 106
 flexural buckling 482
 flexural failure 513
 flexural hinge 50
 flexural-shear failure 514
 flexural-torsional buckling 480
 flow rule 84
 fluctuating loading 95
 folded plate structure 52
 force 43
 force method 103, 372, 441
 force per unit area 43, 53
 force per unit length 44
 force per unit volume 43
 force polygon 46
 force state 222
 force system 44
 force transfer 505
 force-balance equations 45
 force-couple system 44
 fork support 208
 FOULKES diagram 438
 FOULKES mechanism 439
 foundation modulus 329
 fracture 94
 frame 163
 frame beam 163
 frame leg 163
 framed structure 31, 51, 137
 framework 137
 free action 30, 633
 free body 44
 free cantilevering 140
 free edges 667
 free from warping 200
 free-body diagram 44
 free-body principle 1, 45, 116
 full hinge 50
 functional 661
 fundamental angular frequency 464
 fundamental lemma of calculus of variations 662
 fundamental operator 128
 fundamental theorem of statics 45
 funicular polygon 46, 63
- G**
 GALERKIN method 455
 GAUSS' theorem 659
 GAUSSian algorithm 652
 GAUSSian curvature 532
 general loading histories 393
 generalised deformation increments 397
 generalised deformation variables 85
 generalised force variables 85
 generalised GALERKIN method 133
 generalised HOOKE's law 82
 generalised stresses 397
 geometric hardening 391
 geometric non-linearity 72, 117
 geometric reinforcement ratio 93, 191
 geometric stiffness matrix 470
 geometric variables 12, 31, 633
 GERBER beam 138, 160
 global bar end variables 285
 global coordinates 140
 global flexibility matrix 103
 global stiffness matrix 103, 277
 gradient 652, 659
 graphical statics 2, 149
 GREEN's first identity 659
 GREEN's second identity 660
 gusset plate 166
- H**
 hanger 163
 haunched beam 140
 hazard 13, 633
 hazard scenario 12, 13, 633
 high-cycle fatigue range 96
 hinge 50, 137
 hinge forces 50
 hinged arch 160
 hinged frame 160, 163
 hinged girder 138, 160
 hinged support 48
 homogeneous partial stress field 509
 hoop stress formula 63
 horizontal tension 356
 hydrostatic axis 60
 hydrostatic component 60
 hyperbolic 532, 596
 hyperelastic 80, 118
- I**
 ideal column 130
 ideal truss 101, 166
 identity matrix 650
 ill-conditioned 255, 654
 imposed load 633
 improper orthogonal transformation 651
 in equilibrium 45, 104
 incidence matrix 284
 incidence transformation 284
 incompatibility 103
 incompressible 83, 85
 incremental plastic failure 394
 independent bar end forces 141
- index notation 655
 indirect methods 662
 indirect support 509
 inertial forces 3, 43, 116
 inextensible 106
 inextensible cable 357
 influence line 177, 303
 influence lines for deformation variables 178, 259
 influence lines for force variables 178, 261
 influence ordinate 177
 initial deformation 452
 initial length 355
 initial normal strain 312
 initial restraints 393
 initial strain 106
 initial stress 106
 inner multiplication 657
 in-plane forces 110
 in-plane load 589
 input phase 287
 inspection 12, 633
 instantaneous centre of rotation 156
 integration 12, 14, 633
 integration table 223
 internal deformation variables 1, 106
 internal force 45
 internal force variables 1, 104, 105, 141
 internally statically indeterminate 143
 interpolating function 385
 invariant 56
 inverse 651
 invertible 650
 isomer 657
 isoperimetric problem 665
 isotropic 81, 85, 94
 isotropic reinforcement 557
 iterative procedure 2
- J**
 joint 137, 417
 joint equilibrium 293
 joint equilibrium conditions 141
 joint loads 141
 joint mechanism 418
 joint rotation 290
- K**
 kern 189
 kinematic boundary conditions 76
 kinematic discontinuity 89
 kinematic method 411, 412, 512, 567
 kinematic operator 106
 kinematic relations 72, 75
 kinematic transformation matrix 101
 kinematically admissible 76, 115
 kinematically determinate 146
 kinematically determinate basic system 101, 146
 kinematically unstable 142
 KRONECKER symbol 60, 655
 K-truss 139

L

LAGRANGE function 661
 LAMÉ constants 83
 LANGER beam 139
 lateral buckling 480
 lattice girder 138
 leading action 32, 633
 leading hazard 32, 633
 level surface 659
 limit analysis 409
 limit load 245, 390
 limit load according to second-order theory 477
 limit load program 442
 limit of proportionality 79
 limit state 12, 31, 633
 line force 44
 line load 44, 107
 line load moment 62, 107
 linear dependence 650
 linear elastic 81
 linear elastic system 125
 linear mapping 651
 linear statics 71
 linear viscoelastic 91
 linearly hardening plastic 81
 load case 12, 29, 32, 633
 load factor 33
 load parameter 253
 load train 177
 load vector 255
 loaded chord 177
 loading processes 391
 loading stress state 392
 loads 105
 local bar end variables 285
 local coordinates 140
 logarithmic spiral 519
 low-cycle fatigue range 96
 lower-bound theorem 393, 410

M

main cable 139
 maintenance 12, 633
 maintenance plan 12, 633
 mass matrix 3
 material 633
 material non-linearity 72, 117
 matrix 649
 matrix norm 654
 maximum 661
 maximum shear stress 60
 MAXWELL's generalised theorem 118, 125
 MAXWELL's theorem 125, 230
 mean curvature 532
 mean shear strain 107, 112
 mechanism 246, 390
 member flexibility matrix 277
 member flexibility relation 372
 member stiffness matrix 277
 membrane 53
 membrane action 575

membrane analogy 203
 membrane force 52, 530
 membrane shell 53
 membrane theory 589, 596
 meridian 596
 meridian plane 596
 method of construction 12, 633
 method of inequalities 420
 methods of theory of structures 2
 middle plane 52
 middle plane of slab 531
 middle strip 545
 middle surface 52
 middle surface of slab 531
 minimal surface 532
 minimum 661
 minor 649
 modal analysis 3
 modal damping 3
 modal matrix 653
 model space 105
 models of actions 30
 modification 12, 634
 modified COULOMB yield condition 88
 modular ratio 93, 190
 modulus of elasticity 81, 643
 modulus of strain hardening 81
 modulus of subgrade reaction 329
 MOHR's analogy 233, 238
 MOHR's circle for second moments of area 188
 MOHR's envelopes 89
 MOHR's sign convention 54
 MOHR's strain circle 73
 MOHR's stress circle 54
 moment 43
 moment carry-over factor 305
 moment distribution factor 305
 moment of inertia 107, 186
 moment-balance equations 45
 moment-curvature diagram 398
 monitoring 12, 634
 monitoring plan 12, 634
 multiplication 651
 multiply-connected 204
 multi-span hinged arch 163
 multi-span hinged frame 163
 multi-stage loading 95
 multi-storey frame 139, 321

N

natural boundary conditions 662, 667
 natural vibration 3, 464
 natural wavelength 331
 near-end bar stiffness 292
 necking 79
 neutral 454
 neutral axis 189
 newton 44
 nodal zones 507
 nominal value 634
 non-associated flow rule 84

non-concave 84
 non-linear member matrix 469
 non-plastic domain 84, 253
 non-sway system 290
 normal component 658
 normal force 51, 107
 normal matrix 651
 normal moment yield condition 551
 normal strain 72, 107
 normal stress 53
 normal vector 652
 nullity 650
 number of load cycles 94
 numerical methods 3

O

observation 12, 634
 observation method 221, 634
 octahedral normal strain 76
 octahedral normal stress 60
 octahedral shear strain 76
 octahedral shear stress 61
 onset of yield 390
 operation instructions 12, 634
 optimum design 444
 order 649
 ordinary GALERKIN method 133
 orthogonal matrix 651
 orthogonal transformation 651
 orthogonality conditions 257
 out-of-balance moment 305
 output phase 187
 outrigger 333
 overall stability 12, 31, 449, 634
 overlapping stress fields 506
 overturning moment 484

P

parabolic 532, 596
 parabolic rule 225
 parallel-wire cable 354
 partial factor 33
 partial mechanism 418
 partial uplift 46
 partitioned matrix 649
 passive degrees of freedom 101
 passive work 128
 perfectly plastic 81, 83
 permanent action 30, 634
 permissible stress 35, 409
 permutation tensor 657
 persistent design situation 12, 32, 634
 pin-ended strut 139
 pin-jointed member 48
 pipe 602
 plane displacement field 72
 plane subsystem 138
 planning of remedial measures 12, 634
 plastic 79
 plastic hinge 245, 399
 plastic phase 390
 plastic potential 84

plastic reserve 401
 plastic reserve in system 405
 plastic section modulus 398
 plastic strain increment 83
 plastic strength of materials 426
 plasticity check 414
 plate 52
 plate action 587
 plate and shell structures 31, 52
 POISSON's differential equation 201
 POISSON's ratio 81, 643
 polar moment of inertia 200
 pole 54
 polygonal domes 604
 position vector 43
 positive definite 652
 positive semi-definite 652
 post 167
 potential function 118
 PRAGER yield condition 86
 preliminary design 11, 634
 preparation for construction 12, 634
 prestressing 392
 primary beam 50
 principal axes 186, 653
 principal component analysis 653
 principal directions 55, 58, 658
 principal plastic directions 427
 principal shear force 527
 principal strains 73
 principal stresses 55
 principal value 658
 principle of maximum dissipation
 energy 85, 396, 410
 principle of virtual deformations 115
 principle of virtual forces 115
 principle of virtual work 1, 116, 410
 product of inertia 186
 progressive plastification 266, 392, 435
 prop 163
 proper orthogonal transformation 651
 propped beam 138, 161
 protection and welfare measures 12, 634
 prudent estimate 634
 pull-out test 316
 punching failure 575
 pure bending 61, 188
 pure torsion 202
 pure torsional moment 207
 pylon 139, 166

Q

quadratic form 652
 quotient rule 657

R

radius of gyration 189
 rank 650
 RAYLEIGH quotient 454, 653
 reaction 43
 reaction principle 1, 43, 116
 rearrangement of the load 65

recommendation for remedial
 measures 12, 634
 record of construction 12, 634
 reduced degrees of freedom 376
 reduced stiffness matrix 278
 reduction theorem 227, 257
 redundant variable 103, 247, 254
 reinforced concrete plate element 496
 reinforced concrete tie 318
 relaxation 91
 relaxation function 91
 reliability 12, 14, 634
 reliability theory 33
 remote force 43
 repair 12, 634
 repeated loading 95
 report on remedial measures 12, 634
 representative stress 36
 representative value 30, 634
 residual stress 30, 94, 192, 314, 473
 resistance 634
 resistance factor 33
 resistant 107
 restraint 30, 74, 94, 298, 315, 327
 restraint parameter 253
 restraint state 122, 392
 resultant couple 44
 resultant force 44
 reversed loading 95
 rib 168
 ridge hinge 163
 rigid 106
 rigid - perfectly plastic 81, 409
 rigid body 31
 rigid body deformations 105
 rigid body equilibrium 45
 rigid body motion 71
 rigid in shear 106, 108, 113
 rigid-plastic optimisation 444
 ring 168
 rise 65, 163
 RITTER method of sections 172
 RITZ method 129, 455, 666
 robustness 12, 14, 634
 rotation 71, 109
 rotation matrix 655
 rotation mechanism 516
 rotational spring 49
 rotational transformation 285
 rotationally symmetric cylindrical shell 613
 row 649
 row deficit 103
 row vector 649
 row-regular 650
 ruled surface 532

S

sand hill analogy 433
 sandwich model 555
 sandwich panel 324
 sawtooth roof 588
 scalar field 659

scalar matrix 650
 scale effect 575
 scaling 651
 secant stiffness 475
 secant stiffness matrix 471
 second moments of area 645
 second variation 663
 secondary beam 50
 secondary stresses 166
 secondary torsion 188
 second-order theory 72, 449
 self-adjoint 128
 self-anchored suspension bridge 139
 self-weight of non-structural elements 635
 semi-hinge 50
 service criteria 12, 635
 service criteria agreement 12, 14, 635
 service instructions 12, 635
 service situation 12, 13, 635
 serviceability 12, 29, 635
 serviceability limit 33, 635
 serviceability limit state 32, 635
 shakedown theorem 265, 394
 shallow shell 615
 shape factor 398
 shape function 381, 385
 shear area 107
 shear centre 199, 645
 shear flow 205, 527
 shear force 51, 52, 107, 111
 shear force potential 534
 shear hinge 50
 shear modulus 82, 643
 shear span 434
 shear stiffness 185
 shear strain 72
 shear stress 53
 shear wall - frame system 334
 shear wall connection 338
 shear wall coupling beam 333
 shell 53
 shell operator 616
 shells of any form 606, 623
 shrinkage 90
 shrinkage deformations 90, 235
 shrinkage strain 90
 sign convention I 144, 149
 sign convention II 144
 similar matrices 651
 simple strip method 566
 simple truss 170
 simply supported beam 138
 simply-connected 204
 SIMPSON's rule 223
 single-stage loading 95
 singular 650
 skew bending 62, 188, 426
 skew-symmetric 650
 slab 52, 111
 slab action 587
 sliding support 48
 slip line 499, 519

slope-deflection method 290, 465
 small deformations 71
 S-N curve 95
 snap-through load 462
 solution vector 652
 space truss 167
 special eigenvalue problem 653
 specific complementary energy 82, 118
 specific incremental dissipation energy 84
 specific strain energy 82, 118
 spherical shell 621
 spiral cable 354
 springing 65, 163
 springing hinge 163
 square matrix 649
 square yield condition 90
 stable 45, 454
 state diagrams 52, 159
 state variables 52, 159
 static action 30
 static boundary conditions 58, 528
 static discontinuity line 113, 527
 static method 411, 412, 501, 557
 static operator 106
 static system 138
 static transformation matrix 102
 statically admissible 58, 115
 statically determinate 45, 142
 statically determinate basic system 103, 143
 statically indeterminate 45, 143
 statically indeterminate force variable 103
 statics 116
 stationary value 661
 stay cable 362
 stiff 106
 stiff arch 66
 stiffened beam with intermediate hinge 160
 stiffness 103
 stiffness of rotational spring 49
 stiffness of translational spring 49
 strain hardening 79
 strain interpolation matrix 381
 strain tensor 72, 75
 strains 106
 strains in middle plane of slab 533
 strand 354
 stranded cable 354
 stress components 54
 stress concentration factor 495
 stress difference 94
 stress discontinuity line 505
 stress function 201, 492
 stress resultants 51, 159
 stress ribbon 363
 stress tensor 56
 stress transformation relationships 54
 stress vector 43, 53
 stresses 105
 stress-strain diagram 79
 stringer 311
 stringer-panel model 501, 511
 strip method 424, 563

structural analysis 11, 12, 29, 635
 structural calculations 12, 29, 36, 635
 structural concept 11, 12, 635
 structural dynamics 3
 structural engineering 1, 3
 structural mechanics 1, 4
 structural member 635
 structural model 1, 12, 31, 138, 635
 structural safety 12, 29, 635
 structural system 137, 635
 structure 11, 12, 635
 strut 165
 strut action 503
 strutted beam 139
 submatrix 649
 subsoil 635
 subsoil properties 12, 31
 successive approximation of column
 deflection curve 456
 superposition law 2, 71, 125, 254
 supplementary safety measures 12, 635
 support 47, 137
 support envelope 47
 support force variables 140, 283
 support force-couple system 47
 supporting plane 85
 surface force 43
 surface load 43
 surface of revolution 569, 620
 suspended beam 138, 161
 suspended roof 363
 suspender 139
 suspension bridge 166, 368
 sway mechanism 416
 sway system 290
 swelling deformations 90
 symbol notation 655
 symmetric 650
 system bounds 29

T

table of the static system 140
 technical report 12, 29, 38, 635
 tender design 11, 635
 tender documents 12, 635
 tensile strength 643
 tension stiffening 319
 tensor 656
 tensor calculus 655
 tensor field 658
 tensor product 657
 tensorial sign convention 56
 theorem of associated shear stresses 58
 theorem of least complementary total
 potential 121
 theorem of least total potential 119
 theory of plastic potential 85, 410
 theory of structures 1
 theory of thin plastic slabs 553
 thermal deformations 90, 94, 192, 235
 thermally homogeneous 94
 third-order theory 471

three-dimensional continua 113
 three-dimensional deformation state 74
 three-dimensional stress state 57
 three-dimensional structure 31
 three-hinged arch 139, 163
 three-hinged frame 163
 threshold 96
 thrust line 63
 thrust surface 597
 tie 139, 163
 top chord 167
 torque 51, 109
 torsion constant 109, 645
 torsional buckling 482
 torsional stiffness 185
 torsionless 107, 421, 424
 torsion-resistant 107, 422, 425
 total curvature 532
 total potential 119
 trace 649
 transfer 318
 transformation matrix 651
 transformed section properties 191
 transient design situation 12, 32, 635
 translation 71
 translation surface 608
 translational spring 49
 translation-rotation system 71
 transposition 650
 trapezoidal rule 223
 trapezoidal stress distribution method 329
 TRESCA yield condition 85, 547
 triangular cross-section 207
 triangular matrix 650
 truss 137, 166
 truss diagonal 167
 truss model 501, 503
 truss types 167
 twist 109, 112, 532
 twisting moment 52, 111
 two-hinged arch 139
 two-hinged frame 139
 type of construction 636

U

ultimate limit state 31, 636
 ultimate resistance 12, 31, 636
 ultimate resistance of subsoil 32
 uncontained plastic deformation 390
 uniaxial stress state 53
 unit warping 212
 unstable 454
 upper-bound theorem 393, 411
 urgent safety measures 12, 636
 use 11, 12, 636

V

variable action 30, 636
 variable-direction forces 460
 variation 662
 variational derivative 663
 variational problems with side conditions 665

vector 656
vector algebra 655
vector field 659
vector gradient 659
vector product 657
verification 29, 33, 636
verification of serviceability 12, 35
verification of structural safety 12, 34
verification of ultimate load 35
VIERENDEEL girder 323
VON MISES yield condition 85, 547

W

warping 200, 211
warping constant 212, 645
warping shear stress 212

warping stress 212
warping torsion 207
warping torsional moment 207
WARREN truss 139
web crushing failure 500, 515
web member 167
well conditioned 255
wind bracing 138
work equation 104
work theorem 221
work-associated variables 1, 105
worst load position 178
wrench 71
wrench axis 71
wrench deformation 71

Y

yield condition 84
yield function 83
yield limit 79, 643
yield line 549
yield line method 567
yield locus 84, 392
yield plateau 79
yield point 79
yield slenderness ratio 472
yield surface 84
zero matrix 649

