# Index

### Α

acceleration 36 - convective 36 - field 36.64 -local 55 - substantial 55 - of undisturbed primary wave 69 - vector 59 actions - combinations of 48 – on wind turbines 5 additional damping decrement 14 aerodynamic damping 13 aerodynamic force coefficient 9.14 aerodynamic transfer function 13 angular frequency 35 annual average 8 – wind speed at hub height 7 annular cross-section - bending moment-curvature relationships for 96 – design chart 100 annular reinforced – geometry of and strains in 94 annular reinforced concrete crosssections 94–97. See also various cross-sections - bending moment-curvature relationships 91-97 - design of 98 – geometry of strains 94 assuming a quasistatic structural behaviour 11 asymmetric solar irradiation 77 atmospheric pressure 37 average 8, 9 - aerodynamic force coefficient 19 – height 9 – period of maxima 43 – turbulence intensity 7 - wind speed 9 axial force, magnitude of 92

## В

Baltic Sea 1 basic force coefficient 14 basic gust component 12 bending moment-curvature curve (M-к curve) 91, 96, 97 bending moment-curvature relationships 86, 87, 91, 92 – for annular cross-section 96 - annular reinforced concrete cross-sections 94–97 prestressed concrete cross-sections 92,93 - for rectangular cross-section 92 - for rectangular prestressed concrete crosssections 93 - reinforced concrete cross-sections 91.92 bending stiffness 97 bending strength, characteristic 81 Bernoulli equation 64, 72 -linearised 37 Bernoulli hypothesis 91 Bessel functions 68 biaxial compressive strength 102 biaxial stress 101 104.105 - intersection curve 104 - three-phase model blockage effect 64 boundary conditions 61, 71 - combined linearised 61 – dynamic boundary 72 - kinematic 61, 71, 72 radiation 72 boundary element method 73 boundary value problems – of the diffraction 61 Boussinesq model 33 breaking criterion 51 breaking waves 52, 53 - in shallow water, empirical limit to wave height 52 - types of 53

Concrete Structures for Wind Turbines. First edition. Jürgen Grünberg, Joachim Göhlmann. © 2013 Ernst & Sohn GmbH & Co. KG. Published 2013 by Ernst & Sohn GmbH & Co. KG.

## С

Centre for Wind Energy Research ForWind 3 circular ring beam - calculation - actions on, sudden change in tower diameter 182 - internal forces, abrupt change in 186, 187 diameter – design 188 - reinforced concrete tower idealised, strengthening 184 - tower diameter - internal forces 188 - at ultimate limit state, load on 187 - unit bending moments 185 - unit rotation 185 classical vibration theory 111 combination factors 48 - based on semi-probabilistic methods 188 - depend on basic time interval 129 - for frequent wind loads 156 - partial safety and 48, 128 - for quasi-permanent action effects 161 - for sea state and wind 130, 131 - for variable actions – and basic time intervals 129 – depend on 129 common failure models 102 compact foundation 64 - prestressed precast concrete elements 202 compression meridians 102 compressive yield strain 98 concrete - cylinder compressive strength of 86 - material resistance of 98 - non-linear stress-strain curve for 86 - in situ and precast 2 - substructures 200 - construction 204 - design, construction, transport and erection 203 - innovations 207, 208 - special design criteria 203

- spread and deep foundations 205, 207 - transport, and erection 204–206 - tensile strength 88, 90, 154, 156 - three-dimensional mechanical models 100 – constitutive models 105 failure models 102–105 - stress states/failure conditions 101 concrete cross-section action effects – on concrete strains 95 – on reinforcement strains 95 - on total cross-section 95 – annular reinforced 94 concrete tensile strength, mean value of 90 constitutive models 105 construction nodes, design 180 - calculations 184 - characteristic values of internal forces 186 - cross-sectional values 184 - statically determinate primary system 184 - statically indeterminate analysis 185, 186 statically indeterminate effects 184 - characteristic values for loads 181-183 - design of circular ring beam 188 - forces, composition of 180, 181 - load on circular ring beam at ultimate limit state 187 loads on nodes 180 controlled sinking 205 crack formation 89, 101, 155 cracking moment 92 cracking moment precambering 92 cross-sections annular reinforced concrete 94–97 bending moment accommodation 143 - capacities, varification 149 - checking capacities of 141 - cylindrical, aerodynamic force coefficient for towers 14 – design for ultimate limit state 98,99 - in general 91, 92

openings in cross-section and additional reinforcing steel 144
prestressed concrete 92, 93
reinforced concrete 91, 92
cylindrical structural members 59

## D

DAfStb guidelines 88, 107, 122, 152, 198 damage variables derivation 165 approaches - in high-cycle range 167, 178 - in low-cycle range 167 - conditional equations for 169 damping 8, 12–14, 19, 20, 69, 122 – decrement 12 data for extreme values 49 Davenport's formula 51 dead loads 5 deep-water conditions 52 deflection 97 deformations - analyses 85, 153 – at ultimate limit state 85 - and bending moments according to second-order theory 97 - calculations 85, 86, 184, 186 - according to second-order theory 138, 141 - deformations at serviceability limit 109 state - due to overturning amounts 109 – stress-strain curve for 85.118 - characteristics of loadbearing 139 structure – conversion into a kinematic chain 189 - due to asymmetric solar irradiation 77 – finite 70 -limitation 155 loadbearing structure 85 – modulus 112, 184, 185 - non-uniform subsoil 108 reducing load-carrying capacity 85 tower with external prestressing 119 density of air 9 design 99 - concrete stress-strain curve

– of marine structures 50 – of offshore 53 - proposal, for multi-axial fatigue 174 - 177- wave height, characteristic value of 52 - wave period, characteristic value of 52 – working life 21 design load case (DLC) 123, 124, 125, 135-137, 153 design situation - on basis of linear accumulation hypothesis 174 – emergency shutdown (DLC 5.1) 136 - and load cases 122–124, 127, 128, 131 - normal shutdown (DLC 4.1 and 4.2) 136 - parked (standstill or idling, DLC 6.1 to 6.7) 136, 137 - parked after a fault (DLC 7.1 to 7.2) 137 – start-up (DLC 3.1 to 3.3) 136 - working life 21 deterministic method 54 developing sea 44 deviatoric cross-sections 101 DIBt guideline 5 - design load cases, according to 122 - 124- direct analysis according to 161-164 - fatigue analyses 159–164 – partial safety factors  $\gamma_{\rm F}$  according 128 to differential pressures 66 diffraction 54, 59 – effects 54, 65, 70, 72, 73, 77 - forces 54 - MacCamy – approach of 74 – formulation of 74 - theory of 59 – problem 59 dimensionless spectral density function 12 dispersion 35 - equation 35 distribution speed 21, 22

DLC See design load case (DLC) drag coefficient 55 drag effects 54 drilling, in seabed 208 drilling platform, controlled sinking 205 Drucker-Prager failure in biaxial stress 103 Drucker-Prager yield condition 102 dry dock – building substructure 203, 204 - fabrication in 201 - reinforcement, fixing 200 ductile behaviour - minimum percentage of reinforcement 90 dynamic analysis 5 dynamic condition 72 dynamic model, of structure 114 dynamic pressure 5, 9, 37

# Е

eccentricities - action effects 161, 162 - compressive force 119 – fatigue loads 165 prestressing 93 - tendons 118 – shear force 186 – spine tensioning 152 ECG. See extreme coherent gust (ECG) EDC. See extreme wind direction change (EDC) effective – formation of cracks 88 - slenderness 16 - stabilized cracking 88 – stiffness modulus 88 – stress in steel 88 - yielding of steel 89 effects – drag 54 – inertia 54 - non-linear 54 elliptical interpolation 102 elliptical (cnoidal) wave 38 elliptical waves 38, 39 empirical limit to wave 52

Enercon E-126 wind turbine 193 environmental actions 48 environmental conditions 5 EOG. See extreme operating gust (EOG) equilibrium conditions 97 equilibrium state 85 equivalent mass 14 equivalent roughness 15 equivalent static 9 erection operations, at sea 201 ergodic 34 EWM. See extreme wind speed model (EWM) EWS. See extreme wind shear (EWS) exclusive economic zone (EEZ) for water depths 2 expected extreme wind 26 extreme coherent gust (ECG) 28-30, 29, 124, 134 extreme operating gust (EOG) 26, 27, 124.134 extreme sea state values 50–52 - asymptotic extreme value distributions 51, 52 - characteristic value of design wave period 52 - exhibiting Rayleigh distribution 50, 51 – for large samples 51 - approximated with 51 extreme wind direction change (EDC) 27, 28.124 extreme wind shear (EWS) 30, 124, 134 extreme wind speed model (EWM) 25, 121, 124, 134, 140

# F

factors - combinations of 48 - partial safety 48, 86 failure - conditions 92, 101 - of the cross-section 91 - curves, for biaxial fatigue loads 171–174 - envelopes 101 - fatigue curves 171

- for fatigue load 170, 171 fatigue cycles, to failure for multi-axial fatigue loads 164 - boundary conditions 165, 166 – damage variables 165 - principal meridian equations, parameters for 165, 166 – procedure 164, 165 fatigue effects 3 fatigue failure 122, 131, 158 fatigue-inducing actions, on wind turbine support structures 157 - actions due to waves and sea state 158, 159 actions due to wind and turbine operation 157.158 101 fatigue limit - state 77, 156, 167 fatigue loads, on compression meridian - comparison of concrete strengths 175. 176 - derivation of modification factor 177 – for biaxial fatigue loads 171, 177, 178 - determining modification factor 177 - 179faults, in control and safety systems 125, 126 FEM programs, numerical analysis 101 fetch, limited 44 finite element method 73 finite steepness 38 first crack, appearance of 88 first natural frequency 11 flow field of the primary 35 force vector 59 formation of cracks 85 foundation design - characteristic internal forces 189 - internal forces, calculation 188-190 – ultimate limit states 189 - procedure for conversion into 189 - 190 second-order theory, structural analysis 189, 190 - structural components 190 frequency of gust response 11

– expected value for 11
frequency of occurrence 23
frost index 79
Froude-Kryloff force 55
fundamental flexural vibration mode 14

#### G

Gaussian Process 53 geometric non-linear analysis 85 GermanWind Energy Institute 1 Germany – environmental conditions 5 - installed wind energy output 1 – wind energy industry - 1 GIGAWIND (www.gigawind.de) 3 GIGAWIND alpha ventus project 3 – objective 3 GL guideline 5 GL wind 22 Goodman diagram, for concrete 161 gravitational acceleration 35 gravity structures 56 gravity wave 35 Gumbel distribution 47 – function 50–52 9 gust response factor gust speed 26

#### Н

Haigh-Westergaard coordinates 101 – failure envelopes 101 Hankel function 68 harmonic primary wave 34-38 - calculating acceleration field 36, 37 – in deep water, defined 36 – dispersion equation 35 – feature 35 – phase velocity - 36 – superposition 38 heavy-lift crane vessel 204 height of sea level 31 high compression meridian stress 102 higher-order potential 71 - theory 70 higher-order terms 72 highest astronomical tide (HAT) 31

highest seawater level (HSWL) 31, 32 high-performance concrete (HPC) 105, 198 high-strength friction-grip (HSFG) bolts 198 high tension meridian stress 102 horizontal 30 forces 74 3 h reference period 52 3 h storm 51 hybrid gravity base, in high-strength lightweight concrete 206 hybrid structures 3 hybrid substructure 206 hybrid tower 2, 191, 196 - designs 191 – wind turbine in 191 hydrodynamic 37 - actions 32 – analysis (See hydrodynamic analysis) hydrodynamic analysis 53, 54 - deterministic design methods, applications 54 – higher-order potential theory 70–72 - integral equation method 62-66 – Morison formula 54–60 – potential theory method 60–62 - vertical cylinders (MacCamy and Fuchs) 66-70 - wave loads on large-volume offshore structures 72–77 inertia and diffraction effects 54 - inertia and drag effects 54, 58 - non-linear effects 54 – transfer function 53 hydrodynamic components 76 hydrodynamic environmental 32 - conditions 32 – sea currents 32 - superposition of currents 34 – tidal current 33 - wave-generated current 33, 34 - wind-generated current 33 hydrodynamic forces 58 hydrodynamic loads 77 hydrodynamic mass coefficient 55

hydrodynamic pressure 64 hydrostatic 37 – pressure 64 – stress state 101

### I

ice accumulation, on rotor blades 83 ice cone. inverted 82 ice loads 79 – bending failure 81 – for a compression failure 80 – flexural tensile failure 81 horizontal 80 – lateral 79 – other than 79 - scenarios, for offshore structures 82 – shear failure 81 ice thickness, characteristic 79 icing-up, of structural members 83 in deep water 36, 53 induced by waves 32 inertia 54 - coefficient 55, 56, 70, 74, 76, 77 – and drag effects 54, 58 – and potential damping 69 inertia coefficient – limit value of 70 integral equation method (singularity method) 62 integral length 12 interaction between wave and structure 61 internal or external unbonded tendons 93

## J

jackets 55
JONSWAP spectrums 40, 44, 135
junction

antenna platform and tower shaft--internal forces 182
bottommost segment and foundation 195
prestressed concrete tower and tubular steel segment 181

 topmost concrete segment and steel adapter 195

## Κ

Keulegan-Carpenter number 56 kinematic viscosity 15 kinetic energy 113

### L

Laplace differential equation 61, 62, 71 large-volume offshore structures, wave loads on 72 linear, boundary value problems 35, 38, 61 linear-elastic simulation 121 linearised boundary 63 linear regression analysis 48 loadbearing structures 107 - basis for design 107 - circular ring beam See circular ring beam - construction nodes design, See construction nodes – damage variables, derivation 166–170 - deformed 85 - failure curves for biaxial fatigue loads 177 - failure envelope for fatigue load 170. 171 - fatigue analyses, DIBt wind turbine guideline 159–164 - direct analysis 161–164 - simplified analyses for concrete 159-161 – fatigue limit state 161 - waves and sea state 158, 159 - wind and turbine operation 157 - 159 on wind turbine support structures 157-159 fatigue loads on compression 175 - 177meridian - foundation design See foundation design - investigating vibrations 111 - energy method 113–118 - mass-spring system with single degree of freedom 111-113 – linear accumulation hypothesis 174 – modification factors  $\lambda_{c2}$ , derivation of 176, 177

- multi-axial fatigue, design proposal 174 - 180- multi-stage fatigue loads 164 – natural frequency analysis of 116, 117 - numbers of fatigue cycles to failure 164–174 - offshore wind turbines, structural engineering 107 - offshore wind turbine structures, design of 125 - 138- combined sea state and wind 130, 131 - control/safety systems 125, 126 - design situations 130, 131 - GL guideline, design load cases 131-134 - GL guideline, partial safety factors 138 - safety analysis 128, 130 – onshore wind turbine support structures, design of 120 – design load cases 122 - 127- partial safety factors 124 – simplified analysis 121 - total dynamic analysis 120, 121, 123 - openings design - horizontal direction 152 – vertical direction 151, 152 - prestressing 118–120 - external with unbonded tendons 119. 120 - with grouted post-tensioned tendons 119, 120 - serviceability limit state, analysis of 153 - construction, with precast concrete elements 155, 156 - crack widths and decompression 153, 158 – deformations 153 - shaft wall, restraint stresses 154 - stresses 153 - tower shaft, action effects 153 subjected to axial compression 85 - tower shaft, structural model for 108 - rotation of foundation 108 - 110

- soft subsoils, towers stability 110, 111

- ultimate limit state – deformation calculations 138-143 - erecting/prestressing precast concrete elements 149-151 - internal forces, linear analysis of 143. 144 - prefabricated construction, characteristics of 145 - shear force transfer, across opening joints 146-149 - terminology 145, 146 - tower shaft, stresses analysis 144, 145 - transferring prestressing forces 149 - vibration effects 191 (See also vibration) - wind turbines See wind turbines load-carrying capacity - of cross-section 85 load case combinations -5 local component of the substantial 36 local ice pressure, characteristic 80 logarithmic 12 – damping decrement 8 long-crested (smooth) 35, 42 longitudinal wind 24 long-term statistics 40, 47 long-term statistics for sea 47 long-term wave distribution 48 lowest astronomical tide (LAT) 31 lowest seawater level (LSWL) 31

#### Μ

mass-spring system 111 - multiple degrees of freedom 112 – single degree of freedom 111, 112 material behaviour - brittle 102 - ductile 102 - non-linear 85 material law 86, 87 material properties - mean values of 87 material resistance, of concrete - annular cross-section 100 - parabolic-rectangular stress diagram 98 - prestressing steel stress-strain curve 99 - reinforcing steel stress-strain curve for design 99 material strengths - design values of 87 43 maxima statistics maximum strain - in prestressing steel, at ultimate limit state 90 mean value 48 minimum reinforcement 90, 154 - for limiting crack widths 153 modal value 48 model column method 85 modified dispersion 37 modified Morison formula 69 modified Pierson 44 Mohr-Coulomb yield condition 102monopiles 55 monotower 64 Morison formula 54–60, 74 - applications - for calculating hydrodynamic loads 55, 56 – coefficients limitations 56 – example of 57–60 - drag coefficients for 56 - inertia coefficients for 56 – Keulegan-Carpenter number 56 – Reynolds number 56 - for rigid vertical cylinder, in a harmonic primary wave 54 – inertia force acting on body 55 - total force on cylinder 55 – wave force per unit length 54, 55 – wheeler stretching 55 multi-axial stress states 3 multi-stage fatigue - design proposal 174 -loads 164, 171

### Ν

natural frequency analysis, of loadbearing structure 116 natural sea state 34 nearshore structures 38 non-linear analysis – geometric 85 – geometric and physical 85 non-linear effects 54 non-linear material behaviour 85 - bending moment-curvature relationships - annular reinforced concrete crosssections 94–97 - prestressed concrete crosssections 92, 93 - reinforced concrete cross-sections 91, 92 - bending moment, second-order theory 91, 92 - concrete, three-dimensional mechanical models 100 - constitutive models 105 – failure models 102 - 105- stress states/failure conditions 101 - deformation analyses 85 (See also deformation) – geometric non-linear analysis 85 – physical 85 - reinforced/prestressed concrete, material laws 86 - for prestressing steel 91, 92 - stress-strain curve for reinforcing steel 87–91 - second-order theory 85–87, 92 - ultimate limit state, cross-section design 99 - material resistance of concrete 99, 100 - material resistance of reinforcement 100 non-linear potential theory problem, definitions 71 non-linear problem - 38 non-linear stress-strain curve – for concrete 85 - for prestressing steel 85 – for reinforcing steel 85 non-linear surface condition 63 non-linear value 71 normal distribution density 41 normal force – action effect 94

normal-strength concretes – approaches, comparison of 88 – design charts validity 100 normal turbulence model 24 normal wind profile model (NWP) 23, 123–125, 132, 134, 333 North Sea 1 numerical sensitivity analysis 73 numerical simulations 5 NWP. *See* normal wind profile model (NWP)

#### 0

offshore foundation structures 3, 75 offshore logistics concept 203, 208 offshore substructures, in concrete 199 - ice cones, compact substructures 199 - Middelgrunden offshore wind farm 199-202 - sequence of operations 202 offshore turbines 5 offshore wind farms 1 offshore wind turbines 5, 21 offshore wind turbine structure, design 21, 22, 23, 33, 45, 125, 126, 131, 135, 136 - combined sea state and wind 130, 131 - control/safety systems 125-126 - design situations 127, 128 - GL guideline, design load cases 131 - 137- GL guideline, partial safety factors 138 – safety analysis 127, 128 onshore installations - 1 onshore wind turbines 5, 7 onshore wind turbine support structures, design 120 - design load cases 122-124 - partial safety factors 124 - simplified analysis 121, 122 - total dynamic analysis 120, 121 openings design 151 – horizontal direction 152, 153 – vertical direction 151, 152 orbital trajectories 36 orbital velocity and acceleration 57

#### Ρ

partial safety factors 121, 130, 132, 138, 139-142. 158 - according to dibt guideline 122, 123 - according to GL guideline 138 - for actions 140 - for environmental actions 129 - for ultimate resistances 141 - of concrete structural components 141 - for variable actions 128 peak dynamic pressure 8, 15, 130 peak factor 10 peak frequency 45 dimensionless 46 peak period 46 permanent actions 5 perturbation potential 61 phase velocity 36, 37 physical, non-linear behaviour 91 Pierson-Moskowitz spectrum 40, 43 pitch moments 74 potential theory 59 - method 60 power production 135 - plus fault 136 precast concrete towers 121, 122, 147, 194, 197 – construction of 191 prefabricated construction, characteristics 145 149 - detailed design - erecting and prestressing precast concrete elements 149–151 shear force transfer across opening 146–149 joints - terminology 146 - transferring prestressing forces 149. 150 preliminary design 77 pressure distribution around circumference of cylinder 67 pressure field 37 – in airy wave - airy waves 35, 38 - component hydrodynamic/hydrostatic 37

pressure gradient force 55 prestressed concrete 2.18 – concrete crosssections - 93 - rectangular 93 prestressed concrete structure See also precast concrete towers - with bonded tendons 153 - cross-sections 92, 93 – loadbearing structures 156 - monopile 208 - with unbonded tendons 153 - wind turbine structure See prestressed concrete wind turbine structure prestressed concrete towers construction - circular ring beam 191 - concrete substructures - construction 204 - design, construction, transport and erection 203 - innovations 207, 208 – special design criteria 203, 204 - spread and deep foundations 206, 207 - transport and erection 204-206 - hybrid structures of 191, 192 - offshore substructures in 199 199 - ice cones, compact substructures - middelgrunden offshore wind farm 199-202 – sequence of operations 202 - with precast concrete segments 193 - design/construction, examples of 193-196 - developments in 196–199 - substructure options 199, 200 - support structures with posttensioned 193 - tower segments 194 prestressed concrete wind turbine structure 9, 16, 17, 18, 114 – additional damping decrement  $\delta_d$ 14 - aerodynamic force coefficient 14-16 - aerodynamic transfer functions Rh and 13 Rb – average dynamic pressure 9 – average wind speed 9

– for various wind zones 10

- basic gust component  $Q_0$ 12 - dimensionless spectral density function  $R_N$  12 - effective slenderness  $\lambda$  for cylinders 16 - equivalent mass, determining 17, 18 expected value for frequency of gust response 11 - gust response factor (G) 9, 10, 18–20, 123, 191 - dynamic pressures considerations 20, 21 - logarithmic damping decrement  $\delta$ 13 – peak factor 11 - resonance response component  $R_x$ 12 - resultant equivalent static wind load 9 – Reynolds number 14 - susceptible to vibration 9 – turbulence intensity 10.11 prestressing 92 – internal/external 2 prestressing force 118 - 120– applied by tendons 118 119 as external actions – transferring 149, 150 prestressing steel delivered for construction in situ 191 143 bending moment accommodation – case of unbonded tendons 125 - checking level of prestress 142 – for concrete towers 191 - cross-section, contribute to 94 - internal forces 138 - limited reserves of stress 142 - loadbearing reserves, activation 147 - non-linear stress-strain curve for 90 - stress-strain curve for 91, 99 - stress-strain curve for design 99 – ultimate limit state 142 prestressing steel. See also reinforcing steel pretensioned and grouted post-tensioned tendons 93 primary wave 37 principal meridians 102 104 - intersection curve - plane 101 - three-phase model 104

probabilistic method 54 progressive damage 101

### Q

quasi-static actions121quasi-static component10quasi-steady sea49

## R

radiation problems 61 Ralston's formula 82 Rankine failure in biaxial stress 103 Rankine failure theory 102 RAVE (Research at Alpha Ventus) - 3 Rayleigh distribution 23, 50 Rayleigh functions 21 reference area 9, 16 reference height 10 reference period 48 reference values 5 reference wind speed 21 reinforced and prestressed concrete - material laws for 86 reinforced concrete - cross-section 92 – large-volume 75 – rectangular 92 reinforced/prestressed concrete, material laws 86 - for prestressing steel 90, 91 - stress-strain curve for reinforcing steel 87-90 reinforcement - in compression 87 – longitudinal 100 – material resistance of 99 – minimum -90 - percentage of 97 – in tension 87 reinforcing steel - deformations, determined on basis of design value 139 – fatigue limit state 156 - non-linear stress-strain curve 87, 89, 90 - non-linear stress-strain curve for 87

- prestressed 145 - stress-strain curve for design 99 – tensile stresses in vertical 154 - ultimate load-carrying capacities 141 relative roughness 16 renewable energies 1 repowering 2 representative environmental conditions 21 residual stress state - with action effects "shortcircuited" 183 - antisymmetric loading 183 - for prestressing 118, 119 resonance component 10 resonance effects 121, 122 resonance response component 12 return period 26 Reynolds number 14, 56 robustness 21 rotation 97 - rotational spring stiffness 110

#### S

safety analysis 128, 129 - according to normative regulations 130 - probability-based 131 safety system 125, 126 scale parameter 23 scatter diagram 40 sea conditions 21 sea currents 32 sea ice 78 - bending strength 81 - compressive strength 80 – flexural tensile strength 81 - ice loads 79-83 – lateral 79 - measured maximum ice thicknesses 79 modelling 79 – properties 78 – shear strength 81 sea level height 31, 32 – draft design 31 – effects of tides and storm tides 31 – wave elevation coefficient 32

sealing rings 195 sea state actions sea state function 60 sea states See also extreme sea state values; statistical description - fully developed 44 - long-term statistics 47–50 - Gumbel distribution 47-49 - linear regression analysis 48 - short-term statistics 41-47, 98 action effects 98 – JONSWAP spectra for wind speeds 45 - modified Pierson-Moskowitz spectrum 44 - normal distribution density 41, 42 - Rayleigh distribution, for wave heights 42, 43 – sea state function 41 - short-crested sea state 41.42 – TMA spectrum 46 – transformation factor 47 second-order terms of the Bernoulli 66 second-order theory 85–86, 91 – calculation of internal forces 138, 188 – deformations and bending moments 97, 109, 138 - design of cross-section for ultimate limit state 98 - structural analysis 189 second-order value 72 serviceability limit state, analysis 153 - construction with precast concrete elements 155, 156 - crack widths, and decompression limit state 153 – limiting deformations 153 – limiting stresses 153 – shaft wall, restraint stresses 154 - tower shaft, action effects 153 short-crested 41 short-term 34 - statistics 40 – for state 41 significant 42 Simpson's rule 97 Singularity density 62

slenderness reduction factor 14 soil improvement measures 2 solitary wave 38 solitary wave profile, defined 39 Sommerfeld general radiation condition 62 spectral energy density 25 spectrum 41, 43 - of sea state excitation 53 53 - of structural response standard deviation 24, 47 standard environmental conditions 78 state function 41 stationary 34 statistical description, of sea state 40 – JONSWAP spectrums 40, 44 - scatter diagram/distribution functions 40 – zero-crossing method 40 statistical description of the sea state 40 statistical population 50 - of the wave heights 50 steady extreme 25 steady flow velocity 64 steady-state sea condition 42 steel reinforcement - minimal percentageof 89 steel reinforcement. See reinforcing steel steel tower segments 191, 201 steepness, low 55 still water level 55 stochastic method 54 34 stochastic process Stokes' waves 39 - theory 38 strain hardening 89 strain softening 105 strain state 118 stream function wave theory 39 stress - invariants 101 stress deviator 101 stresses 160 – for calculating  $\eta_c$  according to Model Code 90 160 – tower shaft for calculating  $\eta_c$ 160

stress states - in three directions 100 stress-strain curves - collaboration 91 - concrete stress-strain curve for design 99 - for concrete, use in deformation calculations 86, 87, 118 - non-linear – for concrete 86 - for prestressing steel 91 - for reinforcing steel 87, 99 - for prestressing and reinforcing steel 91 – for steel reinforcement 87 structural analysis 73 structural behaviour 53 structural damping 13 structural member - ductile behaviour of 89 - minimum percentage of reinforcement 90 structural model, for tower shaft 108 structure's response 53 substructure designs 206 superposition 5 - of current 34, 37 - currents 32, 37 - primary wave 37, 41 surf-generated 33 - current 33 susceptibility to vibration 8

### Т

taking into account the gust response 20
temperature gradient 78
tensile strength

concrete 88
tension meridians 102
tension stiffening 87, 88, 97
for different reinforcement percentages 89
ignored 97
reinforcing steel 95
thermal actions 77, 78
thermal expansion gradient 78

Thorton Bank offshore wind farm

- gravity bases for 204 - transporting, concrete substructure 205 three-phase model 104, 105 - biaxial stress intersection curve 104 – brittle phase 104 - ductile phase 104 - principal meridian intersection curve 104 - transition phase 104 tidal current 31-33 tide, storm 31 time-related probability density 47 TMA spectrum 46 topsides structure 21 total force 55 total hydrodynamic forces 74 total potential 61 tower design, for wind turbines 2 tower segments half-shell 193 - joints between 195 - moulds for 193 - one-third segment 195 – 70 t adapter segment 198 transfer function 53 transformed natural frequency 19 transportation - concrete substructure 205 – limited window for 199 Tresca yield condition 102 tubular steel towers 191 turbine operation (rotor and nacelle) 5 turbulence intensity 8 – parameters 21, 47 turbulence parameter 25 turbulent extreme 26

# U

ultimate limit state – analysis of stresses in tower shaft 144, 145 – cross-section design 98 – material resistance of concrete 98, 99 – material resistance of reinforcement 99 - deformation calculations, according to second-order theory 138–143 - linear analysis of internal forces 143. 144 ultimate resistance design value of 86 ultra-high-performance concretes (UHPC) 104, 105, 197 uniaxial compressive strength 102 uniaxial tensile strength 102 unit source 62 University of Hannover 3 unsteady pressure 64

# V

value problems - in terms of cylindrical coordinates 67 variance of the distribution 41 vector velocity 59 velocity and acceleration, undisturbed primary wave 69 velocity field 64 - in wave 36 - components of 36 velocity potential 32 – of sea current 32 – of undisturbed primary 67 velocity pressure 64 velocity vector 59 vertical cylinders (MacCamy and Fuchs) 66 vertical forces 76 vibration 53 - checking susceptibility to - 8 - effects 9 – for loadbearing structure 191 of tower in direction of wind 9 – gust response factor 18 - investigation 111–118 - logarithmic damping decrement 12, 13 – sensitivity to 121 - vortex-induced 123, 133 viscosity-related effects 70 viscosity-related unsteady drag forces 70 Von Mises yield condition 102

#### W

water surface 63 wave action effects 5 wave elevation 32 - coefficient 32 wave force per unit length 54 wave-generated current 33, 34 wave height 35 – maximum 51 wavelength 35 wavenumber 35 35 wave period wave profile 35, 37 waves of finite steepness 38 - 40- elliptical waves 39 – finite steepness 38 - infinitesimal wave steepness 38 - profile of solitary wave 39 - solutions to non-linear wave problem 38 - Stokes' wave theory 38, 39 - wave theory selection diagram 40 wave steepness, infinitesimal 38 wave theories 55 - bandwidth 73 - calculation of wave loads 73 - non-linear 40 - numerical, validity ranges 40 wave theory selection diagram 40 Weibull distribution 21, 23, 50 Weibull functions 21 wetted surface 66 Wheeler stretching 55 Willam-Warnke – five-parameter model 102– parameter model 102 - three-parameter model 102 wind climate See wind conditions wind conditions 7 - determination 22, 23 - for draft design and location 22 – extreme coherent gust 28, 29 – with wind direction change 29, 30 - extreme operating gust 26, 27 - extreme wind direction change 27, 28 – extreme wind shear - 30

- extreme wind speed model 25, 26 – normal turbulence model 24.25 - normal wind profile model 23, 24 – for offshore wind turbines 22 – for onshore wind turbines 7 - wind speed distribution 23 wind direction distribution 22 wind energy industry 1 wind farm influence 30, 31 wind-generated 32 wind-generated waves 49 wind loads 5 - according to DIBt guideline 6, 7 – models 5 – for offshore wind turbines 21.22 – for onshore wind turbines 5.6 wind shear 22 wind speed 6, 8, 21 - average 9, 10, 12, 14, 18, 19, 21, 121, 124, 135, 136 – annual 7, 8, 22 - conversion factors based on 10-min average 26 - cut-in 126 - cut-out 126 - distributions 21, 23 – equivalent 16 – extreme 21 – 1-min average 137 – JONSWAP spectra 45, 46 – rated 126 - reduced 26 - reference 16, 18, 22 - relationship between reference values and dynamic pressure 6 - short-term cut-out 126 - spectral density function - 19 - standard deviation 24 wind turbine 18 - class 21 wind turbines offshore (See offshore wind turbine) – actions on 5, 107 - standards and guidelines 107 - Campbell diagram 119 classification 21

- integral length of turbulence 12 13
- structural damping
- design of 107
- excitation frequencies of support structure 116
- in hybrid form of construction 192
- loadbearing elements 203
- load cycles of onshore installations 3
- onshore tower designs 2
- permanent actions 5, 98
- at sea 1
- sensitivity to vibration See vibration
- three-dimensional mechanical models for concrete 100

– turbine operation (rotor and nacelle) 5 wind turbulence models 124 wind zones 5, 6 with wind direction change 29

## Υ

1-year return gust 8 50-year return gust 6 1-year return wind 8 50-year return wind 6 yield condition 85 vield point - characteristic value of 90 – of steel reinforcement 90