

Index

A

- Abrasiveness 446, 449
- Absolute stress 209
- Absorption
 - of water, swelling rock 181
- Advancing support
 - fore poling 636
 - ground freezing 641
 - grouting 641, 655
 - jet grouting 640
 - pipe umbrella 636
 - steel spiles 634
- Advancing vault excavation
 - with open invert 269
 - with open invert, modes of failure 273
 - with temporary invert 273
- Analysis
 - consolidation 283
 - contaminant transport 285
 - diffusion 285
 - dynamic time history 283
 - gas flow 285
 - pseudo-three-dimensional 241, 251
 - seepage flow 178, 230, 276, 284, 285
 - stability 283, 331, 651, 692, 698, 708, 753
 - stress-strain 178, 225, 230, 238, 284
 - temperature 285
 - three-dimensional 227, 248
 - two-dimensional 225, 251
 - two-phase flow 285
- Analysis result
 - representation, dam 266
 - representation, seepage flow 279
 - representation, slope 264
 - representation, tunnel 259
- Anchor force 295, 313, 314, 576, 749
- Anchor head 630
- Anchor load cell 577, 748, 811
- Anchor rod 630
- Anchor types
 - expansion shell anchor 628, 629
 - fully cemented anchor 628
 - glass fiber anchor 632
 - injection drilling bolt 628, 629, 631
 - resin anchor 628, 629
 - SN anchor 629, 630
 - split-set anchor 628
 - Swelllex anchor 628
- Angle
 - of dilatancy 55

- of dip 23, 44
- of internal friction 47
- of strike 23, 44
- Anhydrite 182, 187, 753, 764
- surface 183, 753, 754, 756
- Annular gap
 - simulation, grout, wash-out 231, 664, 668, 669, 680, 719
- Anticline 14
- Aquifer
 - confined 160, 502
- Aquifer
 - joint 127, 157
 - pore 157
 - unconfined 155, 502
- Automatic data acquisition 579
 - central data logger 579
 - multiplexer unit 579

B

- Back analysis 540, 553, 613, 656, 750, 795, 814
- Bench 620
- Biaxial compression tests 510
- Black Jurassic 543, 599
- Block punch index test 431
- Body force 238
- Borehole 357
 - Borehole deformation cell 518
 - Borehole direction 368
 - Borehole expansion probe 453
 - Borehole expansion test 451
 - borehole jack test 453, 458, 459
 - dilatometer test 452, 455
 - pressiometer test 452, 455
 - Borehole jack
 - test 452, 453, 458, 459
 - Borehole slotter 523
 - borehole wall observation
 - acoustic borehole logging 365
 - optical scan 367
 - optical sounding 366
 - optical televiewer 365
 - Borehole wall stress relief method 524
- Boundary condition 100, 229, 238, 277, 651, 691
 - Dirichlet 276
 - flow hydrograph 277
 - Neumann 276
 - piezometric head hydrograph 277
 - seepage flow analysis 276
- Brazilian test 422
- Buckling 327, 328, 329
- Bulging 327
- Bulk modulus 417
- Bunter 598

C

- Calibration 202, 774, 795
- Case studies
 - construction pit 542
 - Road tunnel Österfeld, design methods 346

- rock slide, monitoring 583
 - rock slide, stabilization 803
 - tunnel Hallandsas, TBM, face stability 674
 - tunnel Hallandsas, TBM, shield design 689
 - tunnel in swelling rock 762
 - tunnel, exploration, monitoring 607, 610
 - tunnel, monitoring 581
 - tunnel, NATM, underneath airport 642
 - tunnel, TBM, segmental lining design 703
 - tunnel, TBM, stability machine area 698
 - underground powerhouse cavern 537, 725
 - Urft dam, rehabilitation 771
 - Cast-in-place concrete 644, 673
 - Cerchar abrasiveness index test 447
 - Cerchar apparatus 447
 - West apparatus 447
 - Chalk 601
 - Clar compass 377
 - Classification system 331, 334, 340
 - Clay filling 83
 - Clay mineral 185
 - Clay slate 19, 36, 37, 601, 806
 - Claystone 18, 593, 596–600, 781
 - Cohesion 47
 - Compressibility of water 160
 - Computation section 100, 225, 230, 235
 - seepage flow analysis 278
 - Computer program 283, 285
 - Conical Strain Cell 522
 - Consolidation
 - Biot's theory 283
 - Cam-Clay model 283
 - Consolidation analysis 283
 - Construction pit 542
 - Construction stage
 - simulation of 246
 - Contaminant transport 285
 - Contour line **44**, 309
 - Conventional tunneling method 619
 - Convergence measurement 570, 658, 737, 739
 - distometer 570
 - invar wire 571
 - steel tape 570
 - Convergence-confinement method 92, 97
 - Core
 - barrel, double-tube 359, 360
 - barrel, single-tube 359, 360
 - barrel, wire-line 359, 360
 - box 361
 - diameter 362
 - drilling 357
 - lifter 358
 - recovery 362
 - Coupled shear-flow tests 172
 - Creep 57, 116, 606
 - failure 116
 - primary 116, 606
 - rate 119
 - secondary 116, 606
 - tertiary 116
 - test 426
 - test, triaxial 125
 - test, uniaxial 124
 - Crown 620
 - CSRI cell 510
 - Cubic law 134
 - Cutterhead 663, 671
 - Cyclic loading 57
- D**
- Dam
 - representation of analysis results 266
 - Darcy's Law 129
 - Dashpot 54, 78
 - Deflectometer 565
 - Deformability
 - anisotropic 12
 - isotropic 12, 88, 410
 - orthotropic 88
 - transversely isotropic 88, 410, 418
 - Deformation modulus 78
 - scale effect 587, 614
 - Density 404
 - bulk 404
 - dry 404, 405
 - grain 404
 - particle 404
 - Design
 - based on classification systems 331, 334
 - based on rock mass behavior assessment 331, 334
 - based on rock mechanical model 331
 - method 331
 - of segmental lining 703
 - Diffusion
 - coefficient, hydraulic, swelling rock 188
 - swelling rock 188
 - coefficient, swelling rock 188
 - Dilatancy
 - angle 55, 86
 - Dilatant displacements
 - swelling rock 195
 - Dilatometer
 - LNEC 452
 - test 452, 455, 461, 463, 778, 781
 - dip
 - angle 378
 - angle of 23, 44
 - direction 378
 - line of **44**, 309
 - Direct shear test **437**, **485**, 611
 - Direct tension test 433
 - Discontinuity 15, 22, 107, 221
 - anisotropic roughness 63
 - aperture 141, 383, 396
 - appearance 30, 58
 - closed 58
 - degree of separation 32, 67
 - failure criterion for 60, 73
 - initial aperture 168
 - joint roughness coefficient 62

- non-persistent 58, 71, 73
 - open 58, 71
 - orientation 23, 377, 387
 - peak shear strength of 71, 73
 - persistence 31, 383, 393
 - persistent 58, 73
 - planar 58
 - residual aperture 169
 - rough 58
 - roughness 381, 396
 - shear displacement on 79
 - shear strength of 60, 73, 434
 - sliding on 61
 - smooth 58
 - spacing 30, 141, 380, 391
 - strength 60, 61, 451
 - strength, of different rock masses 591–606
 - strength, swelling rock 194
 - stress-displacement behavior 74
 - tensile strength of 72, 73
 - trace length 380
 - uneven 58
 - Discrete model 75, 89, 139, 173
 - Discretization
 - internal lining 252
 - sealing 252
 - shotcrete membrane 252
 - Displacement 102, 107, 109, 110, 111, 113, 546, 547, 736, 744, 751, 793, 805
 - representation of 259, 260, 264, 266, 272
 - Displacement monitoring 556, 558, 570
 - along borehole 558, 658
 - deflectometer 565
 - digital water leveling 556
 - extensometer 558, 737, 811
 - hydrostatic leveling 556
 - inclinometer 565, 659, 811
 - liquid leveling 556
 - on ground surface 556, 658
 - pendulum 567
 - plumb line 567
 - settlement gauge 564
 - Trivec probe 569
 - Distometer 570
 - Disturbed rock zone 756
 - Dolomite 593
 - Doorstopper 521
 - Double curved arch dam
 - change of stresses and permeability 166
 - Double porous media 154, 285
 - Double-plate loading tests 465, 466, 467, 611
 - Drainage 278, 729, 775, 787, 798, 799, 807, 808
 - Drawdown
 - cone 650
 - curve 158
 - of water table 281
 - Drill
 - bit, diamond 359
 - bit, Tungston carbite 359
 - rod 357
 - Drilling 357, 362, 374
 - core 357, 361
 - diameter 362
 - rig 358
 - rotary core 357
 - Drilling jumbo 633
 - Dynamic time history analysis 283
- E**
- Earth pressure balanced (EPB) shield 668
 - Elastic constants
 - equivalent elastic constants of rock mass 79
 - Elastic constants 411, 418, 460
 - of different rock masses 591–606
 - of intact rock 39, 40
 - Elasticity matrix 41
 - EPB shield 668
 - Equal-area projection 25
 - equatorial equal-area net 26
 - great circle 25
 - lower reference hemisphere 25
 - polar equal-area net 25
 - small circle 25
 - Equipotential 279
 - Equivalent continuum model 77
 - Equivalent rock mass permeability 492, 500, 507
 - Equivalent shear modulus 79
 - Equivalent Young's modulus 78
 - Excavation 654, 740, 765
 - class 334, 619
 - contour 621
 - sequence 620, 654
 - support ratio 337
 - expansion shell anchor 628, 629
 - Exploration 538, 776, 806
 - adit, gallery 202, 372, 608, 610, 728
 - case study, tunnel 608, 610
 - during construction 374
 - shaft 372, 608, 610
 - Extensometer 558, 611, 790
 - multiple-point rod 558, 559, 736, 811
 - probe 562
 - single-point rod 557, 560, 561
- F**
- Failure
 - brittle 50, 54, 118
 - ductile 54, 117
 - tensile 51
 - Failure criterion
 - bilinear 61
 - discontinuous 61
 - for discontinuities 73
 - for intact rock 46
 - for rock mass 84
 - Hoek-Brown 48
 - Mohr Coulomb 46
 - non-linear 63
 - tension cut-off 47
 - Failure envelope 419

- Failure line
 - external 300
 - internal 300
- Fault **12**, 215, 221, 233, 238, 704, 806
- Fellenius rule 293
- FESTO3 283
- Field test 451, 538
- Finite element 230, 232
 - interface element 233
 - isoparametric element 232
 - spring element 234
 - truss element 234
- Finite element analysis **225**, 651, 691, 692, 699, 708, 795
- Finite element mesh **230**, 651, 691, 692, 693, 698, 708, 709, 712, 795
- Finite Element Method (FEM) 225
- Finite element program system 283
- Flow
 - irrotational 134, 138
 - laminar, discontinuity 131
 - rotational 134, 138
 - steady-state, discontinuity 132
 - turbulent, discontinuity 136
- Flow hydrograph 277
- Flow rate 276
- Flow rule 55, 85
 - associated 55
 - non-associated 56
- Flysch 705
- Fold **13**, **14**, 215, 221
- Forepoling 258, 636
- Fracture trace map 354
- Full-face heading 651
- Fully cemented anchor 628

- G**
- Gabbro-norite 591
- Gallery test
 - hydraulic chamber test 484
 - radial jacking test 484
 - water chamber test 484
- Gas flow 285
- Gasket 231, 673, 709
- Geodetic head 130
- Geodetic measurement 553, 554, 658
 - tachymeter 554
 - target 555
- Geologic map 353
- Geophysical logging
 - acoustic, ultrasonic 369
 - borehole seismic 369
 - electric 369
 - electromechanic 369
 - miscellaneous 369
 - nuclear 369
- Geophysical measurement
 - geoelectric method 376
 - geomagnetic method 376
 - georadar 374

- Glass fiber anchor 632
- Global stress interpretation model 536
- Gneiss 35, 675
 - granite-like 591
- Gotthard tunnel 35
- Grain structure
 - planar 9, 10, 11, 12, 32, 41, 420
- Grain structure
 - random 8, 12, 32, 39, 40
- Granite 16
- Granodiorite 730
- Gravity dam 166, 266, 774
- Griffith crack 64
- Gripper TBM 670, 671, 672
- Ground freezing 641
- Ground reaction curve 98
- Groundwater
 - drawdown 281
 - lowering 649
 - monitoring **578**, 645
- Grouting
 - advancing support 641
- Gypsum 182, 756
 - crystallization of 187
- Gypsum Keuper 183, 753, 754
 - back analysis 196
 - cohesion 200
 - deformation modulus 196
 - dilatancy angle 200
 - friction angle 200
 - leaching horizon 183, 754, 764
 - permeability coefficient 196
 - rock mass parameters 604, 614
 - structural model 604, 614
 - swelling parameters 200
 - swelling test 196
 - unleached 182, 187, 757
 - unleached, swelling of 187
 - water uptake parameters 200

- H**
- Halite 115
- Hallandsas tunnel 674, 675
- Hasenberg tunnel 608
- Hazard scenario 331, 334
- Heaving 757
- Heslach II tunnel 762
- Hollow inclusion (HI) cell CSIRO 512
- Homogeneous area 334
- Homogeneous model
 - rock mass 77, 89, 139, 173, 190, 193, 195
- Hooke element 54
- Hooke's law **39**, 226
- HYD03 284
- Hydraulic degree of separation 143
- Hydraulic fracturing
 - method, test 527
- Hydraulic method
 - for stress measurement 509, 527
 - hydraulic fracturing 527

- hydraulic test of pre-existing fractures (HTPF) 534
- hydrofracturing 527
- pneumatic fracturing 528
- Hydraulic model 333
- Hydraulically smooth 134
- Hydromechanical equitation 175
- Hydromechanical interaction 165
- Hydrostatic stress state 115

- I**
- Igneous rock 5
- Inclinometer 565, 659, 811
- Inhomogeneity 221
- Initial normal stiffness 59
- Injection drilling bolt 628, 629, 631
- In-situ shear tests 485, 608, 611, 613
- In-situ stress 548, 648
 - scale effect 589
 - simulation of 243
- In-situ stress coefficient 551
- In-situ stress measurements 509, 609
- In-situ stress state 209, 677
 - due to gravity 209
 - hydrostatic 212
 - influence of rock mass inhomogeneities 221
 - influence of tectonic stresses 215
 - influence of topography 213
- In-situ test 451, 774
- Intact rock
 - elastic constants of 40, 408
 - failure criterion for 46
 - grain structure 7
 - permeability 129
 - porosity 128
 - porous 128
 - post failure behavior of 53
 - shear deformation of 79
 - shear parameters of 88
 - shear strength of 418
 - strength, of different rock masses 591–606
 - stress-strain behavior of 39
 - tensile strength of 88
 - texture 7
- Interface element 233
- Internal lining 252, 644, 673, 766
- Interpolation function 225
- Invar wire 571
- Invert 620
- Isoparametric element 232
- Isotropic plane 42, 50, 211, 212
- Isotropy 81

- J**
- Jacking force 263
- Jet grouting
 - advancing support 640
- Joint 14
 - bedding-parallel 83
 - clay-filled 83
- diagonal 14
- longitudinal 14
- transverse 14

- K**
- Karst 21
- Keuper
 - rock mass parameters 602–604
- Keystone 231
- Kinematic viscosity 132
- Knollenmergel 543, 610, 643

- L**
- Laboratory test 403, 611
- Large flat jack (LFJ) test 469, 470, 472, 608, 732, 776
 - biaxial flat jack test 475
 - isotropic rock mass 469
 - transversely isotropic rock mass 473
- Lattice girder 635
- Leveling
 - digital water 556
 - hydrostatic 556
 - liquid 556
- Lias α 599, 610, 649
- Limestone
 - structural model, rock mass parameters 599, 601
- Limit equilibrium analysis 287, 293
- Lining concept
 - double lining 673
 - internal lining 644, 673
 - sealing 252, 673
 - segmental lining 673
 - shotcrete membrane 621, 644, 673
 - single lining 673
- Long-term monitoring 818
- Lower reference hemisphere 24, 25, 26
- Lugeon test 490, 496, 779, 782
- Lugeon value 494

- M**
- Mapping 376, 738, 742, 806
 - compass method 377
 - conventional 377
 - evaluation 387
- Marl 602–604
- Masonry dam 771
- Master joint 233, 731
- Mechanical model 333
- Metamorphic rock 5
- Metamorphic schist 592, 730
- Mix shield 665, 667
- Mohr's circle 47
- Monitoring 538, 545, 553, 656, 737, 737, 742, 790, 811, 818
 - anchor force 576
 - automatic data acquisition 579
 - case study, tunnel 607, 610
 - convergence measurement 570, 658, 737

- displacement, borehole **558**, 658, 737
- displacement, ground surface **556**, 658
- geodetic measurement **554**
- long-term **818**
- pressure **572**
- rock slide **583**
- tunnel **581**
- water level **578**
- water pressure **578**
- Mortar **630**, 673, 719
- Multiple failure state direct shear test **439**
- Multiple failure state test **420**, 488

- N**
- Natural state of stress **209**
- New Austrian tunneling method (NATM) **619**
- Newton element **54**
- Nodal displacement **226**, 229, 238
- Nodal force **229**, 238
- Nodal point **230**
 - intermediate **230**
- Numerical analysis **225**

- O**
- Observation well **645**, 656
- Oedometric modulus **82**
- Orthotropic **32**
- Outcrop **356**
- Overcoring method
 - in-situ stress measurement **511**
- Overcut
 - shielded TBM **664**, 669

- P**
- Parameters
 - rock mechanical, evaluation **587**
- Partial safety factor method **287**, 292
- Pea gravel **686**
- Peak strength **54**, 61, 85, 88
- Pendulum
 - floated **567**
 - Pendulum **567**, 790
 - inverted **567**, 790
 - suspended **567**
- Permeability
 - as a function of normal compressive and shear stress **170**
 - as a function of normal stress **168**
 - coefficient **131**, 133, 493, 496
 - equivalent permeability tensor **145**, 146, 149
 - of discontinuities **133**
 - of intact rock **129**
 - of rock mass **127**, 140, 166, 451, 492, 500, 507, 591–606
 - residual **169**
 - stress-dependant **166**, 173
 - tensor **144**
- Permeability test **490**, 648
 - constant pressure test **503**
 - constant rate injection test **499**
- drill stem test **502**
- falling head test **506**
- impulse test **503**
- injection test **497**
- Lugeon test (standard packer test) **490**, 496
- production test **497**
- pulse test **503**
- shut-in test **502**
- single packer test **493**
- slug test **506**
- transient oscillation method **508**
- Petrographic investigation **403**
- Phreatic surface
 - seepage flow **282**
- Piezometer **578**, 811
- Piezometric head **130**, 276, 279
- Piezometric head hydrograph **277**
- Pipe umbrella **257**, 636
- Plastic potential **55**, 86
- Plastic zone **104**, 106, 108, 110, 112, 259, 265, 271
- Plate bearing test **465**
- Plate loading test
 - double-plate loading test **465**, 611
- Plate loading test **465**, 611
 - dual-axial jacking test **465**
 - uniaxial jacking test **465**
- Plumb line **567**, 790
 - floated **567**
 - inverted **567**
 - suspended **567**
- plutonic rock **5**
- Point load strength index **430**
- Point load test **428**
- Poisson's ratio **39**, 412, 456
- Pole coordinates **27**
- Pole plot **28**, 731, 782
- Pore pressure transducer **578**, 787, 790, 791
- Porosity **406**
 - effective **128**
 - of intact rock **128**
 - total **128**
 - water **404**
- Post-failure behaviour
 - of intact rock **53**
 - of rock mass **84**
 - of rock salt **118**
- Potential energy **228**
- Powerhouse cavern **726**
- Preceding stress relief **251**
- Pressiometer
 - Menard **452**, 455
 - test **452**, 455
- Pressure cell **572**, 737
 - hydraulic **573**
 - vibrating wire **574**
- Pressure head **130**
- Pressure monitoring **553**, 572
- Pressure shaft **726**
- Pre-stressed anchor
 - simulation **257**

- Primary stress state 209
 Principal normal stress 104, 106, 108, 110, 112, 209, 259, 260, 265, 268, 271, 514, 735, 798
 Principle of resisting support
 – swelling rock 202, 757
 Principle of yielding support
 – swelling rock 202, 758
 Pullout 248
 Pumped storage plant 725
- Q**
 Q system 336, 338
- R**
 RCC dam 266
 Regional stress field 215
 Rehabilitation of Urft dam 771
 Reinforcement
 – cage 711
 – inner 621
 – outer 621
 Relaxation 57
 Relaxation test 427
 Representation of results 259
 Representative elementary volume 77, 139
 Residual strength 53, 54, 61, 85, 88, 106
 Residual stress 221
 resin anchor 628, 629
 Resisting support
 – swelling rock 202, 758
 Reynolds number 136
 Rhaetian 543, 646
 Rheological model
 – for intact rock 54
 – for rock mass 78
 – for rock salt 119
 Rigid-body mechanics 287
 Road header 765
 Rock
 – igneous 5
 – metamorphic 5
 – plutonic 5
 – sedimentary 5
 – volcanic 5
 Rock block 287
 – multiple 325
 – size 394
 – volume 395
 Rock bolt 628, 673
 – expansion shell anchor 628, 629
 – fully cemented anchor 628
 – glass fiber anchor 632
 – injection drilling bolt 628, 629, 631
 – resin anchor 628, 629
 – simulation 255
 – SN anchor 629, 630
 – split-set anchor 628
 – Swellex anchor 628
 Rock exposure 356
- Rock mass 17
 – behavior 331, 334
 – behavior types 334
 – classification 339
 – deformability 80, 451
 – deformation modulus 78
 – discrete model 75, 89, 138, 173
 – equivalent continuum model 77
 – equivalent elastic constants 79
 – equivalent permeability 145, 146, 149, 492, 500, 507
 – equivalent shear modulus 79
 – equivalent Young's modulus 78
 – failure criterion for 84
 – homogeneous model 77, 89, 139, 173, 190
 – in situ stress state 209, 210, 212
 – index (RMI) 340
 – isotropic 81, 209, 451
 – model 32
 – model, elastic 32
 – orthotropic 81
 – permeability 127, 140, 173, 451, 493, 496
 – permeability model 127
 – post-failure behavior 84
 – pressure 574
 – rating index 331, 334, 335
 – rating (RMR) 339
 – strength criterion 84
 – stress-dependent permeability 166
 – stress-strain behavior of 88
 – transversely isotropic 81, 210, 212, 460
 Rock mechanical model 36, 37, 331, 332, 734
 Rock mechanical parameters
 – Black Jurassic 599
 – Bunter 598
 – chalk 601
 – clay slate 601, 786, 796
 – claystone 593, 596–600
 – dolomite 593
 – evaluation 587
 – gabbro-norite 591
 – granite-like gneiss 591
 – Gypsum Keuper 604, 614
 – Keuper 602–604
 – Knollenmergel 610
 – Lias α 599, 610
 – limestone 599, 601
 – marl 602–604
 – metamorphic schist 592, 734
 – rock salt 606
 – sandstone 593–598
 – siltstone 594–596, 602–603
 – tuff 592
 Rock quality designation (RQD) 336
 Rock quality index 336
 Rock salt 20, 115
 – brittle failure 118
 – computer program 283
 – constitutive behavior 117
 – ductile failure 117

- elastic behavior 118
- peak strength 117
- post-failure behavior 118
- residual strength 118
- rheological model 119
- rock mass parameters 606
- salt mechanics 115
- Rock slide**
 - monitoring 583
 - stabilization 803
- Rock wedge** 287
 - failure mode 287
 - general wedge method 304
 - rotation 287, 288, 319
 - rotation axis 321
 - rotation vector 321
 - slice method 304
 - sliding 288
 - sliding on a polygonal surface 300
 - sliding on a stepped surface 299
 - sliding on one discontinuity 291
 - stability against sliding 290
 - three-dimensional 290, 308
 - toppling 288, 319
 - translation 287, 290
 - translation, kinematically admissible 291
 - two-dimensional 289, 290
 - utilization factor 293, 311
- Rock-structure interaction**
 - system behavior 254, 334
- Roughness**
 - absolute 133
 - relative 133, 134
- S**
 - Sandstone** 17, 83, 593–598, 781, 806
 - Sandy schist** 771
 - Saturation**
 - degree of 404
 - Saturation**
 - degree of, swelling rock 188
 - Scale effect** 587, 614
 - deformation modulus 587, 614
 - in-situ stress 589
 - shear strength 588
 - Scanline technique** 380
 - Schistosity** 9, 32, 212
 - Schmidt contour diagram** 28
 - Schmidt projection** 25
 - Sealing** 252, 673
 - Sealing structure** 756
 - Sediment**
 - chemical 6
 - clastic 6
 - Sedimentary rock** 5, 719
 - Seepage**
 - force 161, 175
 - velocity 129
 - Seepage flow** 74, 127
 - rock mass, discrete model 138
 - rock mass, homogeneous model 139
 - steady-state, in rock mass 154
 - swelling rock 193, 195
 - transient, in rock mass 152
 - Seepage flow analysis** 178, 230, 276, 285, 691, 789
 - Segmental lining** 231, 262, 665, 703
 - circumferential joint 665
 - design 703
 - gasket 709
 - keystone 664, 665
 - longitudinal joint 665, 706
 - screw 231, 709
 - segment 664
 - tensile splitting 711, 712, 713
 - Settlement gauge** 564
 - magnetic 564
 - mechanical 564
 - metal plate 564
 - Shear displacement** 79
 - Shear modulus** 39
 - equivalent 79
 - Shear parameters** 88
 - Shear strength**
 - discontinuities 60, 434
 - intact rock 47, 418
 - rock mass 85
 - scale effect 588
 - swelling rock 195
 - Shear test**
 - direct 437, 485
 - in-situ direct 485, 608, 611
 - multiple failure state 439, 488
 - on discontinuities 434
 - shear box 434
 - Shear zone** 215, 220, 221
 - bedding-parallel 19
 - Shield conicity**
 - shielded TBM 668, 669
 - Shield design** 689
 - Shielded TBM** 664, 674, 689, 698, 703
 - earth pressure balanced shield (EPB) 668
 - mix shield 665, 667
 - Shotcrete** 254, 621, 624, 673
 - additive 625
 - admixture 625
 - dry-mix method 624
 - early strength 624
 - early strength classes 625
 - final strength 627
 - green 624
 - rebound 624
 - spray cement 625
 - spray-bonding agent 625
 - tightness 624
 - wet-mix method 624
 - workability 624
 - Young' modulus 626
 - Shotcrete membrane**
 - discretization 252
 - Shotcrete membrane** 621, 644, 673
 - slotted 93, 96
 - Shotcrete method** 619

- Sidewall adit heading 621
- Sidewall excavation 251
- Siltstone 19, 594–596, 602–603, 781
- Simulation
 - annular gap 231
 - construction stage 246, 251
 - drainage hole 278
 - gasket 231
 - horizontal in-situ stress 243
 - keystone 231
 - longitudinal joint 231
 - pipe umbrella 258
 - pre-stressed anchor 257
 - rock bolt 255
 - rock-support interaction 254
 - screw 231
 - sealing 252
 - segmental lining 231
 - shotcrete 254
 - steel set 254
 - steel spile 257
 - tendon 256
 - tunnel driving, tunnel excavation 248, 249
 - water pressure on internal lining 244
 - water pressure on segmental lining 245
 - well 278
- Sinkhole 22
- Site investigation 353, 729, 775
- Slake durability 444
 - index 445
 - test 445
- Slickenside 16, 30, 63
- Sliding anchor head 96
- Sliding deformeter 563
- Sliding element 54, 78
- Sliding micrometer 562
- Slope
 - representation of analysis results 264
 - slide 803
 - stress and permeability changes, coupling 167
- Small flat jackets 525
- SN anchor 629, 630
- Specific exchange coefficient 154
- Specific storage coefficient 152, 155, 508
 - swelling rock 194
- Split-set anchor 628
- Spring 54
- Spring element 234
- Squeezing rock 56, 91
- Stability analysis 283, 331, 651, 692, 698, 708, 764
- Steel fabric mat 620, 673
- Steel set 254, 628, 673
- Steel spile 257, 635
- Steering gap 664, 668
- Step-by-step method 248
- Stiff inclusion 524
- Stiffness matrix 229
- Storage coefficient 155
- Strain
 - gauge 409, 410
- generalized plane 240
- hardening 57
- irreversible 78
- plane 240
- radial 411
- rate 86
- reversible 78
- tangential 411
- viscoplastic normal 86
- volumetric 86
- Strength
 - criterion for discontinuity 73
 - criterion for intact rock 46
 - criterion for rock mass 84
 - discontinuity 60, 61, 71, 72, 194, 451, 591–606
 - intact rock 88, 408, 591–606
 - of shotcrete 624, 625, 627
- Stress coefficient 550
- Stress compensation method
 - cancellation pressure 525
 - small flat jacks 525
- Stress history 57
- Stress measurement
 - hydraulic method 509
 - in lining, radial stress, rock mass pressure 575
 - in lining, tangential stress, concrete pressure 575, 660
 - large scale in-situ stress determination 535
 - pressure cell 524
 - stiff inclusion 524
 - stress compensation method 509
 - stress meter 524
 - stress relief method 509
- Stress meter 524
- Stress relief method
 - borehole deformation cell 518
 - borehole slotter 523
 - borehole wall stress relief method 524
 - conical strain cell 522
 - doorstopper 521
 - Hollow inclusion (HI) cell CISRO 512
 - overcoring method 511
 - stress tensor tube STT 512
 - triaxial cell 510
- Stress resultant 252, 262, 272, 275, 653
- Stress tensor tube (STT) 512
- Stress-displacement curve 456
- Stressless installation 246
- Stress-strain analysis 178, 225, 230, 238
- Stress-strain behaviour 39
 - anisotropic 12, 42, 283
 - brittle 54
 - ductile 54
 - elastic 39, 80
 - elastic-viscoplastic 53, 283
 - isotropic 39, 283
 - of discontinuities 74
 - of intact rock 39
 - of jointed rock 88
 - of rock mass 75
 - orthotropic plastic 80

- post-failure 53, 84
- transversely isotropic 42, 81
- viscoplastic 77, 232
- strike**
 - angle 23
 - angle of 23, 44
- Structural model** 32, 81, 333, 397, 591–606, 610, 614, 734, 786, 796
- Support**
 - instantaneous 94
 - yielding 92, 93
 - class 335, 654, 740
- Support reaction curve** 98
- Supporting pressure** 94, 109, 111
- Surface load** 238
- Swellex anchor** 628
- Swelling** 191, 193, 195
 - behavior, anisotropic 193
 - inter-crystalline 186
 - law 189
 - law, one-dimensional 185
 - of unleached Gypsum Keuper 187
 - osmotic 186
 - parameters 184, 199, 200, 605
 - pressure 184, 753
- Swelling rock** 181, 753
 - anhydrite 186
 - clay minerals 185
 - computer program 283
 - corrensite 186
 - coupled model 193
 - coupled model, calibration 202
 - degree of saturation 188
 - diffusion 188
 - diffusion coefficient 188
 - dilatant displacement 195
 - homogeneous model 193, 195
 - hydraulic diffusion coefficient 188
 - principle of resisting support 202, 757
 - principle of yielding support 202, 758
 - sealing structure 756
 - seepage flow 193, 195
 - self-sealing 204
 - shear strength 195
 - specific storage coefficient 194
 - strength on discontinuities 194
 - stress-strain behavior 193, 195
- Swelling test**
 - according to Huder Amberg 441
 - swelling pressure index test 441
 - swelling strain index test 441
 - triaxial 444
- Swelling test** 199, 201, 439
 - with confined lateral strain 439
 - with stepwise irrigation 443
- Syncline** 14

- T**
- Tail skin sealing** 664, 668
- Tectonic plate** 215
- Tectonic stress** 215
- Temperature analysis** 285
- Temporary face** 260, 674
- Temporary invert** 273, 274, 620
- Tendon** 256, 307, 748, 807
- Tensile strength of discontinuities** 72, 88
- Tensioning ring** 411
- Test excavation** 374
- Test pit** 356
- Test trench** 356
- Testing**
 - case study, cavern 538, 731
 - case study, dam 775
 - case study, tunnel 608, 610
- Texture** 7
- Torsional shear test** 424
- Transducer**
 - axial 411
 - lateral 411
- Transmissibility** 500, 507
- Transverse isotropy** 42, 81
- Transverse tension** 263, 711, 712, 713
- Transversely isotropic** 32
- Triaxial cell**
 - in-situ stress measurement 510
- Triaxial compression test** 416, 419
- Triaxial creep test** 125
- Triaxial extension test** 417
- Triaxial swelling test** 444
- Triaxial test**
 - in-situ 480, 481, 483
- Trivec probe**
 - displacement measurement 569
- Truss element** 234, 252, 253, 256, 257
- Tuff** 592
- Tunnel**
 - advancing support 634
 - bench 620
 - crown 620
 - invert 620
 - monitoring 581
 - representation of analysis results 259
 - stress and permeability changes, coupling 168
 - support 620
 - temporary face 620
 - temporary invert 620
 - vault 620
- Tunnel boring machine** 663
 - Gripper TBM 670
 - shielded TBM 664
- Tunnel cross-section**
 - standard profile, single-track tube 644
- Tunnel driving**
 - simulation 248
- Tunnel excavation**
 - simulation 249
- Tunnel heading**
 - full face heading 651
 - sidewall adit heading 621
 - vault heading 620

Tunneling

- conventional tunneling method 619
- mechanized tunneling 374, 663
- NATM 619
- New Austrian Tunneling method 619
- shotcrete method 619
- TBM 663

U

- Unaxial compression test 408, 510
 Unaxial creep test 124
 Unconfined compression test 408
 Unconfined compressive strength 48, 408
 Underground powerhouse
 - cavern 537, 726
 Unit weight 404
 Uplift
 - force 175
 Uplift
 - hydrostatic 161
 Urban railway Stuttgart 607, 610, 762
 Urft dam 771, 772

V

- Vault 620
 Vault heading 620
 Vein 221
 Virgin stress 209
 Viscoplasticity 85
 Viscosity 55, 102
 Volcanic rock 5

W

- Wagenburg tunnel 762
 Wash-out
 - of grout 680, 683
 Water absorption
 - swelling rock 181
 Water content 404, 548
 - dimensionless 188
 Water gauge 578
 Water level monitoring 553, 578
 - piezometer 578
 - pore pressure transducer 578
 - water gauge 578
 Water pressure 244, 245, 294
 Water uptake
 - coefficient, swelling rock 188, 199, 200
 - homogeneous model 190
 - swelling rock 187, 193, 285, 605
 Work hardening 57
 World Stress Map 215, 548

Y

- Yield function 55, 85
 Yielding
 - anchor 95
 - element 94, 95
 - steel set 96, 97
 - zone, swelling rock 758, 759
 - support, squeezing rock 56, 92, 93
 - support, swelling rock 202, 757
 - Young's modulus 39, 412, 451, 454, 470, 547
 of shotcrete 626

