

---

## Contents

|                      |  |    |
|----------------------|--|----|
| <b>Preface .....</b> | xv   |    |
| <b>0</b>             | <b>Introduction.....</b>                                   | 1  |
| 0.1                  | Subject of the book .....                                  | 1  |
| 0.2                  | Building physics vs. applied building physics .....        | 1  |
| 0.3                  | Units and symbols.....                                     | 2  |
|                      | Further reading.....                                       | 5  |
| <b>1</b>             | <b>Outdoor and indoor ambient conditions.....</b>          | 7  |
| 1.1                  | Overview.....  | 7  |
| 1.2                  | Outdoors .....   | 8  |
| 1.2.1                | Air temperature .....                                      | 9  |
| 1.2.2                | Solar radiation .....                                      | 12 |
| 1.2.2.1              | Beam radiation .....                                       | 14 |
| 1.2.2.2              | Diffuse radiation .....                                    | 16 |
| 1.2.2.3              | Reflected radiation .....                                  | 17 |
| 1.2.2.4              | Total radiation.....                                       | 17 |
| 1.2.3                | Longwave radiation .....                                   | 18 |
| 1.2.4                | Relative humidity and (partial water) vapour pressure..... | 22 |
| 1.2.5                | Wind .....   | 23 |
| 1.2.5.1              | Wind speed .....   | 24 |
| 1.2.5.2              | Wind pressure .....  | 24 |
| 1.2.6                | Precipitation and wind-driven rain.....                    | 26 |
| 1.2.6.1              | Precipitation .....  | 27 |
| 1.2.6.2              | Wind-driven rain .....                                     | 28 |
| 1.2.7                | Microclimates around buildings.....                        | 30 |
| 1.2.8                | Standardized outdoor climate data .....                    | 31 |
| 1.2.8.1              | Design temperature .....                                   | 31 |
| 1.2.8.2              | Reference years .....                                      | 31 |
| 1.2.8.3              | Very hot summer, very cold winter day .....                | 31 |
| 1.2.8.4              | Moisture reference years .....                             | 31 |
| 1.2.8.5              | Equivalent temperature for condensation and drying.....    | 34 |
| 1.2.8.6              | Monthly mean vapour pressure outdoors .....                | 37 |
| 1.3                  | Indoors .....  | 37 |
| 1.3.1                | Air temperatures.....                                      | 37 |
| 1.3.1.1              | In general .....   | 37 |
| 1.3.1.2              | Measured data .....  | 38 |
| 1.3.2                | Relative humidity and vapour pressure .....                | 41 |
| 1.3.2.1              | Vapour release indoors.....                                | 41 |
| 1.3.2.2              | Measured data .....  | 44 |
| 1.3.2.3              | Indoor climate classes .....                               | 47 |
| 1.3.3                | Indoor/outdoor air pressure differentials .....            | 50 |
|                      | Further reading.....                                       | 51 |

---

|          |   |    |
|----------|---|----|
| <b>2</b> | <b>Performance metrics and arrays .....</b>                           | 54 |
| 2.1      | Definitions.....  | 54 |
| 2.2      | Functional demands .....  | 54 |
| 2.3      | Performance requirements .....  | 54 |
| 2.4      | A short history.....  | 55 |
| 2.5      | Performance arrays .....  | 56 |
| 2.5.1    | Overview.....   | 56 |
| 2.5.1.1  | The built environment.....  | 56 |
| 2.5.1.2  | Whole buildings and building assemblies .....                         | 57 |
| 2.5.2    | In detail .....   | 57 |
| 2.5.2.1  | Functionality .....   | 57 |
| 2.5.2.2  | Structural adequacy.....  | 57 |
| 2.5.2.3  | Building physics related quality .....                                | 60 |
| 2.5.2.4  | Fire safety.....  | 60 |
| 2.5.2.5  | Durability .....  | 61 |
| 2.5.2.6  | Maintenance .....   | 61 |
|          | Further reading.....  | 62 |
| <b>3</b> | <b>Whole building level.....</b>                                      | 63 |
| 3.1      | Thermal comfort .....   | 63 |
| 3.1.1    | General concepts.....   | 63 |
| 3.1.2    | Physiological basis.....  | 63 |
| 3.1.2.1  | Exothermic .....  | 63 |
| 3.1.2.2  | Homoeothermic .....   | 65 |
| 3.1.2.3  | Autonomic control system .....  | 65 |
| 3.1.3    | Steady state thermal comfort, the physiology based approach.....      | 66 |
| 3.1.3.1  | Clothing .....  | 66 |
| 3.1.3.2  | Heat flow between body and ambient .....                              | 66 |
| 3.1.3.3  | Comfort equations.....  | 68 |
| 3.1.3.4  | Comfort parameters and variables.....                                 | 69 |
| 3.1.3.5  | Thermally equivalent environments and comfort temperatures .....      | 69 |
| 3.1.3.6  | Comfort appreciation .....  | 71 |
| 3.1.4    | Steady state thermal comfort, the adaptive model.....                 | 72 |
| 3.1.5    | Thermal comfort under non-uniform and under transient conditions..... | 74 |
| 3.1.5.1  | Refined body model.....   | 74 |
| 3.1.5.2  | Local discomfort .....  | 76 |
| 3.1.5.3  | Drifts and ramps.....   | 78 |
| 3.1.6    | Standard-based comfort requirements.....                              | 80 |
| 3.1.7    | Comfort related enclosure performance .....                           | 81 |
| 3.2      | Health and indoor environmental quality .....                         | 83 |
| 3.2.1    | In general .....  | 83 |
| 3.2.2    | Health.....   | 84 |
| 3.2.3    | Definitions.....  | 85 |
| 3.2.4    | Relation between pollution outdoor and indoors .....                  | 85 |
| 3.2.5    | Process-related contaminants .....                                    | 86 |
| 3.2.5.1  | Dust, vapour, smoke, mist and gaseous clouds .....                    | 86 |

|          |   |     |
|----------|---|-----|
| 3.2.5.2  | Fibres .....  | 86  |
| 3.2.5.3  | Ozone.....  | 87  |
| 3.2.6    | Building, insulation and finishing material related<br>contaminants ..... | 87  |
| 3.2.6.1  | (Semi) volatile organic compounds ((S)VOCs) .....                         | 87  |
| 3.2.6.2  | Formaldehyde (HCHO) .....   | 88  |
| 3.2.6.3  | Phthalates .....  | 89  |
| 3.2.6.4  | Pentachlorinephenols .....  | 89  |
| 3.2.7    | Soil-related radon as contaminant .....                                   | 89  |
| 3.2.8    | Combustion related contaminants .....                                     | 91  |
| 3.2.8.1  | Carbon monoxide.....  | 91  |
| 3.2.8.2  | Nitrous dioxide (NO <sub>2</sub> ).....                                   | 91  |
| 3.2.9    | Bio-germs.....  | 92  |
| 3.2.9.1  | Viruses .....   | 92  |
| 3.2.9.2  | Bacteria .....  | 92  |
| 3.2.9.3  | Mould.....  | 92  |
| 3.2.9.4  | Dust mites .....  | 95  |
| 3.2.9.5  | Insects .....   | 95  |
| 3.2.9.6  | Rodents .....   | 96  |
| 3.2.9.7  | Pets.....   | 96  |
| 3.2.10   | Human related contaminants.....   | 96  |
| 3.2.10.1 | Carbon dioxide (CO <sub>2</sub> ) .....                                   | 97  |
| 3.2.10.2 | Water vapour.....   | 97  |
| 3.2.10.3 | Bio-odours .....  | 97  |
| 3.2.10.4 | Tobacco smoke .....   | 98  |
| 3.2.11   | Perceived indoor air quality .....  | 99  |
| 3.2.11.1 | Odour .....   | 99  |
| 3.2.11.2 | Indoor air enthalpy .....   | 101 |
| 3.2.12   | Sick building syndrome (SBS).....   | 102 |
| 3.2.13   | Contaminant control.....  | 103 |
| 3.2.13.1 | Minimizing emission .....   | 103 |
| 3.2.13.2 | Ventilation .....   | 103 |
| 3.2.13.3 | Air cleaning and personal protective measures .....                       | 109 |
| 3.3      | Energy efficiency .....   | 110 |
| 3.3.1    | In general .....  | 110 |
| 3.3.2    | Some statistics.....  | 111 |
| 3.3.3    | End energy use in buildings .....   | 112 |
| 3.3.3.1  | Lighting and appliances .....   | 112 |
| 3.3.3.2  | Domestic hot water .....  | 116 |
| 3.3.3.3  | Space heating, cooling and air conditioning .....                         | 116 |
| 3.3.4    | Space heating .....   | 116 |
| 3.3.4.1  | Terminology.....  | 116 |
| 3.3.4.2  | Steady state heat balance at zone level.....                              | 118 |
| 3.3.4.3  | Whole building steady state heat balance.....                             | 123 |
| 3.3.4.4  | Heat gain utilization efficiency .....                                    | 123 |
| 3.3.4.5  | Annual end use for heating .....  | 125 |

---

|         |   |     |
|---------|---|-----|
| 3.3.4.6 | Protected volume as one zone .....  | 125 |
| 3.3.5   | Residential buildings, parameters shaping the annual net heating demand .....     | 125 |
| 3.3.5.1 | Overview.....   | 125 |
| 3.3.5.2 | Outdoor climate .....   | 126 |
| 3.3.5.3 | Building use .....  | 127 |
| 3.3.5.4 | Building design and construction.....   | 135 |
| 3.3.6   | Residential buildings, parameters fixing net cooling demand .....                 | 144 |
| 3.3.7   | Residential buildings, gross energy demand, end energy use .....                  | 146 |
| 3.3.8   | Residential buildings ranked in terms of energy efficiency.....                   | 146 |
| 3.3.8.1 | Insulated.....  | 146 |
| 3.3.8.2 | Energy efficient.....   | 146 |
| 3.3.8.3 | Low energy .....  | 147 |
| 3.3.8.4 | Passive .....   | 147 |
| 3.3.8.5 | Near zero energy .....  | 147 |
| 3.3.8.6 | Net zero energy .....   | 147 |
| 3.3.8.7 | Net plus energy .....   | 147 |
| 3.3.8.8 | Energy autarkic .....   | 148 |
| 3.3.9   | Non-residential buildings, net and gross demand, end and primary energy use ..... | 148 |
| 3.3.9.1 | In general .....  | 148 |
| 3.3.9.2 | School retrofits as an exemplary case.....  | 148 |
| 3.4     | Durability .....  | 152 |
| 3.4.1   | In general .....  | 152 |
| 3.4.2   | Loads.....  | 153 |
| 3.4.3   | Damage patterns.....  | 153 |
| 3.4.3.1 | Decrease in thermal quality.....  | 153 |
| 3.4.3.2 | Decrease in strength and stiffness .....  | 154 |
| 3.4.3.3 | Stress, strain, deformation and cracking.....                                     | 154 |
| 3.4.3.4 | Biological attack .....   | 158 |
| 3.4.3.5 | Frost damage.....   | 160 |
| 3.4.3.6 | Salt attack.....  | 163 |
| 3.4.3.7 | Chemical attack.....  | 167 |
| 3.4.3.8 | Corrosion .....   | 168 |
| 3.5     | Economics.....  | 170 |
| 3.5.1   | Total and net present value .....   | 170 |
| 3.5.2   | Optimum insulation thickness.....   | 171 |
| 3.5.3   | Whole building optimum .....  | 173 |
| 3.5.3.1 | Methodology.....  | 173 |
| 3.5.3.2 | Example .....   | 174 |
| 3.6     | Sustainability .....  | 178 |
| 3.6.1   | In general .....  | 178 |
| 3.6.2   | Life cycle inventory and analysis.....  | 179 |
| 3.6.2.1 | Definition .....  | 179 |
| 3.6.2.2 | Some criteria .....   | 181 |
| 3.6.2.3 | Whole energy use and minimal environmental load .....                             | 181 |

---

|          |   |            |
|----------|---|------------|
| 3.6.2.4  | Recycling .....   | 182        |
| 3.6.3    | High performance buildings.....                                 | 182        |
|          | Further reading.....  | 186        |
| <b>4</b> | <b>Envelope and fabric: heat, air and moisture metrics.....</b> | <b>195</b> |
| 4.1      | Introduction.....   | 195        |
| 4.2      | Airtightness .....  | 195        |
| 4.2.1    | Air flow patterns .....   | 195        |
| 4.2.2    | Performance requirements .....                                  | 197        |
| 4.2.2.1  | Air infiltration and exfiltration .....                         | 197        |
| 4.2.2.2  | Inside air washing, wind washing and air looping .....          | 197        |
| 4.3      | Thermal transmittance.....                                      | 198        |
| 4.3.1    | Definitions.....  | 198        |
| 4.3.1.1  | Opaque envelope assemblies above grade .....                    | 198        |
| 4.3.1.2  | Whole envelope .....  | 199        |
| 4.3.2    | Basis for requirements.....                                     | 199        |
| 4.3.2.1  | Envelope parts.....   | 199        |
| 4.3.2.2  | Whole envelope .....  | 200        |
| 4.3.3    | Examples of requirements.....                                   | 200        |
| 4.3.3.1  | Envelope parts.....   | 200        |
| 4.3.3.2  | Whole envelopes .....   | 200        |
| 4.4      | Transient thermal response .....                                | 204        |
| 4.4.1    | Properties of importance .....                                  | 204        |
| 4.4.2    | Performance requirements .....                                  | 206        |
| 4.4.3    | Consequences for the building fabric .....                      | 206        |
| 4.5      | Moisture tolerance.....   | 208        |
| 4.5.1    | In general .....  | 208        |
| 4.5.2    | Construction moisture .....                                     | 208        |
| 4.5.2.1  | Definition .....  | 208        |
| 4.5.2.2  | Performance requirements .....                                  | 208        |
| 4.5.2.3  | Consequences for the building fabric .....                      | 209        |
| 4.5.3    | Rain.....   | 210        |
| 4.5.3.1  | The problem .....   | 210        |
| 4.5.3.2  | Performance requirements .....                                  | 212        |
| 4.5.3.3  | Modelling.....  | 213        |
| 4.5.3.4  | Consequences for the building envelope.....                     | 215        |
| 4.5.4    | Rising damp .....   | 217        |
| 4.5.4.1  | Definition .....  | 217        |
| 4.5.4.2  | Performance requirements .....                                  | 217        |
| 4.5.4.3  | Modelling.....  | 218        |
| 4.5.4.4  | Avoiding or curing rising damp .....                            | 221        |
| 4.5.5    | Pressure heads.....   | 222        |
| 4.5.5.1  | Definition .....  | 222        |
| 4.5.5.2  | Performance requirements .....                                  | 223        |
| 4.5.5.3  | Modelling.....  | 223        |
| 4.5.5.4  | Protecting the building fabric .....                            | 223        |

---

|          |  |            |
|----------|--|------------|
| 4.5.6    | Accidental leaks .....   | 224        |
| 4.5.7    | Hygroscopic moisture .....                                     | 224        |
| 4.5.7.1  | Definition .....   | 224        |
| 4.5.7.2  | Performance requirements .....                                 | 226        |
| 4.5.7.3  | Modelling .....  | 226        |
| 4.5.7.4  | Consequences for the building fabric .....                     | 226        |
| 4.5.8    | Surface condensation .....                                     | 226        |
| 4.5.8.1  | Definition .....   | 226        |
| 4.5.8.2  | Performance requirements .....                                 | 226        |
| 4.5.8.3  | Modelling .....  | 227        |
| 4.5.8.4  | Consequences for the envelope .....                            | 228        |
| 4.5.9    | Interstitial condensation .....                                | 228        |
| 4.5.9.1  | Definition .....   | 228        |
| 4.5.9.2  | Modelling .....  | 229        |
| 4.5.9.3  | Performance requirements .....                                 | 232        |
| 4.5.9.4  | Consequences for the building envelope .....                   | 233        |
| 4.5.9.5  | Remark .....   | 234        |
| 4.5.10   | All moisture sources combined .....                            | 234        |
| 4.5.10.1 | Modelling .....  | 234        |
| 4.5.10.2 | Performance requirements .....                                 | 234        |
| 4.5.10.3 | Why models still have limitations .....                        | 236        |
| 4.5.10.4 | Three examples where full models were hardly of any help ..... | 240        |
| 4.6      | Thermal bridges .....  | 244        |
| 4.6.1    | Definition .....   | 244        |
| 4.6.2    | Performance requirements .....                                 | 245        |
| 4.6.3    | Consequences for the envelope .....                            | 245        |
| 4.7      | Contact coefficients .....                                     | 245        |
| 4.8      | Hygrothermal stress and strain .....                           | 246        |
| 4.9      | Transparent parts: solar transmittance .....                   | 247        |
| 4.9.1    | Definition .....   | 247        |
| 4.9.2    | Performance requirements .....                                 | 247        |
| 4.9.3    | Consequences for the envelope .....                            | 248        |
|          | Further reading .....  | 248        |
| <b>5</b> | <b>Timber-framed outer wall as an exemplary case .....</b>     | <b>253</b> |
| 5.1      | In general .....   | 253        |
| 5.2      | Assembly .....   | 253        |
| 5.3      | Heat, air, moisture performances .....                         | 253        |
| 5.3.1    | Airtightness .....   | 253        |
| 5.3.2    | Thermal transmittance .....                                    | 255        |
| 5.3.3    | Transient response .....                                       | 257        |
| 5.3.4    | Moisture tolerance .....                                       | 257        |
| 5.3.4.1  | Construction moisture .....                                    | 257        |
| 5.3.4.2  | Rain control .....   | 257        |
| 5.3.4.3  | Rising damp .....  | 258        |
| 5.3.4.4  | Hygroscopic moisture and surface condensation .....            | 258        |

|   |            |
|---|------------|
| Contents  | XIII       |
| 5.3.4.5 Interstitial condensation .....   | 258        |
| 5.3.4.6 More advanced modelling.....  | 264        |
| 5.3.4.7 Thermal bridging .....  | 265        |
| <b>6 Heat-air-moisture material properties .....</b>  | <b>266</b> |
| 6.1 Introduction.....   | 266        |
| 6.2 Dry air and water.....  | 267        |
| 6.3 Materials, thermal properties.....  | 268        |
| 6.3.1 Definitions.....  | 268        |
| 6.3.2 Design values.....  | 268        |
| 6.3.2.1 Non-certified materials (ISO 10456).....  | 268        |
| 6.3.2.2 Design values (NBN B62-002 (2001)) .....  | 272        |
| 6.3.3 Measured data .....   | 281        |
| 6.3.3.1 Building materials .....  | 281        |
| 6.3.3.2 Insulation materials .....  | 287        |
| 6.4 Materials, air-related properties.....  | 290        |
| 6.4.1 Design values.....  | 290        |
| 6.4.1.1 Measured values.....  | 291        |
| 6.5 Materials, moisture properties.....   | 304        |
| 6.5.1 Design values for the vapour resistance factor (ISO 10456) .....                      | 304        |
| 6.5.1.1 Building and finishing materials .....  | 304        |
| 6.5.1.2 Insulation materials .....  | 309        |
| 6.5.2 Measured values.....  | 309        |
| 6.5.2.1 Building materials .....  | 310        |
| 6.5.2.2 Insulation materials .....  | 323        |
| 6.5.2.3 Finishes .....  | 324        |
| 6.5.2.4 Miscellaneous .....   | 326        |
| 6.5.2.5 Vapour retarders.....   | 327        |
| 6.6 Surfaces, radiant properties .....  | 328        |
| Further reading.....  | 329        |
| <b>Appendix A: Solar radiation for Uccle, Belgium, 50° 51' north,<br/>4° 21' east .....</b> | <b>331</b> |

