

## Index

### **a**

accident at Cleveland 9  
 API 620 25, 32  
 API 620, Appendix Q 32  
 API 620, Appendix R 32  
 API 625 33

### **b**

base load 6  
 base slab heating 111  
 Biogenic methane 19  
 boil-off rate 51  
 British Gas Council 10  
 BS 7777 26

### **c**

cascade 7  
 climbing formwork 94  
 coal seam gas 16, 19  
 cold spot 65  
 complex systemic change 6  
 compression ring 97  
 cone penetration test CPT 58  
 construction phases 93  
 Constock Liquid Methane Corporation  
 10  
 construction joint 114  
 containment tank system 37  
 conventional, associated natural gas  
 17  
 conventional, non-associated natural  
 gas 17  
 cryogenic reinforcement 31, 67  
 Curtis Island, 20

### **d**

destructive distillation 5  
 DYWIDAG 13

### **e**

East Ohio Gas Company 7  
 economic demonstrated resources 20  
 EEMUA 27  
 Emission Control Areas 15  
 EN 14620 29  
 EN 1473 28  
 environmental impact assessment  
 28  
 event tree method 28  
 expansion 6  
 explosion 72

### **f**

failure mode effect analysis 28  
 fault tree method 28  
 fire scenario  
 heat transfer coefficient 69  
 specific heat 69  
 thermal conductivity 69  
 fire scenarios 69  
 fixity effect 61  
 fluid-structure interaction 77  
 flying debris 72  
 fracking 19

### **h**

hazard and operation study 28  
 hessian sacking 114, 115  
 high-pressure water jet 114

- hydrostatic and pneumatic tests 32, 52
- hydrotest and pneumatic test
  - full hydrotest 52
  - maximum design liquid level 52
  - partial hydrotest 52
  
- i**
- inclinometer 53
- inclinometer measuring system 113
- intergranular pressure 56
- International Maritime Organisation 22
  
- j**
- J. J. Henry Company 10
- Jules Verne 12
  
- l**
- liquid spill 60, 65
- LNG chain 11
  
- m**
- Methane Pioneer 11
- Methane Princess 12
- Methane Progress 12
- maximum aggregate size 95
- maximum damping increment 91
- maximum radiation value 69
- method of construction 99
  
- n**
- Nomarti 11
- notch sensitivity ratio NSR 68
  
- p**
- partial safety factors 60
- peak load 6, 12
- peak-shaving plants 13
- Pollutant emissions limits 21
- performance requirements 49
- performance requirements
  - compressive stress 49
  - liquid-tightness 49
  - residual compression zone 49
  - vapour-tightness 49
- permissible settlement 54
- permissible tilt 54
- Pipeline networks 6
- pre-bending 108
- pressure wave 72
  
- r**
- regulations 25
- requirements for soil surveys 54
- residual compression zone 49
- reverse curvature 106
- roof air raising 102
  
- s**
- secondary bottom 43
- seismic design 88
- seismic design
  - damage limitation requirement (DLR) 88
  - multi-modal response spectrum method 90
  - no-collapse requirement (NCR) 88
  - non-linear time history analysis 90
  - operating basis earthquake (OBE) 88
  - safe shutdown earthquake (SSE) 88
  - simplified response spectrum method 90
- slipforming 94
- soil liquefaction 56
- soil-structure interaction 59
- solar radiation 51
- standard penetration test SPT 57
- steady-state temperature 60
- strut-and-tie model
  - B-regions 62
  - Bernoulli regions 62
  - D-regions 62
  - discontinuity regions 62
- strut-and-tie model STM 62
- sulphur emission control areas 21
  
- t**
- temporary opening 100
- theory of sloshing fluid 77
  - Bessel function 77
  - convective pressure 77
  - flexible impulsive pressure 77

- Housner 79
- hydrodynamic pressure 84
- masses and lever arms 86
- rigid impulsive pressure 77
- TID 7024, 79
- Veletsos 81
- thermal corner protection TCP 43, 49
- thermal insulation 32
- Thermogenic methane 19
- types of tank 37
- types of tank
  - double containment tank system 40
  - full containment tank system 40
  - membrane tank system 44
  - single containment tank system 38
- V**
- vertical prestressing 109

