

Contents

Preface *XV*

1	Safety and verification concept	1
1.1	Principles of the safety and verification concept for waterfront structures	1
1.1.1	General	1
1.1.2	Normative regulations for waterfront structures	1
1.1.3	Geotechnical categories	3
1.1.4	Design situations	3
1.2	Verification for waterfront structures	4
1.2.1	Principles for verification	4
1.2.2	Design approaches	4
1.2.3	Analysis of the serviceability limit state	5
1.2.4	Analysis of the ultimate limit state	6
	References	10
2	Ship dimensions	11
2.1	Sea-going ships	11
2.1.1	Passenger ships and cruise liners	12
2.1.2	Bulk carriers	12
2.1.3	General cargo ships	12
2.1.4	Container ships	13
2.1.5	Ferries	13
2.1.6	RoRo/ConRo vessels	13
2.1.7	Oil tankers	14
2.1.8	Gas tankers	15
2.2	Inland waterway vessels	15
2.3	Offshore installation vessels	19
3	Geotechnical principles	21
3.1	Geotechnical report	21
3.2	Subsoil	21
3.2.1	Mean characteristic values of soil parameters	21
3.2.2	Layout and depths of boreholes and penetrometer tests	27

VI | Contents

3.2.3	Determining the shear strength c_u of saturated, undrained cohesive soils	28
3.2.4	Assessing the subsoil for the installation of piles and sheet piles and for selecting the installation method	31
3.2.5	Classifying the subsoil in homogeneous zones	34
3.3	Water pressure	35
3.3.1	General	35
3.3.2	Resultant water pressure in the direction of the water side	36
3.3.3	Resultant water pressure on quay walls in front of embankments with elevated platforms in tidal areas	38
3.3.4	Taking account of groundwater flow	39
3.4	Hydraulic heave failure	45
3.5	Earth pressure	49
3.5.1	General	49
3.5.2	Considering the cohesion in cohesive soils	49
3.5.3	Considering the apparent cohesion (capillary cohesion) in sand	49
3.5.4	Determining active earth pressure for a steep, paved embankment in a partially sloping waterfront structure	49
3.5.5	Determining the active earth pressure shielding on a wall below a relieving platform with average ground surcharges	50
3.5.6	Earth pressure distribution under limited loads	52
3.5.7	Determining active earth pressure in saturated, non-consolidated or partially consolidated, soft cohesive soils	53
3.5.8	Effect of water pressure difference beneath beds of watercourses	56
3.5.9	Considering active earth pressure and resultant water pressure, and construction guidance for waterfront structures with soil replacement and a contaminated or disturbed base of excavation	57
3.5.10	Effect of groundwater flow on resultant water pressure and active and passive earth pressures	60
3.5.11	Determining the amount of displacement required to mobilise passive earth pressure in non-cohesive soils	62
3.5.12	Measures for increasing the passive earth pressure in front of waterfront structures	63
3.5.13	Passive earth pressure in front of abrupt changes in ground level in soft cohesive soils with rapid load application on the land side	65
3.5.14	Waterfront structures in seismic regions	65
	References	69
4	Loads on waterfront structures	73
4.1	Vessel berthing velocities and pressures	73
4.1.1	Guide values	73
4.1.2	Loads on waterfront structures due to fender reaction forces	74
4.2	Vertical imposed loads	74
4.2.1	General	74
4.2.2	Basic situation 1	76
4.2.3	Basic situation 2	76
4.2.4	Basic situation 3	76

4.2.5	Loading assumptions for quay surfaces	76
4.3	Sea state and wave pressure	77
4.3.1	General	77
4.3.2	Description of the sea state	77
4.3.3	Determining the sea state parameters	78
4.3.4	Design concepts and specification of design parameters	82
4.3.5	Conversion of the sea state	83
4.3.6	Wave pressure on vertical quay walls in coastal areas	85
4.4	Effects of waves due to ship movements	90
4.4.1	General	90
4.4.2	Wave heights	91
4.5	Choosing a greater design depth (allowance for scouring)	94
4.6	Loads arising from surging and receding waves due to the inflow or outflow of water	94
4.6.1	General	94
4.6.2	Determining wave values	94
4.6.3	Loading assumptions	95
4.7	Wave pressure on piled structures	96
4.7.1	General	96
4.7.2	Method of calculation according to Morison et al. (1950)	98
4.7.3	Determining the wave loads on a single vertical pile	98
4.7.4	Coefficients C_D and C_M	100
4.7.5	Forces from breaking waves	100
4.7.6	Wave load on a group of piles	101
4.7.7	Raking piles	101
4.7.8	Safety factors	102
4.7.9	Vertical wave load (“wave slamming”)	103
4.8	Moored ships and their influence on the design of mooring equipment and fenders	106
4.8.1	General	106
4.8.2	Critical wind speed	108
4.8.3	Wind loads on moored vessels	108
4.8.4	Loads on mooring equipment and fenders	110
4.9	Loads on bollards	110
4.9.1	Loads on bollards for sea-going vessels	110
4.9.2	Loads on bollards for inland waterway vessels	112
4.9.3	Direction of line pull load	113
4.9.4	Design for line pull loads	113
4.10	Quay loads from cranes and other transshipment equipment	113
4.10.1	Conventional general cargo cranes	113
4.10.2	Container cranes	113
4.10.3	Load specifications for port cranes	115
4.10.4	Notes	116
4.11	Impact and pressure of ice on waterfront structures, fenders and dolphins in coastal areas	116
4.11.1	General	116

VIII | *Contents*

4.11.2	Determining the compressive strength of ice	117
4.11.3	Ice loads on waterfront structures and other structures of greater extent	118
4.11.4	Ice loads on vertical piles	121
4.11.5	Horizontal ice load on a group of piles	121
4.11.6	Ice surcharges	122
4.11.7	Vertical loads with rising or falling water levels	122
4.12	Impact and pressure of ice on waterfront structures, piers and dolphins at inland facilities	123
4.12.1	General	123
4.12.2	Ice thickness	123
4.12.3	Compressive strength of the ice	124
4.12.4	Ice loads on waterfront structures and other structures of greater extent	124
4.12.5	Ice loads on narrow structures (piles, dolphins, bridge and weir piers and ice deflectors)	125
4.12.6	Ice loads on groups of structures	125
4.12.7	Vertical loads with rising or falling water levels	126
	References	126
5	Earthworks and dredging	131
5.1	Dredging in front of quay walls in seaports	131
5.2	Dredging and hydraulic fill tolerances	132
5.2.1	General	132
5.2.2	Dredging tolerances	133
5.3	Hydraulic filling of port areas for planned waterfront structures	135
5.3.1	General	135
5.3.2	Hydraulic filling of port above the water table	136
5.3.3	Hydraulic filling of port areas below the water table	137
5.4	Backfilling of waterfront structures	139
5.4.1	General	139
5.4.2	Backfilling in the dry	140
5.4.3	Backfilling underwater	140
5.4.4	Additional remarks	141
5.5	In situ density of hydraulically filled non-cohesive soils	141
5.5.1	General	141
5.5.2	Empirical values for in situ density	141
5.5.3	In situ density required for port areas	142
5.5.4	Checking the in situ density	142
5.6	In situ density of dumped non-cohesive soils	142
5.6.1	General	142
5.6.2	Influences on the achievable in situ density	143
5.7	Dredging underwater slopes	144
5.7.1	General	144
5.7.2	Dredging underwater slopes in loose sand	144
5.7.3	Dredging equipment	144
5.7.4	Execution of dredging work	145
5.8	Subsidence of non-cohesive soils	146

5.9	Soil replacement along a line of piles for a waterfront structure	147
5.9.1	General	147
5.9.2	Dredging	148
5.9.3	Cleaning the base of the excavation before filling it with sand	149
5.9.4	Placing the sand fill	150
5.9.5	Checking the sand fill	150
5.10	Dynamic compaction of the soil	151
5.11	Vertical drains to accelerate the consolidation of soft cohesive soils	151
5.11.1	General	151
5.11.2	Applications	152
5.11.3	Design	152
5.11.4	Design of plastic drains	153
5.11.5	Installation	154
5.12	Consolidation of soft cohesive soils by preloading	154
5.12.1	General	154
5.12.2	Applications	154
5.12.3	Bearing capacity of in situ soil	155
5.12.4	Fill material	156
5.12.5	Determining the depth of preload fill	156
5.12.6	Minimum extent of preload fill	158
5.12.7	Soil improvement through vacuum consolidation with vertical drains	158
5.12.8	Execution of soil improvement through vacuum consolidation with vertical drains	159
5.12.9	Checking the consolidation	159
5.12.10	Secondary settlement	159
5.13	Improving the bearing capacity of soft cohesive soils with vertical elements	160
5.13.1	General	160
5.13.2	Methods	160
5.13.3	Construction of pile-type load-bearing elements	162
	References	163
6	Protection and stabilisation structures	165
6.1	Bank and bottom protection	165
6.1.1	Embankment stabilisation on inland waterways	165
6.1.2	Slopes in seaports and tidal inland ports	170
6.1.3	Use of geotextile filters in bank and bottom protection	174
6.1.4	Scour and protection against scour in front of waterfront structures	176
6.1.5	Scour protection at piers and dolphins	185
6.1.6	Installation of mineral impervious linings underwater and their connection to waterfront structures	185
6.2	Flood defence walls in seaports	187
6.2.1	General	187
6.2.2	Critical water levels	187
6.2.3	Excess water pressure and unit weight of soil	188
6.2.4	Minimum embedment depths for flood defence walls	189
6.2.5	Special loads on flood defence walls	189

x | *Contents*

6.2.6	Guidance on designing flood defence walls in slopes	190
6.2.7	Structural measures	190
6.2.8	Buried utilities in the region of flood defence walls	191
6.3	Rouble mound moles and breakwaters	191
6.3.1	General	191
6.3.2	Stability analyses, settlement and subsidence and guidance on construction	192
6.3.3	Specifying the geometry of the structure	192
6.3.4	Designing the armour layer	194
6.3.5	Construction of breakwaters	198
6.3.6	Construction and use of equipment	198
6.3.7	Settlement and subsidence	201
6.3.8	Invoicing for installed quantities	201
	References	201
7	Configuration of cross-sections and equipment for waterfront structures	205
7.1	Configuration of cross-sections	205
7.1.1	Standard cross-sectional dimensions for waterfront structures in seaports	205
7.1.2	Top edges of waterfront structures in seaports	207
7.1.3	Standard cross-sections for waterfront structures in inland ports	208
7.1.4	Upgrading partially sloped waterfronts in inland ports with large water level fluctuations	212
7.1.5	Design of waterfront areas in inland ports according to operational aspects	214
7.1.6	Nominal depth and design depth of the harbour bottom	215
7.1.7	Strengthening waterfront structures for deepening harbour bottoms in seaports	217
7.1.8	Embankments below waterfront wall superstructures behind closed sheet pile walls	221
7.1.9	Re-design of waterfront structures in inland ports	221
7.1.10	Waterfront structures in regions with mining subsidence	224
7.2	Equipment	227
7.2.1	Provision of quick-release hooks at berths for large vessels	227
7.2.2	Layout and design of and loads on access ladders	227
7.2.3	Layout and design of stairs in seaports	230
7.2.4	Armoured steel sheet pile walls	231
7.2.5	Equipment for waterfront structures in seaports with supply and disposal systems	235
7.2.6	Layout of bollards	241
7.2.7	Foundations to craneways on waterfront structures	243
7.2.8	Fixing crane rails to concrete	245
7.2.9	Connection of expansion joints seal in reinforced concrete bottoms to load-bearing steel sheet pile walls	251
7.2.10	Connection of steel sheet piles to a concrete structure	252
7.2.11	Steel capping beams for sheet pile waterfront structures	254
7.2.12	Reinforced concrete capping beams for waterfront structures with steel sheet piles	257

7.2.13	Steel nosings to protect reinforced concrete walls and capping beams on waterfront structures	261
7.2.14	Floating berths in seaports	263
7.3	Drainage	265
7.3.1	Design of weepholes for sheet pile structures	265
7.3.2	Design of drainage systems for waterfront structures in tidal areas	266
7.4	Fenders	268
7.4.1	Fenders for large vessels	268
7.4.2	Fenders in inland ports	283
7.5	Offshore energy support bases	284
7.5.1	General	284
7.5.2	Basis for design	284
7.5.3	Nautical requirements	285
7.5.4	Calculating the leg penetration of WTIVs	288
7.5.5	Maintaining and monitoring the jacking surfaces	291
7.5.6	Logistical requirements	292
7.6	RoRo berths	298
7.6.1	General	298
7.6.2	Loading assumptions for RoRo terminals	299
7.6.3	Kinematics	301
7.6.4	Classification of ship-to-shore facilities	303
7.6.5	Facilities and equipment on the land side	308
7.7	Jetties	312
7.7.1	Introduction	312
7.7.2	Design of jetties	313
7.7.3	Design of berthing and mooring facilities (ship-to-shore)	315
7.7.4	Structural elements of berths	317
7.7.5	Interaction between load-bearing structure and installations on deck	320
	References	322
8	Sheet pile walls	325
8.1	Materials and construction	325
8.1.1	Materials for sheet pile walls	325
8.1.2	Steel sheet pile walls – properties and forms	326
8.1.3	Watertightness of steel sheet pile walls	340
8.1.4	Welding steel sheet pile walls	342
8.1.5	Installation of steel sheet pile walls	346
8.1.6	Driving assistance	366
8.1.7	Monitoring pile driving operations	371
8.1.8	Repairing interlock declutching on driven steel sheet piling	373
8.1.9	Noise control – low-noise driving	377
8.1.10	Corrosion of steel sheet piling, and countermeasures	381
8.1.11	Risk of sand grinding on sheet piling	387
8.2	Design of sheet pile walls	387
8.2.1	General	387
8.2.2	Free-standing/cantilever sheet pile walls	391

XII | Contents

- 8.2.3 Design of sheet pile walls with fixity in the ground and a single row of anchors 392
- 8.2.4 Design of sheet pile walls with a double row of anchors 396
- 8.2.5 Applying the angle of earth pressure and the analysis in the vertical direction 397
- 8.2.6 Taking account of unfavourable groundwater flows in the passive earth pressure zone 407
- 8.2.7 Verifying the load-bearing capacity of a quay wall 407
- 8.2.8 Selection of embedment depth for sheet piles 410
- 8.2.9 Determining the embedment depth for sheet pile walls with full or partial fixity in the soil 410
- 8.2.10 Steel sheet pile walls with staggered embedment depths 413
- 8.2.11 Horizontal actions on steel sheet pile walls in the longitudinal direction of the quay 415
- 8.2.12 Design of anchor walls fixed in the ground 418
- 8.2.13 Staggered arrangement of anchor walls 419
- 8.2.14 Waterfront sheet pile walls in unconsolidated, soft cohesive soils, especially in connection with non-sway structures 419
- 8.2.15 Design of single-anchor sheet pile walls in seismic zones 420
- 8.2.16 Sheet pile waterfronts on inland waterways 421
- 8.2.17 Calculation and design of cofferdams 422
- References 432
- 9 Anchorages 435**
 - 9.1 Piles and anchors 435
 - 9.1.1 General 435
 - 9.1.2 Displacement piles 435
 - 9.1.3 Load-bearing capacity of displacement piles 437
 - 9.1.4 Micropiles 438
 - 9.1.5 Special piles 439
 - 9.1.6 Anchors 439
 - 9.2 Walings and pile and anchor connections 446
 - 9.2.1 Design of steel walings for sheet piling 446
 - 9.2.2 Verification of steel walings 447
 - 9.2.3 Reinforced concrete walings to sheet pile walls with driven steel piles 448
 - 9.2.4 Auxiliary anchors at the top of steel sheet piling structures 450
 - 9.2.5 Sheet piling anchors in unconsolidated, soft cohesive soils 451
 - 9.2.6 Design of protruding quay wall corners with round steel tie rods 454
 - 9.2.7 Configuration and design of protruding quay wall corners with raking anchor piles 456
 - 9.2.8 Prestressing of high-strength steel anchors for waterfront structures 458
 - 9.2.9 Hinged connections between driven steel piles and steel sheet piling structures 460
 - 9.3 Verification of stability for anchoring at the lower failure plane 469
 - 9.3.1 Stability at the lower failure plane for anchorages with anchor walls 469

9.3.2	Stability at the lower failure plane in unconsolidated, saturated cohesive soils	471
9.3.3	Stability at the lower failure plane with varying soil strata	471
9.3.4	Verification of stability at the lower failure for a quay wall fixed in the soil	472
9.3.5	Stability at the lower failure plane for an anchor wall fixed in the soil	472
9.3.6	Stability at the lower failure plane for anchors with anchor plates	472
9.3.7	Verification of safety against failure of anchoring soil	472
9.3.8	Stability at the lower failure plane for quay walls anchored with piles or grouted anchors at one level	473
9.3.9	Stability at the lower failure plane for quay walls with anchors at more than one level	474
9.3.10	Safety against slope failure	475
	References	476
10	Quay walls and superstructures in concrete	481
10.1	General	481
10.2	Construction materials	482
10.2.1	Concrete	482
10.2.2	Steel reinforcement	484
10.3	Design and construction	484
10.3.1	Construction joints	484
10.3.2	Expansion joints	485
10.3.3	Jointless construction	485
10.3.4	Crack width limitation	485
10.4	Forms of construction	486
10.4.1	Concrete walls	486
10.4.2	Retaining walls	488
10.4.3	Block-type construction	488
10.4.4	Box caissons	491
10.4.5	Open caissons	492
	References	496
11	Pile bents and trestles	499
11.1	General	499
11.2	Configuration and design of a pile bent	499
11.2.1	General	499
11.2.2	Earth pressure loads	500
11.2.3	Load due to excess water pressure	501
11.2.4	Load path for piles	502
11.3	Design of pile trestles	503
11.3.1	Free-standing pile trestles	503
11.3.2	Special structures designed as pile trestles	505
11.3.3	Structural system and calculations	505
11.3.4	Construction guidance	506
11.4	Design of pile bents and trestles in earthquake zones	507
11.4.1	General	507

XIV | *Contents*

- 11.4.2 Active and passive earth pressures, excess water pressure, variable loads 507
- 11.4.3 Resisting the horizontal inertial forces of the superstructure 507
- References 508

12 Dolphins 509

- 12.1 Design and construction 509
 - 12.1.1 Dolphins – purposes and types 509
 - 12.1.2 Layout of dolphins 509
 - 12.1.3 Equipment for dolphins 510
 - 12.1.4 Advice for selecting materials 511
- 12.2 Detailed design 512
 - 12.2.1 Stiffness of the system 512
 - 12.2.2 Structural behaviour 512
 - 12.2.3 Actions 513
 - 12.2.4 Safety concept 515
 - 12.2.5 Soil—structure interaction and the resulting design variables 515
 - 12.2.6 The required energy absorption capacity of breasting dolphins 520
 - 12.2.7 Other calculations 521
- References 522

13 Operation, maintenance and repair of waterfront structures 525

- 13.1 Operation of waterfront structures 525
 - 13.1.1 General 525
 - 13.1.2 Building information modelling (BIM) 525
- 13.2 Inspecting waterfront structures 526
 - 13.2.1 Documentation 527
 - 13.2.2 Structural inspections 528
 - 13.2.3 Inspection intervals 529
 - 13.2.4 Structural monitoring supported by measurements 530
- 13.3 Assessing the load-bearing capacity of an existing waterfront structure 531
- 13.4 Repairing concrete waterfront structures 533
- 13.5 Upgrading and deconstructing existing waterfront structures 533
 - 13.5.1 Upgrading measures 533
 - 13.5.2 Deconstruction in conjunction with replacement measures 535
- References 535

Appendix A Notation 537

- A.1 Symbols for variables 538
 - A.1.1 Latin lower-case letters 538
 - A.1.2 Latin upper-case letters 540
 - A.1.3 Greek letters 542
- A.2 Subscripts and indices 543
- A.3 Abbreviations 544
- A.4 Water levels and wave heights 545

List of Advertisers 547