

## Index

### a

- abrasion evaluation
  - falling abrasive sand test 455–456
  - Taber abraser procedure 454–455
- absorption heat exchanger 268
- abstraction bionics 23
- accelerated outdoor corrosion test using salt spray 413
- accelerated weathering tests 134
- acetaldoxime 71
- acetone process 235–236
- acid etch phenomenon 198–199
- acrylic resin 3, *see also* polyacrylic resins, as coating materials
- activation process 69–70, 84, 316–317
- additives
  - in plastic coatings 319–320
  - in primer surfacer
    - defoaming and deaerating agents 148
    - for substrate wetting 149
    - for the resins or resins' mixture like cross-linkers 147–148
  - in waterborne primer surfacers 147
  - pigment wetting and dispersion 148
  - rheology 149–150
- adhesion and flexibility examinations
  - bending 445–446
  - cross-cut test 441–443
  - cupping test 446–447
  - electrocoat primer 133
  - falling-weight test 448–449
  - pull-off test 441
  - steam jet tests 444–445
- adhesive bonding
  - adhesives as process materials 355–356
  - advantages 356–359
  - application 357
  - body shop 367–370
  - in car production 366–374
  - paint shop 370–371
  - principles of bonding and materials 351–359
  - surface preparation 359–366
  - trim shop 371–374
- alkaline cleaners 65
- alkaline degreasers 65
- alkyd-based monocoats 180–181
- alkylphenoethoxylates (APEOs) 69
- aluminum
  - alloys 38–39
  - application potential of 36
  - extraction 34–35
  - as light-construction material 38–40
  - pretreatment process 75–76
  - properties 35
  - texturing of surface methods 36–37
  - Ti-/Zr-oxide/hydroxide layers on 64
  - treatments 35–37
- aluminum or sheet molding compounds (SMCs) 5
- analogy bionics 23
- anodic deposition coatings 3
- anodic electrodeposition coating 99
- antiflutter adhesives 367–368
- appearance measurement techniques 381–393
- applied coatings 1
- araliphatic isocyanates 233
- Arizona, outdoor weathering in 406, 408
- atomizer 272–274
- atom transfer radical polymerization (ATRP) 219
- attributes, of color 176

- Audi space frame (ASF) 18
- Audi-Volkswagen 207
- Austin Martin car 18
- autoclave test, for stresses 134
- automated quality assurance 293–297
- automatic cleaning, of the body surface 266
- automation, in paint application 269–271, 298
- azeotrope-forming solvents, for water removal 230
- azeotropic process 230
- b**
- base coats 3, 4, 181–184, 263, 323
  - drying of 189
  - high solid 186
  - low and medium solid 185–186
  - rheology 184–185
  - waterborne 186–188
- batch and semibatch processes 224
- bead patterning 21
- ‘Bell–Bell’ application, of base coat 300–301
- benzoguanamines 246
- bionics 23–26
- bis(4-hydroxycyclohexyl)propane 226
- black box 412
- black standard thermometers 407
- blocked isocyanates 100, 250
- blow molding compounds (BMC) 5
- body construction, of automobile, *see also* manufacturing methods, of automobile
- bodies
  - functions of body structure 13
  - joining methods
    - bonding 53–54
    - clinching 55–56
    - evaluation 53
    - laser welding 54–55
    - riveting 56
    - roller hemming 56–57
  - manufacturing methods
    - hydroforming 49–50
    - metal foam 50–51
    - press hardening 50
    - roll forming to shape 52
    - sandwich structures 51
    - tailored products 47–49
  - materials
    - aluminum 34–40
    - magnesium 40–42
    - nonmetallic parts 43–47
    - sandwich structures 51
    - sheet 61–63
    - steel 26–34
    - titanium 42–43
  - materials and manufacturing methods for advanced 14
  - methods
    - hybrid type of construction 19
    - modular way of construction 19–20
    - monocoque design 15–17
    - space-frame concept 18–19
  - milestones 14
  - principles of design
    - bionics 23–26
    - conventional 20–21
    - light-weight vehicles 22–23
  - requirements in 13–14
  - studies and concepts on light construction 57–59
  - substrates used for 62
  - surface protection
    - corrosion prevention in design phase 59–60
    - precoating of sheets 59
- body-in-white 13, 20, 63
- body on frame (BOF), mode of construction 13
- body shop bonding 367–370
- bonding technique 53–54
- Buchholz penetration hardness 133
- 2-butyl-2 ethyl propane 1.3-diol 226
- c**
- car body pretreatment lines
  - continuous horizontal spray/dip 80
  - cycle box spray 82
  - cycle dip 82
  - cycle immersion 82
  - RoDip3 80–81
  - schematic outline 79
  - sequence of treatment
    - for continuous conveyorized line for plastic cleaning 78
    - in a spray/dip 78
  - spray 80
  - vario shuttle 81
- car painting industry
  - evolution 1–7
  - legislative acts 7–9
  - market 9–11
- Carrozzeria Touring Company 18
- car wash simulation test 458–459
- Cataplasma testing 362
- cathodic electrodeposition paints 6, 99–101
  - design of
    - baking oven 118–119

- general functions and equipment 107–108
- integration process 106–107
- pretreatment 107
- replenishment and anode cells 111–114
- tanks, filters, heat exchanger, and power supply for 108–111
- ultrafiltration and rinsing zones 114–117
- film performance of 101–106
- cationogenic polyurethanes 233
- cavity preservation 265
- Chromic-6 5
- circulation line system 282
- clarity preservation 263–264
- clear coats 3, 4, 323
  - durability 198–203
  - epoxy acid chemistry 192
  - liquid
    - acrylic melamine silane 192
    - carbamate-melamine-based 1K coat 192
    - one- (and two-) component epoxy acid coat 192
    - one-component (1K) acrylic melamine 190–192
    - one-component polyurethane (PUR) coat 192
    - scratch resistance 201
    - two-component (2K) polyurethane coat 193–194
    - UV curving 206
    - waterborne coat 194–195
  - market 189–190
  - powder 195–198, 264
- clinching technique 55–56
- coating processes, *see also* specification and testing, for paint finishes; surface protection
  - automotive specifications for exterior appearance 391
  - business trends 481–482
  - customer expectations 478–479
  - film performances 7
  - innovative equipments and processes 479–481
  - milestones and driving forces in 2, 6
  - for plastic parts
    - exterior, *see* exterior plastic part coating
    - interior plastics, *see* interior plastic coating
  - quality standards 6
  - regulatory trends 476–478
  - status and public awareness of the automotive 473–474
  - of the twentieth century 1
- coat performance, requirements for
  - application conditions 204–206
  - durability 199–201
  - environmental etch resistance 198–199
  - integrated paint processes
    - primerless coating process 209–210
    - wet-on-wet application 208–209
  - scratch resistance 201–204
  - UV-curing technology 206–208
- cold check test 134
- colorchanger 275
- color and appearance examination
  - appearance measurement techniques 392–393
  - applications of color control in the automotive industry 400–401
  - distinctness-of-image 385–386
  - dullness measurement 385–386
  - evaluation of ‘orange peel’ 386–390
  - measurement of colors 398–405
  - metallic and interference colors, visual evaluation of 397–398
  - optical design of sphere geometry for 398
  - outlook 403–405
  - solid colors, visual evaluation of 393–397
  - specular gloss measurement 382–384
  - visual evaluation of appearance 379–380
  - visual perception of a surface 390–392
- color changes 275
- color control, in the automotive industry 402–403
- color flop 177
- color of cars 6
- computer aided design (CAD) systems 267
- computer aided optimization (CAO) method, of body construction 24
- Concentrated Radiation Using Fresnel Mirrors (Q-Track or EMMAQUA) 412
- construction methods, of automobiles, *see* body construction, of automobile
- contrast sensitivity, of the human eye 387–388
- convection ovens 288

- conventional design, in body construction 20–21
  - conveyor systems 287–288
  - copper accelerated salt spray test (CASS) 74
  - corona discharge method 317
  - corrosion prevention 59
  - corrosion protection 2–3, 5, 358
    - oils 63
    - primer 62
    - tests for edge, contact and inner part protection 432–433
    - tests for surface protection 429–432
    - total body testing 433–434
    - types 428–429
    - use of zinc-coated steel 61
  - crash-management systems 40
  - crash-resistant adhesives/bonding 369
  - craters, in amorphous films 120–121
  - Cr-containing conversion treatment 77–78
  - crookmeter test 456–457
  - cross-cut test 156, 441–444
  - cross-linking agents 211–212, 214, 222, 227
    - for liquid coating materials
      - melamine and benzoguanamine resins 245–248
      - other 252
      - polyisocyanates and blocked polyisocyanates 249–252
      - tris(alkoxycarbonylamino)-1,3,5-triazine (TACT) 248
    - for powder coatings 252–254
  - crosslinking of paints 1
  - cupping test 446–448
  - cyclic corrosion tests (CCT) 421–422
  - cycloaliphatic diisocyanates 233
- d**
- defects, in electrodeposition coatings
    - craters 120–121
    - dirt 119–120
    - film thickness/throwing power 122–123
    - hash marks 123
    - pinholes 123–124
    - surface roughness 121–122
    - water spotting 123
  - degreasing process 65–69
  - deposition process 92
    - coulomb-efficiency 94
    - voltage effects 96
  - dibutyl tin laurate (DBTL) 153
  - diffusion and migration of dispersion particle, in deposition process 92
  - dimeric fatty acids 226
  - dimethylolpropionic acid (DMPA) 322
  - dip coating 1
  - dip degreasing 83–84
  - diphenylethene (DPE) 219
  - direct glazing adhesives 371–372
  - dirt cleaning 267
  - distinctness-of-image (DOI) measurement 385–386
  - dosing technology 277–278
  - dry film lubricants 64
  - Dullness measurement 383–384
- e**
- EcoConcept 210, 263, 480
  - elastic bonding 353
  - elasticity, of primer surfacer coat 133
  - electrocoating process 261–262
  - electrodeposition coatings 2
    - in automotive supply industry 124
    - defects during application and their prevention
      - craters 120–121
      - dirt 119–120
      - film thickness/throwing power 122–123
      - hash marks 123
      - pinholes 123–124
      - surface roughness 121–122
      - water spotting 123
    - design of cathodic electrocoating process 261
    - anolyte system 111
      - baking oven 118–119
      - general functions and equipment 107–108
      - integration process 106–107
      - pretreatment 107
      - replenishment and anode cells 111–114
      - tanks, filters, heat exchanger, and power supply for 108–111
      - ultrafiltration and rinsing zones 114–117
    - film performance of cathodic electrocoatings
      - chip resistance 104–105
      - corrosion protection 102–104
      - physical film data 101–102
      - surface smoothness and appearance 105–106
    - history 89–90

- physico-chemical basics of the 90–95
  - quality control
    - solid content, solvent content and pH 97–98
    - voltage, current density, bath temperature and bath conductivity 96
    - wet film conductivity 96–97
  - resins and formulation principles
    - anodic electrodeposition coating 99
    - cathodic electrodeposition coating 99–101
    - nature of resins 98
  - electro-discharge texturing (EDT) method 36
  - ElectroStatic Application (ESTA) 308
    - powder 166
  - emulsion polymerization process 216, 222–224, 241
  - environmental legislation 7
    - pretreatment 86
    - primer surfaces 132
    - topcoats 187
  - epoxy resins, *see* resins
  - esterizing process 139
  - etching tests 422–424, 439
  - ethylenediaminetetraacetic acid (EDTA) 69
  - ethylene–propylene–diene–monomer (EPDM) 310
  - Euro-New Car Assessment Programme (NCAP) 22
  - European Enhanced Vehicle Safety Committee (EEVC) 22
  - European Integrated Pollution and Prevention Control Bureau (EIPPCB) 132
  - extender, in primer surfacers
    - barium sulfate 144
    - carbon blacks 146
    - feldspar (China clay) 146
    - silicon dioxide 144–145
    - talc 144
  - exterior plastic coating
    - car body color 320–324
    - ecological aspects 305–306
    - economical aspects 307
    - plastic coating materials 316–318
    - pretreatment 315–318
    - process definitions
      - offline, inline, and online painting 307
    - process-related issues, advantages, and disadvantages 307–310
    - substrates and parts
      - overview 310–311
      - physical characteristics 311–315
      - technical and design aspects 306–307
      - technical demands and testing 324–329
      - trends, challenges and limitations
        - materials 330–332
        - processes 332–334
        - substrates and parts 329–330
- f**
- falling abrasive sand test 455–456
  - falling-weight test 448–449
  - Federal Motor Vehicle Safety Standards (FMVSS-214) 22
  - Federal Motor Vehicle Safety Standards (FMVSS) 212/208 regulations 371
  - fiber composites, in body construction
    - applications 46–47
    - forming behavior 45
    - molding processes of reinforced plastic parts 46
    - polyester resins 45
    - pretreatment process of plastic parts 77
    - share of plastics in motor vehicles 43
    - thermoplastics 45
  - film thickness/throwing power, of body for cars and trucks 122–123
  - ‘finger print’ methods 7, 204
  - flake orientation process 183–184
  - flash off 189, 288
  - flexible-structural bonding 354
  - flop index 182, 402
  - Florida, outdoor weathering in 406–408, 410
  - Florida exposure test 134
  - fluorination 317
  - foil technology 333–335
  - fusion welding methods 42
- g**
- galvannealed sheets 59
  - glewing technology 5
  - gloss retention 3
  - GM SCAB-test 364
  - gravelometer test 133
- h**
- hazardous air polluting substances (HAPS) 9
  - Health risk factors, to the painters 3
  - Heat exposure and weathering impact 407
  - Hem-flange bonding 368
  - 1,6-hexamethylene diisocyanate (HDI) 232
  - hexmethoxymethylamine (HMMM) 139, 247
  - high solid base coats 181
  - hot-forming process 50

- humidity exposure and weathering 408
- hybrid method, of construction 19
- hydroforming process 49–50
- hydrogen peroxide 70
- hydroprimers 322
- N*-beta-hydroxy alkyl diamides 252
- hydroxycarboxylic acids 235
- hydroxy-functional polyacrylic 223
- N*-hydroxymethylol groups 238
- hydroxylamine 70
- hydroxypivalic acid neopentyl glycol ester 225
- i**
- illuminant metamerism 397
- integrated paint processes 263, 480
  - primerless coating process 209–210
  - wet-on-wet application 208–209
- interior plastic coating
  - adhesion 342
  - concept 334–335
  - laser coatings 337–339
  - performances 341–346
  - properties of different classes of paints 343
  - raw materials for 346–347
  - surfaces and effects 335–337
- interpenetrating networks (IPN), of polymer classes 239
- IR (infrared) radiators 289
- isophorone diisocyanate (IPDI) 233, 249, 321
- j**
- jacksonville etching 198
- joining methods, in automobile body construction
  - bonding 53–54
  - clinching 55–56
  - evaluation 53
  - laser welding 54–55
  - riveting 56
  - roller hemming 56–57
- k**
- ketazine and ketamine processes 237
- Kroll process, of titanium 42
- Kubelka–Munk theory 402
- ‘Kyoto’ protocol 8
- l**
- laboratory weathering trial 419–421
- Land Rover 39
- laser coatings 5, 337–339
- laser MIG hybrid welding 19
- laser scanning confocal fluorescence microscopy 316
- laser texturing (Lasertex) method 36
- laser welding technique 54–55
- Lateral Impact NewCar Assessment Program (LINCAP) 22
- layout of coating lines 266, 298
- legislations
  - in coating processes 7–9
  - for metal surface treatment chemicals 86
  - for primers 132
  - transportation and safety regulations for phosphate accelerators 74
  - VOC restrictions 100, 175
- Lewis acids 153, 230, 244, 251
- light fastness test (aging from hot light) 421
- lightness flop 176
- light-weight vehicles, design principles 22–23
- linear polyesters 226
- liquid clear coats, *see* clear coats
- liquid primer surfacer
  - application 158–160
  - formula principles 152–156
  - manufacturing process 156–157
- low solid base coats 185
- m**
- magnesium and body construction 40–42
  - pretreatment process 76–77
- maleinized polybutadiene resins 3
- manufacturing methods, of automobile bodies, *see also* body construction, of automobile
  - hydroforming 49–50
  - metal foam 50–51
  - press hardening 50
  - roll forming to shape 52
  - sandwich structures 51
  - tailored products 47–49
- manufacturing of resins (*see also* polyacrylic resins) 213–245
- mass polymerization 224
- mass production and coating process 1
- medium solid base coats 185
- melamine crosslinkers 3, 247
- melamine resin 154
- Melt process 228
- Mercedes concept car 25
- Metal foams 50–51
- metallic and interference colors, visual evaluation of 397–398

- metallic appearance 178, 180
- methoxymethyl-functional melamines 246
- N*-methyl caprolactam 235
- N*-methylmorpholine-*N*-oxide (NMMO) 71
- N*-methyl pyrrolidone 235
- mica effect pigments 176–177
- modular method, of construction 19–20
- monocoats 180–181
- monocoque design, of construction 15–17
- Morgan 18
- n**
- nanoscratch test 460–461
- neopentyl glycol 225
- nitrilo-triacetic acid (NTA) 69
- nitroguanidine (CN<sub>4</sub>) 71
- nonionic surfactants 66
- Norrish–Trommsdorf effect 224
- o**
- observer and color perceptions, *see* visual perception
- OEM coating, of passenger cars 5
  - market 10
- Ohm's law 94
- online painting 307
- Opel 194
- 'Orange peel', evaluation of 384–390
- organic polyurethanes 154
- organophosphates 180
- outdoor weathering
  - in Florida and Arizona 406–410
  - procedures 411–413
- oxidizing compounds 70–71
- p**
- paint color-changer 275
- paint finishes, specification and testing of, *see* specification and testing, for paint finishes
- painting process
  - coating facilities
    - automation in paint application 269–271
    - process technology 268–269
  - coating process steps
    - cavity preservation 265–266
    - electrocoating (EC) 261–262
    - paint application 263–265
    - pretreatment 261
    - sealing and underbody protection 262–263
  - conveyor equipment 287–288
  - drying 288–290
  - economic aspects
    - full automation 296–297
    - layout 296
    - robot interior painting with high-speed rotation 299–300
  - in a fully automated paint shop 259
  - layout of paint shop 266–267
  - quality aspects
    - automated quality assurance 293–296
    - control technology 290–292
    - process monitoring and regulation 292–293
    - process optimization 296–297
  - supply system
    - circulation line system 282–283
    - container group 280–282
    - for industrial sector 280
    - paint-mix room 280
    - for smaller circulation system 283–284
    - for smaller consumption quantities 283
    - for special colors 284–285
    - voltage block systems 285–287
  - technology
    - atomizer 272–274
    - dosing technique 277–279
    - paint color changer 275–276
    - pigging technique 275–276
    - used by original equipment manufacturers (OEMs) 260
- paint-mix room 275, 280
- passenger safety standards 22
- passivation mechanism 75, 85
- patchwork blanks 48
- pH of the solvent, defined 97
- phosphating process 84–85
- pigging technology 277–278
- pigments 319
  - and color 175
  - aluminum 179
  - aluminum flake effects 178
  - attributes describing color 176
  - classification 176
  - global production data 176
  - inorganic 177–178
  - modern 180
  - organic classes 179
  - in primer surfacers
    - factors affecting paint 141
    - refractive index, impact of 141–143
    - titanium dioxide 143–144
  - technical properties 177

- plasma treat process 360–361
- plastic parts 43, 77, 310–315
- polyacrylic carbonic acids 154
- polyacrylic microparticles 223
- polyacrylic resins, as coating materials
  - manufacturing 218–224
  - mass polymerization 224
  - property profile 214–218
- polyamides 311
- polyester, as coating materials
  - manufacturing 228–231
  - property profile 224–228
- polyester modified epoxy chain 100
- polyisocyanates 249–252
- polymerization 222–224
  - aqueous 222–224
  - in solution 218
  - mass 224
- polyurethane-based crosslinkers 3
- polyurethane polyacrylic polymers, in coating materials
  - manufacturing 240–241
  - property profile 239
- polyurethane–reinforced-reaction-inmold (PUR–RRIM) 308
- polyurethanes, as coating material
  - manufacturing 234–238
  - property profile 232–234
- powder clear coats 195–198, 264
- powder coatings 4, *see also* clear coats
- powder primer surfacer 130–131
  - application 167–170
  - formula primers 160–163
  - manufacturing process 163–166
- powder slurries, *see* water-dispersed powder clear coat systems
- prelubes 63
- press hardening process 50
- pretreatment process 261
  - activation 69–70
  - aluminum 75–76
  - construction materials 82
  - degreasing 65–69
  - environmental legislations for metal surface treatment chemicals 86
  - of exterior plastic 315–318
  - lines 77–80
    - continuous horizontal spray/dip 80
    - cycle box spray 82
    - cycle dip 82
    - cycle immersion 82
    - RoDip3 80–81
    - spray 80
    - vario shuttle 81
  - magnesium 76–77
  - passivation 75
  - plastic parts 77
  - process
    - activation 84
    - deionized water rinsing 85
    - dip degrease 83–84
    - electrocoat line 85
    - passivation 85
    - phosphating 84–85
    - precleaning stage 82–83
    - rinsing 84, 85
    - spray degrease 83
    - zinc phosphating 70
  - requirements and specifications for zinc phosphate conversion layers 85–86
  - sequence 65
  - steel structures 75–76
  - surface conditions and contaminations, in body assembly 63–64
  - zinc phosphating 70–74
- primerless coating process 130, 209–210, 263–264
- primer surfacer 129, 261
  - application with powder material 264
  - cost and environmental aspects 172–173
  - film properties 133
  - liquid
    - application 158–160
    - formula principles 152–156
    - manufacturing process 156–157
  - market potential 129
  - polyester-epoxy 170
  - polyurethane-based resin 213
  - powder 130–131
    - application 166–170
    - formula primers 160–162
    - manufacturing process 162–166
  - process sequence 170–171
  - quality and process reliability 173
  - raw materials
    - additives 146–150
    - pigments and extenders 141–146
    - resin components 139–141
    - solvents 150–152
  - requirement profile
    - legislative 132
    - technological 133–138
  - solventborne 321
  - technical data for technologies 139



- volatile organic compound (VOC) standards in the United States 130
  - waterborne 131–132
  - pull-off test 441
  - pyrogenic silicic acid 145
- q**
- quality assurance 465
  - quality control 288–293
  - quantum leap 24
  - QUV tester 417–419
- r**
- radiation and weathering impact 406–407
  - radical polymerization 214–215, 219–220, 241
  - repairs
    - after pretreatment and electrocoat application 377
    - after primer surfacer 378
    - end-of-line 380
    - top-coat 378–379
  - resins 318–319
    - benzoguanamine 212, 246
    - for the electrocoating process 98
    - epoxy 3, 213
      - manufacturing 243–244
      - property profile 242–243
    - hexamethoxymethylmelamine (HMMM) type melamine 186
    - maleinized polybutadiene 3
    - melamine 217
    - in primer surfacer 139–141
  - reverse injection moldings (RIM) 318
  - reversible addition fragmentation chain transfer (RAFT) 219
  - rheology 149–150, 153–156
    - base coat 184–185
    - of solventborne base coat without rheology control 184
    - of waterborne and high solids base coats 185, 187
  - rinsing process 84–85
  - riveting technique 56
  - robots 6, 270–271, 301–302
  - roller hemming technique 56–57
  - roll forming to shape process 52
  - roughness, of primer coating 135
- s**
- sandwich designs 23
  - scanning electronic micrographs (SEMs), of the zinc phosphate coatings 71–72
  - scratch resistance
    - car wash simulation test 458–459
    - crockmeter test 456–457
    - nanoscratch test 460–461
    - of clear coats 201
    - wet-scrub abrasion test 457–458
  - sealing process 262–263
  - secondary-ion mass spectrometry (SIMS) 316
  - selective catalytic reduction (SCR) technology 25
  - sheet-metal parts, designing of 21
  - sheet molding compounds (SMC) 310
  - side crash velocity 22
  - simulation of acid rain tests 422
  - single-stone impact test 133
  - sodium chlorate 71
  - sodium nitrite 70
  - sodium nitrobenzenesulfonate (SNIBS) 71
  - soft kill option (SKO) method 24
  - solid colors, visual evaluation of 393–397
  - solvent-borne paint formulations 8
  - solvents
    - in plastic coatings 319
    - in primer surfacer 150–152
  - space-frame concept 18–19
    - interior passenger space and cargo space 20
  - specification and testing, for paint finishes
    - abrasion
      - falling abrasive sand test 455–456
      - Taber Abraser procedure 454–455
    - adhesion and flexibility examinations
      - bending 445–446
      - cross-cut test 441–444
      - cupping test 446–447
      - falling-weight test 448–449
      - pull-off test 441
      - steam jet tests 444–445
    - color and appearance
      - appearance measurement techniques 392–393
      - applications of color control in the automotive industry 400–401
      - color measurement outlook 403–405
      - distinctness-of-image 385–386
      - dullness measurement 385–386
      - evaluation of ‘orange peel’ 386–390
      - measurement of colors 398–405
      - metallic and interference colors, visual evaluation of 397–398
      - for multiangle color measurement of interference pigments 403–405

- solid colors, visual evaluation of 393–397
  - specular gloss measurement 382–384
  - visual evaluation of appearance 379–380
  - visual perception of a surface 390–392
  - corrosion protection
    - tests for edge, contact and inner part protection 432–433
    - tests for surface protection 429–431
    - total body testing 433–434
    - types 428–429
  - mechanical examinations 435–440
  - scratch resistance
    - car wash simulation test 458–459
    - crockmeter test 456–457
    - nanoscratch test 460–461
    - wet-scrub abrasion test 457–458
  - standards of tests 462
  - stone-chip resistance
    - single-impact test methods 451–454
    - standardized multi-impact test methods 450–451
  - uniformity 381
  - weathering resistance of automotive coatings
    - artificial weathering 414–421
    - environmental impacts 406–421
    - natural weathering 408–410
    - procedures of outdoor weathering 411–413
    - testing 421–426
  - specular gloss measurement 382–384
  - spinning nozzle inert flotation (SNIF) 35
  - sports cars 18
  - spot weld bonding 369
  - spray application techniques 3
  - spray degreasing 83
  - stannic acid 230
  - steam jet tests 444–445
  - steel
    - areas of use 27
    - characteristics and application of different types of cold-rolled high-strength steels 28
    - cold-rolled thin sheets 28
    - complex-phase (CP) 29
    - deepdrawing steels 29
    - electrogalvanized and hot-dip galvanized steel sheets 62
    - higher-strength 29
      - bake-hardening 30
      - interstitial free (IF) 30–31
      - isotropic steel 31
      - microalloyed 30
      - phosphor-alloyed 30
    - high-grade 32
    - high-strength
      - complex-phase (CP) 32
      - dual-phase 31
      - martensite phase (MS) 32
      - rest austenite (RA) 31–32
    - low-carbon deep drawing 29
    - manganese–boron 32–33
    - modern passenger cars 26
    - passivation effect on 75
    - twinning-induced plasticity (TWIP) 33–34
  - stone-chip resistance test methods 133, 156
    - single-impact 451–454
    - standardized multi-impact 450–451
  - stress-controlled growth principles 24
  - stripping process 101
  - sulfonic-acid-based compounds 233
  - Superleggera method, of construction 18
  - suppliers, of paint 10–11
  - supply concepts
    - of paint materials 279–286
    - quality assurance 467–468
    - supply chain 468–473
  - surface conditions and contaminations, in body assembly 63–64
    - roughness of electrocoat surfaces 121–122
  - surface protection
    - corrosion prevention in design phase 59–60
    - precoating of sheets 59
  - surface tension 313–315
  - surfactants 65–66
- t**
- Taber Abraser procedure 454–455
  - tailored blanks 47
  - tailored strips 48
  - tailored tubes 48
  - testing, for paint finishes, *see* specification and testing, for paint finishes
  - 2,2,6,6-tetramethylpiperidin-*N*-oxide (TEMPO) 219
  - tetramethyl xylene diisocyanate (TMXDI) 233, 236
  - thermal joining processes 19

- thermoplastic polyolefins (TPOs) 310  
 titanium and body construction 42–43  
 Titanium Firebird car 43  
 titanium phosphate activators 69–70  
 titration methods 67–68  
 tolerance compensation 356  
 topcoats 175  
   – single staged 180  
 TPO bumpers, painting in 320–321  
 triglycidyl isocyanurate (TGIC) 252–253  
 trimethyl hexamethylene diisocyanate 232  
 Trim shop bonding 371–374  
 tris(alkoxycarbonylamino)-1,3,5-triazine (TACT) 248–249  
 tris(aminocarbonyl)triazine 227  
 two-component (2K-) formulation 3
- u**  
 ultrafiltration devices 68  
 ultralight steel auto body–advanced vehicle concepts (ULSAB-AVC) 57–58  
 ultralight steel auto closures (ULSAC) project 57  
 ultraviolet radiation 5  
 underbody protection 262–263  
 US Insurance Institute for Highway Safety (IIHS) 22  
 UV-curing clear coats 206–208  
 UV-durability 199
- v**  
 VDA humidity test 134  
 viscoelastic materials 311  
 viscosity 153, 154  
 visual perception  
   – of color 394–395  
   – inherited types of color vision defects 394–395  
   – of metallic finishes 397–401  
   – of a surface 390–392  
 volatile organic compounds (VOC), emission of 8  
 Volkswagen 41  
 voltage block systems 285–287  
 Volvo 207, 385, 450
- w**  
 washing oils 64  
 waterborne coats  
   – base 3, 186–188  
   – clear 194–195, 264  
   – conversion, global 187  
 waterborne paints 2  
 waterborne polyester dispersions 230  
 waterborne primer surfacers 131–132, 154, 156  
 water-dispersed powder clear coat systems 264  
 water immersion test 134  
 waviness measurements 388–390  
 weathering impact, on automotive coatings  
   – artificial 414–421  
   – correlation between artificial and natural 426–427  
   – environmental impacts 406–423  
     – heat exposure 407  
     – humidity exposure 408  
     – outdoor weathering in Florida and Arizona 408, 410  
     – radiation 406–407  
   – with Fresnel mirror systems 410  
   – natural 408–410  
   – testing equipment and technology  
     – cyclic corrosion tests (CCT) 421–422  
     – etching tests 422–424, 439  
     – laboratory weathering trial 419–421  
     – light fastness test (aging from hot light) 421  
     – QUV tester 417–419  
     – simulation of acid rain tests 422  
     – standards 423–426  
     – xenon arc lamps 415–417  
 wet film conductivity, defined 96  
 wet-on-wet coating technology 3, 208  
 wet-scrub abrasion test 457–458
- x**  
 xenon arc lamps 415–417  
 x-ray photoelectron spectroscopy (XPS) 316
- z**  
 zinc phosphate conversion coatings 86  
 zinc phosphating process 70–74  
 Zr-based passivation 85