

Subject Index

- Absorption
infrared, 366-369
water, 153, 155, 275, 278, 391, 479, 492, 581
- Acoustic insulation (Noise reduction), 17, 491, 505, 516, 584
- Adhesive (Adhesion), 17, 62, 278, 342, 348, 350, 503, 588
polyurethane, 588
- Aging (Weathering), 342, 496
photooxidative, 255
physical, 267
thermal, 156-158, 255, 482
thermooxidative, 92, 255
- Amorphous fraction (phase, component), 170, 171, 193
- Analysis
dynamic-mechanical thermal (DMTA), 82, 122, 128-133, 151, 155, 264, 270, 272, 287-289, 293, 312, 313, 335, 389, 481
elemental, 13, 49, 286
life cycle, 590
structural, 14
thermo-mechanical, 12, 14
torsional vibration, 289
- Antioxidant, 255
- Aspect ratio, 301, 302, 317, 473, 474
- Bacterial polymer (elastomer), 62, 79
- Biocompatibility, 62, 102, 103, 244, 506, 509
- Biodegradability, 62-64, 101, 244, 374, 577
- Blend (System), 12, 16, 439, 440, 458, 558, 561
binary (two-phase), 199, 205, 328, 340
high performance, 575
- multiphase, 79, 176
of reactive polymers, 568
ternary, 340
- Blending (Mixing), 9, 574
interphase, 264
mechanical, 332
melt, 89, 100, 332, 441, 483, 568, 570, 592
microphase, 292
reactive, 100, 570, 574, 592
- Bond, Link (Bonding, Linking)
allophanate, 463, 546
amide, 245, 248, 285
biuret, 362
chemical, 134, 167
ester, 245, 249, 285
hydrogen, 55, 123, 132, 136, 148, 150, 243, 247, 284, 311, 314, 328, 330, 334, 367, 371, 390, 478
imide, 249
ionic, 336, 338
physical, 167, 327
unsaturated, 82
urea, 245, 285
urethane, 245, 285
- Branching, 79, 83, 253, 365, 403
- Breathability, 244, 273, 279, 496, 503
- Calculation of composition, 286
- Calorimetry, 370
differential scanning (DSC), 13, 14, 40, 46, 51, 52, 81, 82, 91, 92, 96, 100, 122, 123, 125-128, 130-133, 147, 155, 171, 232, 264, 288, 291, 296, 299, 304, 310, 313, 331, 332, 337, 344, 389, 395, 417, 528, 531, 540, 552, 556, 557, 560

- Catalyst (Catalysis), 48, 154, 156, 340
 ammonium phosphate, 580
 4-dimethylaminopyridine, 44
 enzymatic, 5, 18, 65
 heterogeneous, 344
 homogeneous, 344
 metal (salt, compound), 92, 144,
 145, 254, 589
 metathesis, 8, 13
 organometallic, 47, 80, 82, 84, 96
 organotin compounds, 92, 357
 orthophosphoric acid, 581
 1-phenyl-3-methyl-2-phospholene 1-
 oxide, 246
 potassium acetate, 588
 potassium carbonate, 581
 potassium hydroxide, 588
 ruthenium based, 8
 tertiary amines, 357
 tetraalkoxide, 82, 96, 285
 tetrabutoxytitanium, 34, 40, 96,
 144, 154, 253, 285
 tetrabutoxyzirconium, 34
p-toluenesulfonic acid, 249
 transition metal derivatives, 48
 transition metal β -diketonates, 357,
 364
 Chain extender (extension), 89, 355,
 357, 364, 372, 382, 389-392,
 396, 501, 526, 528, 533, 589
 mesogenic, 547
 Chain (microfibril) slippage, 185, 198,
 315
 Chain terminator, 250, 253, 266
 Chelation, 18, 55
 Chromatography, 10, 37, 48
 gas, 13
 high performance liquid (HPLC),
 343, 344
 size exclusion (SEC), 10, 11, 40,
 46-48, 65, 168, 454
 multiple detection, 11
 two-dimensional liquid, 10
 Coefficient
 damping, 279
 of intermolecular interaction, 134
 of thermal expansion, 171, 278, 521,
 541
 reflection, 228
 Compatibilization (Compatibilizer,
 Compatibility), 10, 16, 100,
 139, 256, 342, 391, 439, 461,
 568, 570, 581
 apparent, 346
 bio-, 102
 blood, 102
 forced, 346
 practical, 440
 reactive, 574
 Composite, 404, 407
 nano-, polymeric, 17, 424, 473, 474
 macro-, 474
 polymer-polymer, 447
 microfibrillar reinforced, 447
 shape memory, 560, 562
 Conductivity
 direct current (DC), 230
 electric, 17
 Conformation
 all-*trans*, 451
 change of, 186, 194
 gauche-trans-gauche, 451
 Constant
 Boltzmann, 408, 413, 526
 dielectric, 229, 234
 Conversion, 84, 119, 120
 Cooperative crystallization (Cocrystal-
 lization), 439, 443, 448, 458
 complete, 449, 459
 partial, 448, 449, 459
 Creep, 452, 462
 resistance to, 10, 102, 103, 490, 497
 “Criss-cross” cycloaddition, 37
 Crosslinking (Crosslinks), 9, 200, 246,
 587
 allophanate, 535-537, 539
 by trifunctional polyols, 544
 by urethane groups, 546
 chemical, 4, 197, 328, 338
 coordination, 364
 non-chemical, “virtual”, 5, 280, 284
 physical, 77, 141, 142, 151, 243, 280,
 284, 290, 313, 328, 334, 403,
 437, 533, 556
 water-assisted, 463

- Crown ether, 355, 360, 368, 373, 374, 376, 396, 400
Cryoscopy, 12
Crystal thickening, 175-177
Crystallization (Crystallinity)
 cold, 92, 289
 degree of, 169, 172, 328, 330
 volume, 174
 heat of, 291, 552
 isotropic, 449
 relative, 291
 secondary, 267
 strain-induced, 198, 266, 300, 304-306, 316, 317
Cyclodimerization, 340
Cyclotrimerization, 340, 343, 344, 346
- Deformation, 12
 bending, 177
 forced, 178, 179
 frozen, in the glassy state, 522
 macro-, 177, 178, 180, 193
 micro-, 177, 179, 180, 182, 192, 193
 of spherulites, 300
 plastic, 177, 185, 268, 274
 residual, 178, 179, 182, 266
 reversibility of, 168, 169, 180, 192
 tensile, 177, 178, 290
 uniaxial, 285, 294, 303, 310, 314
Degradation (Decomposition, Destruction), 48, 251
 bio-, 374
 by UV irradiation, 357, 365
 chemical, 65, 276, 575, 576
 selective, 65
 controlled, 13
 deep, polyester, 573
 homolytic, of hydroperoxide, 365
 hydrolytic, 101
 oxidative, 102, 142, 156, 157
 photo-, 254, 365
 solvolytic, 570
 thermal, 15, 84, 88, 102, 156, 254, 284, 365
 thermooxidative, 365, 483
Density, 273, 278, 397
 electron, 204, 207
- nucleation, 297
packing, 338
specific, 17
Dephasing, 176
Dichroism
 FTIR, 55
 infrared, 11, 317
 inversion of, 369
Diffraction
 X-ray (XRD), 11, 13, 50, 63, 478, 480, 483, 545
Diffusion, 346, 391
 of end groups, 256
 of oxygen, 364
Dissolution, selective, 578
Distribution
 of amorphous phase, 174
 of chord length, 207
 of end-groups, 48
 of external stress, 192
 of long period, 200, 201, 217, 220
 of molecular weight (mass), 10, 160, 169, 248, 283, 289
 of orientation, 191
 of segment length, 142
 size, 187, 202, 267, 269, 338
 statistical, 370
 of blocks, 43, 50
 of monomers, 251
Dynamic vulcanization, 6, 9, 12, 14, 15, 16, 79, 99
- Ebullioscopy, 362
Effect
 antimicrobial, 376
 barrier, 17
 catalytic, 144, 145, 344, 346, 576
 densification, 453
 endothermal, 126
 epitaxial, 448
 hardening, 455
 “macro”-, 373, 374
 of chain flexibility, 178
 of constituent segment length, 299
 of crystal melting, 234
 of deformation, 314
 of dilution, 531

- of macromolecular structure, 366
- of phase mixing, 335
- of polycondensation water, 35
- of sonication, 479, 483
- of stretching, 266
- piezoelectric, 348
- plasticizing, 130, 477
- self-compatibilization, 441
- shape memory, 105, 118, 139, 168
 - thermally induced, 521
- sheer-thinning, 256
- solvent, 148, 154, 313
- synergistic, 375
- Weisenberg, 256
- End (terminal) groups, 20, 37, 48, 55, 65, 121, 245, 250, 254, 361, 362, 373, 392, 572
- amino, 45, 144, 249, 549
- butanoate, 251
- carbinol, 53
- carbonyl, 143, 146
- carboxyl, 46, 89, 252
- carboxylate, 251
- hydroxybutylate, 251
- hydroxyl, 43, 89, 251
- reactive, 47
- secondary alcohol, 255
- terpyridine ligands, 55
- titration of, 11, 48
- Energy
 - combustion, 582, 583
 - consumption of, 591
 - dissipation of, 227
 - elastic, 134, 135, 522, 525, 555
 - Gibbs' free, 117, 475
 - free, of crystal surface, 457
 - free, of mixing, 117, 335
 - recovery of, 567, 578, 582, 584
 - by incineration, 582, 590, 592
 - strain, 525
 - surface, 477
 - thermal, 578
 - gain of, 525
 - loss of, 525
- Entanglement
 - chain, 522
 - density of, 315
 - physical, 555, 557
- Enthalpy
 - of activation, 251
 - of crystallization, 127, 155
 - of fusion (melting), 127, 148, 149, 155
 - of mixing, 117
- Entropy
 - elasticity of, 524, 525, 547
 - force of, 526
 - gain, 475
 - loss, 475
 - of activation, 251
 - of fusion, 148, 149
 - of mixing, 117
- Environmental protection (Ecological considerations), 20, 101, 358, 375, 482, 504, 575, 577, 591
- Environmentally friendly material, 7, 102
- Equation
 - Arrhenius, 385, 407, 408, 413, 417
 - Bragg, 330
 - Couchman-Karasz, 345, 346
 - Fox, 345, 346, 391, 410, 540
 - Fox-Flory, 229
 - Fuoss-Kirkwood, 237
 - Gordon-Taylor, 134, 540
 - Halpin-Tsai, 442
 - Havriliak-Negami, 233, 234, 236, 385, 394, 398, 401
 - Mark-Houwink-Sakurada, 315
 - Matthews, 329
 - Rosovitsky and Lipatov, 339
 - Scherrer, 329
 - viscoelastic constitutive, 523
 - Vogel-Fulcher-Tamman, 234, 236, 385, 398, 399, 408, 413, 416, 418
- Exfoliation, 425, 477, 478, 481, 483, 485
- Fiber, 142, 160, 577, 580
 - antistatic, 280
 - glass, 474, 515
 - optical, 17
 - textile, 5, 17, 80
- Fibril, 174
- Fibrillation, 447

- Filler, 17, 278, 338, 340, 442, 474, 580, 585
calcium carbonate, 577
carbon fiber, 346, 347
conducting carbon black, 560
 $\gamma\text{-Fe}_2\text{O}_3$, 339-341
fibrous, 582
layered silicate, 425
nano-, content, 425, 473, 485
Flamability, 357, 480, 588, 591
Flame-retardant, 342, 358, 490, 506, 590
halogenated, 591
Flexibility, 278-280
low temperature, 490, 506, 509, 511, 515, 517
Freon, 583
Foam
flexible, 583, 586-589
post-consumer, 583
rigid, 583, 587, 589
Fourier transformation, 384
2D, 188, 209, 210
3D, 204
Function
chord distribution (CDF), 187-191, 202, 209, 217, 220
multidimensional, 187, 194, 201, 208, 221
correlation, 205, 206
Vonk's multidimensional, 187, 202
interface distribution (IDF), 187, 202, 207, 208
interference, 210
scattering, 205
two-dimensional, 203
- Grafting, 6, 8-10, 19, 105, 339, 340
“from”, 9
“onto”, 9
reactive, 342
- Hardener, resin, 575, 576
Hardness, 80, 439, 491, 510, 512
micro-, 451, 455, 457, 458
Shore A, 15, 16, 83, 135, 151, 158, 161, 482, 517, 518
- Shore D, 15, 16, 83, 135, 137, 161, 267, 275, 277, 286, 482, 497, 506
Hybridization, 344, 560, 562
Hydrophilicity, 244, 273, 275, 278, 310, 359, 363, 364
Hydrophobicity, 272, 275, 584
Hysteresis, 17, 104, 105, 171, 274, 275, 316, 318, 533, 541, 555, 557, 560
mechanical, 134-136, 291, 308-310, 318
- Immiscibility, 271, 450, 539, 581
thermodynamic, 141, 328, 333, 440
Incompatibility, 14, 252, 284, 333, 343
thermodynamic, 14, 336, 366, 382
- Index
dispersity, 8, 18
melt, 169, 252, 278
refractive, 297
Intelligent (“smart”) material, 106, 168, 521, 560
Intercalation (Intercalant), 475, 485
latex, 480
melt, 479
solution, 479, 480
Intermingling, 475, 477
Isotropization, 447
- Kinetics, 35, 40, 346
first order, 251
of crystallization, 232
of polycondensation, 47, 88, 254
of polyesterification, 251
of polymerization, 251
second order, 40, 251
- Law
Bragg's, 178
first, of thermodynamics, 526
Porod's, 208
- Liquid crystalline polymer (chain, block), 7, 13, 19, 50-52, 55, 79, 442, 548
- Loss
abrasion, 517, 518

- dielectric, 131, 132, 228, 230, 233, 342, 386, 406
- weight, 358, 364, 365
- Macrocycle, 48, 60, 92
 - metal containing, 7, 18, 58
- Mass spectrometry, 47, 48, 65
- Mechanical loss factor ($\tan\delta$), 129, 132, 151, 160, 229, 287, 339-341, 443, 481, 538, 539, 556, 558
- Mechanism
 - deformation, 177
 - dissipative, 523
 - of living polycondensation, 18
 - relaxation, 337
- Mellin convolution, 211
- Method
 - depolymerization, of amide polymers, 581
 - dielectric conductivity, 382
 - diisocyanate, 246
 - hot runner, 14
 - identification, 578, 579
 - ionic conductivity, 382, 387, 391
 - Kjeldahl, 362
 - matrix-assisted laser desorption ionization (MALDI), 65
 - with time of flight detection (MALDI-TOF), 59, 344
 - of Hoy, 123
 - of hysteresis measurement, 102
 - of solvolytic degradation, 570
 - physical, of recycling, 590
 - physicochemical, of recycling, 590
 - radiation, 581
 - reactive injection molding (RIM), 504, 505, 585, 586
 - reinforced (R-RIM), 588
 - rebonding, 586
 - saturation/depressurization, 17
 - thermally stimulated conductivity (TSC), 269, 332
 - thermally stimulated depolarization current (TSDC), 332, 337, 344, 383, 386, 391, 395-403
 - two-stage, of waste polyurethane degradation, 590
 - zol-gel, 478, 485, 562
- Microscopy, 173
 - atomic force (AFM), 13, 66, 264, 267, 268, 293, 300, 301
 - tapping mode, 294, 295, 297, 302
- polarized light (optical), 51, 264, 267, 268, 530
- scanning electron (SEM), 12, 101
- transmission electron (TEM), 13, 66, 264, 267, 268, 293, 298, 299, 478, 481
- Miscibility, 92, 170, 250, 332, 336, 437, 539, 556, 560
 - thermodynamic, 335
- Model, 37
 - free energy, 55
 - kinetic, of polyesterification, 87
 - morphological, 290, 308
 - of affine deformation, 182-184, 193
 - of 1D disorder, 203
 - of Maxwell, 543
 - of nanostructure, 213
 - of structural changes, 185
 - of structure and chain conformation, 184
 - of TPE structure, 173, 184, 185
 - of Zhurkov, 186
 - of zigzag lamellae, 192
 - three-phase, 171
 - two-component, 213
- Modification
 - chemical, 5, 8, 78, 342
 - surface, 346
- Modulus, 442
 - electric, 385, 407
 - flexural, 273, 491, 516
 - glassy state, 522, 523, 525, 533, 543
 - loss, 129
 - rubbery state, 522, 523, 525, 533, 539, 543, 547, 556
- storage, 129, 152, 155, 159, 274, 276, 284, 287, 312, 313, 438, 481
 - dynamic, 532, 545
 - tensile, 51, 558
- tensile, 274, 275, 442, 523, 547, 582
- Young's (elasticity), 227, 267, 275, 291, 300, 309, 310, 314, 316, 334, 337, 449, 479

- Molecular mobility, 382, 386, 391, 405, 409
Morphology, 66, 264, 390, 404
bulk, 297, 298
di(two-)phase, 118, 524
microphase, 118, 337, 522
microphase-separated, 80, 284, 289, 310, 314, 328, 344, 409-411, 426, 429, 437
multiphase, 117
nanophase, 118
phase, 133
schematic representation of, 524, 529
spherulitic, 477
zigzag, 192
- Nanoparticles, 473
aggregation of, 477
carbon nanotubes, 473, 485
layered silicates, 473-475
zeolites, 473
- Network
conductive, 280
dual, 477
hybrid, 350
hydrogen bonding, 272
infinite, 167
interpenetrating, 13, 199, 382
“knots” of, 438, 477
nanoparticle-induced, 477
percolation, 462
double (electrical and structural), 462
physical, 267, 328, 335, 438
physically crosslinked, 44
“second”, 477
thermoreversible
three-dimensional, 168, 539, 541
- Nucleation, row, 306
- Organophilization, 476
Osmometry, 48
- Parameter
Flory-Huggins, 232, 284
Kohlrausch-Williams-Watts, 397, 408
- molecular, 526
of lamellar nanostructure, 219
solubility, 117, 122, 123, 172, 253, 284, 345
stability, 149, 232
strength, 83
thermodynamic, 149, 335
- Permittivity, dielectric, 228, 384, 393, 405, 412, 421, 425
- Phase
amorphous, interfibrillar, 173
amorphous, intrafibrillar, 173
co-continuous, 264
frozen, 522, 525, 555, 560
interpenetration of, 327
mixed-, 528, 535, 537
reversible, 522, 525, 558, 560
- Phase inversion, 359, 360
- Phase separation (segregation), 39, 40, 79, 80, 133, 156, 172, 197, 200, 246-248, 253, 270, 272, 274, 279, 443, 532, 549, 570
- macroscopic, 12, 284
- Phase transition, 450
stress-induced, 450, 451
- Plasticization, internal, 271
- Polymer alloy, 280, 515, 516
shape memory, 526, 527
- Polymerization
anionic-to-radical, 65
atom-transfer (ATRP), 7
degree of, 122, 127-129, 169, 229, 251, 283, 284, 293
in situ, 477, 484, 519
in solution, 245, 478
interfacial, 247
ionic, 34
living anionic, 4, 6-8, 33, 283
living cationic, 6-8
low temperature, 146
methasynthesis-to-radical, 65
radical, 5, 34, 79, 328
controlled (CRP), 7, 9
radical-to-cationic, 65
- ring-opening, 6, 34, 55, 60, 79, 92, 158
- anionic, 6, 248

- step-growth, 283
- thermal, 245, 249
- Polymorphic transition, 454, 455
 - strain-induced, 454, 456-459
 - stress-induced, 452, 455
- Polymorphism, 310, 311, 391, 453
- Properties, 157, 491, 492, 498, 499,
 - 500, 502, 508, 513, 514, 517, 518, 527
 - antimicrobial, 376
 - antistatic, 244, 275, 280, 285, 502, 506
 - colloid-chemical, 359
 - dynamic, 274, 278, 280
 - elastic, 118, 134, 192, 263, 274, 278, 518
 - fatigue, 102
 - gas-barrier/permeation, 17, 376, 473, 479, 491
 - impact, 280
 - mechanical, 83, 100, 105, 120, 155, 161, 244, 249, 275, 331, 356, 361, 362, 365, 482, 507, 535
 - non-allergenic, 376
 - physical, 83, 244, 275, 278, 491
 - physico-chemical, 263
 - rheological, 100, 277, 517
 - shape recovery, 525
 - shape retention, 525
 - static dissipative, 275
 - tear, 463
 - tensile, 41, 463
 - thermal, 10, 159, 517, 529, 535, 551, 557, 561
 - thermo-mechanical, 286, 542, 546
 - viscoelastic, 339, 341
- Randomization, 441
- Reaction
 - allophanate, 544
 - model, of urethane formation, 366
 - of Ritter, 363
 - side, 15, 43, 45, 46, 82, 87, 153, 156, 245, 254
- Recycling, 490, 496, 504
 - chemical, 567, 570, 578, 583, 588, 590
- physical (mechanical), 570, 578, 583, 590
- physicochemical, 570, 590
- Reinforcement, 474
 - carbon black, 473
 - nano-, 474, 476, 482, 485
- Relation
 - Fourier, 205
 - Tabor's, 452
- Relaxation, 130, 132, 185
 - α -, 131-133, 270, 337, 386, 392, 393, 400, 406, 411
 - β -, 131-133, 229, 231, 234, 237, 270, 393, 411
 - γ -, 230, 231, 234, 237, 270, 337, 393, 406, 411
- Maxwell-Wagner-Sillars (MWS), 337, 392, 411
 - of microfibrils, 194
 - primary, 227, 228, 385
 - secondary, 227, 270, 332, 385, 392
 - spin-lattice, time of, 66
 - stress, 10, 306, 307, 316
 - non-linear, 307
- Renewable resource, 102, 105
- Resistance
 - abrasion, 274, 461, 462, 476, 490, 497, 511
 - chemical, 9, 275, 280, 462, 490
 - flexural fatigue, 490, 495, 497, 511
 - frost, 357, 462
 - impact, 490
 - scratch, 476
 - solvent, 152, 273
 - swelling, 10
 - thermooxidative, 479
 - to hydrolysis, 245, 357, 462, 515, 517
 - to oils, 9, 153, 495, 497
 - to thermal degradation, 162, 245, 249, 479
- Scattering
 - dynamic light, 12, 386
 - intensity of, 171, 186
 - multi-angle laser light, 11
 - neutron, 386

- small-angle light (SALS), 264, 267, 269, 293, 296-298, 300
four-leaf clover pattern, 297
 H_v pattern, 297, 298, 301, 308
small-angle neutron (SANS), 12, 13
small-angle X-ray (SAXS), 12, 13, 66, 170, 172, 173, 175-178, 198, 200, 203, 264, 329, 332, 337, 344, 369, 371, 389, 391, 411, 444
“butterfly” pattern, 202, 217
four-point pattern, 178, 181-183, 192, 202, 214
six-point pattern, 214
three-dimensional (3D)
two dimensional (2D), 168, 178, 180-183, 186, 210, 300, 301
two-point pattern, 178, 180-183
static light, 12
wide-angle X-ray (WAXS), 12, 13, 122, 124, 175, 264, 293, 294, 300, 311, 329, 330, 332, 391, 426, 446
Segment (Block, Domain)
amorphous (soft), 141, 167, 168, 172, 173, 189, 197, 227, 328, 370, 381, 516, 522
crystalline (hard), 141, 167, 168, 173, 189, 193, 197, 227, 328, 370, 381, 516, 522
Separation (Segregation), 532, 553
microphase, 5, 12, 117, 270, 271, 335, 381
degree of, 133, 318, 338, 340, 346, 382, 389-391, 399-403
schematic representation of, 138
Sequential reordering
melting-induced, 441
miscibility-induced, 441
crystallization-induced, 441
Shape memory polymer (SMP), 118, 136, 521
Shear, 14, 15, 482
Shelf life, 359, 360, 492
Simulation, 66, 103
Solubility, 50, 55, 117
mutual, of blocks, 118
Space
physical (real), 188, 198, 201, 204-206, 209
reciprocal, 198, 201, 204, 206, 209
Spectroscopy
atomic, 579
laser-induced emission (LIESA), 579
dielectric (DS), 228, 237, 383, 389, 579
dielectric relaxation (DRS), 339, 344, 383, 386, 391, 393, 394, 400-427
impedance, 387
infrared (IR), 48, 271, 367, 368, 371, 389
Fourier transform (FTIR), 11, 337, 344, 391
Fourier transform photoacoustic (FTIR PAS), 409, 417
middle (MIR), 579
multiple attenuated total reflection (ATR), 344, 367, 368, 372, 376
near (NIR), 578, 579
laser-interferometric creep rate, 346
molecular, 579
nuclear magnetic resonance (NMR), 11, 132, 271, 386
 ^{13}C , 46, 66, 79, 169
cross polarized magic-angle ^{13}C , 11
 ^{19}F , 12
 ^1H , 13, 39-41, 47-49, 56, 66, 79, 82, 169, 286
impulse, 11
 ^{29}Si , 66
solid-state, 264, 270
solid-state ^{13}C , 50
solid state ^{13}C with cross polarization and magic angle spinning (^{13}C CP-MAS), 11, 272, 273
solid-state ^1H -Wideline Separation (WISE), 271, 272
Raman, 386
Fourier transform (FTR), 579
ultraviolet (UV), 372

- Spherulite, 529, 531
 - size, 269, 296, 297
 - superstructure, 267, 293, 296, 298, 300, 309
- Stability
 - degradation, thermal, 48, 98, 102, 105, 156
 - dimensional, 342
 - low temperature, 356
 - mechanical, 375
 - temperature (thermal), 314, 318, 364
 - to hydrolysis, 515
 - to radiolysis, 366
 - to UV irradiation, 365
- Steric hindrance, 362
- Stiffness, 478
- Strain
 - hardening, 211, 315, 534
 - permanent, 522
 - recoverable, 523, 534
 - residual, 534, 553, 557, 562
 - unload, 522, 534
- Strength, 168
 - adhesive (shear), 349, 350
 - dielectric, 236, 237, 385, 387
 - mechanical, 160, 161
 - tear, 151, 484
 - tensile, 137, 161, 273, 334, 360, 442, 477, 478, 582
- Stress
 - hardening, 266
 - relaxation, 154
- Structure
 - allophanate, 340, 363
 - biuret, 362, 363
 - blocky, 90
 - branched, 363
 - chemical, 142, 404
 - comb-like, 63, 362
 - crystal, 150
 - diphase, 100, 122, 141
 - nano-, 118, 131, 137, 188, 193, 199
 - evolution of, 187, 189, 191, 197, 202, 210, 211, 216
 - lamellar, 218
 - microfibrillar, 217
- topology of, 202
- phase, 170
- skin-core, 461
- supermolecular, 137
- supramolecular, 56, 368, 376
 - double helical, 57
- Supercoolong, 552
 - degree of, 531
- Surfactant, 341, 358, 475
- Telechelics, 38, 47, 50, 94, 98, 145, 146, 248, 383, 419-423
- Temperature
 - brittleness, 147, 492
 - equilibrium, of melting, 148, 149, 154, 560
 - heat distortion, 473
 - loading, 522, 524, 542, 543
 - recovery, 543
 - service, 105, 156, 264, 284, 437, 463, 490, 497, 501, 567
 - softening, 147, 370, 492
 - “switching”, 528
 - unloading, 522, 524
 - Vogel, 398
- Thermo-shrinkability, 266
- Tie molecule (contact, point), 167, 173, 174, 184, 192, 443, 525, 526
 - interfibrillar, 185, 192
 - intrafibrillar, pullout of, 185
 - taut, 214
- Titration
 - potentiometric, non-aqueous, 362
- Torque, 88, 89, 252, 280
- Toughness, 280, 291, 315, 464, 490
- Transesterification, 40, 53, 84, 89, 119, 142-144, 156, 251, 311, 442
- Transition
 - morphological, 192
 - order-disorder, 12
 - order-order, 12
- Transparency (Clarity), 267, 356, 487, 491, 506, 508, 517, 526
- Value-added chemical (material), 18, 465, 568, 572

- Viscometry, 11
Viscosity, 83, 88, 89, 137, 154, 250, 403, 588, 590
complex, 539
inherent, 154, 246, 315
intrinsic, 122, 255-257, 311, 361, 555, 558
melt, 88, 252, 535, 539
Vulcanizate
thermoplastic (TPV), 9
low-density foamed, 15
Waste
polyamide (carpet), 577, 578, 580
polyester, 571, 575, 576
polyurethane, 583, 588, 590
post-consumer, 586
water, 580
Weld
extruded, 101
wire, 101
X-ray source, 170
free electron laser (XFEL), 198
synchrotron, 12, 198
radiation of, 170, 175

