

Index

a

- AAA proteins independent of the 20S proteasome (APIS) complex 175
- actin 8
- AcYRLNVS 63
- AdaA_{hx3}L₃VS 62
- aggressome 10f.
 - presenting antigen 11
- alanyl-alanyl-phenylalanyl chloromethyl ketone (AAFcmk) 65
- Alzheimer's disease 2ff.
- aminopeptidase
 - I (API) 34ff.
 - F1, F2, F3 197
- amyotrophic lateral sclerosis 2
- anaphase promoting complex (APC) E3 ligase 80, 165
- anti-chaperone function 13
- antigen-processing pathway 102f., 135ff., 186
- APG (*see* autophagy protein ATG)
- apolipoprotein B100 (apoB) 9
- apoptotic regulation 129ff.
- α -L-arabinanase 199
- ataxin-1 2
- ATP binding 4ff., 238
 - domain (AAA motif) 223ff.
 - pocket 7
- ATP hydrolysis 4ff., 228ff.
- ATPase 114ff., 137, 189, 223ff.
 - domain 3ff.
 - sequences 223ff.
 - subunits (Rpt 1-6) (*see also* regulatory particle) 137
 - V-type proton-translocating 32
- ATPase associated with a variety of cellular activities (AAA ATPase) 17, 114, 138, 158, 188ff., 223ff.
 - archaeal 189f.
 - bacterial 189f., 223
 - ring complex (ARC) 114f., 190
- autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED) 84
- autoimmune regulator (AIRE) gene 84
- autophagic bodies 32ff.
 - mitochondria 38
 - phenylmethyl sulfonyl fluoride (PMSF) 40
- autophagolysosome 31
- autophagosome 31ff.
 - formation 40f.
- autophagy 31ff.
 - defective mutants 34ff.
 - degradation of organelles 38
 - genetic dissection 34
 - membrane 39
 - molecular dissection 31ff.
 - monitoring method 39f.
 - multicellular organisms 47
 - nitrogen-starvation condition 32ff.
 - physiological role 47
 - *Saccharomyces cerevisiae* 32
 - specific PI3 kinase complex 45
- autophagy protein (ATG) 34ff.
 - Atg1 protein kinase complex 44f.
 - Atg5 46, 254
 - Atg6 (Vps30) 45
 - Atg7 activating enzyme (E1) 42
 - Atg8 lipidation system 43ff., 254ff.
 - Atg10 conjugating enzyme (E2) 42
 - Atg12 protein conjugation system 40ff., 254ff.
 - Atg14 45ff.
 - Atg16 46
 - function 40ff.
 - higher eukaryotes 46f.
 - marker for autophagy 47
 - nomenclature 35
 - protein 42
 - site of Atg protein functioning 45

b

bacterial intein-like domain (BIL) 254
 BAG-1 related proteins (BAG-2 BAG-6) 17
 – BAG-2 17
 – BAG-3 (CAIR-1; Bis) 17
 – BAG-4 (SODD) 17
 – BAG-5 17
 – BAG-6 (Scythe, BAT3) 17
 Bcl-2-associated athanogene 1 (BAG-1) 5ff.,
 149, 172f.
 – ubiquitin-like domain 17
 Boc-LRR-AMC 57
 Burkitt's lymphoma 64
 butabindide 65

c

calnexin 65
 calreticulin 65
 cancer therapy 7, 54
 carboxyl terminus of Hsc70-interacting protein
 (CHIP) 4ff., 149, 172
 caspase inhibitor 65
 Cbl 80
 cell survival 36, 54
 chaperone 1ff.,
 – activity 8
 – assembly of proteasome 160
 – chaperone-binding domain 13
 – co-chaperone 3
 – heat shock protein 3
 – protein degradation 9ff.
 – protein quality control 8ff.
 chaperone-proteasome cooperation 1ff.
 chaperonin 8
 – nonnative protein 8
 – ring structure 8
 – TriC-CCT complex 8
 ciliate polyprotein 254
 Clp proteases (A, P, X, and Y) 183ff., 216ff.,
 235ff.
 co-chaperone 3ff.
 – domain architecture 5
 – tetratricopeptide repeat (TPR) domain 13
 Cod protease 192
 COP9 signalosome 176
 CP (*see* 20S proteasome)
 α B-crystallin 7
 CUE domain 259
 Cut8 175
 cyclic peptides 60
 cyclin-dependent kinase (cdk) inhibitor p27
 80
 cyclophilin 6
 cysteine proteinase family 43

cystic fibrosis 10
 – transmembrane conductance regulator
 (CFTR) 10ff.
 – regulatory R-domain 10
 cytoplasm-to-vacuole targeting (Cvt) pathway
 34
 cytotoxic T lymphocytes (CTLs) 135

d

DAUP/ZnF-UBP/PAZ domain 259
 Ddi1 171f., 260
 degenerative disorders 2ff.
 – therapeutic target 20
 dendritic cell aggresome-like structures
 (DALIS) 11
 deposit formation 19
 deubiquitinating enzymes (DUBs) 51, 149,
 165ff., 251
 deubiquitination 66ff., 138, 162
 dipeptidyl peptidase IV (DPP IV/CD26) 199
 DNA
 – repair 104, 129ff., 161ff., 251ff.
 – replication 270f.
 Dph1 171
 Dsk2 170
 dynein 10f.

e

E1 enzymes (*see* ubiquitin-activating enzymes)
 E2 enzymes (*see* ubiquitin-conjugating
 enzymes)
 E3 ligases (*see* ubiquitin ligases)
 E4 enzymes 160ff.
 E1-E2 couple 257
 Ebola virus 263
 Ecm29 144, 160
 eIF3e/Int6/YIN6 175
 eIF3i/Sum1 175
 endocytosis 262ff.
 epidermal growth factor (EGF) receptor
 262
 eponomicin 60
 epoxomicin 59
 ER-associated degradation (ERAD) 173f.,
 227
 ErbB2 11f.
 ESCRT complex I, II, III 263f.
 extracellular signal-regulated kinases (ERKs)
 82f.

f

F-box protein 15, 80
 fibril growth 9
 FtsH protease family 191, 216ff., 235

g

- GABARAP 46
- Gag protein 264
- GAT domain 259
- gate (*see also* proteasome channel gating) 231ff.
 - closed state 117ff.
 - GATE16 46
 - open state 99f., 119ff., 231f.
 - symmetry mismatch mechanism of gate opening 98
 - traffic through gated channel 121ff.
- glucocorticoid hormone receptor 6ff.
- N-glycanase (PNGase) 51ff.
- O-GlcNac transferase (OGT) 54
- O-GlcNacase 54
- O-GlcNAcylation 54
- N-glycosylated substrate 52
- glycosylation
 - glycosylated proteins 65
 - N-linked 65
- GroEL 8

h

- HEAT/ARM repeat proteins 104, 143
- HEAT-like repeat motif 160
- heat shock factor-1 (HSF1) 15
- heat shock proteins (Hsps) 1ff.
 - chaperonin 3
 - Hsp70 family 1ff.
 - Hsp90 family 1ff.
- HECT (homologous to E6-AP C-terminus) domain 80, 251
- herpesvirus-associated ubiquitin-specific protease (HAUSP) 252
- heterophagy 31
- histone
 - H2B 269
 - H3 methylation 269
 - deacetylase 6 (HDAC6) 10
- HIV-1 263f.
- homeostasis 32
- hPLIC1 and 2 (Dsk2, Dph1) 170f., 260
- Hrs 262
- HslU (ClpY) (*see also* Clp protease) 192, 216ff., 235f.
- HslV (ClpQ) (*see also* Clp protease) 192, 216ff., 235f.
- Hsp27 7ff.
- Hsp40 6ff.
 - co-chaperone 4
 - protection against polyQ expression 8f.
- Hsp60 8
- Hsp70 3ff., 173

- activity 9
- ADP-bound/ATP-bound conformation 4
- ATPase domain 3f., 18
- BAG-domain 16
- binding protein 1 (HspBP1) 18
- carboxyl terminus of Hsc70-interacting protein (CHIP) 4ff., 149
- EEVD motif 13ff., 149
- folding activity 5
- functional domain 3
- interacting protein (Hip) 5ff.
- nonnative polypeptide substrate 3
- peptide-binding domain 3f.
- polyQ-induced neurotoxicity 8
- TPR-dependent interaction 13f.
- Hsp70/Hsp90-organizing protein (Hop) 6
- Hsp90 1ff., 148
 - ATPase activity 5
 - cell death/cell proliferation 7
 - family 1ff.
 - inhibitor 7
 - regulation of signal transduction network 6
 - steroid hormone receptor 6
- human cytomegalovirus (HCMV) 65
- huntingtin gene 2
- Huntington's disease 2, 234
- hybrid proteasome 102f., 142f.
- α/β -hydrolases 197

i

- immune system 53, 103, 124, 129
- immunoproteasome 53ff., 134ff.
 - assembly 103, 146f.
 - β 1i (LMP2) 53ff., 130ff., 147
 - β 2i (LMP7) 53ff., 130ff., 147
 - β 5i (MECL1) 53ff., 130ff., 147
- interferon
 - γ (γ -IFN) 53, 102f., 124, 135ff.
 - γ inducible aminopeptidase (ERAP1) 194
 - stimulated gene product of 15kDa (ISG15) 252ff.
- interleukin-1 82
- interphotoreceptor retinol-binding protein (IRBP) 196

j

- J proteins (*see* co-chaperones of the Hsp40 family)
- Jak-STAT pathway 253
- JAMM
 - domain (Jab1/Pad1/MPN) 166
 - family metalloprotease (Pad1, POH-1, Rpn11) 53ff.
- c-Jun NH2-terminal kinase (JNK) 82

k

KIAA10 164

l

lactacystin 59ff.
clasto-lactacystin- β -lactone (omuralide) 59
 LAM/LALRL/V motif (*see also* UIM (ubiquitin interacting motif)) 169
 LAMAL motif 170
 LC3 46f.
 leucine-rich repeat-like (LRR-like repeat) 171, 260
 leukemia-associated protein (LAP) domain 80f.
 lipidation 46
 Lon protease family 190, 216ff., 235
 lysosome 31
 lytic compartment 32ff.

m

macroautophagy 31
 major histocompatibility complex (MHC)
 class I
 – molecules 65, 103ff., 135ff.
 – mediated antigen presentation 54, 144, 161
 membrane protein 227
 – fusion 173
 – nucleotide-binding domain (NBD1) 10
 – trafficking 261f.
 MEK kinase 1 (MEKK1) 80ff.
 – protein kinase 79ff.
 – ubiquitin protein ligase 79ff.
 MG132 58
 mHR23B (Rad23) 65, 139, 170ff.
 microautophagy 38
 micropexophagy 38
 microtubule-binding protein tau 14
 mitogen-activated protein (MAP) kinases 80ff.
 MoaD 256ff.
 MoeB 258
 MOCS2A-MOCS3 (MoaD-MoeB) pathway 258
 modulator complex 140f.
 molecular chaperone 1ff.
 – active complex 3
 – neurodegenerative disease 3
 – cellular function 3
 molecular probes 51ff.
 – cell permeability 63
 multiple myeloma 54ff.
 multiubiquitin binding 169
 multivesicular bodies (MVBs) 53, 262f.
 – pathway 263
 mycobacterial disease 52

n

N-end rule pathway 163
N α -acetylation 146
 Nedd8 ultimate buster (Nub1) 173
 neurodegenerative disease 2f.
 neurotoxicity 2
 nitrogen starvation 39
 NLVS (4-hydroxy-5-iodo-3-nitrophenylacetyl-Leu-Leu-leucinal-vinyl sulfone) 62ff., 194
 Nob1 148
 non-ATPase subunits (Rpn1 - Rpn15) (*see also* regulatory particle) 137
 N-terminal nucleophile (Ntn) hydrolase activity 130, 185, 220f.
 nuclear pore complex (NPC) 264
 nucleotide exchange 4f.
 – factor 17
 NZF domain 259

o

oligosaccharyl transferase 65
 ornithine decarboxylase (ODC) inhibitory protein 143
 ovarian tumor domain (OTU)-containing cysteine proteases 66

p

p23 6ff.
 p38 82
 p47/Shp1/Ubx3 173f.
 p53 252
 p73 α 265
 PA26 92f., 114ff.
 PA26-proteasome complex 95ff., 116ff.
 – binding 97f.
 – gate opening 98f.
 PA28/11S regulator/REG 93ff., 114ff., 141ff., 161, 186f.
 – antigen presentation 102f.
 – homologue-specific inserts 96
 – α , β , γ homologues 94ff., 132ff.
 – KEKE motif 96
 – structure 94f.
 PA200/Blm3p/Blm10 104f., 121, 132ff., 161
 PA700/19S cap complex/regulatory particle (RP)/regulatory complex (RC)/MW700 56ff., 89ff., 114ff., 137ff., 187f., 222, 260
 – base/lid structure 188
 – proteasome-activating nucleotidase (PAN) 222
 – subunits 65f., 188
 – translocation into the proteolytic chamber 56
 – unfolding of protein 56

- Pad1 166ff.
- PAN-protease complex (*see also* proteasome-activating nucleotidase) 215ff.
- archaeal 224ff.
 - mediated protein degradation mechanism 228ff.
- Parkin 2, 19, 139, 164
- Parkinson's disease 2ff.
- peptide-(*N*-acetyl- β -D-glucosaminy)-asparagine amidase (PNG) 65
- peptide aldehydes 57ff.
- peptide boronates 60ff.
- peptide epoxyketones 59f.
- peptide hydrolysis 161
- peptide vinyl sulfones 61ff.
- peroxisome 38
- phospholipid modification 43
- phosphorylation/dephosphorylation 54
- PI31 132ff.
- plant homeodomain (PHD) domain 80f.
- POH-1/Rpn11 166
- polyglutamine (polyQ)
- containing protein 165, 234
 - expansion disease 2ff.
- POMP/proteasomblin (*see* proteasome maturation factor)
- pre-autophagosomal structure (PAS) 45f.
- progesterone receptor 6
- proliferating cell nuclear antigen (PCNA) 270f.
- prolyl oligopeptidase (POP) 197ff.
- promyelocytic leukaemia (PML) protein 267
- nuclear bodies 267
- propeptides 145
- protease
- bacterial ATP-dependent 215ff.
 - eubacterial ATP-dependent 235f.
 - mitochondrial 223
 - self-compartmentalizing 137, 183f.
- proteasome 53ff., 111ff., 129ff., 157, 259ff.
- accessory subunit 52, 65
 - active site 113
 - assembly 145ff., 160
 - 19S cap particle (*see also* PA700) 54ff.
 - caspase-like activity ($Z, \beta 1$) 55, 130ff.
 - catalytic core subunit 52
 - channel gating (*see also* gate) 114ff.
 - chymotryptic activity ($X, \beta 5$) 55ff., 101f., 130ff.
 - dissociation 124
 - function 55ff., 144
 - interacting protein 157, 174ff.
 - localization 55
 - maturation factor Ump1 143ff., 160
 - nuclear 104
 - peptidase activity 101ff.
 - peptidyl-glutamyl peptide hydrolytic (PGPH, $Z, \beta 1$) 55, 101f., 130
 - portal 111ff.
 - regulatory complex 121
 - regulator of the holoenzyme 160f.
 - shuttling protein 169ff.
 - small molecule inhibitor 51ff.
 - steady-state protein level 52
 - stroke 54
 - structure 55
 - substrate specificity 55, 135
 - tryptic activity ($Y, \beta 2$) 55, 101, 135f.
 - tuberculosis (*Mycobacterium tuberculosis*) 52ff.
- 20S proteasome (CP) 53ff., 89ff., 111ff., 130ff., 158ff., 189, 220f.
- archaeal 217ff.
 - active site 101
 - α -annulus (ring) 90ff., 123ff., 144, 158, 185
 - β -annulus (ring) 130, 158, 185
 - architecture 89ff., 137, 185, 220f.
 - assembly 123, 185
 - ATP-independent activator 121
 - barrel structure $\alpha_7\beta_7\beta_7\alpha_7$ 114, 185
 - catalytic machine 130ff.
 - gate 90ff., 186
 - mechanism 90ff., 221
 - non-ubiquitinated proteins 111ff.
 - α subunit ($\alpha 1$ – $\alpha 7$) 90ff., 113ff., 130ff.
 - YDR motif 118f.
 - β subunit ($\beta 1$ – $\beta 7$) 53ff., 90ff., 113ff., 130ff., 145, 218
 - sequence 218ff.
 - regulatory factors 136ff.
 - ring structure ($\alpha_{(1-7)}\beta_{(1-7)}\beta_{(1-7)}\alpha_{(1-7)}$) 55, 130, 185
- 26S proteasome 53ff., 111ff., 137f., 147ff., 175, 187, 215
- base/lid structure 158
 - 20S core particle (CP) 113ff.
 - molecular organization 137f., 158f.
 - 19S regulatory particle (RP) 113f., 188
- proteasome activators (PA) 92ff.
- activation loop 95ff.
 - asymmetric/symmetric 122
 - biochemical mechanism 98ff.
 - non-ATPase 114
- proteasome inhibitor 51ff., 144
- dansylated 63
 - viability of cells 54
- proteasome-activating nucleotidase (PAN)
- complex 100, 114ff., 184ff., 215ff., 231ff.
 - archaeal 222ff.

- protein
 - hydrolysis 101
 - lipid linkage 43
 - nonnative conformation 1ff.
 - protein conjugation 268
 - quality control 52, 129
 - rescue 123
 - sorting 263
 - translocation 232ff.
 - triage 11f.
 - unfolding 228ff.
 - protein degradation 2ff., 19, 92f., 114ff., 141, 184, 228ff.
 - aberrant folding 53, 183
 - chaperone-assisted 16ff.
 - ER-membrane protein 10
 - non-ubiquitinated proteins 114ff.
 - ubiquitin mediated 173f.
 - protein folding 3ff.
 - chaperone-assisted 16ff.
 - protein kinases
 - feedback mechanism 80
 - function 82
 - protein misfolding 1ff.
 - accumulation and aggregation of misfolded proteins 2f.
 - proteolysis 51, 111ff., 183ff., 227, 238
 - ATP-dependent 185
 - chamber 119, 185
 - intracellular 54
 - metabolic energy 227f.
 - proteosomal 51ff., 134
 - regulation 111ff., 183
 - proteosomal activity probes 62
 - proteotoxicity
 - stress-dependent 15
 - PS341 (Velcade, Bortezomib) 54ff.
 - puromycin-sensitive aminopeptidase (PSA) 194
- r**
- Rad5 270
 - Rad6 270
 - Rad18 270
 - Rad23 139, 170ff., 260
 - Raf1 11, 82
 - RanBP2/Nup358 264
 - Ran GTPase-activating protein (RanGAP1) 264
 - rapamycin 39ff.
 - receptor tyrosine kinase 262
 - REG (*see* PA28)
 - regulatory particle (RP)/regulatory complex (RC) (*see also* PA700) 158
 - non-ATPase (Rpn) 17, 137ff., 188
 - Rpn10/Pus1 169ff.
 - triple ATPases (Rpt) 17, 54, 137ff.
 - rhodanese homology domain (RHD) 258
 - Rhp23 171
 - RING finger 2
 - domain 13
 - ubiquitin ligase 19, 80, 251
 - RING/PHD domain 81ff.
 - RNA
 - polymerase II 174
 - virus budding 263
- s**
- 11S regulator (*see* PA28)
 - 19S complex (*see* PA700)
 - S1/Rpn2 (*see also* PA700 and regulatory particle) 188
 - S2/Rpn1 (*see also* PA700 and regulatory particle) 188
 - S5a/Rpn10 (*see also* regulatory particle) 259
 - salinosporamide A 59
 - SCF (Skp1, cullin, and F-box) 80
 - Sec genes 37
 - second region of homology (SRH) 223
 - sequestration 37ff.
 - substrate selectivity 37
 - serine/threonine protein kinase 36ff., 79
 - Siah (1 and 2) 19
 - signal transduction 129, 251ff.
 - small heat shock protein (sHsp) 7ff.
 - small neutral amino acid-preferring (SNAAP) activity 130
 - small ubiquitin-related modifier (SUMO) 254ff.
 - binding motif 264f.
 - induced conformational change 266
 - ligation specificity 267
 - Smt3 265
 - SNARE molecule 37
 - spinocerebellar ataxia (SCA1 - SCA7) 2ff., 234
 - Srs2 DNA helicase 271
 - STAM 262
 - streptozotocin (STZ) 54
 - stress 3ff., 82, 117ff., 137, 183
 - protein damage 3
 - oxidative 56, 183
 - substrate-recognition enzyme (E3) (*see* ubiquitin ligases)
 - Suc-LLVY-AMC (7-amino-4-methylcoumarin) 57
 - sulfurtransferase 256ff.
 - SUMO (*see* small ubiquitin-related modifier)
 - sumoylation 264ff.

- superoxide dismutase-1 2
 synphilin 19
 α -synuclein 9ff., 165
- t**
 tail-specific protease (Tsp) 196
 tetrahedral aminopeptidase (TET) 200f.
 thimet oligopeptidase (TOP) 193
 ThisS 256
 thrombin 82
 thymine-DNA glycosylase (TDG) 266ff.
 TMC-95A, B, C and D 60
 Tor kinase 39
 transcription 174f., 267
 translation 174f.
 translesion synthesis (TLS) polymerase 270
 transporter associated with antigen processing (TAP) 105
 β -TrCP/HOS F-box protein 80
 tricorn protease 184ff.
 – domain topology 199f.
 – PDZ domain 199f.
 tripeptidyl peptidase II (TPPII) 64f., 184ff.
 tumor necrosis factor (TNF) 82
 tyrosine kinase 79
- u**
 UBA-UBL proteins 169ff., 257ff.
 Ubc4 162
 Ubc4/5 family 11ff.
 – E2 enzymes 11
 Ubc13-Mms2 270
 ubiquitin (Ub) 111, 129, 149, 249ff., 264ff.
 – activating enzymes (E1 enzymes) 42, 80, 129, 162, 250ff.
 – associated (UBA) domain 139, 170ff., 259
 – attachment dynamics 251f.
 – binding domain 261
 – binding protein (UBP) 259
 – biochemical function 249
 – chain 251
 – conjugate adaptor protein 260
 – conjugated substrate 52, 66
 – conjugating enzymes (Ubc, E2 enzymes) 11ff., 42, 80, 129, 162, 251ff.
 – conjugation machinery 12, 79, 250ff.
 – fusion degradation (UFD) pathway 163ff.
 – interacting motif (UIM) 83, 139, 169, 259ff.
 – like conjugation system 42, 249ff.
 – like modification 43
 – like (UBL) protein 42, 139ff., 166ff., 249ff.
 – modification 53, 66
 – multiple ubiquitin chain 52, 171
 – non-removable 163
 – origin of the ubiquitin system 255
 – polyubiquitin chain 17, 55, 129
 – polyubiquitin receptor 140, 259ff.
 – proteasome system (UPS) 1ff., 31, 51, 64, 84, 129
 – proteasome-mediated degradation pathway 79f., 114
 – recognition 56, 187
 – regulatory X (UBX) domain 173
 – related modifier-1 (Urm1) 257
 – removal 68, 251
 – specific metalloprotease 55
 – specific processing proteases (UBPs) 149
 – specific thiol protease 53
 – targeting of modified protein 53, 187, 255
 – unusual Ubl conjugation pathway 254
 – vinyl sulphone (UbVS) 167
 ubiquitin carboxy-terminal hydrolases (UCHs) 66
 – UCH2 169
 – UCH37 67, 149, 167f.
 ubiquitin domain protein (UDP) 16
 – recognition 17
 ubiquitin ligases (E3 ligases) 19, 66, 80ff., 129, 149, 163f., 251
 – chaperone-associated 14
 – CHIP 13ff., 149
 – enzymatic HECT (homologous to E6-AP C-terminus) domain 80, 251
 – RING finger-containing 2, 80ff., 251
 – SCF^{SKP2} 80
 – SCF ^{β -TrCP} 80
 – substrate recognition component 15
 – substrate specificity 255ff.
 ubiquitin-specific proteases (USPs) 55, 66ff.
 – activity 67
 – reactive probes 67
 – USP14 67, 167
 ubiquitination 159ff., 249
 – autoubiquitination 83
 – MEKK1-mediated 83
 – monoubiquitination 270
 – polyubiquitination 53, 80ff., 117, 261ff.
 – regulating kinase activity 83
 – specificity 255
 Ubl conjugation 254ff.
 – cross-regulation 270
 – negative regulation 269
 – positive regulation 270
 UBL containing proteins 172
 U-box domain 13f.
 Ubp6 168
 UEV domain 259

- UFD2 172
- Ump1 (*see* proteasome maturation factor)
- unfoldase activity 228
- Urm1-Uba4 pathway 257
- US2 65
- US11 65
- v**
- VAT (*see* VCP)
- vaccinia virus A40R early protein 269
- vacuolar protein-sorting (Vps)
 - pathway 36ff.
 - protein 45
- vacuole 32
- valosin-containing protein (VCP)/p97/cdc48 173f., 190, 227
- VCP-like ATPase from *Thermoplasma acidophilum* (VAT) 190, 227
- vimentin 10
- w**
- Walker A motif 189, 223
- Walker B motif 223
- WD-repeat protein 46
- y**
- YU102 60
- z**
- Z-LLE- β NA 57
- ZVAD(OMe)fmk (benzyloxycarbonyl-valine-alanine-aspartic fluoromethyl ketone) 65