Contents

Preface XI

List of Contributors XIII

1 Molecular Chaperones and the Ubiquitin–Proteasome System 1 Cam Patterson and Jörg Höhfeld

- 1.1 Introduction 1
- 1.2 A Biomedical Perspective 2
- 1.3 Molecular Chaperones: Mode of Action and Cellular Functions 3
- 1.3.1 The Hsp70 Family 3
- 1.3.2 The Hsp90 Family 5
- 1.3.3 The Small Heat Shock Proteins 7
- 1.3.4 Chaperonins 8
- 1.4 Chaperones: Central Players During Protein Quality Control 8
- 1.5 Chaperones and Protein Degradation 9
- 1.6 The CHIP Ubiquitin Ligase: A Link Between Folding and Degradation Systems 13
- 1.7 Other Proteins That May Influence the Balance Between Chaperoneassisted Folding and Degradation 16
- 1.8 Further Considerations 19
- 1.9 Conclusions 20 References 21

2 Molecular Dissection of Autophagy in the Yeast Saccharomyces cerevisiae 31 Yoshinori Ohsumi

- 2.1 Introduction 31
- 2.2 Vacuoles as a Lytic Compartment in Yeast 32
- 2.3 Discovery of Autophagy in Yeast 32
- 2.4 Genetic Dissection of Autophagy 34
- 2.5 Characterization of Autophagy-defective Mutants 36
- 2.6 Cloning of ATG Genes 36
- 2.7 Further Genes Required for Autophagy 37
- 2.8 Selectivity of Proteins Degraded 37

Protein Degradation, Vol. 2: The Ubiquitin-Proteasome System. Edited by R. J. Mayer, A. Ciechanover, M. Rechsteiner Copyright © 2006 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim ISBN: 3-527-31130-0

- VI Contents
 - 2.9 Induction of Autophagy 38
 - 2.10 Membrane Dynamics During Autophagy 39
 - 2.11 Monitoring Methods of Autophagy in the Yeast S. cerevisiae 39
 - 2.12 Function of Atg Proteins 40
 - 2.12.1 The Atg12 Protein Conjugation System 42
 - 2.12.2 The Atg8 System 43
 - 2.12.3 The Atg1 Kinase Complex 44
 - 2.12.4 Autophagy-specific PI3 Kinase Complex 45
 - 2.12.5 Other Atg Proteins 45
 - 2.13 Site of Atg Protein Functioning: The Pre-autophagosomal Structure 45
 - 2.14 Atg Proteins in Higher Eukaryotes 46
 - 2.15 Atg Proteins as Markers for Autophagy in Mammalian Cells 47
 - 2.16 Physiological Role of Autophagy in Multicellular Organisms 47
 - 2.17 Perspectives 48 References 48
 - 3 Dissecting Intracellular Proteolysis Using Small Molecule Inhibitors and Molecular Probes 51
 - Huib Ovaa, Herman S. Overkleeft, Benedikt M. Kessler, and Hidde L. Ploegh
 - 3.1 Introduction 51
 - 3.2 The Proteasome as an Essential Component of Intracellular Proteolysis 54
 - 3.3 Proteasome Structure, Function, and Localization 55
 - 3.4 Proteasome Inhibitors as Tools to Study Proteasome Function 57
 - 3.4.1 Peptide Aldehydes 57
 - 3.4.2 Lactacystin 59
 - 3.4.3 Peptide Epoxyketones 59
 - 3.4.4 Cyclic Peptides 60
 - 3.4.5 Peptide Boronates 60
 - 3.4.6 Peptide Vinyl Sulfones 61
 - 3.4.7 Peptide Vinyl Sulfones as Proteasomal Activity Probes 62
 - 3.4.8 Future Directions in the Development of Inhibitors of the Proteasome's Proteolytic Activities 63
 - 3.5 Assessing the Biological Role of the Proteasome With Inhibitors and Probes 64
 - 3.6 Proteasome-associated Components: The Role of N-glycanase 65
 - 3.7 A Link Between Proteasomal Proteolysis and Deubiquitination 66
 - 3.7.1 Reversal of Ub Modification 66
 - 3.7.2 Ubiquitin-specific Proteases 66
 - 3.7.3 USP Reactive Probes Correlate USP Activity With Proteasomal Proteolysis 67
 - 3.8 Future Developments and Final Remarks 68 Acknowledgments 68 Abbreviations 68 References 69

Contents VII

MEKK1: Dual Function as a Protein Kinase and a Ubiquitin Protein Ligase 4 79

Zhimin Lu and Tony Hunter

- 4.1 Introduction 79
- 4.2 Types of Protein Kinases 79
- 4.3 Functions of Protein Kinases 82
- 4.4 Conclusions 84 References 84

5 Proteasome Activators 89

Andreas Förster and Christopher P. Hill

- 5.1 Introduction 89
- 20S Proteasomes 89 5.1.1
- 5.1.2 The 20S Proteasome Gate 90
- 5.1.3 Proteasome Activators 93
- 5.2 11S Activators: Sequence and Structure 94
- 5.2.1 Amino Acid Sequences 94
- 5.2.2 Oligomeric State 94
- 5.2.3 PA28α Crystal Structure 94
- Activation Loop 95 5.2.4
- 5.2.5 Homologue-specific Inserts 95
- 5.3 PA26–Proteasome Complex Structures 96
- 5.3.1 Binding 97
- 5.3.2 Symmetry Mismatch Mechanism of Gate Opening 98
- Open-gate Stabilization by Conserved Proteasome Residues 5.3.3 99
- 5.3.4 Do Other Activators Induce the Same Open Conformation? 100
- Differential Stimulation of Proteasome Peptidase Activities 5.3.5 101
- 5.3.6 Hybrid Proteasomes 102
- Biological Roles of 11S Activators 103 5.4
- 5.5 PA200/Blm10p 104
- 5.6 Concluding Remarks and Future Challenges 105 References 106
- The Proteasome Portal and Regulation of Proteolysis 6 111 Monika Bajorek and Michael H. Glickman
- 6.1 Background 111
- The Importance of Channel Gating 114 6.2
- 6.3 A Porthole into the Proteasome 117
- The Closed State 117 6.3.1
- 6.3.2 The Open State 119
- Facilitating Traffic Through the Gated Channel 6.4 121
- 6.4.1 Regulatory Complexes 121
- 6.4.2 Substrate-facilitated Traffic 122
- Summary: Consequences for Regulated Proteolysis 6.5 123 References 124

VIII Contents

7 Ubiquity and Diversity of the Proteasome System 129

- Keiji Tanaka, Hideki Yashiroda, and Shigeo Murata
- 7.1 Introduction 129
- 7.2 Catalytic Machine *130*
- 7.2.1 Standard Proteasome 130
- 7.2.2 The Immunoproteasome 133
- 7.3 Regulatory Factors 136
- 7.3.1 PA700 137
- 7.3.2 Rpn10 139
- 7.3.3 Modulator 140
- 7.3.4 PA28 141
- 7.3.5 Hybrid Proteasomes 142
- 7.3.6 PA200 143
- 7.3.7 Ecm29 144
- 7.3.8 PI31 144
- 7.4 Proteasome Assembly 145
- 7.4.1 Roles of Propeptides 145
- 7.4.2 Ump1 146
- 7.4.3 Immunoproteasome Assembly 146
- 7.4.4 Assembly of the 26S Proteasome 147
- 7.5 Perspectives 148 References 149

8 Proteasome-Interacting Proteins 157

- Jean E. O'Donoghue and Colin Gordon
- 8.1 Introduction 157
- 8.1.1 The Proteasome 157
- 8.1.2 Structure of the 26S Proteasome 158
- 8.1.3 Marking Proteins for Proteasomal Degradation the Ubiquitin System 159
- 8.2 Regulators of the Holoenzyme and Chaperones Involved in Assembly of the Proteasome 160
- 8.2.1 Proteasome Assembly and Integrity 160
- 8.2.2 Regulators of the Holoenzyme 160
- 8.3 Enzymes Controlling Ubiquitination and Deubiquitination 162
- 8.3.1 E2 Ubiquitin-Conjugating Enzymes 162
- 8.3.2 E3 Ubiquitin Ligases 163
- 8.3.3 Deubiquitinating Enzymes (DUBs) 165
- 8.4 Shuttling Proteins: Rpn10/Pus1 and UBA-UBL Proteins 169
- 8.5 Other UBL-Containing Proteins 172
- 8.6 VCP/p97/cdc48 173
- 8.7 Proteasome Interactions with Transcription, Translation and DNA Repair 174
- 8.8 Concluding Remarks 176 References 178

183

189

- 9 Structural Studies of Large, Self-compartmentalizing Proteases 183 Beate Rockel, Jürgen Bosch, and Wolfgang Baumeister 9.1 Self-compartmentalization: An Effective Way to Control Proteolysis 9.2 ATP-dependent Proteases: The Initial Steps in the Proteolytic Pathway 185 9.2.1 The Proteasome 185 9.2.1.1 The 20S Proteasome 185 9.2.1.2 The PA28 Activator 186 9.2.1.3 The 19S Cap Complex 187 9.2.1.4 Archaeal and Bacterial AAA ATPases Activating the 20S Proteasome 9.2.2 The Clp Proteases 190 9.3 Beyond the Proteasome: ATP-independent Processing of Oligopeptides Released by the Proteasome 193 9.3.1 Tripeptidyl Peptidase II 193 Tricorn Protease 196 9.3.2 9.3.3 Tetrahedral Aminopeptidase 200 Conclusions 201 9.4 Acknowledgments 202 References 202 10 What the Archaeal PAN-Proteasome Complex and Bacterial ATP-dependent Proteases Can Teach Us About the 26S Proteasome 215 Nadia Benaroudj, David Smith, and Alfred L. Goldberg 10.1 Introduction 215 Archaeal 20S Proteasomes 217 10.2 10.3 PAN the Archaeal Homologue of the 19S Complex 222 VAT, a Potential Regulator of Proteasome Function 227 10.4 10.5 The Use of PAN to Understand the Energy Requirement for Proteolysis 227 10.5.1 ATP Hydrolysis by PAN Allows Substrate Unfolding and Degradation 228 10.5.2 ATP Hydrolysis by PAN Serves Additional Functions in Protein Degradation 229 10.5.3 PAN and ATP Regulate Gate Opening 231 10.5.4 PAN and ATP Are Required for Translocation of Unfolded Substrates 232 10.6 Direction of Substrate Translocation 232 10.7 Degradation of Polyglutamine-containing Proteins 234 Eubacterial ATP-dependent Proteases 10.8 235 10.8.1 HslUV (ClpYQ) 235 10.8.2 ClpAP and ClpXP 237 10.9 How AAA ATPases Use ATP to Catalyze Proteolysis 238 10.10 Conclusions 239 Acknowledgments 240
 - References 240

- **X** Contents
 - Biochemical Functions of Ubiquitin and Ubiquitin-like Protein Conjugation 249 Mark Hochstrasser Abstract 249
 - 11.1 Introduction 249
 - 11.1.1 The Ubiquitin Conjugation Pathway 250
 - 11.1.2 Ubiquitin Polymers 251
 - 11.1.3 Ubiquitin Attachment Dynamics 251
 - 11.2 Ubls: A Typical Modification Cycle by an Atypical Set of Modifiers 252
 - 11.2.1 Some Unusual Ubl Conjugation Features 254
 - 11.3 Origins of the Ubiquitin System 255
 - 11.3.1 Sulfurtransferases and Ubl Activation Enzymes 256
 - 11.3.2 The E1–E2 Couple 257
 - 11.4 Ubiquitin-binding Domains and Ubiquitin Receptors in the Proteasome Pathway 259
 - 11.4.1 A Proteasome "Ubiquitin Receptor" 259
 - 11.4.2 A Plethora of Ubiquitin-binding Domains 259
 - 11.4.3 Ubiquitin Conjugate Adaptor Proteins 260
 - 11.5 Ubiquitin-binding Domains and Membrane Protein Trafficking 261
 - 11.5.1 The MVB Pathway and RNA Virus Budding 263
 - 11.6 Sumoylation and SUMO-binding Motifs 264
 - 11.6.1 A SUMO-binding Motif 265
 - 11.6.2 A SUMO-induced Conformational Change 266
 - 11.6.3 Interactions Between Different Sumoylated Proteins 267
 - 11.7 General Biochemical Functions of Protein–Protein Conjugation 268
 - 11.7.1 Negative Regulation by Ubl Conjugation 269
 - 11.7.2 Positive Regulation by Ubl Conjugation 270
 - 11.7.3 Cross-regulation by Ubls 270
 - 11.8 Conclusions 271

Acknowledgments 272 References 272

Index 279