

Index

a

- abrasive flow machining (AFM) 261f.
 - process description 261
- accuracy 340
- active filler-controlled pyrolysis (AFCP) 464
- active metal brazing 240
- additive 49, 125
 - long-range distribution 392
- adhesion 222, 243
- aerogel 123ff.
- agglomerate 354
- agglomeration 4
- aggregate 354, 381
- air brazing 240
- alumatrane 99
- alumina 80, 148, 452
 - α -Al₂O₃ 102ff.
 - α -Al₂O₃ powder 86
 - α -Al₂O₃ whisker 86
 - δ -Al₂O₃ 102ff.
 - θ -Al₂O₃ 102
 - ceramics 182, 377
 - compact 379
 - deposition 306
 - granule 376
 - green body 372
 - green compact 376ff.
 - machining 255f.
 - MgO-doped 183
 - nano-Al₂O₃ 102
 - nano- δ -Al₂O₃ 108
 - Sc³⁺-doped alumina nanopowder 114
 - SiOC/Al₂O₃ ceramic composite 479
 - spray-dried 420
 - thermoplastically formed 399
- alumina phase
 - transitional 69
- alumina tape-casting slurry 44
- alumina–titania system 104ff.
- amorphous carbon-rich polymer-derived SiCN ceramics 474
- amorphous ceramic membrane 484
- amorphous covalent ceramics (ACC) 461
- amorphous growth 309
- amorphous polymer-derived ceramics 478
- amorphous silicon nitride-based ceramic membrane 484
- anisotropic packing 392
- atmospheric pressure CVD (AP-CVD) 303
- atomic absorption spectroscopy (AAS) 285f., 344
- atomic emission spectroscopy (AES) 344
- atomic layer deposition (ALD) 302ff.
- atomic layer epitaxy (ALE) 304
- attenuated total reflectance (ATR) 347
- auger electron spectroscopy (AES) 350
- axial pressing 24

b

- band gap 107, 293
- barium titanate 80ff., 344, 451
- basic structural unit (BSU) 472
- belt-type apparatus 502
- Beverloo equation 20
- bimetallic precursor (MM'O_x) system 324
- binder 46ff.
 - burnout 56
 - defects due to inhomogeneous distribution 383
 - poly(vinylalcohol) (PVA) 383ff., 420
 - problem 395
- bioactive sol–gel materials 133ff.
- bioceramic coating 298
- Bioglass® 136
- biomolecule
 - *in-situ* encapsulation 133

- biosensor 135
- bisque machining 429
- blackbody heater 282
- bond
 - secondary 418
- bonded joints
 - strength 220
- brazing 239
- brazing glasses 238
- Brunauer, Emmett, and Teller (BET) theory 352
- bulk chemical identification
 - spectroscopic technique 345f.
- bulk density 364
- bulk elemental identification 344
- bulk examination method 370
- bulk flow 20

- c**
- CAD-to-Part processing 417
- capsule hot isostatic pressing (capsule-HIP) 171ff.
 - differences between capsule-HIP and sinter-HIP 181
- carbide 463
- carbon
 - free 470ff.
- carbon nanotube (CNT)
 - SiCN/CNT nanocomposite 480
- carbonitride 298
- carrier film 53
- casting method 428
- cathode fall region 271
- cathodoluminescence 112
- Celsius material 108
- CeO₂ powder 82
- ceramic composite
 - non-equilibrium 208
- ceramic forming
 - thermoplastics 397
- ceramic granulate 9
 - characterization 34
- ceramic green body
 - filled polymer 395
- ceramic joining
 - basic phenomena 216
 - fundamentals 215ff.
 - mechanical 227ff.
 - mechanics 216
 - method 227ff.
- ceramic material 77
 - physical characteristics and their control 77
- ceramic microelectromechanical system (MEMS) 481, 486
 - ceramic powder 4, 339
 - characterization 339ff.
 - ceramic powder compact 442
 - ceramic processing 418
 - monomer 395
 - thermoplastics 395f.
 - ceramic synthesis
 - hydrothermal solution 69
 - ceramic/metal reaction 226
 - ceramics 371
 - clay-based 424
 - defect-engineered 212
 - finishing 247ff.
 - hard-to-make 211
 - high-pressure (HP) route 501ff.
 - hydrothermally synthesized powder 80
 - machining 250ff.
 - macro-graded structure 210
 - micro-graded structure 210
 - mixed-metal 299
 - poly(silylcarbodiimide)-based 474
 - polycrystalline 184
 - polymer-derived (PDC) 457ff.
 - polymer-derived silicon oxycarbide-based 470
 - precursor-derived 462
 - process defect 375
 - self-reinforced 205
 - sintering of nanograin ceramics 441ff.
 - sol–gel processing 121ff.
 - strength 216
 - structural 182
 - textured 87, 206
 - two-step sintering of undoped ceramics 452
 - ultra-high-temperature (UHTC) 211
 - ceramics nanocomposite 203
 - chemical composition
 - control 74
 - chemical reaction 225
 - chemical vapor deposition (CVD) 298ff.
 - flame-assisted (FA-CVD) 302
 - laser-assisted (LA-CVD, L-CVD) 302
 - mechanistic aspect 310
 - metal–organic (MOCVD) 302
 - MOCVD of metal oxide film 291ff.
 - MOCVD of metal oxide nanostructure 291ff.
 - photoassisted (PA-CVD) 302
 - plasma-enhanced (PE-CVD) 302
 - precursor concept 313
 - PVD–(PE)CVD hybrid process 301
 - thermally activated (TA-CVD) 302

- chimie-douce approach 65, 122
 - chip formation 250ff.
 - clay-based ceramics 424
 - co-firing 57
 - coarse particle 381
 - coarsening 442
 - coating
 - polymer-derived ceramic 464
 - coating shear modulus 465
 - cobalt-containing polymer-derived ceramics 483
 - Coble creep 192
 - coefficient of thermal expansion (CTE) 218
 - coesite 508
 - coextrusion
 - thermoplastic 401
 - cold isostatic pressing (CIP) 199
 - compact hardening 13
 - compaction
 - behavior 8
 - granulated powder 10
 - monolithic powder 8
 - powder 3ff.
 - uniaxial 19
 - compaction ratio 25
 - complementary metal oxide semiconductor (CMOS) field effect transistor (FET) 297
 - composite system 464
 - composites ($MO_x/M'O_x$) system 326
 - composites oxide 328
 - compounding thermoplastic blend 404
 - computational fluid dynamics (CFD) 17, 260ff.
 - computer numerical controlled (CNC) machining 429
 - computer numerical control (CNC) table drive system 249
 - computer-aided design (CAD) 416
 - confocal fluorescent scanning laser microscopy (CFSLM) 370ff.
 - contact flattening mechanism 158f.
 - contact stress 217
 - core-shell powder 81
 - Coulter counter 360
 - creep feed grinding 249f.
 - cristobalite 474ff.
 - critical velocity 20
 - crystallinity
 - thermoplastics 403
 - crystallization process 474
 - crystallographic identification 353
 - cubic boron nitride (c-BN) 501
 - cumulative mass distribution 359
 - cuprate
 - $La_{2-x}Ce_xCuO_4$ 288
 - $La_{2-x}Sr_xCuO_4$ 288
- d**
- data interpretation 354
 - DC discharge 271
 - DC sputtering 272
 - decomposition 474
 - defect 369ff.
 - dimple defects at the center of granules 378
 - inhomogeneous distribution of binder 383
 - long-range 376ff.
 - process 369ff.
 - short-range 375
 - defect-engineered ceramics 212
 - deflocculated slurry
 - granule formation 32
 - dehydrocoupling reaction 461
 - dense ceramics with fine grain size
 - sintered 81
 - dense PZT-based materials 83
 - densification 144, 155, 174, 199
 - kinetics 144ff.
 - model and theory 157
 - densification rate 148ff., 173ff.
 - density
 - apparent 364
 - bulk 364
 - effective 364
 - particle density definition 364
 - particle density measurement 365
 - tap 364
 - theoretical 364
 - true particle density 364
 - variation 387
 - deposition
 - thin film 315
 - depth profiling
 - elemental distribution within a particle 348
 - diamond 501
 - diamond anvil cell (DAC) 502ff.
 - laser-heated (LH-DAC) 503
 - die filling 19
 - granulate 7
 - diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) 347
 - diffusion 224
 - diffusion-bonded joints
 - interlayer 236
 - digital description 416
 - dimethylzinc (DMZn) 320
 - dip-coating 41
 - direct bonding 234
 - direct brazing 240

- direct current
 - pulsed 202
 - direct lithographic method 487
 - direct-foaming technique 468
 - discrete element method (DEM) 15f.
 - dispersing agent 47
 - displacement reaction 237
 - distribution of strengths 216
 - Doctor-blade technique 41
 - doped composition 74
 - doping
 - nanopowder 110
 - double-action pressing 22
 - double-face grinding
 - planetary kinematics 252ff.
 - process description 252
 - double-perovskites 281
 - Drucker–Prager Cap (DPC) model 18
 - dry sieving 363
 - dry pressing
 - powder compaction 3ff.
 - dry-bag isostatic pressing 28
 - ductile-brittle materials 250
 - Dupré equation 222
 - duroplastics 460
 - dynamic ripening 205
- e**
- ejection shear stress 24
 - ejection tooling system 23
 - elastic deformation 18
 - elastic modulus effect 219
 - elastomer 26
 - electrical property
 - polymer-derived ceramics 478
 - SiCN-based ceramics 479
 - SiOC-based ceramics 479
 - electrical quality factor 75
 - electrochemical vapor deposition (EVD) 302
 - electrochromic metal oxide thin film 294
 - electrokinetic potential 353
 - electromagnetic gun 510
 - electron beam (e-beam) evaporation 285
 - electron energy loss spectroscopy (EELS) 347
 - electron impact emission spectroscopy (EIES) 285f.
 - electron microanalysis 346ff.
 - electron spectroscopy for chemical analysis (ESCA) 350
 - electron-beam deposition (EBD) 300
 - energy-dispersive spectroscopy (EDS) 346
 - epitaxial growth 309
 - equivalent stress 18
 - ethylene ethyl acrylate (EEA) 397
 - ethylene vinyl acetate (EVA) 397
 - extreme ultraviolet (EUV) radiation 295
 - extrusion
 - method 426
 - single-component 398
- f**
- face grinding 248ff.
 - fastener 230f.
 - fayalite–ringwoodite 508
 - feedstock 63
 - Feret diameter 362
 - ferrite 80
 - ferritic stainless steel (FeCrAlY) 241
 - fiber
 - melt spinning 397
 - polymer-derived ceramic 466
 - silicon borocarbonitride 467
 - silicon carbonitride (SiCN) ceramic 467
 - field-assisted sintering technique (FAST) 190
 - film
 - metal–organic chemical vapor deposition of metal oxide film 291ff.
 - nanostructured 292
 - filler
 - active 463
 - passive (inert) 463
 - sacrificial 468
 - filler-controlled pyrolysis 462
 - filter-pressing 421f.
 - final-stage models and kinetics 148
 - final-stage sintering 444
 - finishing
 - ceramics 247ff.
 - finite element analysis (FEA) 219
 - firing 56
 - flame emission spectroscopy 344
 - flame spray pyrolysis (FSP) 97f.
 - flame-assisted chemical vapor deposition (FA-CVD) 302
 - floating die 22
 - flocculated slurry
 - granule formation 32
 - flowable powder method 423
 - fluidized-bed spray granulation 30ff.
 - foam 468
 - direct-foaming technique 468
 - polymer-derived ceramic 468
 - formative prototyping method 427
 - forsterite–wadsleyite–ringwoodite 508
 - Fourier transform IR (FTIR) 347
 - Fraunhofer scattering 357
 - freeze-spray-drying 33
 - fresnoite 212

functionally graded material (FGM) 210
 fused deposition modeling 426

g

gadolinium compound 324
 garnet–perovskite 508
 gas adsorption 352
 gas gun 510
 gas pycnometry 365
 gas-pressure sintering (GPS) 171
 gas-sensing application
 – microstructured and nanostructured materials 294
 gel-casting 407, 421
 gelation 122, 408
 geometrical hardening factor 9
 Gibbs–Thompson equation 145
 glass 238
 glass filler materials 238
 glass–ceramic intermediary layer 238
 glass-ceramic sealant
 – silicate-based 238
 glass-ceramics 418
 glow-discharge CVD 303
 glucose oxidase (GOD) 135
 grain
 – columnar 309
 – faceted 162
 grain boundary diffusion 146ff., 450
 grain boundary sliding 191
 grain boundary structure 150
 grain cutting depth 250
 grain growth 150ff., 161, 205ff.
 – abnormal (AGG) 151
 – boundary segregation 152
 – boundary structure 154
 – normal (NGG) 151ff.
 – second-phase particle 152
 – stagnant (SGG) 154
 – stationary 151
 – templated 163
 grain size 447
 grain sliding 191
 granular boundary
 – circumferential cracks 377
 granulate
 – die filling 7
 granulated powder
 – compaction 10
 granulation 4
 – ceramic powder 29
 – method 29
 granule 355
 – dimple defects at the center of granules 378

granule formation
 – deflocculated slurry 32
 – flocculated slurry 32
 granule yield pressure 11
 green body
 – ceramic 395
 green ceramics 418
 green compact 371, 390f.
 – characterization method 371
 green machining 429
 – thermoplastic 400
 green process 67
 green tape 39ff.
 – characteristics 54
 – drying 54
 Griffith crack model 216
 grinding 248ff.
 – process description 248ff.
 – reciprocating 248
 growth 320
 growth dynamics 308
 growth per cycle 306
 growth rate 312f.

h

hafnium
 – HfO₂ 297
 heating
 – role of rapid and effective heating 199
 Helgeson–Kirkham–Flowers–Tanger (HKFT) equation 71
 heterometallic alkoxide precursor 328
 high-energy pulsed excimer laser 277
 high-pressure (HP) route
 – ceramics 501ff.
 high-pressure technique
 – static 502
 high-temperature behavior
 – polymer-derived ceramics 470
 high-temperature co-fired ceramics (HTCC) 57
 high-temperature stability
 – polymer-derived ceramics 474
 high-temperature superconducting material 125
 high-temperature superconductivity (HTSC) 282
 high-temperature superconductor film 282
 hot embossing 489
 hot isostatic pressing (HIP) 171
 hot press
 – conventional 193
 hot pressing 189ff.
 hybrid inorganic–organic materials 130ff.

- hybrid materials 130
 - type 131
 - hybrid PVD–CVD process 301
 - hydrosilylation 461
 - hydrothermal ceramic powder
 - materials chemistry 74
 - hydrothermal crystallization 77
 - hydrothermal crystallization solution 75
 - hydrothermal hybrid technique 67
 - hydrothermal modification/extraction 68
 - hydrothermal sintering 87
 - hydrothermal solution
 - engineering ceramic synthesis 69
 - physical and chemical advantages 68
 - hydrothermal synthesis 63ff.
 - advanced ceramic powder and material 63ff.
 - engineering hydrothermal synthesis method 69
 - industrial production 65
 - process development 65
 - hydrothermal system
 - phase partitioning 69
 - hydrothermal–sonochemical synthesis 68
 - hydroxyapatite (HA, HAp) 75ff., 136, 205ff., 298
 - whisker 85
- i**
- ilmenite–perovskite 508
 - image-based analysis 361
 - in-situ* encapsulation
 - biomolecule 133
 - in-situ* hydrothermal conversion 87
 - indirect brazing 239
 - indium
 - compound 323
 - indium tin oxide, *see* ITO
 - inductively-coupled plasma (ICP) 344
 - infiltration
 - porous perform 468
 - infrared microscopy 370
 - infrared spectroscopy 347
 - infrared transmission microscopy 374
 - initial stage model and kinetics 145
 - initial stage sintering 146
 - injection-molding 421
 - ink
 - composition 426
 - ink jet method 426
 - inorganic raw material 45
 - inorganic–organic hybrid materials 130ff.
 - inorganic/organic network 460
 - instrument resolution 340
 - insulator 478
 - intensity of the thermal radiation 505
 - interfacial bonding behavior 223
 - interfacial energy 143
 - interlayer
 - diffusion-bonded joints 236
 - interlayer bonding 235
 - intermediate stage models and kinetics 148
 - isostatic compaction 25
 - ITO (indium-tin-oxide, Sn-doped In_2O_3) 270, 295
- k**
- Kumada mechanism 460
- l**
- LaMer concept 78
 - laminated object manufacturing 427
 - lamination 55
 - laser diffraction particle-sizing system 358
 - laser paints 111
 - laser scattering 357
 - laser-assisted chemical vapor deposition (LA-CVD, L-CVD) 302
 - laser-heated diamond anvil cell (LH-DAC) 503
 - laser-MBE technique 269
 - lattice diffusion 146ff.
 - layered object manufacturing (LOM)-process 40
 - lead zirconate titanate (PZT) 72ff., 487
 - ferroelectric 209
 - ferroelectric film 126
 - ferroelectric phase $\text{Pb}(\text{Zr,Ti})\text{O}_3$ 326
 - Lifshitz–Slyozov–Wagner (LSW) theory 161
 - LIGA (*Lithographie, Galvanoformung, Abformung*; lithography, electroforming, and molding) process 486ff.
 - light
 - reflection 371
 - light scattering technique 357
 - line-of-sight technique 301
 - liquid feed-flame spray pyrolysis (LF-FSP)
 - mixed-metal oxide nanopowder synthesis 97ff.
 - nanopowder formation 100
 - single-metal oxide nanopowder synthesis 97ff.
 - liquid preceramic polymer 490
 - liquid pycnometry 365
 - liquid-phase sintering (LPS) 143, 156, 191
 - liquid-state direct-bonding process 234
 - liquid-state interlayer bonding process 237
 - lithography microstructuring method 487

- low-pressure CVD (LPCVD) 303
- low-pressure injection-molding 428
- low-temperature co-fired ceramic (LTCC)
 - multilayer structure 57
- lubricant 404
- m**
- machining 55
 - abrasive flow (AFM) 261f.
 - bisque 429
 - ceramics 250ff.
 - computer numerical controlled (CNC) 429
 - green 429
 - thermoplastic green machining 400
- macro-graded structure
 - ceramics 210
- magic angle spinning 348
- magnesium aluminum spinel 319
- magnetic property
 - polymer-derived ceramic 481
- magnetron sputtering 275
- manufacturing technology 415
- Martin diameter 362
- mass-controlled pre-dosing system 19
- material transport
 - diffusion-controlled 159
- mechanical joining 227ff.
- mechanochemical–hydrothermal synthesis 68
- mean pore diameter 366
- melt spinning
 - fiber 397
- membrane
 - amorphous ceramic 484
 - amorphous silicon nitride-based ceramic 484
 - microporous ceramic 484
 - palladium-based 484
 - polymer-derived ceramic 483
- meshed DEM (MDEM) 15
- mesocrystal 78
- metal matrix composite (MMC) 468
- metal oxide 291, 463
 - coating 321
 - deposition of thin film 315f.
 - film 308
 - film deposition 300
 - precursor 315f.
- metal oxide semiconductor field effect transistor (MOSFET) 307
- metal–organic chemical vapor deposition (MO-CVD) 302ff.
 - metal oxide film 291ff.
 - metal oxide nanostructure 291ff.
- metallization 55
- micro-graded structure
 - ceramics 210
- microcontact printing (μ CP) 489
- microelectromechanical system (MEMS) 481ff.
 - ceramic 486
 - microfabrication of polymer-derived ceramic-based component 485
- micromechanical model 15
- micromolding in capillarities (MIMIC) 489
- micromolding technique 489
- microporous ceramic membrane 484
- microstructural prototyping 203
 - spark plasma sintering 203
- microstructure 320
 - PDC 470
- microstructure development 155ff.
- microtransfer molding (μ TM) 489
- microwave–hydrothermal processing 67
- Mie scattering 357
- mineralizer 63
- mixed bond 470
- mixed phase
 - nanoparticle 104
- mixed-metal alkoxide 325
- mixed-metal ceramics 299
- mixed-metal oxide nanopowder
 - synthesis 97ff.
- modeling
 - powder compaction 14
 - thermodynamic 70
- mold 489
- molecular beam epitaxy (MBE) 269ff.
- molecule-based CVD (MB-CVD) 304
- molybdate 74
- monolith
 - hierarchically organized silica monolith 129
 - polymer-derived ceramic 462
 - silicon oxycarbide monolith 134
- monolithic powder
 - compaction 8
- monomer 395ff.
 - polymer formation by polymerization 407
 - suspension 407
- monometallic precursor (MO_x) system 322
- multianvil apparatus 506
- multilayer ceramic (chip) capacitor (MLCC) 45, 53, 392
- multilayer device 43
- multilayer piezo actuator 40

n

Nabarro–Herring creep 192
 nano-object 131
 nanoceramics 203
 nanocomposite 480
 nanograin ceramics
 – sintering 441ff.
 nanoimprint lithography (NIL) 489
 nanoparticle 104
 nanopowder 110
 – doping 110
 nanopowder formation 100
 – LF-FSP 100
 nanoscopic metal oxide film 298
 nanostereolithography 488
 nanostructure
 – metal–organic CVD of metal oxide
 nanostructure 291ff.
 neodymium
 – $\text{NdBa}_2\text{Cu}_3\text{O}_{7-\delta}$ 288
 Nernst–Einstein equation 224
 neutral axis 22
 (Ni–Cu–Zn) ferrite 451
 nickel compound 324
 nickel ferrite 82
 NiO–CaO system 224
 nitride 463
 nitrogen gas 352
 nose flow 20
 nuclear magnetic resonance (NMR)
 spectroscopy 348

o

octahedral edge length (OEL) 507
 opposite anvils 502
 optical absorption spectroscopy 344
 optical application 182
 – oxide ceramics 182
 optical microscope 373
 optical transmittance 75
 organic raw material 47
 organic–inorganic hybrid materials 130ff.
 organic/inorganic network 460
 Ostwald ripening 161
 oxidation behaviour
 – polymer-derived ceramics 476
 oxidation reaction 237
 oxide
 – vapor-phase deposition 268ff.
 oxide ceramics
 – optical application 182
 – post-HIPing 182
 oxide electronics 269
 oxide molecular beam epitaxy 282

oxide solid solution 74
 oxyhydroxyapatite 208
 oxynitride ALON 185

p

packing
 – anisotropic 392
 palladium-based membrane 484
 particle
 – density 363f.
 – density measurement 365
 – depth profiling of elemental distribution
 within a particle 348
 – orientation 388
 – physical property 363
 – primary 354
 – secondary 354
 – shape 355
 – specific surface area 351
 – type 354
 – underbonded 442
 particle morphology 107
 particle packing 5f.
 particle size
 – distribution 101
 – variation 387
 particle sizing 354ff.
 permeametry 351
 perovskite 281, 508
 perovskite ceramic oxide 282
 phase characterization 103
 phase formation 102
 phase partitioning
 – hydrothermal system 69
 phenomenological model 15
 photoassisted chemical vapor deposition
 (PA-CVD) 302
 photocatalysis 291
 photocatalytic application 293
 photoinitiator 423
 photonic crystal 490
 physical bond 355
 physical vapor deposition (PVD) method 280,
 295ff.
 – PVD–(PE)CVD hybrid process 301
 piezoresistive effect 481
 piston-cylinder system 502
 plane 22
 plasma excitation 271
 plasma-enhanced ALD (PE-ALD) 307
 plasma-enhanced chemical vapor deposition
 (PE-CVD) 302f.
 plastic-forming method 428
 plasticizer 48

- plastics processing 396ff.
- polarized light microscopy 370ff.
- poly(acrylic acid) (PAA) binder 385
- poly(carbo)silazane 462
- poly(dimethylsiloxane) (PDMS) 490
- poly(ethylene oxide) (PEO) 129
- poly(ferrocene) 483
- poly(hydridomethyl)silazane-derived SiCN ceramics 479
- poly(methylmethacrylate) (PMMA) 489
- poly(silylcarbodiimide)-based ceramics 474
- poly(ureavinylmethylsilazane)-derived SiCN 480
- poly(vinylalcohol) (PVA) binder 383ff., 420
- poly(vinylchloride) (PVC) 26
- polycarbosilane 460ff.
- polycrystalline ceramics 184
- polycrystalline growth 309
- polycrystalline spinel 184
- polyethylene (PE) 53, 397
- polyethylene terephthalate (PET) 53
- polyferrocenylsilane 483
 - high-molecular-weight 483
- polymer
 - ceramic green body 395
 - filled 395
 - formation 407
 - preceramic 457ff.
 - silicon-based 458
 - suspension of monomers 407
 - thermoplastics 395ff.
- polymer-derived ceramics (PDC) 457ff.
 - amorphous 478
 - coating 464
 - cobalt-containing 483
 - electrical property 478
 - fiber 466
 - foam 468
 - high-temperature behavior 470
 - high-temperature stability 474
 - magnetic property 481
 - membrane 483
 - microfabrication for MEMS application 485
 - microstructure 470
 - monolith 462
 - oxidation behavior 476
 - processing technique 462
 - silicon oxycarbide-based 470
- polymer-to-ceramic transformation 459
- polymerization 408
 - suspension of monomers 407
- polypropylene (PP) 53, 397
- polysilazane 461f., 481
- polysilylcarbodiimide derivative 462
- polyurethane 26
- pore-filling mechanism 158ff.
- porous materials 126
- porous perform
 - infiltration 468
- post-HIPing
 - oxide ceramics for optical application 182
- potential-determining ion 353
- powder
 - ceramics processed from hydrothermally synthesized powders 80
 - characterization 339ff.
 - chemical composition 343
 - cohesive 343
 - die filling behavior 4
 - enhanced sinterability 81
 - free-flowing 343
 - mold filling behavior 4
 - nanosized 45
 - porosity 366
 - sintered dense ceramics with fine grain size 81
 - sintered porous ceramics 85
 - submicronized 45
 - surface characterization 343
- powder compact 418
- powder compaction
 - dry pressing 3ff.
 - modeling 14ff.
- powder compaction press 23
- powder-free synthesis 122
- preceramic microelectromechanical system 487
- preceramic polymer 457ff.
- precision 340
- precursor 63, 125
 - bimetallic precursor (MM'O_x) system 324
 - cocktail 325
 - concept in CVD 313
 - requisite 313
 - system 308
 - thin-film deposition 315f.
- precursor flow rate 320
- precursor-derived ceramics 462
- precursor–material relationship 314
- pressing
 - double-action 22
 - single-action 23
 - uniaxial 23
- pressing tool 21
- pressure
 - role of high pressure 197
- pressure nozzle atomization 30

- pressure–density plot 12
- principle of dynamic ripening 201
- probability of failure 217
- process defect 369ff.
 - ceramics 375
- processing
 - ceramic 395
 - plastics 396ff.
 - polymer-derived ceramics 462
- processing aid 404
- profile grinding 248ff.
- propellant gun 510
- proportional-integral-derivative (PID)
 - temperature controller 285
- prototyping process 422
- pulsed direct current 202
- pulsed electric current sintering (PECS) 190
- pulsed-laser deposition (PLD) 269ff., 301
- pycnometer (pyknometer) 365
- pyrolysis
 - filler-controlled 462
- PZT, *see* lead zirconate titanate

- q**
- quartz crystal microbalance (QCM)
 - technique 280ff.
- quartz–coesite–stishovite 508

- r**
- race for surface 329
- radiofrequency (RF) 271
- Raman spectroscopy 348
- random close packing (RCP) 5
- random dense packing (RDP) 5
- random jammed state 5
- Rankine–Hugoniot equation 510
- rapid prototyping (RP) 415ff.
- Rayleigh scattering 357
- reactive ion etching (RIE) technology 489
- real-time growth monitoring 285
- reflection
 - light 371
 - suppression 372
- reflective high-energy electron diffraction (RHEED) 275ff.
- refractive indices 372
- repacking 442
- replica molding (REM) 489
- residual stress 217f.
- ringwoodite 508
- robocasting 426
- rotor discs 252
- rubber 26
- rutile nanoparticle 317

- s**
- sampling 341
- scaling law 147
- scanning electron microscopy (SEM) 346
- second break point pressure (2. BPP) 12
- second-phase particle
 - grain growth 152
- second-step sintering 449
- secondary ion 351
- secondary ion mass spectrometry (SIMS) 271, 351
- sedimentation analysis 358
- self-reinforced ceramics 205
- semiconductor 478
- settling time 359
- shear thinning 427
- sheet-based process 427
- shock-wave technique 508
- shrinkage
 - near-zero shrinkage 464
- shrinkage rate 198ff.
- shrinkage ratio 465
- shuttered MBE 283
- sialon 182
 - α -sialon 206
- sieve analysis 362
- silatrane 99
- silica
 - SiO₂ film 297
 - synthesis 123
- silica monolith
 - hierarchically organized 129
- silicon
 - Si₃N₄–Y₂O₃–SiO₂ 178
- silicon borocarbonitride fiber 467
- silicon carbide material 460
- silicon carbonitride
 - amorphous carbon-rich polymer-derived SiCN ceramics 474
 - electrical property of SiCN-based ceramics 479
 - energetics 472
 - microgear 489
 - poly(hydridomethyl)silazane-derived SiCN ceramics 479
 - poly(ureavinylmethylsilazane)-derived 480
 - SiCN/carbon nanotube (CNT) nanocomposite 480
- silicon carbonitride ceramic fiber 467
- silicon nitride 201
 - α -Si₃N₄ 512
 - β -Si₃N₄ 512
 - γ -Si₃N₄ 512
 - synthesis of cubic Si₃N₄ 511

- silicon nitride ceramics 175ff.
 - amorphous silicon nitride-based ceramic membrane 484
- silicon oxycarbide
 - electrical property of SiOC-based ceramics 479
 - energetics 472
 - SiOC/Al₂O₃ ceramic composite 479
- silicon oxycarbide glasses 461
- silicon oxycarbide monolith 134
 - porous 131
- silicon-based polymer 458
- silicon-based system 466
- silicone rubber 26
- simultaneous coevaporation of different sources 283
- single-action pressing 23
- single-metal oxide nanopowder
 - synthesis 97ff.
- sinter bonding 233
- sinter-HIP 172ff.
 - differences between capsule-HIP and sinter-HIP 181
 - technology 175
- sinter-resistant materials 110
- sinterability
 - synthesis of modified powders 80
- sintered dense ceramics with fine grain size 81
- sintered metal powder processing 239
- sintered porous ceramics 85
 - hydrothermally synthesized powders 85
- sintering 143ff.
 - applied pressure 172
 - final stage 444
 - gas-pressure (GPS) 171
 - hydrothermal 87
 - initial stage 146, 442f.
 - liquid-phase (LPS) 143, 156, 191
 - models and kinetics with no grain growth 144
 - nanograin ceramics 441ff.
 - normal 453
 - phenomena 143
 - pressureless 144, 173
 - solid-state (SSS) 143f.
 - spark plasma sintering (SPS) 189ff.
 - two-step 156, 444ff.
 - uniaxial pressure 190
- sintering diagram 147
- sintering rate 147, 174
- slip casting 421ff.
- slurry
 - component 44
 - interaction between components 50
 - preparation 51
 - property 51
- soft chemical approach 122
- soft lithography 489
- soft process 65
- soft solution processing 65
- sol-gel-hydrothermal synthesis 68
- sol-gel materials
 - bioactive 133
- sol-gel method 65
- sol-gel processing
 - ceramics 121ff.
 - principle 122
- solid freeform fabrication (SFF) 415ff.
 - example 429ff.
- solid oxide fuel cell (SOFC) 39, 468
- solid-state direct-bonding process 231
- solid-state gas sensor 293
- solid-state interlayer bonding process 235
- solid-state single crystal growth (SSCG) 163
- solid-state sintering (SSS) 143f., 192
- solvent 46
- solvent-assisted micromolding (SAMIM) 489
- solvothermal synthesis 65
- spark plasma sintering (SPS) 189ff.
 - microstructural prototyping 203
 - process 196
 - set-up 194
- specific surface area
 - particle 351
- specimen preparation 371
- spectroscopic technique
 - bulk chemical identification 345f.
- speed-stroke grinding 249
- spinel 451, 502
 - magnesium aluminum spinel 319
 - polycrystalline 184
- spray-drying 30f.
- sputter deposition 270ff.
- stamp 489
- static high-pressure technique 502
- stereolithography-based method 422
- stishovite 502, 508
- Stöber method 124
- Stoke's equation 358
- streaming potential 353
- strength of bonded joints 220
- stress
 - contact 217
 - residual 217f.
- structural ceramics 182

- subtractive method 429
 - substrate manipulator 287
 - supercritical processing 65
 - superplastic ceramics 453
 - superplastic joining 233
 - superplasticity 206
 - surface analysis 50
 - surface characterization 349
 - surface chemistry analysis 349
 - surface-enhanced Raman spectroscopy (SERS) 348
 - synthesis engineering 72
- t**
- table drive system 249
 - tape
 - crack-free 46
 - tape casting 39ff., 52, 422
 - machine 44
 - process variation 41
 - tetraalkoxysilane 123
 - tetraethoxysilane (tetraethyl orthosilicate, TEOS) 123, 458
 - tetragonal zirconia polycrystal (TZP) 205
 - tetramethoxysilane (tetramethyl orthosilicate, TMOS) 123, 458
 - textured ceramics
 - hydrothermal powder 86
 - thermal gravimetric analysis (TGA) 349
 - thermal injection molding 489
 - thermally activated chemical vapor deposition (TA-CVD) 302f.
 - thermodynamic modeling 70
 - thermoplastic blend
 - compounding 404
 - thermoplastic coextrusion 401
 - thermoplastic green machining 400
 - thermoplastic–ceramic compound
 - volumetric change 405
 - thermoplastics 395ff.
 - ceramic forming 397
 - ceramic processing 396
 - crystallinity 403
 - thin-film deposition 271
 - metal oxide 315f.
 - precursor 315f.
 - thin-film transparent electrode 296
 - Thompson–Freundlich equation 145
 - time-of-flight ion scattering and recoil spectroscopy (TOF-ISARS) 283
 - time-resolved X-ray diffraction (TXRD) 354
 - tin
 - SnO₂ 323
 - titanate
 - (Ba,Sr)TiO₃ film 273
 - titania 104, 293
 - precursor 314
 - TiO₂/Al₂O₃ system 104
 - tooling principle 21
 - toroid-type cell 503
 - total pore surface area 366
 - transamination process 461
 - transducer effect 294
 - transient liquid phase (TLP) 241f.
 - transition electron microscopy (TEM) 346
 - transition metal oxide (TMO) 294
 - transmission optical microscopy 373
 - transparent conducting oxide (TCO)
 - semiconductor 295f.
 - trimethylaluminum (TMA) 306
 - 1,3,5-trisilacyclohexane-carbosilane 131
 - truncation edge length (TEL) 507
 - tungstate 74
 - two-photon stereolithography 488
 - two-step sintering 156, 444ff.
 - Y₂O₃ 445ff.
- u**
- ultra-high-temperature ceramics (UHTC) 211
 - ultrahigh-vacuum CVD (UHV-CVD) 303
 - ultrahigh-vacuum environment 350
 - ultrasonic-assisted grinding 256
 - process description 256
 - uniaxial compaction 22
 - practice 19
 - uranium nitride (UN) pellet 212
- v**
- vacuum technique 350
 - vanadate 74
 - vapor-phase deposition 287
 - oxide 268ff.
 - vinyl polymerization (addition) process 461
 - viscous polymer processing (VPP) 42
 - viscous-phase processing (VPP) 404
 - volatile organic compound (VOC) 423
 - volume pore size distribution 366
 - volume-controlled feed shoe system 19
 - voxel 258
- w**
- wadsleyite 508
 - Walker-type module 507
 - wavelength-dispersive spectroscopy (WDS) 347
 - Weibull failure analysis 217, 231
 - Weir technique 41

wet chemical method 65
wet sieving 363
wet-bag isostatic pressing 25ff.
wetting 221ff.
withdrawal tooling system 22

x

X-ray fluorescence (XRF) 347
X-ray microanalysis 346
X-ray photoelectron spectroscopy (XPS) 350
xerogel 122

y

yield diagram 72
Young–Dupré equation 223
Young’s equation 223
yttria 445ff.

– doped 448ff.
– two-step sintering 445ff.
– undoped 448ff.
yttria-stabilized zirconia (YSZ) 241, 402, 451

z

zeolite 74
zeta-potential 353
zinc
– Al-doped ZnO (AZO) 270ff., 295
– dimethylzinc (DMZn) 320
– Ga-doped ZnO (GZO) semiconductor 295
– ZnO thin film 320
zirconia dense ceramics 80
zirconia powder
– hydrothermally synthesized 80
zirconium oxide 298

