

## Index

1D imaging, NMR 98  
 2D imaging, NMR 98–99  
 3D image filtering and segmentation,  
   algorithms 157–163  
 3D imaging, NMR 100–101  
 90° scattered light detection 247

### **a**

absorbance image 80–81  
 absorbance spectra, analysis 82  
 absorption, total light, definition 76  
 absorption bands  
   – imaging apparatus 83  
   – spectral analysis, soybean seeds 86–87  
   – water and ice 83–85  
 absorption spectrum, fresh melon 75  
 acoustic attenuation spectroscopy 291  
 acoustic field, characterization 42  
 acoustic levitation 41–66  
   – force, one-dimensional 46  
   – interactions of a droplet with the sound  
     pressure field 47–55  
   – pure water droplets, evaporation rates  
     61–63  
   – single droplet drying 55–66  
   – solvent droplets, drying rate 58  
   – standing acoustic waves 43–47  
 acoustic levitator  
   – typical 60–61  
   – ventilation gas stream 52  
 acoustic optical tunable filter (AOTF) 78  
 acoustic streaming, primary and  
   secondary 48–53  
 acoustic wave, forces 43–47  
 adhesion, particle 307–312  
 adhesion force test methods 309–310  
 adhesive interactions, wet granular media  
   254–255  
 aerosol spectrometers, optical 243–244

AFM *see* atomic force microscopy  
 agricultural samples  
   – MRI 125–137  
   – transport phenomena 125–126  
 Anatec powder flow analyzer 346–348  
 angle of repose, moving particle bed 329  
 angular frequency, definition 42  
 AOTF *see* acoustic optical tunable filter  
 apparent absorbance, definition 76  
 aqueous mannitol solution, single droplet  
   drying 63–66  
 aspect ratio  
   – effect of droplet size 53  
   – width/length 200  
 aspect ratio method, sound pressure level 47  
 asperity regime, capillary bridges 258  
 atomic force microscopy (AFM), adhesion  
   force measurement 310–312  
 atomization air flow rates 234  
 attenuation coefficients  
   – X-ray 147–148, 158–163  
 attrition coefficients, mass and surface-  
   related 241–243  
 attrition dust measurements  
   – isokinetic sensor 237–243  
   – on-line particle counter 243–250  
 average moisture content, measurement  
   1–67

### **b**

backprojection algorithm, filtered 149–150  
 balance, magnetic suspension *see* magnetic  
   suspension balance  
 bandpass filter, spectral information  
   acquisition 78  
 batch drying, fluidized beds 21–23  
 beam-hardening, X-rays 152  
 beam projections, X-ray image  
   reconstruction 149–152

bed dryer, continuous fluidized 25–27  
 Beer-Lambert law, X-rays 145  
 belt dryers, wastewater sludges 170–171  
 BET *see* Brunauer-Emmett-Teller  
 biaxial shear tester, Schwedes 344  
 biological samples  
 – NMR spectroscopy 126–128  
 – transient moisture profiles 128–131  
 bonding effects, particle surfaces 307–312  
 boundary layer, sound pressure 50  
 breakage, testing methods 320–321  
 breakage probability, zeolite granules 324–325  
 bridges, material 307–308  
 Brunauer-Emmett-Teller model (BET-model)  
 – surface area determination 298–300  
 – *see also* gas adsorption method  
 bubbles, optical particle detection 203  
 bulk density, particle bed 328  
 bulk solids  
 – flow behavior 329–331  
 Butt particle interaction apparatus 310–312

## c

calibration  
 – infrared spectrometer 14–20  
 – MRI 111–114  
 calibration curves, NIR spectroscopy 82  
 CAMSIZER 194–200  
 capillary condensation 302–303  
 capillary forces, between particles 256–258  
 capillary state, wet granular media 261  
 cardboard samples  
 – calibration procedure 111–114  
 – diffusion measurements 119–124  
 – drying experiments and MRI parameters 109–111  
 – drying profiles 114–119  
 – moisture gradients 108–124  
 CCD camera, CAMSIZER 195  
 CD, cross-direction, cellulose fibers 103  
 cellulose fibers 102–103  
 cellulose samples, MRI, previous results 104–105  
 centrifugal method, adhesion force testing 309–310  
 chemical thermo mechanical pulp (CTMP) 108  
 chord length 282  
 – particle 189  
 circularity/sphericity, particle shape 200  
 cluster volume distribution 164–165  
 cohesive bulk solids, flow behavior 329–331  
 cohesive interactions, wet granular media 256–259

cohesive powders, flow criteria 332–335  
 colloid probe technique 310–312  
 compressible bulk solids, flow behavior 329–331  
 compression test, particle breakage 321–325  
 Compton scattering, X-rays 145  
 concentrated suspension/slurry/dispersion  
*see* sol concentration  
*see* particle concentration  
 condensation, capillary 302–303  
 cone beam geometry, X-ray sources 155  
 conical indentation, wet granular media 264  
 consolidation and filtration expression characteristics 342  
 constant-rate drying period 59  
 constant time imaging (CTI) sequence, NMR 134  
 constituent distribution, visualization 82  
 constituent image, definition 82  
 constitutive functions, particle properties 280  
 contact drying  
 – experimental set-up 176–177  
 – spatio-temporal evolution 177–180  
 contact preconsolidation 310  
 Contin analysis 289  
 continuous fluidized bed dryer, moisture distribution, modeling 25–27  
 convective drying, sludges 167–173  
 convexity, particle shape 200  
 cotton fibers, water sorbed in 121  
 Couette device, Tardos 346  
 coulometry  
 – advantages 32–33  
 – and NMR, combination 37  
 – moisture measurement 28–33  
 critical stress intensity 267  
 critical time, definition 26  
 cross-correlation analysis, particle image velocimetry 209  
 CTI *see* constant time imaging  
 CTMP *see* chemical thermo mechanical pulp  
 cumulant method, particle size distribution 279–280, 288–289  
 cumulative number distribution, particle moisture 26–27  
 cumulative pore volume plot 304  
 cyclic stressing test, zeolite granules 323–324  
 cylindrical hydrophilic particles, morphology of packing 179

## d

$d^2$ -law 56  
 DCC *see* dynamic contamination control  
 Debye plot 285

- deformation
    - droplet shape 48
    - testing methods 320–321
  - DEM *see* discrete element method
  - dense particle dispersions, ultrasonic methods 291–293
  - desorption curves, SIC 8
  - dew point measurement
    - experimental set-up 12
    - infrared spectrometer 13–14
    - infrared spectroscopy 10–24
    - particle systems 10–11
  - dew point mirror 14–17
    - calibration device 16
  - diametric compression, smooth spherical particles 253–254
  - diffraction, laser light, particle dispersions 283–291
  - diffuse reflection measurement 75
  - diffusion coefficients 122–123
  - diffusion measurements, MRI 119–124
  - digital image analysis set-up 203
  - dilute particle dispersions, laser light scattering and diffraction 283–291
  - direct shear testing 266, 344–348
  - discharge, particle stress 319
  - discrete element method (DEM), simulation of rotating particles 351–352
  - dispersions, solid-liquid 341
  - DMT theory 255
  - drop fluctuations, spectral analysis 218–223
  - drop-out method, sound pressure level 47
  - droplet drying kinetics, film theory 57
  - droplet shape, deformation 48
  - droplet size, effects of changing 53–55
  - droplet surface, pressure difference across 53
  - droplets
    - acoustic levitation 41–66
    - aqueous mannitol solution 63–66
    - drying rate, solutions or suspensions 58–59
    - interactions with the sound pressure field 47–55
    - mean moisture mass fraction 59
    - mean particle porosity 59
    - particle density 59
    - spherical solvent, drying rate 55–57
  - dry powder, ring shear tester 339–340
  - dry sample gas
    - volume 238
    - volume flow rate 237
  - drying air
    - flow rates 62
    - temperature 65
  - drying curves, MRI 91–137
  - drying drum, particle rotation 319
  - drying front, spatio-temporal evolution 177–180
  - drying kinetics
    - film theory 57
    - measurement 1–67
    - single particle 2–4, 20–24
  - drying optimization, xerogels 173–175
  - drying profiles, cardboard samples 114–119
  - drying rate
    - acoustically levitated solvent droplet 58
    - droplets of solutions or suspensions 58–59
    - first period 39
    - normalized 25
    - spherical solvent droplet 55–57
  - Dubinin-Radushkevich method 301–302
  - dust mass flow rate 249–250
  - dynamic contamination control (DCC), dew point measurement 15
- e**
- effective amplitude, definition 45–46
  - elastic impact 313–318
  - elastohydrodynamic lubrication 260
  - elastoplastic measurements, wet granular media 262–266
  - electrokinetic sonic amplitude (ESA) spectroscopy 292–293
  - electrolysis current, moisture distribution 30–32
  - electrolytic cell, coulometry 29
  - electromagnetic spectrum 145
  - electron microscopy, particle size distribution 281
  - Enstad uniaxial tester 344–346
  - equilibrium moisture content 39
  - ESA *see* electrokinetic sonic amplitude
  - evaporation rate 11, 17
    - acoustically-levitated pure water droplets 61–63
    - aqueous mannitol solution droplets 63–66
  - extrudates, sludge 167–170
- f**
- failure properties, wet granular media 266–269
  - falling-rate drying period 59
  - fan beam geometry, X-ray sources 155
  - fan beam projections 151–152
  - Feldkamp algorithm 152
  - Feret chord length 282
  - fiber optical probe measurement technique
    - calibration 231–232

- particle concentration and velocity 203, 228–236
  - results 232–236
  - fiber saturation point (FSP) 103
  - fibers
    - cellulose 102–103
    - pore sizes within 121
  - FID *see* free induction decay
  - field of view (FOV) 205
  - film theory, droplet drying kinetics 57
  - filtered backprojection algorithm 149–150
  - filtration and consolidation expression
    - characteristics 342
  - fine particles, physical properties 279–283
  - first period drying rate 39
  - fitting algorithms, sieve correlation 198–200
  - flow behavior, bulk solids 329–331
  - flow criteria, preconsolidated cohesive powders 332–335
  - flow diagram, particle image velocimetry 212
  - flow rates
    - atomization air 234
    - drying air 62
    - dust 249–250
  - fluidized beds
    - attrition measurement 237–243
    - batch drying 21–23
    - continuous drying 25–27
    - dew point measurement 11
    - experimental set-up 12
    - granulation 319
    - parameters of drying experiments 21
    - particle stability 236–250
    - porosity 232–233
    - spray granulation 190–194
  - food samples
    - moisture distribution 73–88
    - MRI 125–137
    - NMR spectroscopy 126–128
    - transient moisture profiles 128–131
    - transport phenomena 125–126
  - force-displacement behavior, zeolite granules 321–323
  - force-separation measurement 310–312
  - forces
    - adhesion 308–309
    - capillary 256–258
    - in a standing acoustic wave 43–47
    - interparticle 252–261
  - FOV *see* field of view
  - fracture, granular materials 267–268
  - Fraunhofer range 244
  - Fraunhofer theory 284, 289–290
  - free-fall device, impact measurement 315–316
  - free induction decay (FID) 96
  - frequency, sound pressure wave 43–44
  - frequency encoding, NMR 98
  - frictional force, Hertzian particles 259
  - frictional interactions, wet granular media 259–261
  - FSP *see* fiber saturation point
  - fully and partially saturated wet granular media, mechanical properties 251–269
  - funicular state, wet granular media 261
- g**
- $\gamma$ -Al<sub>2</sub>O<sub>3</sub>
    - desorption curves 7–8
    - pore diameter 6
  - $\gamma$ -ray attenuation methods, moisture profiles 91
  - gas adsorption method 280
    - pore size distribution 300–307
    - specific surface area 296–300
    - *see also* Brunauer-Emmett-Teller model
  - gas particle displacement, definition 42
  - gas particle velocity, definition 42
  - gas-phase pressure fluctuations, spectral analysis 221–222
  - gas pycnometry 294–295
  - GE *see* gradient-echo
  - gels, moisture profiles 130–131
  - geometrical range *see* Fraunhofer range
  - Glycine max*, moisture distribution 85
  - gradient-echo (GE) sequence, NMR 102
  - granular materials
    - fracture 267–268
    - underconsolidated 262
  - granulation, in fluidized bed 319
  - grating, spectral information acquisition 78
- h**
- Hahn-echo NMR pulse sequences 126–127
  - half-value layer (HVL) 145
  - Hamaker constant 333
  - HE-pycnometry 293–295
  - Helmholtz equation 46
  - Herschel-Bulkley parameters 265
  - Hertzian particles, frictional force 259
  - high-speed camera, particle bed movement 348–352
  - HVL *see* half-value layer (HVL)
  - hydrodynamic method, adhesion force testing 310
  - hydrodynamic stability *see* particle stability
  - hyperspectra

- soybean seeds 86
- water and ice 84
- hyperspectrum
  - image processing 79
  - near-infrared spectral imaging 76–77

## i

- ice
  - absorption bands 83–85
  - hyperspectra 84
  - shear testing technique SSTT 337–339
- illumination, spatial correction 204–205
- image acquisition
  - particle image velocimetry 208
  - spatial information acquisition 79
- image analysis
  - by optical and scanning electron microscopy 280–283
  - set-up, digital 203
- image filtering and segmentation, algorithms 157–163
- image processing 79–82
  - acquisition and pretreatment of spectral data 81–82
  - analysis of absorbance spectra 82
  - conversion into absorbance image 80–81
  - hyperspectrum 79
  - noise and shading correction 79–80
  - visualization of constituent distribution 82
  - X-ray tomography 157–166
- image reconstruction, X-ray tomography 148–153
- imaging apparatus, water and ice absorption bands 83
- imaging principles, NMR 97–101
  - 1D imaging 98
  - 2D imaging 98–99
  - 3D imaging 100–101
  - slice selection 99–100
- imaging sequences, NMR 101–102
- impact, between solid bodies 313–318
- impact separation method, adhesion force testing 310
- impact test, particle breakage 325–328
- in-line particle size measurement 188–194
  - batch granulation of pharmaceutical products 191–194
  - continuous granulation of detergents 190–191
  - instrumentation 189
- indicator Kriging algorithm 162–163
- indirect shear testers 344–348
- industrial tomography 155–156
- information acquisition techniques 77–79

- infrared (IR) spectrometer
  - calibration of 14–17
  - linearization 17
  - testing the calibration 10–24
- infrared (IR) spectroscopy, dew point measurement 10–24
- Institution of Chemical Engineers (ICE), shear testing technique 337–338
- integral moisture balance 19–20
- inter-fiber pores, paper 103
- interface curvature, liquid-vapor interface 166
- interfacial area, liquid-vapor interface 166
- interparticle forces, wet granular media 252–261
- interrogation areas, particle image velocimetry 209
- intra-fiber pores, paper 103
- invasive methods, moisture profiles 91
- ipp-70 probe 190
- IR *see* infrared
- isokinetic sensor, attrition dust measurements 237–243

## j

- Jenike translational shear cell 335–339
- JKR theory 255

## k

- Kelvin equation 258
- King's equation 43
- Kriging algorithm 162–163

## l

- Lambert-Beer law 74–76
- Laplace-Young equation 257
- large-scale X-ray tomography 155–156
- Larmor relation 94
- laser light scattering and diffraction, dilute particle dispersions 283–291
- lateral force microscopy (LFM) 261
- LCTF *see* liquid crystal tunable filter
- levitation, acoustic *see* acoustic levitation
- LFM *see* lateral force microscopy
- light scattering and diffraction, dilute particle dispersions 283–291
- line integral concept, X-ray image reconstruction 148–149
- line scanning, spatial information acquisition 79
- linear attenuation coefficient, X-rays 146
- linearization, IR spectrometer 17–18
- liquid crystal tunable filter (LCTF) 78
- liquid self-diffusivities 123–124

- longitudinal relaxation time 95–97
- Lorentz-Mie theory 243–244
- low-resolution NMR spectroscopy 126–127
- lubrication, elastohydrodynamic 260
- lubrication interactions, wet granular media 259–261
- m**
  - macrotomography, X-ray 155–156
  - magnetic resonance imaging (MRI)
    - calibration procedure 111–114
    - conversion of signal to water content 135
    - diffusion measurements 119–124
    - drying of agricultural and food samples 125–137
    - drying of paper, pulp and wood samples 102–124
    - general data 102–104
    - moisture profiles and drying curves 91–137
    - net magnetization 94–95
    - paddy rice kernels 132–137
    - parameters and drying experiments 109–111
    - principles 93–102
  - magnetic suspension balance (MSB) 2–10
    - configuration and periphery 4–6
    - experimental results 6–10
    - experimental set-up 5
    - single particle drying kinetics 2–4
  - Martin chord length 282
  - mass attenuation coefficient, X-rays 147–148
  - mass flow rate, dust 249–250
  - mass-related attrition coefficients 241–243
  - material bridges, between particle surfaces 307–308
  - maximum chord length 282
  - MD, machine direction, cellulose fibers 103
  - mean moisture mass fraction, droplets 59
  - mean particle porosity, droplets 59
  - mean residence time, definition 26
  - measuring volume, small optical 244–246
  - mechanical interactions, wet granular media 252–254
  - mechanical stability, particles 236–250
  - melon, absorption spectrum 75
  - mesoporosity, measurement 302–304
  - microbalance *see* magnetic suspension balance
  - microporosity, measurement 301–302
  - microslicer 83
  - microtomography, X-ray 156–157
  - Mie range 244
  - mixed lubrication 260
  - moisture
    - quantitative analysis, procedure 30
    - *see also* water
    - moisture balance, integral 19–20
    - moisture content
      - and volume concentration 14
      - change 11
      - equilibrium 39
      - measurement for justification of linearization 17
    - moisture distribution
      - at the outlet of a continuous fluidized bed dryer 25–27
      - experimental 37–41
      - food, near-infrared spectral imaging 73–88
      - particle systems 24
      - soybean seeds 85–88
      - visualization 83–88
    - moisture gradients, in cardboard samples 108–124
    - moisture profiles
      - $\gamma$ -ray attenuation methods 91
      - in a gel 130–131
      - invasive and non-invasive methods 91
      - MRI 91–137
      - paddy rice kernels, non-intrusive measurements 132–137
      - transient, food and biological samples 128–131
    - mollified phase function 165
    - morphological characteristics, X-ray
      - attenuation coefficients 163–167
    - morphology of packing
      - cylindrical hydrophilic particles 179
      - spherical hydrophilic particles 178
    - moving particle bed, angle of repose 329
  - MRI *see* magnetic resonance imaging
  - MRI signal
    - and moisture profiles 135–137
    - conversion to water content 135
  - MSB *see* magnetic suspension balance
  - multiexponential sampling analysis 289
  - multiple detectors, spatial information acquisition 79
- n**
  - nanoparticles, physical properties 279–283
  - near-infrared (NIR) spectral imaging 74–79
    - hyperspectrum 76–77
    - Lambert-Beer law 74–76
    - moisture distribution in foods 73–88
    - spatial information acquisition technique 78–79
    - spectral information acquisition technique 77–78
    - spectroscopy 74

- visualization of moisture distribution 83–88
- near-infrared (NIR) spectroscopy 74
  - calibration curves 82
  - second derivative spectrum 81
- NIR camera 83
- NMR
  - and coulometry, combination 37
  - basic 94–97
- NMR spectroscopy
  - biological and food products 126–128
  - low-resolution 126–127
  - moisture measurement 33–37
  - rice kernels 132–134
- noise correction, image processing 79–80
- non-intrusive measurements
  - moisture profiles in paddy rice kernels 132–137
  - NMR preliminary experiments 132–134
  - particle concentration measurements 201–208
- non-invasive methods, moisture profiles 91
- normalized drying rate, single particle 25
- normally consolidated media, granular 261
- nuclear magnetic moment 94
- nuclear magnetic resonance *see* NMR
- Nusselt number, thin film 57

## **o**

- OAS *see* optical aerosol spectrometers
- off-line particle size measurement 194–200
  - detection of particles 195
  - outline of particles 195–196
  - shape 200
  - sieve correlation and fitting 198–200
- on-line particle counter, attrition dust and overspray measurements 243–250
- one-dimensional acoustic levitation force 46
- optical aerosol spectrometers (OAS) 243–244
- optical microscopy, particle size distribution 281–283
- optical particle detection 202–208
  - bubbles 203
  - digital image analysis set-up 203
  - field of view 205
  - illumination 204–205
  - solids fraction 205–206
  - *see also* fiber optical probe measurement technique
- optical volume limitation 247
- overconsolidated media, granular 261
- overspray measurements, with an on-line particle counter 243–250

## **p**

- packed beds
  - contact drying 176–180
  - dew point measurement 11
  - sludge 170–173
- paddy rice kernels, MRI 132–137
- paper, porosity scales 103
- paper samples, MRI
  - general data 102–104
  - previous results 104–105
- parallel beam geometry, X-ray sources 155
- PARSUM probe 189
- partially and fully saturated wet granular media, mechanical properties 251–269
- particle abrasion, measurement 318–328
- particle adhesion 254–255
  - adhesion force test methods 309–310
  - comparison of adhesion forces 308–309
  - measurement 307–312
- particle bed movement, in rotary drums 348–352
- particle bed properties 328–348
  - angle of repose 329
  - bulk density and tapping density 328
  - cohesive and compressible bulk solids 329–331
  - direct and indirect shear testers 344–348
  - physical 279–283
  - preconsolidated cohesive powders 332–335
  - press shear cell 340–344
  - ring shear tester 339–340
  - translational shear cell 335–339
- particle breakage
  - measurement 318–328
  - testing methods 320–321
- particle chord lengths 189
- particle circulation time 224–228
- particle concentration
  - fiber optical probe measurement technique 203, 228–236
  - non-intrusive measurements 201–207
- particle deformation, testing methods 320–321
- particle density, droplets 59
- particle detection
  - off-line measurement 195
  - optical 202–207
- particle dispersions
  - laser light scattering and diffraction 283–291
  - ultrasonic methods 291–293
- particle drying kinetics, comparison of measurement methods 3
- particle edge

- correction according to iso 196
- determination 195
- particle flow rate variation, parameters 38
- particle formation, aqueous mannitol solution droplets 63–66
- particle formulation processes, measuring techniques 187–270
- particle image velocimetry (PIV) 201, 208–218
  - cross-correlation analysis 209
  - flow diagram 212
  - image acquisition 208
  - interrogation areas 209
  - velocity vector maps 212–215
- particle interaction apparatus, Butt 310–312
- particle moisture
  - as a distributed property 24
  - cumulative number distribution 26–27
- particle outline, off-line measurement 195–196
- particle properties, physical *see* physical particle properties
- particle restitution coefficient, measurement 312–318
- particle shape
  - definition 283
  - off-line measurement 200
  - parameters 200
- particle size
  - measurement 188–200
  - parameters 197
  - volume-related 198
  - *see also* in-line particle size measurement; off-line particle size measurement
- particle size distribution
  - analysis 280–293
  - cumulative 279–280, 288–289
  - density 248
  - sum 248
- particle stability
  - during fluidized bed processing 236–250
  - hydrodynamic 218–223
- particle stresses 319
- particle surfaces, bonding effects 307–312
- particle systems, dew point measurement 10–11
- particle tracking, positron emission 223–228
- particle velocity 208–218
  - fiber optical probe measurement technique 228–236
- particles
  - acoustic levitation 41–66
  - fine 279–283
  - gas 42
  - Hertzian 259
  - morphology of packing 178–179
  - rotating 351–352
  - single *see* single particle drying
  - spherical *see* spherical particles
  - stiff, with soft contacts 333
- pastes *see* soft solids
- PCS-2010, measuring principle 248
- pendular state, wet granular media 261
- pendulum experiments, impact measurement 316–317
- PEPT *see* positron emission particle tracking
- percolation 165
- PFG *see* pulsed field gradient (PFG) NMR
- PGSE, pulsed gradient spin-echo
- phase encoding, NMR 99
- phase segmentation, X-ray tomography 163–167
- phase volume fraction 164
- photoelectric absorption, X-rays 144–145
- physical particle properties 279–352
  - measurement 293–328
  - mesoporosity 302–304
  - microporosity 301–302
  - particle abrasion and breakage 318–328
  - particle adhesion 307–312
  - particle bed *see* particle bed properties
  - particle restitution coefficient 312–318
  - pore size distribution 300–307
  - pore volume 304–305
  - solid density analysis 293–295
  - specific surface area 296–300
  - volume determination 294–295
- PIV *see* particle image velocimetry
- plastic zone, fracture of granular materials 267
- platinum resistance thermometer (PRT) 15
- Polanyi theory 301
- pore size distribution
  - gas adsorption method 300–307
  - measurement set-up 305–307
- pore sizes, within fibers 121
- pore volume, measurement 304–305
- pore volume plot, cumulative 304
- porosity
  - fluidized bed 232–233
  - mean particle 59
  - paper 103
- positron emission particle tracking (PEPT) 202, 223–228
- powder flow analyzer, ShearScan TS12 346–348
- powders
  - classification 331



- cohesive 332–335
- single particle drying kinetics 20–24
- preconsolidated cohesive powders, flow criteria 332–335
- press shear cell, Reichmann 340–344
- pressure difference, across droplet surface 53
- pressure drop fluctuations
  - spectral analysis 202, 218–223
- pressure nodes, effect of droplet size 54–55
- primary acoustic streaming 48–53
- process zone *see* plastic zone
- projections
  - fan beam 151–152
  - X-ray image reconstruction 149–152
- PRT *see* platinum resistance thermometer
- pulp samples, self-diffusivity 123–124
- pulsed field gradient (PFG) NMR 127
- pulsed gradient spin-echo (PGSE) technique 119–124
- pure water droplets, acoustically-levitated 61–63
- pushbroom method, spatial information acquisition 79

**q**

- quasi-elastic light scattering (QELS) 286–287

**r**

- radio frequency excitation, MRI 94–95
- Radon transform 149–150
- ram extrusion 265
- rate constant, definition 26, 40
- Rayleigh-Debye equation 285
- Rayleigh-Gans-Debye theory 284
- Rayleigh range 244
- Rayleigh theory 284
- refraction, Snell's law 228–229
- regions of interest (ROIs), spectral information acquisition 81, 84, 86
- Reichmann press shear cell 340–344
- relaxation, and NMR signal 95–97
- repose angle, moving particle bed 329
- resorcinol-formaldehyde xerogels, drying optimization 173–175
- rice kernels, moisture profiles 132–137
- ring shear tester, Schulze 339–340
- ROI *see* regions of interest
- rotary drums, particle bed movement 348–352
- rotating particles, discrete element method 351–352
- roughness regime, capillary bridges 258
- Ruiz-Cabrera method 130–131

**s**

- SAPDF *see* spectral analysis of pressure drop fluctuations
- scanning electron microscopy (SEM), particle size distribution 281–283
- scattered light detection, 90° 247
- scattering, laser light, particle dispersions 283–291
- Schulze ring shear tester 339–340
- Schwedes biaxial shear tester 344
- SE *see* spin-echo
- second derivative spectrum
  - NIR spectroscopy 81
  - soybean seeds 87–88
- secondary acoustic streaming 48–53
- segmentation algorithms, X-ray attenuation 161–162
- self-diffusivity, pulp samples 123–124
- shading correction, image processing 79–80
- shear cell
  - Jenike translational 335–339
  - Reichmann 340–344
- shear force-displacement curves 338
- shear testers
  - direct and indirect 344–348
  - Schulze 339–340
  - survey 348
- shear testing technique SSTT 337–339
- Shearscan TS12 346–347
- Sherwood number 51
- SIC
  - desorption curves 8
  - pore diameter 6
- sieve analysis, off-line particle size measurement 198–200
- signal intensity, MRI in cardboard samples 111
- simulation of rotating particles, discrete element method 351–352
- single droplet drying
  - aqueous mannitol solution 63–66
  - drying rate 55–57
  - water 59–63
- single particle drying
  - general remarks 2–4
  - normalized drying rate 25
  - powdery material 20–24
- single point detectors, spatial information acquisition 79
- sinogram *see* Radon transform
- slice selection, NMR 99–100
- sludges
  - convective drying 167–173
  - individual extrudates 167–170

- packed bed 170–173
  - slump test 251–252
  - slurry state, wet granular media 261
  - small droplets, acoustic levitation 41–66
  - small optical measuring volume 244–246
  - Snell's law 228–229
  - sodium benzoate granules 319
  - sol 251
  - solid bodies, impact 313–318
  - solid density analysis, HE-pycnometry 293–295
  - solid-liquid dispersions, flow characteristics 341
  - solids
    - soft 251
    - wet granular 251
  - solids fraction, stagnant bed 205–206
  - solvent droplets
    - acoustically levitated, drying rate 58
    - spherical, drying rate 55–57
  - sound pressure
    - definition 42
    - infinite levitator 45
  - sound pressure boundary layer 50
  - sound pressure field
    - change of droplet size 53–55
    - deformation of droplet shape 48
    - interactions with droplets 47–55
    - primary acoustic streaming 48–53
  - sound pressure level (SPL)
    - definition 42
    - effect of droplet size 54
    - effective 47
  - sound pressure wave, frequency 43–44
  - sound velocity level (SVL), definition 42
  - soybean seeds 86–87
    - moisture distribution 85–88
    - second derivative spectrum 87–88
  - Spalding transfer number 57
  - spatial filtering velocimetry 188–189
  - spatial information acquisition technique 78–79
  - spatio-temporal evolution, contact drying 177–180
  - specific surface area
    - BET-model 298–300
    - gas adsorption method 296–300
  - spectral analysis
    - absorption bands
    - of pressure drop fluctuations (SAPDF) 202, 218–223
  - spectral data
    - acquisition 81–82
    - pretreatment 81–82
  - spectral illuminator 83
  - spectral imaging, near-infrared *see* near-infrared spectral imaging
  - spectral information acquisition technique 77–78
  - sphere indentation, wet granular media 263
  - spherical particles
    - capillary forces 256–258
    - diametric compression 253–254
    - morphology of packing 178
    - Young's modulus 253
  - spherical regime, capillary bridges 258
  - spherical solvent droplets, drying rate 55–57
  - sphericity/circularity, particle shape 200
  - spin-echo (SE) sequence, NMR 101–102
  - spin-lattice relaxation *see* longitudinal relaxation time
  - spin-spin relaxation *see* transverse relaxation time
  - SPL *see* sound pressure level
  - spout-fluid bed
    - particle circulation time 227–228
    - spectral analysis 219
  - spraying rate 17–18
  - spring balance method, adhesion force testing 309–310
  - squeeze flow, wet granular media 265
  - SSTT, shear testing technique 337–338
  - stagnant bed, solids fraction 205–206
  - standing acoustic wave, forces 43–47
  - Stefan flow 57
  - stiff particles with soft contacts, model 333
  - strain energy release rate 268
  - surface area
    - BET-model 298–300
    - gas adsorption method 296–300
  - surface-related attrition coefficients 241–243
  - surfaces
    - bonding effects 307–312
    - pressure difference across 53
  - SVL *see* sound velocity level
  - symmetry, particle shape 200
  - synchrotron X-ray microtomography 157
- t**
- tapping density, particle bed 328
  - Tardos Couette device 346
  - temperature, drying air 65
  - temperature protocols, moisture distribution 30–32
  - tension tests 268
  - test methods
    - adhesion force 309–310

- breakage 320–321
- pore size distribution 305–307
- thin films, Sherwood number 57
- thin layer method (TLM), packed beds 11
- three-point bend method 267
- time-domain NMR *see* low-resolution NMR spectroscopy
- TLM *see* thin layer method
- total amount of water, MRI calibration 113
- total light absorption, definition 76
- transient moisture profiles, food and biological samples 128–131
- translational shear cell, Jenike 335–339
- transport phenomena, agricultural and food products 125–126
- transportation, particle stress 319
- transverse relaxation time 96–97
- triaxial tests 267
- Trouton ratio 265
- tunable filter, spectral information acquisition 78

## u

- ultrasonic levitation *see* acoustic levitation
- ultrasonic methods, dense particle dispersions 291–293
- unassigned voxels, X-ray attenuation 163
- underconsolidated media, granular 262
- uniaxial tester, Enstad 344–346

## v

- van der Waals forces 309
- velocimetry
  - particle image *see* particle image velocimetry
  - spatial filtering 188–189
- velocity *see* particle velocity
- velocity vector maps 212–215
- ventilation gas stream, acoustic levitator 52
- vibration method, adhesion force testing 310
- viscous force 258
- visualization
  - constituent distribution 82
  - moisture distribution 83–88
- volume concentration, and moisture content 14
- volume determination, using gas pycnometry 294–295

## w

- wastewater sludges *see* sludges
- water
  - absorption bands 83–85
  - hyperspectra 84

- single droplet drying 59–63
- sorbed in cotton fibers 121
- water concentration profiles, MRI calibration 112–113
- water content
  - conversion of NMR signal 135
  - *see also* moisture
- water droplets, acoustically-levitated 61–63
- web, cellulose fibers 103
- wet filter cake, press shear cell 340–344
- wet granular media
  - adhesive interactions 254–255
  - cohesive interactions 256–259
  - elastoplastic measurements 262–266
  - failure properties 266–269
  - frictional and lubrication interactions 259–261
  - interparticle forces 252–261
  - mechanical interactions 252–254
  - mechanical properties 251–269
- wet granular solids 251
- wet sample gas
  - particle concentration 240
  - velocity 239–240
  - volume 239
- width/length aspect ratio, particle shape 200
- wire cutting 268
- wood samples, MRI, general data 102–104

## x

- X-ray attenuation coefficients 147–148, 158–163
  - morphological characteristics 163–167
- X-ray macrotomography 155–156
- X-ray microtomography 156–157
  - synchrotron 157
- X-ray sources, geometry 154–155
- X-ray tomography 143–181
  - applications 167–180
  - fundamentals and principles 143–153
  - geometry of CT systems 153–155
  - image processing 157–166
  - image reconstruction 148–153
  - instrumentation 153–157
  - large-scale 155–156
  - packed bed, contact drying 176–180
  - physical principles 144–148
  - resorcinol-formaldehyde xerogels, drying optimization 173–175
  - sludge, convective drying 167–173
- x-y scanning, spatial information acquisition 79
- xerogels, drying optimization 173–175

**y**

Young's modulus, smooth spherical particles 253

**z**

ZD, z-direction, cellulose fibers 103

zeolite 4A

– adsorption 9

– desorption curves 7–8

– mass determination 10

– pore diameter 6

zeolite granules

– breakage probability 324–325

– cyclic stressing test 323–324

– force-displacement behavior 321–323

Zimm plot 285–286