Contents

Series Preface XIII Preface of Volume 2 XVII List of Contributors XXIII Recommended Notation XXVII EFCE Working Party on Drying: Address List XXXIII v

2

| 1 | Measurement of Average Moisture Content and Drying Kinetics |
|-------|--|
| | for Single Particles, Droplets and Dryers 1 |
| | Mirko Peglow, Thomas Metzger, Geoffrey Lee, Heiko Schiffter, |
| | Robert Hampel, Stefan Heinrich, and Evangelos Tsotsas |
| 1.1 | Introduction and Overview 1 |
| 1.2 | Magnetic Suspension Balance 2 |
| 1.2.1 | Determination of Single Particle Drying Kinetics – General Remarks |
| 1.2.2 | Configuration and Periphery of Magnetic Suspension Balance 4 |
| 1.2.3 | Discussion of Selected Experimental Results 6 |
| 1.3 | Infrared Spectroscopy and Dew Point Measurement 10 |
| 1.3.1 | Measurement for Particle Systems – General Remarks 10 |
| 1.3.2 | Experimental Set-Up 12 |
| 1.3.3 | Principle of Measurement with the Infrared Spectrometer 13 |
| 1.3.4 | Dew Point Mirror for Calibration of IR Spectrometer 14 |
| 1.3.5 | Testing the Calibration 17 |
| 1.3.6 | A Case Study: Determination of Single Particle Drying Kinetics of |
| | Powdery Material 20 |
| 1.4 | Coulometry and Nuclear Magnetic Resonance 24 |
| 1.4.1 | Particle Moisture as a Distributed Property 24 |
| 1.4.2 | Modeling the Distribution of Solids Moisture at the Outlet |
| | of a Continuous Fluidized Bed Dryer 25 |
| 1.4.3 | Challenges in Validating the Model 27 |
| 1.4.4 | Coulometry 28 |
| 1.4.5 | Nuclear Magnetic Resonance 33 |
| 1.4.6 | Combination of Both Methods 37 |

VI Contents

| 1.4.7 | Experimental Moisture Distributions and Assessment of Model 37 |
|---|---|
| 1.5 | Acoustic Levitation 41 |
| 1.5.1 | Introductory Remarks 41 |
| 1.5.2 | Some Useful Definitions 42 |
| 1.5.3 | Forces in a Standing Acoustic Wave 43 |
| 1.5.4 | Interactions of a Droplet with the Sound Pressure Field 47 |
| 1.5.4.1 | Deformation of Droplet Shape 48 |
| 1.5.4.2 | Primary and Secondary Acoustic Streaming 48 |
| 1.5.4.3 | Effects of Changing Droplet Size 53 |
| 1.5.5 | Single Droplet Drying in an Acoustic Levitator 55 |
| 1.5.5.1 | Drying Rate of a Spherical Solvent Droplet 55 |
| 1.5.5.2 | Drying Rate of an Acoustically Levitated Solvent Droplet 58 |
| 1.5.5.3 | Drying Rate of Droplets of Solutions or Suspensions 58 |
| 1.5.6 | A Case Study: Single Droplet Drying of Water and an Aqueous Carbohydrate Solution 59 |
| 1.5.6.1 | A Typical Acoustic Levitator 60 |
| 1.5.6.2 | Evaporation Rates of Acoustically-Levitated Pure Water Droplets 61 |
| 1.5.6.3 | Evaporation Rates and Particle Formation with Aqueous |
| | Mannitol Solution Droplets 63 |
| 1.6 | Concluding Remarks 66 |
| | References 69 |
| | |
| 2 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta |
| 2 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 |
| 2 2.1 2.2 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 Principles of Near-Infrared Spectral Imaging 74 |
| 2 2.1 2.2 2.2.1 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 Principles of Near-Infrared Spectral Imaging 74 Near-Infrared Spectroscopy 74 |
| 2 2.1 2.2 2.2.1 2.2.2 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 Principles of Near-Infrared Spectral Imaging 74 Near-Infrared Spectroscopy 74 Lambert–Beer Law 74 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.2 2.2.3 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 Principles of Near-Infrared Spectral Imaging 74 Near-Infrared Spectroscopy 74 Lambert–Beer Law 74 Hyperspectrum 76 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 Principles of Near-Infrared Spectral Imaging 74 Near-Infrared Spectroscopy 74 Lambert–Beer Law 74 Hyperspectrum 76 Classification by Spectral Information Acquisition Technique 77 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 Principles of Near-Infrared Spectral Imaging 74 Near-Infrared Spectroscopy 74 Lambert–Beer Law 74 Hyperspectrum 76 Classification by Spectral Information Acquisition Technique 77 Classification by Spatial Information Acquisition Technique 78 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 | Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods 73 Mizuki Tsuta Introduction 73 Principles of Near-Infrared Spectral Imaging 74 Near-Infrared Spectroscopy 74 Lambert–Beer Law 74 Hyperspectrum 76 Classification by Spectral Information Acquisition Technique 77 Classification by Spatial Information Acquisition Technique 78 Image Processing 79 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82Visualization of Constituent Distribution82 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.4 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert-Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spectral Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82Visualization of Constituent Distribution82Applications of Near-Infrared Spectral Imaging for Visualization |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.4 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spectral Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82Visualization of Constituent Distribution82Applications of Near-Infrared Spectral Imaging for Visualizationof Moisture Distribution83 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.4 2.4.1 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spectral Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82Visualization of Constituent Distribution82Applications of Near-Infrared Spectral Imaging for Visualization6Moisture Distribution83Specification of the Absorption Bands of Water and Ice83 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.4 2.4.1 2.4.1.1 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82Visualization of Constituent Distribution82Applications of Near-Infrared Spectral Imaging for Visualizationof Moisture Distribution83Specification of the Absorption Bands of Water and Ice83Imaging Apparatus83 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.4 2.4.1 2.4.1.1 2.4.1.1 2.4.1.2 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82Visualization of Constituent Distribution82Applications of Near-Infrared Spectral Imaging for Visualizationof Moisture Distribution83Specification of the Absorption Bands of Water and Ice83Imaging Apparatus83Acquisition of Hyperspectra of Water and Ice84 |
| 2 2.1 2.2 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.3 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.4 2.4.1 2.4.1.1 2.4.1.2 2.4.1.3 | Near-Infrared Spectral Imaging for Visualization of MoistureDistribution in Foods73Mizuki TsutaIntroduction73Principles of Near-Infrared Spectral Imaging74Near-Infrared Spectroscopy74Lambert–Beer Law74Hyperspectrum76Classification by Spectral Information Acquisition Technique77Classification by Spatial Information Acquisition Technique78Image Processing79Extraction of Spectral Images from a Hyperspectrum79Noise and Shading Correction79Conversion into Absorbance Image80Acquisition and Pretreatment of Spectral Data81Analysis of Absorbance Spectra82Visualization of Constituent Distribution82Applications of Near-Infrared Spectral Imaging for Visualizationof Moisture Distribution83Specification of the Absorption Bands of Water and Ice83Imaging Apparatus83Acquisition of Hyperspectra of Water and Ice84Spectral Analysis84 |

Contents VII

- 2.4.2 Visualization of Moisture Distribution inside Soybean Seeds 85
- 2.4.2.1 Sample 85
- Acquisition of Hyperspectra 86 2.4.2.2
- Spectral Analysis 86 2.4.2.3
- 2.4.2.4 Visualization of Moisture Distribution 87
- 2.5 Future Outlook 88
- References 89
- 3 Magnetic Resonance Imaging for Determination of Moisture Profiles and Drying Curves 91
 - Stig Stenström, Catherine Bonazzi, and Loïc Foucat
- Introduction 91 3.1
- Principles of MRI for Determination of Moisture Profiles 93 3.2
- 3.2.1 General Considerations 93
- 3.2.2 Basic NMR 94
- 3.2.2.1 Nuclear Magnetic Moment and Larmor Relation 94
- 3.2.2.2 Net Magnetization and Radio Frequency Excitation 94
- 3.2.2.3 Relaxation and NMR Signal 95
- 3.2.2.4 Factors Influencing Relaxation Times 97
- 3.2.3 Imaging Principles 97
- 3.2.3.1 Projection of an Object (1D Imaging) 98
- Two-Dimensional Imaging 98 3.2.3.2
- 3.2.3.3 Slice Selection 99
- 3.2.3.4 Three-Dimensional Imaging 100
- 3.2.4 Imaging Sequences 101
- 3.2.4.1 The Spin–Echo (SE) Sequence 101
- 3.2.4.2 The Gradient–Echo (GE) Sequence 102
- MRI Applications to Drying of Paper, Pulp and Wood Samples 3.3 102
- Some General Data about the Materials 102 3.3.1
- Overview of Previous Results 104 3.3.2
- 3.3.2.1 Pulp, Paper and Cellulose Samples 104
- 3.3.2.2 Wood 106
- 3.3.3 Determination of Moisture Gradients in Cardboard Samples 108
- 3.3.3.1 Experimental Conditions 108
- 3.3.3.2 Drying Experiments and MRI Parameters 109
- 3.3.3.3 Calibration Procedure 111
- 3.3.3.4 Results for Drying Profiles 114
- 3.3.3.5 Diffusion Measurements 119
- MRI Applications to Drying of Agricultural and Food Samples 125 3.4
- 3.4.1 MRI and Transport Phenomena in Agricultural and Food Products 125
- 3.4.2 NMR for Characterization of Biological and Food Products 126
- 3.4.3 MRI for Measurement of Transient Moisture Profiles in Food and Biological Samples 128
- 3.4.3.1 General Data 128
- 3.4.3.2 Measurement of Moisture Profiles in a Gel during Drying 130

VIII Contents

| 3.4.4 | Non-Intrusive Measurement by MRI of Moisture Profiles in Paddy |
|--------------------|---|
| | Rice Kernels during Drying 132 |
| 3.4.4.1 | Experimental Set-Up 132 |
| 3.4.4.2 | NMR Preliminary Experiments 132 |
| 3.4.4.3 | NMR Imaging Experiments 134 |
| 3.4.4.4 | Conversion of the MRI Signal to Water Content 135 |
| 3.4.4.5 | Imaging Results and Moisture Profiles 135 |
| 3.5 | Conclusion 137 |
| | References 139 |
| | |
| 1 | Use of X-Pay Tomography for Drying Pelated Applications 1/3 |
| 7 | Angélique Léonard Michel Crine, and Frantisek Stenanek |
| 11 | Fundamentals and Dringiples 142 |
| 4.1 | Fundamentals and Finiciples 143 |
| 4.1.1 | Introduction 145 |
| 4.1.Z | Physical Principles 144 |
| 4.1.3 | Reconstruction 148 |
| 4.2 | Instrumentation 153 |
| 4.2.1 | Geometry of CT Systems 153 |
| 4.2.2 | X-Ray Macrotomography (or Industrial Tomography) 155 |
| 4.2.3 | X-Ray Microtomography 156 |
| 4.2.4 | Synchrotron X-Ray Microtomography 157 |
| 4.3 | Image Processing 157 |
| 4.3.1 | Algorithms for 3D Image Filtering and Segmentation 157 |
| 4.3.2 | Calculation of Morphological Characteristics 163 |
| 4.3.2.1 | Phase Volume Fraction 164 |
| 4.3.2.2 | Cluster Volume Distribution 164 |
| 4.3.2.3 | Percolation 165 |
| 4.3.2.4 | Interfacial Area 166 |
| 4.3.2.5 | Interface Curvature 166 |
| 4.4 | Applications 167 |
| 4.4.1 | Convective Drying of Sludge 167 |
| 4.4.1.1 | Sludge Individual Extrudates 167 |
| 4.4.1.2 | Sludge Packed Bed 170 |
| 442 | Drving Optimization of Resorcinol-Formaldehyde Xerogels 173 |
| 4 4 3 | Contact Drving of a Packed Bed 176 |
| 4 4 3 1 | Experimental Set Up 176 |
| 1.1.3.1 1 1 3 7 | Spatio-Temporal Evolution of the Drying Front 177 |
| 4.4.3.2 | Spano-Temporal Evolution of the Drying Front 1/7 |
| 4.5 | Patarenage 182 |
| | NEICICINES 102 |
| 5 | Measuring Techniques for Particle Formulation Processor 107 |
| | Statan Hainrich Niels C. Dean Mirko Deglow Mike Adams |
| | Johannas A.M. Kuinars Evangalas Testas and Langthan D.K. Swills |
| 5 1 | Jonannes A.W. Kulpers, Evangelos isoisas, ana Jonarian P.K. Seville |
| J.1 | Maggurement of Derticle Size 199 |
| ٥.٢ | Measurement of Particle Size 188 |

- 5.2.1 In-Line Particle Size Measurement 188
- 5.2.1.1 Measuring Principle 188
- 5.2.1.2 Instrumentation 189
- 5.2.1.3 Applications 190
- 5.2.2 Off-Line Particle Size Measurement 194
- 5.2.2.1 Measuring Principle 194
- 5.2.2.2 Measurement Results: Size and Shape 196
- 5.3 Measurement of Particle Concentrations, Velocities, and Hydrodynamic Stability 201
- 5.3.1 Introduction 201
- 5.3.2 Particle Detection 202
- 5.3.3 Particle Image Velocimetry 208
- 5.3.4 Spectral Analysis of Pressure Drop Fluctuations 218
- 5.3.5 Positron Emission Particle Tracking 223
- 5.3.5.1 Particle Circulation Time 224
- 5.3.6 Fiber Optical Probe Measurement Technique 228
- 5.3.6.1 Calibration 231
- 5.3.6.2 Experimental Results 232
- 5.4 Measurement of Mechanical Stability of Particles during Fluidized Bed Processing 236
- 5.4.1 Introduction 236
- 5.4.2 Measurement of Attrition Dust with an Isokinetic Sensor 237
- 5.4.2.1 Theory 237
- 5.4.2.2 Experimental Results 240
- 5.4.3 Measurement of Attrition Dust and Overspray with an On-Line Particle Counter 243
- 5.4.3.1 Lorentz–Mie Theory as Measuring Principle 243
- 5.4.3.2 Measurement in High Concentrations with Small Optical Measuring Volume 244
- 5.4.3.3 Calibration and Evaluation 246
- 5.4.3.4 Experimental Results 249
- 5.5 Characterization of the Mechanical Properties of Partially and Fully Saturated Wet Granular Media 251
- 5.5.1 Introduction 251
- 5.5.2 Interparticle Forces 252
- 5.5.2.1 Mechanical Interactions 252
- 5.5.2.2 Adhesive Interactions 254
- 5.5.2.3 Cohesive Interactions 256
- 5.5.2.4 Frictional and Lubrication Interactions 259
- 5.5.3 Mechanical Properties of Wet Granular Media 261
- 5.5.3.1 Elastoplastic Measurements 262
- 5.5.3.2 Failure Properties 266
- 5.6 Conclusions 269
 - References 272

X Contents

| 6 | Determination of Physical Properties of Fine Particles, Nanoparticles |
|---------|--|
| | and Particle Beds 279 |
| | Werner Hintz, Sergiy Antonyuk, Wolfgang Schubert, Bernd Ebenau, |
| | Aimo Haack, and Jürgen Tomas |
| 6.1 | Introduction to Common Particle Properties 279 |
| 6.2 | Analysis of Particle Size Distribution 280 |
| 6.2.1 | Image Analysis by Optical and Scanning Electron Microscopy 280 |
| 6.2.1.1 | Optical Microscopy 281 |
| 6.2.1.2 | Electron Microscopy 281 |
| 6.2.1.3 | Image Analysis 282 |
| 6.2.2 | Laser Light Scattering and Diffraction for Dilute Particle |
| | Dispersions 283 |
| 6.2.3 | Ultrasonic Methods for Dense Particle Dispersions 291 |
| 6.2.3.1 | Acoustic Attenuation Spectroscopy 291 |
| 6.2.3.2 | Electrokinetic Sonic Amplitude Spectroscopy 292 |
| 6.3 | Measurement of the Physical Properties of Particles 293 |
| 6.3.1 | Solid Density Analysis by He-Pycnometry 293 |
| 6.3.1.1 | Introduction 293 |
| 6.3.1.2 | Volume Determination Using Gas Pycnometry 294 |
| 6.3.2 | Specific Surface Area by Gas Adsorption Method 296 |
| 6.3.2.1 | Physical Principles 296 |
| 6.3.2.2 | Surface Area Determination using the BET-Model 298 |
| 6.3.3 | Pore Size Distribution by Gas Adsorption Method 300 |
| 6.3.3.1 | Introduction 300 |
| 6.3.3.2 | Assessment of Microporosity 301 |
| 6.3.3.3 | Assessment of Mesoporosity 302 |
| 6.3.3.4 | Simplified Assessment of Pore Volume 304 |
| 6.3.3.5 | Measurement Set-Up and Test Method 305 |
| 6.3.4 | Measurement of Particle Adhesion 307 |
| 6.3.4.1 | Particle Adhesion Effects 307 |
| 6.3.4.2 | Comparison between Different Adhesion Forces 308 |
| 6.3.4.3 | Survey of Adhesion Force Test Methods 309 |
| 6.3.4.4 | Particle Interaction Apparatus According to Butt 310 |
| 6.3.5 | Measurement of Particle Restitution Coefficient 312 |
| 6.3.6 | Particle Abrasion and Breakage Tests 318 |
| 6.3.6.1 | Survey of Test Methods and Principles 318 |
| 6.3.6.2 | Compression Test 321 |
| 6.3.6.3 | Impact Test 325 |
| 6.4 | Testing of Particle Bed Properties 328 |
| 6.4.1 | Bulk Density and Tapping Density 328 |
| 6.4.2 | Angle of Repose of a Moving Particle Bed 329 |
| 6.4.3 | Flow Behavior of Cohesive and Compressible Bulk Solids 329 |
| 6.4.4 | Flow Criteria of Preconsolidated Cohesive Powders on a Physical Basis 332 |
| 6.4.5 | Translational Shear Cell according to Jenike 335 |

- 6.4.5.1 The Shear Testing Technique SSTT according to ICE 337
- 6.4.6 Ring Shear Tester according to Schulze for Dry Powder 339
- 6.4.7 Press Shear Cell according to Reichmann for Wet Filter Cake 340
- 6.4.8 Survey of Selected Direct and Indirect Shear Testers 344
- 6.4.8.1 The Biaxial Shear Tester according to Schwedes 344
- 6.4.8.2 The Uniaxial Tester according to Enstad 344
- 6.4.8.3 Couette Device by Tardos 346
- 6.4.8.4 Powder Flow Analyzer ShearScan TS12 by AnaTec 346
- 6.4.8.5 Survey of Different Shear Testers 348
- 6.5 Measurement of Particle Bed Movement in Rotary Drums by High-Speed Camera 348
- 6.6 Conclusions 353 References 356

Index 363