

Contents

Series Preface XIII

Preface of Volume 3 XVII

List of Contributors XXI

Recommended Notation XXV

EFCE Working Party on Drying: Address List XXXI

- 1 Quality Changes in Food Materials as Influenced by Drying Processes** 1
Catherine Bonazzi and Elisabeth Dumoulin
 - 1.1 Introduction 1
 - 1.2 Biochemical Reactions Induced by Drying 5
 - 1.3 Physical Transformations During Drying 9
 - 1.4 Mechanical Transformations Induced by Drying 14
 - 1.5 Storage and Rehydration of Food Products 16
 - 1.6 Conclusion 17
 - References 18

- 2 Impact of Drying on the Mechanical Properties and Crack Formation in Rice** 21
Catherine Bonazzi and Francis Courtois
 - 2.1 Introduction 21
 - 2.2 Impact of Drying Conditions on Head Rice Yield for Paddy and Parboiled Rice 24
 - 2.3 Characterization of Fissures Formation by Image Analysis Techniques 28
 - 2.4 Characterization of the Mechanical Properties of the Rice Material 33
 - 2.4.1 Stress–Strain Relationships for Linear Materials 34
 - 2.4.2 Failure Strength in Rice Grains 36
 - 2.5 Modeling the Impact of Drying on the Final Quality of Rice Grains 39
 - 2.6 Conclusion 45
 - References 46

3	Characterization and Control of Physical Quality Factors During Freeze-Drying of Pharmaceuticals in Vials	51
	<i>Julien Andrieu and Séverine Vessot</i>	
3.1	Introduction	51
3.2	Characterization Methods of the Key Quality Factors During Freeze-Drying of Pharmaceuticals in Vials	52
3.2.1	State Diagram, Melting Curves, Vitreous Transition, Collapse Temperature	54
3.2.2	Characterization Methods: DSC, MDSC, Freeze-Drying Microscopy	55
3.2.3	Ice Structure and Morphology: Cold Chamber Optical Microscopy	55
3.2.4	Heat Flux Heterogeneity in the Sublimation Chamber	57
3.2.5	Permeability of Freeze-Drying Cake: Pressure Rise Tests	59
3.2.6	Estimation of Mean Product Temperature	61
3.3	Influence of Freezing and Freeze-Drying Parameters on Physical Quality Factors	63
3.3.1	Influence of Freezing Protocol on Ice Morphology	63
3.3.1.1	Influence of Freezing Rate	64
3.3.1.2	Influence of Vial Type and Filling Height	66
3.3.1.3	Annealing	67
3.3.2	Controlled Nucleation	70
3.3.2.1	Controlled Nucleation by Ultrasound Sonication	70
3.3.2.2	Effect of Ultrasound on Structural and Morphological Properties	72
3.3.3	Relationship between Nucleation Temperatures and Sublimation Rates	73
3.3.4	Freeze-Dried Cake Morphology	74
3.3.4.1	Water Vapor Mass Transfer Resistance	74
3.3.4.2	Freeze-Dried Layer Permeability	76
3.3.5	Importance of Temperature Control	78
3.3.6	Influence of Operating Conditions on Sublimation Kinetics	79
3.4	Product Quality and Stability During Drying and Storage	83
3.4.1	Product Quality and Formulation	83
3.4.2	Product Quality and Polymorphism	84
3.5	Conclusions	85
	References	87
4	In-Line Product Quality Control of Pharmaceuticals In Freeze-Drying Processes	91
	<i>Antonello A. Barresi and Davide Fissore</i>	
4.1	Introduction	91
4.2	Control of the Freezing Step	94
4.3	Monitoring of the Primary Drying	96

4.3.1	Monitoring of Single Vials	99
4.3.2	Monitoring of a Group of Vials	103
4.3.3	Monitoring of the Whole Batch	106
4.3.3.1	Detection of the Endpoint of the Primary Drying	106
4.3.3.2	Monitoring the Primary Drying Using the Measurement of the Sublimation Flux	113
4.3.3.3	Monitoring the Primary Drying Using Methods Based on the PRT	114
4.4	Control of the Primary Drying	125
4.5	Monitoring and Control of Secondary Drying	135
4.6	Quality by Design	139
4.7	Continuous Freeze-Drying	142
4.8	Conclusion	143
	References	146
5	Understanding and Preventing Structural Changes During Drying of Gels	155
	<i>Thomas Metzger, Angélique Léonard, Wahbi Jomaa, and Hajime Tamon</i>	
5.1	Introduction	155
5.2	Gels and Their Applications – Quality Aspects	156
5.2.1	Preparation of Wet Gels	156
5.2.1.1	Silica Gels	156
5.2.1.2	Resorcinol-Formaldehyde (RF) Gels	157
5.2.2	Properties of Dry Gels	158
5.2.3	Applications of Dry Gels	160
5.3	Structural Characterization of Gels – Quality Assessment	162
5.3.1	Characterization of Wet Gels	162
5.3.1.1	Small Angle X-Ray Scattering (SAXS)	162
5.3.1.2	Thermoporometry	164
5.3.2	Characterization of Dry Gels	166
5.3.2.1	Nitrogen Adsorption	166
5.3.2.2	Mercury Porosimetry	168
5.3.2.3	Other Methods	171
5.3.3	Characterization of Gels During Drying	172
5.4	Drying Methods for Gels – Quality Loss	174
5.4.1	Convective Drying	174
5.4.1.1	Introduction	174
5.4.1.2	Shrinkage	175
5.4.1.3	Differential Shrinkage and Stress	177
5.4.1.4	Cracking	180
5.4.2	Freeze-drying	182
5.4.3	Supercritical Drying	185
5.4.3.1	Supercritical Drying of the Initial Solvent	185
5.4.3.2	Low-Temperature Process with CO ₂	187

5.5	Advanced Drying Techniques – Preserving Quality	189
5.5.1	Subcritical Drying	189
5.5.2	Freeze-Drying	190
5.5.2.1	General Remarks	190
5.5.2.2	RF and Carbon Cryogels	192
5.5.2.3	Ice Templating (for Silica Gels)	195
5.5.3	Vacuum Drying	197
5.5.4	Convective Drying	198
5.5.4.1	Preliminary Remarks	198
5.5.4.2	Preventing Shrinkage and Cracks by Aging (Silica Gels)	199
5.5.4.3	Making Shrinkage Reversible by Surface Modification (Silica Gels)	201
5.5.4.4	RF Gels – From First Results to a Systematic Investigation	204
5.5.4.5	Aging of RF Gels	208
5.5.4.6	Concluding Remarks	209
5.5.5	Microwave Drying	210
5.6	Advanced Modeling of Convective Drying – Understanding Quality	211
5.6.1	Macroscopic Models	211
5.6.1.1	General Remarks	211
5.6.1.2	Diffusion Model	211
5.6.1.3	More Rigorous Modeling	217
5.6.2	Development of A Pore-Scale Model	218
5.7	Summary	220
	References	223
6	Morphology and Properties of Spray-Dried Particles	231
	<i>Peter Walzel and Takeshi Furuta</i>	
6.1	Introduction	231
6.2	Morphology of Spray-Dried Particles	234
6.2.1	Classification of the Morphology of Spray-Dried Powders	234
6.2.2	Solutions of Low Molecular Weight Substances	236
6.2.3	Solutions of Polymers	240
6.2.4	Suspensions Containing Small Solid Particles	240
6.2.5	Suspensions Containing Large Solid Particles	244
6.2.6	Complex Dispersions Such as Emulsions and Other Formulations	244
6.2.6.1	Hard Shell Particles	244
6.2.6.2	Gelatinization	245
6.2.6.3	Microencapsulated Flavor Powders Formed from Emulsions	245
6.2.6.4	Particles from Proteins, Enzymes and Carrier Materials	247
6.2.7	Particles Obtained in Freeze Spray Drying	251

6.2.8	Particles Formed in Integrated Fluidized Beds	253
6.3	Retention of Flavor in Spray-Dried Food Products	253
6.3.1	General Remarks on Microencapsulation	253
6.3.2	Encapsulation of Flavor by Spray Drying	255
6.3.2.1	Theory and Mechanism	255
6.3.2.2	Microencapsulation of Hydrophilic Flavors	255
6.3.2.3	Spray Drying of Emulsified Hydrophobic Flavors	256
6.3.2.4	Factors Affecting the Retention of Emulsified Hydrophobic Flavors During Spray Drying	257
6.3.2.5	Stickiness of the Spray-Dried Powder	260
6.3.3	Release and Oxidation of the Encapsulated Flavor During Storage	261
6.3.3.1	Influence of Glass Temperature on the Storage Stability of the Encapsulated Flavor	261
6.3.3.2	Release of Flavor from Spray-Dried Powder During Storage	262
6.3.3.3	Oxidation of Encapsulated Flavor During Storage	267
6.3.3.4	Relaxation Process Correlation by Glass Transition Temperature	267
6.4	Encapsulation and Microencapsulation of Enzymes and Oil by Spray Drying	269
6.4.1	Microencapsulation of Enzymes by Spray Drying	269
6.4.2	Stress on Proteins During the Spray Drying Processes	270
6.4.2.1	Adsorption Stress	270
6.4.2.2	Shear Stress	271
6.4.2.3	Thermal and Dehydration Stress	271
6.4.3	Protein Encapsulation Theory by Spray Drying	272
6.4.4	Spray Drying of Protein Solutions	273
6.4.4.1	Drying of a Single Suspended Droplet	273
6.4.4.2	Stabilization of Enzymes During Spray Drying: Effects of Formulation Composition	274
6.4.4.3	Effect of Process Variables on the Stabilization of Enzymes During Spray Drying	275
6.4.5	Microencapsulation of Oil	278
6.4.5.1	Spray Drying of Oil Emulsions	278
6.4.5.2	Oxidation of Lipids Encapsulated in Spray-Dried Particles	279
6.5	General Quality Aspects	280
6.5.1	Porosity of Spray-Dried Particles and Species Distribution	280
6.5.2	Strength of Particles and Attrition	281
6.5.3	Bulk Density and Product Flowability	282
6.5.4	Residual Moisture	282
6.5.5	Reconstitution Behavior	283
6.6	Concluding Remarks	284
	References	286

7	Particle Formulation in Spray Fluidized Beds	295
	<i>Mirko Peglow, Sergiy Antonyuk, Michael Jacob, Stefan Palzer, Stefan Heinrich, and Evangelos Tsotsas</i>	
7.1	Introduction	295
7.2	General Principles of Particle Formulation in Spray Fluidized Beds	296
7.3	Influence of Material Properties	299
7.3.1	Adhesion Mechanisms and Mechanical Strength of Agglomerates	299
7.3.1.1	Material Structure and Properties	300
7.3.1.2	Van der Waals Forces	301
7.3.1.3	Capillary Forces Due to Liquid Bridges Between Particles	303
7.3.1.4	Viscous Forces in Sinter Bridges Between Amorphous Particles	304
7.3.1.5	Mechanical Strength of Agglomerates	308
7.3.2	Breakage of Agglomerates and of Granulated Products	315
7.3.2.1	Elastic–Brittle Breakage Behavior	316
7.3.2.2	Elastic–Plastic Breakage Behavior	317
7.3.2.3	Plastic Breakage Behavior	319
7.3.2.4	Breakage of Granules with Layered Structure	320
7.3.3	Consideration of Primary Particle Properties in Agglomeration	321
7.4	Influence of Operating Conditions	324
7.4.1	Mechanical Strength of Granulated Particles	324
7.4.1.1	Influence of Binder Content in the Sprayed Solution	325
7.4.1.2	Influence of the Particle Retention Time	326
7.4.1.3	Influence of Process Temperature	327
7.4.2	Catalyst Impregnation in Fluidized Beds	329
7.5	Influence of Apparatus Design	332
7.5.1	Apparatus Design Features with an Influence on Product Quality	332
7.5.2	Residence Time Distribution	338
7.5.3	Dispersive Growth in Batch Granulation	344
7.5.4	Discrete Particle Modeling of a Wurster Coater	349
7.5.4.1	Principles of the DPM	350
7.5.4.2	Parameters for the DPM Simulation	351
7.5.4.3	Influence of the Spout Velocity	352
7.5.4.4	Influence of the Wurster Gap Distance	355
7.6	Neural Networks, Encapsulation	357
7.7	Stochastic Discrete Modeling of Agglomeration	363
7.7.1	General Principles	363
7.7.2	Computational Method	364
7.7.3	Results	367

7.7.3.1	Effect of Liquid Flow Rate and Viscosity	367
7.7.3.2	Thermal Effects	367
7.7.3.3	Effect of Particle Porosity	369
7.8	Summary and Outlook	372
	References	374

Index	379
--------------	-----

