

Subject Index

a

- acetylacetonatotetramethylethyldiaminecopper (II) 62
 - additive 118
 - organic 216ff.
 - adsorbent 323
 - adsorption process 327
 - 1-alkyl-3-methylimidazolium tetrafluoroborate 50
 - 1-alkylimidazole 17f.
 - alloy
 - deposition 7
 - electrochemical alloying 137
 - electrodeposition 125ff.
 - nanocrystalline 8, 222
 - nanostructured 213ff.
 - aluminium
 - alloy 88, 128ff., 222, 316
 - anode 357
 - antimonide 150
 - 1-butyl-3-methylimidazolium chloride 356
 - 1-butyl-3-methylpyrrolidinium bis(trifluoromethylsulfonyl)amide 360
 - chromium 132
 - electrodeposition 88ff., 128, 245ff., 329, 353ff.
 - 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)amide 358f.
 - 1-ethyl-3-methylimidazolium chloride 127f., 353f.
 - film 229
 - halide 16
 - Hall-Héroult process 289
 - magnesium 131
 - manganese 131, 222
 - microcrystalline 118
 - molybdenum 128ff.
 - nanocrystalline 372
 - nanostructured 222f.
 - nickel 132
 - titanium 127
 - zirconium 129
 - aluminium chloride 337
 - aluminium chloride based ionic liquid
 - electrodeposition 84
 - amine 71
 - ammonium cation
 - quaternary 42, 110
 - ammonium halide
 - quaternary 33
 - anion
 - cation effect 119, 373
 - anode material 11
 - anodic dissolution 91
 - anomalous codeposition (ACD) 219
 - antimony
 - electrodeposition 91ff.
 - attenuated total reflection (ATR) 198
 - autosolvolysis 20
- ### **b**
- BASIL process 4
 - battery 373
 - [BBIM]⁺ 22
 - benzoic acid 223f.
 - benzyltrimethyl ammonium [BTMA]⁺ chloride 130
 - 1-benzyl-3-methylimidazolium [BZMIM]⁺ 60
 - betaine dye 59
 - bipolaron 200
 - bis(trifluoromethylsulfonyl)amide [NTF][–], [NTf₂][–], [Tf₂N][–], [TFSI][–], [TFSA][–] 27, 48, 54ff., 93, 98ff., 140, 180, 243
 - bithiophene 185
 - brightener 11, 221, 315
 - bromoalkane 18
 - Brønsted acidity 104, 336

380 | Subject Index

- 1-butyl-2,3-dimethylimidazolium
[BMMIM]⁺, [b-dimIM]⁺ 56ff.
 - chloride 36
- 1-butyl-3-methylimidazolium [BMIM]⁺,
[C₄mim]⁺ 20ff., 50ff., 181ff.
 - bis(trifluoromethylsulfonyl)amide 102, 189
 - chloride 150, 222, 356
 - chloride/aluminium chloride 356
 - decomposition pathway 272f.
 - hexafluorophosphate 96, 151f., 181, 194ff.
 - tetrafluoroborate 96, 200, 273
 - trifluoromethylsulfonate 96
- 1-butyl-1-methylpyrrolidinium [BMP]⁺,
[C₄mpyr]⁺, [Py_{1,4}]⁺ 98ff., 114, 155, 229, 241, 252
 - bis(trifluoromethylsulfonyl)amide [Tf₂N][−] 94ff., 114, 155ff., 200, 227, 241, 252, 271, 329, 339, 360f.
 - decomposition pathway 271f.
 - trifluoromethylsulfonate [TFO][−] 99
- butylpyridinium [BP]⁺, [bpyr]⁺ 56, 134
 - zinc chloride 134
- c**
 - [C₂mim] 168ff.
 - hexafluorophosphate 168
 - tetrafluoroborate 168
 - trifluoromethanesulfonate 176
 - cadmium
 - alloy 133
 - electrodeposition 95, 133
 - removal 323
 - semiconductor 147
 - telluride 151
 - zinc 133
 - carbon
 - activated 322
 - cathode 357
 - cation
 - anion effect 119, 373
 - structure 10
 - charge mobility characteristic 5
 - charge trapping 192
 - chloroaluminate 10
 - ionic liquid 15, 222
 - synthesis 19
 - chloroaluminate liquid
 - colorless 17
 - chlorometallate 39
 - ionic liquid 222ff.
 - chlorozincate 105ff., 132ff.
 - anion 35
 - choline 38
 - chloride 34, 108, 232, 365
 - chromium 38
 - alloy 132
 - aluminium 132
 - electrodeposition 95, 132
 - film 109
 - metallic-looking coating 108
 - nanocrystalline film 95
 - removal 323
 - chronoamperometry 106
 - cobalt
 - alloy 134
 - electrodeposition 134
 - zinc 134
 - component ion 73
 - concentration 323
 - conducting polymer 167ff.
 - air- and water-stable ionic liquid 179ff.
 - chloroaluminate ionic liquid 177ff.
 - electrochemical characterization 191
 - morphological characterization 194
 - spectroscopic characterization 198
 - synthesis 177ff.
 - conductivity 117, 313f.
 - ionic 70
 - ionic liquid 313
 - modelling 40
 - molar 5
 - copper 112f.
 - (II)
 - acetylacetonatotetramethylethyldiamine 62
 - alloy 133
 - electrodeposition 94, 133ff., 229
 - foil 89
 - indiumselenide (CIS) 161
 - nanocrystalline 94, 229
 - plasma electrochemical deposition (PECD) 278f.
 - removal 323
 - rotating disk electrode (RDE) 127
 - tin 142
 - trifluoromethanesulfonate [TFO] 231
 - zinc 133
 - corrosion
 - resistance 2, 143
 - counter electrode 370
 - reaction 287ff., 317
 - crystallite size 216ff.
 - CVD 311

- cyano-based ionic liquid 28
2-(cyclohexylamino)ethanesulfate [CHES][−] 60
- d**
de-alloying 137
– electrochemical 137
1-decyl-3-methylimidazolium cation [DMIM]⁺, [decyl-MIM]⁺ 57ff.
deep eutectic solvent (DES) 39, 336, 365
density 56f.
deposition
– mechanism 216
– metal from non-chloroaluminate eutectic mixture 103
– nanometal 217
– reactive element 114
1,3-dialkylimidazolium tetrachloroaluminate 20
N,N-dialkylpiperidinium 27
N,N-dialkylpyrrolidinium 27
– based ionic liquid 114
dicyanamide anion [DCA][−] 29
1,2-diethyl-3,4-dimethylimidazolium [DEDMIM]⁺ 72
1,3-diethyl-5-methylimidazolium 186, 193
N,N-diethyl-3-methylpyrazolium [DEMPZ]⁺ 72
N,N-diethyl-4-nitroaniline 59ff.
diffusion coefficient 73f.
diluent 10, 111
Dimersol® process 4
1,2-dimethyl-3-(*n*-propyl)imidazolium [DMPIM]⁺ 72
dimethylimidazolium [MMIM]⁺ 22
dipolarity 59
donor number (DN) 62
dopant
– chiral 204
– Raman-active 198
doping 187ff.
double layer structure 10
dye-sensitized solar cell (DSSC) 29
- e**
ED(A)X, *see* energy
electrochemical alloying 137
electrochemical application 47ff.
electrochemical atomic layer epitaxy (ECALE) 148
electrochemical cycling 193
electrochemical method 172
electrochemical property 66
electrochemical quartz crystal microbalance (EQCM) 102, 193
electrochemical synthesis
– conducting polymer 175ff.
electrochemical window 270
electrochemistry
– impurity 338
electrode 173f., 261
– blocking 69
– first kind 298
– redox 298
– reference, *see* reference electrode
– second kind 298
electrode-free discharge 265
electrodeposition
– air- and water-stable ionic liquid 92
– alloy 125ff.
– aluminium 245ff., 353
– aluminiumchloride-based ionic liquid 84, 353
– antimony 91
– chloroaluminate ionic liquid 126ff.
– chromium 95
– eutectic-based ionic liquid 104
– gallium 91
– indium 90
– ionic liquid 1ff., 84ff., 147ff.
– lithium 84
– metal 83ff.
– nanocrystalline 8
– nanometer scale 239ff.
– palladium 96
– platinum 96
– pulsed, *see* PED
– semiconductor 147ff.
– silver 96
– sodium 86
– tantalum 250
– tellurium 92
– tin 91
– zinc 92
electrodialysis 322
electrolyte 261ff.
electrolytic solution 297
electromotive force 260f.
electropickling 7
electroplating 6, 319ff., 345
electropolishing 7, 293ff.
– stainless steel 293
electropolymerization 171ff.
– solution-surface 181
electrostenolysis 266
Endres-quality 342

382 | Subject Index

energy

- dispersive X-ray (EDX, EDAX) 109ff., 128
- 1-ethyl-2,3-dimethylimidazolium [e-diMIM]⁺ 67, 193
- 1-ethyl-3H-imidazolium
 - trifluoroacetate 204
- 1-ethyl-3-methylimidazolium [EMIM]⁺, [C₂mim] 29ff., 48ff., 69, 118, 168ff.
- bis(trifluoromethylsulfonyl)amide 98, 118, 176ff., 247, 340ff.
- chloride 18f., 85ff., 107, 134ff., 353
- chloride/aluminium trichloride ionic liquid 85, 353
- ethylsulfate 31
- tetrafluoroborate 96
- trifluoromethanesulfonate 176
- zinc(II)chloride 95, 105
- ethylene glycol 111, 365
- eutectic
 - choline chloride based 111
 - eutectic-based ionic liquid 31ff., 104
 - impurity in deep eutectic solvent 336
 - mixture 103
 - point 32
 - solvent, *see also* deep eutectic solvent 336, 365
 - type I 33ff., 103ff.
 - type II 38, 103ff.
 - type III 38f., 103ff.
- extraction process 327

f

- FAB MS, *see* mass spectrometry
- ferric chloride 36, 107
- ferrocene (Fc) 66, 305, 339
- ferrocenium (Fc⁺) 66, 339
- fluidity 5
- Fourier transform infrared spectroscopy (FTIR) 198
- fragility parameter 69

g

- gallium
 - arsenide 107f., 149
 - electrodeposition 91
- germanium 151ff.
 - electrodeposition 151, 232
 - Ge(111) 231
- Gibbs enthalpy 216
- glass transition temperature 51
- gold
 - Au(111) 241ff., 338ff.
 - electrodeposition 140

- nano 217
- porous 139
- grain refiner 216ff.
- grain size 217
- greenness 319

h

- haloaluminate
 - anion 16
 - ionic liquid 21ff.
- HBD, *see* hydrogen bond donor
- Helmholtz layer 10
- heteronuclear Overhauser effect spectroscopy (HOESY) 39
- hexafluorophosphate [PF₆][−]
 - ionic liquid 24
- 1-*n*-hexyl-3-methylimidazolium [HMIM]⁺ 26ff., 253
- tris(pentafluoroethyl)trifluorophosphate [FAP] 253ff.
- 1-hexyl-1-methylpyrrolidinium [HMP⁺L] 30
- N*-hexylpyridinium [HPYR]⁺ 30
- high resolution scanning electron microscopy (HRSEM) 277ff.
- high resolution transmission electron microscopy (HRTEM) 277ff.
- highly oriented pyrolytic graphite (HOPG) 157
- hydrogen bond
 - acidity 59
 - basicity 59
 - donor (HBD) 39, 110
- hydrophobicity 28ff.
- 2-hydroxyethyl ammonium formate 205
- 1-hydroxyethyl-3-methylimidazolium [OH-EMIM]⁺ 60

i

- imidazolium 33, 51ff.
 - ionic liquid 51
 - salt 49
- impurity 117, 334, 369f.
 - gaseous 336
 - particulate 336
 - synthetic 334
- indium 90, 140
 - antimonide 108, 149
 - electrodeposition 90, 140
 - palladium 140
 - tin-oxide (ITO) 188ff.
- inert gas condensation (IGC) 214

ion conduction 75
– selective 76
ion conductor
– anisotropic 53
ion radius 48
ionic conductivity 68ff.
ionic fluid 3
ionic liquid (IL)
– air- and water stable 21ff., 140ff., 227
– biodegradable 374
– chiral 203f.
– chlorometallate based 222ff.
– chlorozincate 105ff., 222
– definition 4
– distillable 204
– electrodeposition 92ff.
– electrolyte 220f
– eutectic-based 104
– ferromagnetic 36
– haloaluminate-based 17ff.
– hexafluorophosphate 24
– moisture-stable 23
– nanocrystalline metal 227
– nanomaterial 371
– physical property 47ff.
– physicochemical property 29
– plasma electrochemical metal deposition 274
– plasma electrochemistry 259ff.
– protic 204
– recycling 375
– regeneration 319ff.
– reuse 319
– specific ion 75
– stability 269
– synthesis 15ff.
– task-specific, *see* TSIL
– technical potential 6
– tetrafluoroborate 24
– type III 344
– water content 174
– water-stable 21ff., 140ff., 227
iron
– (II) chloride 36, 107
– (III) chloride 36, 107
– alloy 135, 218f.
– electrodeposition 135
– nanostructured 226
– zinc 135
ITO (indium-tin-oxide), *see* indium

k

Kamlet-Taft parameter 59ff.

l

Lewis acid 16ff.
– aluminium chloride 89
– ionic liquid 35
Lewis acidity 104ff., 222, 336
Lewis base 10
life cycle analysis (LCA) 9
liquid
– crystallinity 53
– glycol-based 40
– junction 300
– junction potential (LJP) 300
liquor
– ionic liquid 324
– water-based 321ff.
lithium
– bis(trifluoromethylsulfonyl)amide [NTF][−] 27, 188, 341, 362
– 1-butyl-1-methylpyrrolidinium [BMMIM] bis(trifluoromethylsulfonyl)imide/
lithium bis(trifluoromethylsulfonyl)
imide 362
– electrodeposition 24, 85, 100
– [FAP][−] 28
– salt 72ff.

m

macroporous structure 139
magnesium
– alloy 131ff.
– aluminium 131
– deposition 100, 114
– electrodeposition 136
– zinc 136
manganese
– alloy 131
– aluminium 131
– electrodeposition 143
– zinc 143
mass spectrometry (MS)
– fast atom bombardment (FAB MS) 34, 105
mass transport 104
material compatibility 312
mechanical process 328
melting point 47ff.
mesoporous structure 139
metal
– alloy 126
– air- and water stable ionic liquid 227
– deposit 218
– dissolution process 287
– group I 84

384 | *Subject Index*metal (*continued*)

- group II 88
- group III 88
- group IV 91
- group V 91f.
- group VI 92
- halide cluster 115
- less reactive 93
- nanocrystalline 8, 222ff.
- nanostructured 213ff.
- non-chloroaluminate eutectic mixture 103
- oxide 37
- porous surface 137
- reactive metal 97
- salt 64
- water-stable ionic liquid 227
- 1-methyl-3-methylimidazolium [MMIM]⁺ 22
- N-methylpyrrolidinium formate 54
- microporous structure 139
- [MMIM], *see* dimethylimidazolium
- mobility 41
- molybdenum
 - aluminium-alloy 128ff.
 - electrodeposition 128ff.
 - 1-ethyl-3-methylimidazolium chloride 128
- montmorillonite 323

n

- nanoalloy 218
 - deposition 218
- nanocomposite coating 8
- nanomaterial 213, 371f.
 - ionic liquid 371
 - tailor-made 214
- nanoparticle 8, 372
- nanoporous structure 139
- nanostructured metal
 - electrodeposition 215
- nanotube 205
- nanowire 205
- Nernst equation 297
- Nernst-Einstein equation 41, 73
- nickel
 - alloy 132, 218
 - aluminium 132
 - chromium 132
 - electroless plating 322
 - nano 214
 - recovery 323
 - titanium alloy 102
- nicotinic acid 316

nile red 64

niobium

- alloy 139
- electrodeposition 139
- ionic liquid 37
- tin 139
- 4-nitroaniline 59ff.
- non-chloroaluminate eutectic mixture 103
- nuclear magnetic resonance (NMR)
 - pulse-field-gradient (PFG NMR) 73ff.
 - solid-state 201

o

- 1-octyl-3-methylimidazolium [OMIM]⁺ 55ff.
- onium cation 48

p

palladium

- deposition 316
- electrodeposition 96, 140
- gold 140
- indium 140
- plasma electrochemical deposition (PECD) 280
- silver 140
- PED (pulsed electrodeposition) 214f.
 - aqueous electrolyte 215
- PEDOT, *see* poly(3,4-ethylenedioxythiophene)
- PFG NMR, *see* nuclear magnetic resonance
- phosphorus oxyfluoride 335
- plasma
 - electrochemical cell 266
 - electrochemical deposition (PECD) 274ff.
 - electrochemical metal deposition in ionic liquid 274
 - electrolysis 267f.
 - electrolyte interface 262
 - experiment 269
 - low-temperature 261
 - reactor 264
 - type 264
- plasma electrochemistry 259ff.
- plating protocol 353ff.
- platinum
 - (II) tetraamino 130
 - (IV) bis(acetylacetonato) 130
 - alloy 130
 - aluminium 130
 - electrodeposition 96, 130ff.
 - plasma electrochemical deposition (PECD) 280
 - zinc 136ff.

PMIM, *see* 1-*n*-propyl-3-methylimidazolium
polarity 58ff.
polarizability 59
polarization 262
polaron 200
poly(aniline) 168, 179, 193ff.
poly(bithiophene) 183
poly(3,4-ethylenedioxythiophene) (PEDOT)
168, 188ff., 200
poly(fluorene) 178
poly(3-(4-fluorophenyl)thiophene) 186
poly(*N*-methylpyrrole) 194
poly(*para*-phenylene) (PPP) 178, 191,
252ff.
– electrodeposition 252ff.
poly(pyrrole) 168ff., 179, 200ff.
poly(terthiophene) 176ff., 205
poly(thiophene) 168ff., 183ff.
– nano 205
– paradox 183
polyethylene glycol (PEG) 322
polymer
– coating 7
– conducting, *see* conducting polymer
– heterocyclic 171
– nano-dimensional 205
polymerization
– chemical 205
– electrochemical, *see* electropolymerization
post-treatment protocol 317
potential difference 297
potential energy
– interionic 35
potential window 66
pretreatment protocol 289f., 313
probe molecule
– solvatochromic 61
process liquor
– regeneration 321
– water based 321
process safety
– intrinsic 374
1-*n*-propyl-3-methylimidazolium [PMIM]⁺
22
propylene carbonate/tetrabutylammonium
– hexafluorophosphate 168
PVD 311
pyridine 17
pyridinium 33

q

quartz crystal
– metal-coated 193
quaternization reaction 17f.

r

recovery 320
– electrolyte 320
recycling 318, 375
redox process 328
reference electrode 296ff.
– characteristics 298f.
– pseudo/quasi 299ff.
– room temperature ionic liquid 296
refractive index 56
regeneration
– electrolyte 320
– ionic liquid 319ff.
Reichardt's betaine dye 59ff.
reuse
– electrolyte 320
– ionic liquid 319
room temperature ionic liquid (RTIL) 24,
300ff.
– structure 303
rotating disk electrode (RDE) 127
– copper 127

s

scanning tunnelling microscope (STM)
239ff.
– *in situ* 239ff.
selenium 160f.
– CIS 161
– gray 160f.
semiconductor 147ff.
side chain effect 49
SIGAL process 3, 97
silicon 155ff.
silver 308f.
– de-alloying 137
– deposition 309
– electrode 138
– electrodeposition 96, 140
– palladium 140
– plasma electrochemical deposition
(PECD) 274ff.
– reference electrode 308
– surface diffusion 138
solar cell 373
– copperindiumselenide (CIS) 161
– dye-sensitized (DSSC) 29
solubility 64
solution
– aqueous 2
– non-aqueous 3
solvatochromism 58
solvent
– polarity 59

386 | Subject Index

- stability
 - electrochemical 270
 - ionic liquid 269
- Stokes-Einstein equation 41
- surface energy 213
- t**
- tantalum 114
- 1-butyl-1-methylpyrrolidinium [BMP]bis(trifluoromethylsulfonyl)imide 364
- deposition 116
- electrodeposition 100, 250ff.
- ionic liquid 37
- XRD amorphous 101
- tellurium
 - electrodeposition 92
- temperature 9, 172
- variable 374
- tetraalkylammonium 27
- tetraalkylphosphonium 27
- tetracyanoborate anion [TCB][−] 29
- tetraethylammonium cation [N₂₂₂₂]⁺ 48
- tetrafluoroborate [BF₄][−] 69
- ionic liquid 24
- tetramethylammonium cation [N₁₁₁₁]⁺ 48
- N,N,N',N'*-tetramethylphenylenediamine radical cation/*N,N,N',N'*-tetramethylphenylenediamine couple (TMPD^{•+}/TMPD) 305f.
- [TFSI][−], *see* bis(trifluoromethylsulfonyl)amide
- thermal conductivity 53
- thermal decomposition temperature 52
- thermal degradation temperature 47
- thermal unit operation 325
- Therminol® 53
- thiocyanate 29
- thiophene 183
- tin
 - alloy 133ff.
 - chloride 107
 - copper 142
 - deposition 111
 - electrodeposition 91, 133ff.
 - indium 142
 - niobium 139
 - zinc 133
- titanium 102
- chloride 102
- electrodeposition 102, 114
- 1-ethyl-3-methylimidazolium chloride 127
- toxicity 8
- transition
 - solid-solid 53
- tri-1-butylmethylammonium [TBMA]⁺ 143
- bis((trifluoromethyl)sulfonyl)amide 143
- tricyanomethide anion [TCM][−] 29
- triflate [OTf][−], [TfO][−], [Tf][−] 25, 93, 180
- ionic liquid 25
- trifluoroacetate [ATF][−]
- ionic liquid 25
- trifluoromethylsulfonate, *see* triflate
- trimethyl-*n*-hexylammonium [TMHA]⁺ 140
- bis (trifluoromethylsulfonyl)amide 94, 140
- trihexyl-tetradecyl phosphonium [P_{14,6,6,6}]⁺, [P_{6,6,6,14}]⁺ 98, 229
- bis(trifluoromethylsulfonyl)amide [Tf₂N] 98, 202f.
- 2,4,6-triphenylpyridinium-*N*-4-(2,6-diphenylphenoxide)betaine 59
- tris(trifluoromethylsulfonyl)methide 93
- trispentafluoroethyltrifluorophosphate [FAP][−] 28
- TSIL (task specific ionic liquid) 65
- u**
- underpotential deposition (UPD) 105, 128, 151, 224f.
- urea 111ff.
- v**
- vanadium
 - electrodeposition 114
- vapour pressure 54
- viscosity 40ff., 104ff.
- modelling 40
- Vogel-Tamman-Fulcher (VFT) relationship 40, 69
- voltammetry 305f.
- quantitative 308
- w**
- Walden product 69
- Walden rule 5f., 41f.
- Warren-Averbach technique 217
- waste treatment 317
- water 335
- content 174
- Wilkes 23
- Williamson Hall procedure 217

x

X-ray powder diffraction (XRD) 127

– pattern 101

X-ray photoelectron spectra (XPS) analysis
128, 199**z**

zinc

– (II) chloride 36, 94

– (II) chloride-1-ethyl-3-methylimidazolium
chloride 95, 105

– cadmium 133

– chlorozincate 105ff., 132ff.

– coating 365

– cobalt 134

– copper 133f.

– deposition 111, 344

– electrodeposition 93, 132ff., 365

– iron 135

– magnesium 136

– manganese 143

– nickel 136

– platinum 136

– tin 133

zinc telluride

– electrodeposition 150

zirconium

– aluminium alloy 129f.

– electrodeposition 129f.

zwitterionic salt 77