

Index

a

- acetaldehyde 20, 79
- acid leaching 233
- activated carbon 108f., 174
- activation
 - effect 126
 - energy 113
- active carbon 5
- impregnating 109
- active species 57, 60, 66, 74, 78
- dispersion 57f.
- mass 59
- adhesion 67, 88
- layer 61, 64f.
- adiabatic
 - bed 111
 - conditions 151
 - operation 156
 - pre-reforming 39, 88
 - quasi- 158
 - temperature rise 26f., 48, 269, 275, 338
- adsorbent 48, 108ff.
- bed 174
- lifetime 174
- material 200
- adsorption 108ff.
- capacity 109
- carbon oxide 54
- chemical 103
- materials 108
- methanol 73
- permanent 60
- pressure swing (PSA) 174ff.
- reversible 60
- selective 108
- techniques 108
- temperature 109
- afterburner (AFB) 193, 196, 199, 204
- catalytic 195, 204, 305, 311, 315, 324f.
- methanol steam reformer/catalytic 246
- off-gas 191, 193, 195
- air
 - bleed 29
 - cooler 196
 - excess 152
 - ratio 31, 41f.
- air/fuel mixture 36, 42
- alcohol 3, 8, 16f., 81, 98
- fuels 20, 30
- alkanes 5, 81, 89
- alkylbenzenes 6
- alumina 57, 60ff.
- amorphous hydrated 61
- layer 61f., 64, 360, 370
- micro-channel reactors 61
- sol 64
- aluminium 61f., 361
- alloys 61f.
- microchannels 64
- plate heat-exchangers 61
- substrates 61
- ammonia 5, 46, 107, 350, 359
- cracking 15
- decomposition 46, 107
- formation 43
- getter 352
- hydride generators 352
- anode 12ff.
- fuel utilisation 182
- gas flow 13
- materials 15
- off-gas 16, 31, 46, 52, 143, 155, 181f., 191, 280
- anodic
 - etching 62f.
 - oxidation 61f.

- spark deposition 62
- anodisation
 - potential 62
 - treatment 62
- aqueous
 - phase reforming 44
 - solution 44f.
- aromatic diesel compounds 94
- aromatics 5, 94f., 98f.
- Arrhenius plot 168
- auto-ignition 40, 42, 81
- automated catalyst coating 370f.
- automotive applications 332
- automotive drive train application 340, 356
- automotive exhaust gas
 - systems 68, 135
 - treatment 217f., 370
- automotive style control components 343
- autothermal equilibrium effluent
 - composition 186
- autothermal reformer (ATR) 194
- Auxiliary Power Unit (APU) 2, 332, 345f., 349
 - commercial aircraft 346
 - efficiency 197f.
 - fuel cell 346
- aviation fuel 108

b

- balance-of-plant 13, 312, 324, 343
 - components 2, 190, 205, 289, 318, 322
- bench-scale tests 46
- benzene 91
- benzothiophene 97
- binder 65f.
- bio-diesel 4, 193
- bio-ethanol 44
- bio-fuel 44, 46, 350
 - processor 44
- blowers 290f.
 - high pressure 290
 - low power 290
- boiling point 4
 - distribution 5
- boiling range 4, 6
- borohydrides 3
- Boudouart reaction 22, 54, 229, 239
- burner
 - external 140
 - heterogeneous 52
 - homogeneous 52, 228
 - integrated 140, 142
 - laboratory radiant 52f.
 - light-off 124

- methanol 298f.
- microchannel 140
- off-gas 191, 249
- optimisation 187
- permeate 286
- start-up 155, 228
- butane 3
 - conversion 83
 - partial oxidation 83
- butylene 23, 95
- by-products 8, 19ff.

c

- calcination 57, 64, 66
- carbon
 - aero gels 108
 - deposition 54f.
 - deposition mechanism 54
 - dioxide 3, 13f., 18, 21, 47f., 51
 - filament growth 54
- carbon formation 54, 129, 131
 - rate 87
- carbon monoxide 6f., 10, 13ff.
 - clean-up devices 47, 155, 190, 199f., 275, 300
 - content 279
 - converting 47, 50f., 112f., 117
 - desorption 51
 - output 277f.
 - partial pressure 167
 - preferential adsorption 16
 - preferential oxidation 49ff.
 - removal 51
 - selective methanation 123, 164
 - selectivity 74ff.
- carbonaceous species, *see* coke
- carrier material 60ff.
- catalyst 6, 12ff.
 - accelerated aging 61
 - acidic 44, 105
 - activity 58, 69, 71ff.
 - aging 115
 - bed configurations 133
 - bimetallic 13, 78, 85, 96f., 119
 - blend 133
 - carbon-based 155
 - carrier 63ff.
 - clean-up 109, 183
 - coating techniques 59, 61ff.
 - cobalt/alumina 78
 - cobalt/molybdenum 108
 - cobalt/silica 78
 - cobalt/zinc oxide 78
 - cold light-off 124

- combustion 124f.
- copper-based 73
- copper/ceria 122f.
- copper/ceria/alumina 73, 122
- copper/chrome oxide 74
- copper/zinc oxide 68, 71ff.
- copper/zinc oxide/alumina 72, 74
- copper/zinc oxide/alumina/palladium-zinc oxide 77
- copper/zinc oxide/titania 75
- copper/zirconia 74
- cracking 96
- deactivation reaction 20, 49, 58, 352
- degradation 80, 93
- dual beds 74
- durability 60f.
- effectiveness 68, 155
- fixed bed 69, 71, 82, 155
- formulations 68ff.
- geometries 143
- gold/ α -alumina 161
- gold/ceria 121
- gold/iron 161f.
- honeycomb 70
- hydrogenation 108
- impregnated 57
- incorporated 66
- iron oxide/chromium oxide water-gas shift 78
- layer 14, 138ff.
- magnetite ammonia synthesis 350
- mass 58f., 124
- methanation 123f.
- monometallic 79
- nickel-based 39f., 69, 77ff.
- nickel/ceria 78
- nickel/ceria/zirconia 92
- nickel/lanthana 79
- nickel/magnesia 78
- nickel/molybdenum 108
- nickel/molybdenum/alumina 108
- nickel/nickel oxide 80
- nickel/silica 124
- nickel steam reforming catalyst 68
- over-heating 101, 118
- oxidation 132
- palladium/palladium-zinc/palladium/zinc oxide 75
- palladium-zinc alloy 75f.
- palladium-zinc oxide 75f.
- palladium-zirconia 77
- paper-like 75
- partial oxidation 147
- particle size 82
- performance 57ff.
- perovskite 81, 88f., 93
- platinum/alumina 74, 122, 161f.
- platinum/ceria 103
- platinum/palladium partial oxidation 80
- platinum/ruthenium 14f.
- porous structure 158, 162
- powder 75f.
- preferential oxidation 116f., 119
- pre-reformer 86
- Raschig-ring steam reforming 242
- reforming 69, 71
- regeneration 96, 98, 108, 116
- reliability 61
- rhodium 79f., 82, 85, 91
- rhodium/alumina 77, 91
- rhodium/ceria 77, 79
- rhodium/cobalt 77
- rhodium/ruthenium 77
- ruthenium 79, 82, 91f.
- ruthenium/alumina 121
- ruthenium/titania 123
- screeing 118
- selectivity 20, 84
- serial 133
- silver/ceria 121
- sintering 60, 92, 106
- stability 44, 60, 79, 82, 84, 114f.
- steam reforming 132
- surface 50, 52, 60, 98, 115f.
- technology 57
- utilisation 68, 111
- volume 58f.
- wash-coated 61, 73, 77, 138
- water-gas shift 110ff.
- catalytic
 - activity 49, 59, 78
 - afterburner 10, 130
 - burners 124f., 143, 285f.
 - carbon monoxide fine clean-up 272ff.
 - cracking 38f., 96, 154
 - decomposition 46
 - reaction 22
- cathode 12, 15f.
 - air 195
 - electrolyte 209
 - gas flow 13
 - off-gas 191, 195, 209f.
- cathodic sputtering 67
- cells per square inch (cps) 242
- ceramic
 - fibres 75, 360
 - foams 221
 - honeycomb monolith 239

- jell-roll monolithic catalyst 221
- membrane 259f.
- membrane supports 285
- monolithic structures 221, 236f.
- monoliths 62, 66, 74, 77, 79, 82, 91, 95, 133ff.
- oxide layers 62
- seals 237
- tubes 88
- ceria 77, 103
- high surface 86
- sizes 138
- channel 137f.
- combustion 139
- diameters 150
- half-height 137
- steam reforming 139
- chemical properties 10f.
- chemical vapour deposition 67
- chemisorption 168
- chip-like microreactor 367
- fabrication 367ff.
- clean-up
- equipment 22, 338
- reactor 14
- steps 181
- systems 21
- coating 61ff.
- dip- 64, 67, 371
- mechanical stability of 68
- precipitation 66f.
- profiles 63
- quality 65
- silica sol 65
- spin- 65, 67
- thickness 62ff.
- wash- 61, 63ff.
- co-current
- flow arrangement 135f., 158, 170, 199
- heat-exchanger 223f.
- mode 139, 158, 170, 245
- operation 134, 159, 170f.
- plate heat-exchanger 138, 242
- pressurisation 174
- coke 60, 64
- deposit 52, 54, 101
- filamentous 89
- formation 15, 21f., 26f., 29, 33f., 39f., 52, 60, 78, 81, 84ff.
- gasification 154
- molecules 54
- precursor 20
- stable 100f.
- coking tendency 99
- combinatorial chemistry 120
- combined heat and power systems (CHP) 323f., 358f.
- combustion 8
- anode off-gas 181f., 187, 240
- catalyst bed 133
- catalyst layer 136
- catalytic 10, 22, 27, 52, 90, 126, 131, 135, 182
- channel 136, 143
- controlled 12
- exothermic 132
- heterogeneous 52
- homogeneous 10, 52, 149, 182
- process 22
- reaction 132, 134, 286
- total 27
- zone 131, 169
- compression 202f.
- compressor 131, 190, 199, 202, 290ff.
- energy demand 201
- isothermal 291
- membrane 292
- micro-vane 292
- piston 292
- scroll 291
- twin-screw 292
- compressor/expander module 291, 308
- concentration 57f.
- gradient 52
- profiles 142
- species 58
- vectors 58
- condenser 8, 192
- conductivity
- effective 219
- heat 219f.
- proton 14
- wall 159
- contact time 82ff.
- control strategy
- feedback 215
- observer-based 214
- control valve 131, 201, 213
- conventional
- burner technology (CBT) 358
- electric power generators 215
- energy supply 215
- power production 359
- conversion 6, 8, 57, 79
- chemical 6
- equilibrium 18f., 131, 145
- full 52, 71, 79, 83, 84f.
- incomplete 14

- isooctane 141
- outlet 137
- rate of 112
- stable 58
- cool flame 39ff.
- evaporator 155f.
- oxidation 41
- stability range of 41
- technology 39f., 42
- temperature 41
- cooling 13, 158
- counter-flow 270
- cross-flow 335
- gas flow 158
- inter-stage 162
- loop 201
- co-precipitation method 121
- cordierite 61, 66, 74, 89, 359
- monoliths 274
- corona discharge 43
- corrugations 289
- cost 355ff.
- breakdown 356f.
- catalyst 355f.
- estimation 357
- fabrication 355, 357
- fuel processor 355, 357
- future 355
- production quantity 355ff.
- type of fuel 355f.
- cost-capacity factor 358
- counter-current
- concept 133f.
- cooling 156
- depressurisation 174
- design 289
- flow 158, 169f., 200
- heat-exchanger 223f., 363
- mode 135, 170
- operation 158f., 170f.
- pressure equalisation 174
- purge 174
- cracking
- cycle 193
- intervals 98
- process 155, 192
- reactions 22, 96, 155, 193
- step 154
- cracking/regeneration sequences 98
- crystallisation 45f., 66
- cycloalkanes 106
- cyclohexane 90f.
- cracking 97
- cycloparaffins 6

d

- deactivation 75f., 78f., 82, 86, 89f., 98, 101ff.
- reversible 103
- decalin 101
- n*-decane 95f.
- decomposition reaction 20
- Deep Reactive Ion Etching (DRIE) 367
- dehydrogenation 106f.
- density 3f.
- energy 5
- gravimetric power 3, 5, 248
- volumetric power 3, 5, 248
- deposition 65f.
- depressurisation 174
- desulfurisation 46f., 73, 88, 108f., 333, 348
- adsorbents 108
- catalysts 108
- feed 349
- step 348
- dielectric barrier discharge 43
- diesel 40f., 92ff.
- bio- 4
- compounds 94f.
- conversion 93
- feedstocks 95
- fuel processor 195
- fuel processor/fuel cell systems 195
- fuelled passenger cars 344
- heavy 108
- low sulfur 109
- partial oxidation 101
- reforming 42
- steam reformer/anode off-gas burner 253
- sulfur free synthetic 102
- surrogates 88, 92, 96
- synthetic 101ff.
- synthetic low sulfur 98
- diesel-powered vehicles 13
- diethyl sulfide 5
- diffusion
- bonding 62, 363f.
- bulk phase 168
- coefficient 167
- effects 158
- intraparticle 68
- intrapellet 68
- limitations 160
- molecular 68
- dimethyl ether 44, 105
- conversion 44
- formation 20
- partial oxidation 105
- reforming 45

- discharge tank 46
- distillation step 190
- dodecane 4, 93ff.
- n*-dodecane 89
- downstream 8, 13, 22, 26, 47, 108f., 120f., 149
 - processes 19
- dry-gas composition 95
- e**
- efficiency 21, 29, 194f.
 - autothermal reformer 196
 - auxiliary power unit 197f.
 - conversion 238
 - factor 9
 - fuel processor 197f.
 - gross 203
 - hydrogen separation 203
 - losses 194
 - maximum 29ff.
 - overall 13, 21, 31, 43, 215
 - processor 187f., 190
 - reformer 197
 - reforming 187f.
 - system 196f., 203ff.
 - target 340
 - thermal 215
- elastomer 169
- electric vehicle 332
- electrical
 - efficiency 215
 - energy 6, 43
 - fuel cell stack power 9
 - potential 12
 - power equivalent 204, 229, 245, 335
 - power generation 12f.
 - power output 13, 215, 338
 - pre-heating 124
- electricity generator 215, 353
- Electro Discharge Machining (EDM) 365
 - die-sinking 365
 - wire-cutting 365
- electrochemical
 - deposition 65
 - reactions 9
- electrode 12, 14
- electroless plating 66
- electrolyte 15f.
 - materials 15
 - solid 15
- electron beam evaporation 67
- electrophoretic
 - deposition 65
 - precipitation 65
- electroplating, *see* electrochemical deposition
- emission 10, 285, 316, 320
 - control regulations 10
- endothermic 17
 - cracking 38
 - reactions 23, 39
- energy
 - diagram 184, 264
 - efficiency 151
 - losses 185
- energy balance 8, 183f.
 - overall 181
- energy density
 - gravimetric 3
 - volumetric 3
- energy requirements 129f.
 - process 130
 - start-up 186, 189
 - steam reforming 129
- energy supply 129, 131
 - conventional 215
- enthalpy 9f.
 - reaction 10
- equilibrium
 - concentration 38
 - constant 47
 - conversion 143
 - feed composition 168
 - gas composition 19ff.
 - reformat composition 151
 - water-gas shift 151f.
- equivalence ratio 178
- etching 62f.
 - photochemical 63
- ethanol 4f., 20
 - bio- 44
 - conversion 78, 80
 - decomposition 20
 - partial oxidation 80
 - steam reforming 20
- ethylene 20, 23f., 79, 89, 95
- European driving circle 10
- evaporation 140, 180
 - feed 187
 - fuel 181f.
 - processes 22
 - system 42
 - water 147, 190, 351
- evaporator 155, 181, 187, 305
 - diameter 42
- exergetic efficiency 187
- exergy
 - analysis 187
 - losses 187

exhaust combustor 200
 exothermic 18, 23, 26
 – reactions 23, 39, 77
 expander 291
 explosion limits 176f.
 extrusion 66
 – techniques 218

f

fabrication
 – costs 355ff.
 – techniques 355
 Fecralloy 360ff.
 – metal foils 370
 – plate coated 139
 feed 12f., 15, 22
 – alkane 148
 – compostion 17, 23, 158, 163
 – compression 202
 – concentration 45f., 277, 352
 – conditions 60
 – flow path 136
 – flow rate 59, 129, 147, 186, 213
 – impurities 60
 – injection 269, 292
 – methanol/air/steam 232
 – methanol/water 295
 – pre-heating 352
 – reformat 275
 – species 57f.
 – temperature 27f., 30, 34ff.
 – volume flow 59
 feedstock 6, 31, 39, 87f., 90, 230
 – blends 39
 – compositions 94
 – pre-reformed 89
 fixed bed 58f., 68f.
 – overheating 161
 – technology 147
 flame
 – arrester 42, 176, 242, 292
 – guide 267
 flammability 4
 – limits 36, 124, 178
 flow
 – distribution 180, 223, 282
 – equi-partition 237
 – molar 7
 – nitrogen 268
 – radial 262
 – rate 58, 186
 – velocity 69
 foam 25, 59, 65
 – α -alumina 83
 – ceramic 81, 83, 85
 – coated 88
 – pore size 83
 – precursor 361
 formaldehyde 14
 formic acid 14, 19f.
 fossil fuels 3, 5, 46
 – common 3
 fuel cell 6ff.
 – air-cooled medium temperature 209
 – alkaline 15, 46, 296, 349f.
 – ammonia cracker/alkaline 350
 – Andromena 349
 – autothermal propane reformer/low temperature PEM 203f.
 – bio-fuel processor 353
 – ceramic membrane 202
 – diesel steam reformer/PEM 202f.
 – direct borohydride 46
 – direct ethanol 14
 – direct methanol 1, 14
 – efficiency 8f., 202
 – electric power output 319
 – electric vehicle (FCEV) 306
 – fuel processor system 322, 327
 – heat-exchanger applications 289
 – high temperature 7f., 14f., 43, 47, 147
 – hydrocarbon fuelled 349
 – low temperature 7, 13
 – membrane 14
 – mobile 108
 – molten carbonate 16, 326, 345, 349
 – optimisation 187
 – performance 13f., 334
 – phosphoric acid 15, 129, 349
 – plasmatron 43
 – power generation 13
 – Proton Exchange Membrane (PEM) 1, 7ff.
 – solid oxide 15f., 47, 155, 181, 325, 345f.
 – stability 14
 – stack 12ff.
 – submarine 297
 – system 8ff.
 – technology 3, 332
 – type 6, 12f.
 – vehicles 305f., 341
 – water-cooled 208
 fuel feed rate 204
 fuel processing
 – applications 124
 – chemistry 17ff.
 – gasoline 212

- reactions 8
- steps 188
- fuel processor 7ff.
 - alcohol 169
 - autothermal diesel 193
 - autothermal gasoline 182
 - autothermal methane 183ff.
 - basic engineering 192
 - bio-diesel 193
 - breadboard 280, 333f.
 - configurations 182
 - control strategies 213
 - design concepts 129
 - diesel 193f., 200f., 344f.
 - diffusion layer 303
 - dynamic simulations 205
 - efficiency 7ff.
 - ethanol 189f., 316
 - fabrication 366
 - feed 190
 - future 337f.
 - gasoline 204, 210, 251, 332ff.
 - HotSpot 227, 300ff.
 - integrated 302
 - kerosine 344
 - Liquefied Petroleum Gas (LPG) 327ff.
 - membrane 173, 202
 - methane 317ff.
 - methane steam reforming 182, 212
 - methanol 10, 14, 169, 185, 189, 215, 295ff.
 - methanol micro 213
 - micro 310
 - microstructured gasoline 252
 - multi- 348ff.
 - natural gas 317
 - natural gas/liquefied petroleum gas 331
 - on-board 296, 341
 - overall 181, 191
 - product 347
 - production techniques 355, 359
 - reactor temperatures 339
 - requirements 12
 - second generation 343f.
 - self-sustaining 314
 - single plate 302f.
 - steam reformer 196
 - systems 295, 348
 - thermal power output 319
 - third generation 340, 342ff.
- fuel processor/fuel cell plant 342
- fuel processor/fuel cell system 207ff.
- fullerene 5
- furfurals 98

g

- gas
 - analysis 347
 - composition 37, 71, 155
 - consumption (GU) 358
 - distribution layers 12
 - dump 174
 - exhaust 135, 188
 - hot combustion 203
 - inert 13, 42, 171
 - mixture 6, 40, 98
 - natural 3f., 6, 10, 16, 34, 39, 46f.
 - phase 17, 47, 50
 - production 39
 - purification 8, 301
 - purification process 174
 - secondary process 174
 - sweep 166, 169, 199, 202
 - synthesis 6, 39
- Gas Hourly Space Velocity (GHSV) 58f.
- gas-liquid separator 351
- gasification 44, 101
- gasoline 4f., 36
 - engine 215
 - feed 27
 - fuel processor/fuel cell system 333
 - hydro processing 108
 - low sulfur 109
 - pre-reforming 87f.
 - reforming 28
 - station 332
 - sulfur-free 340
 - surrogate 88ff.
 - system 342f.
- gasoline-powered cars 13
- gelation 64f.
- glas micro-sphere 5
- gliding arc
 - plasmatron 265ff.
 - technology 43
- global warming potential 44
- glow plugs 230, 347
- glucose solution 44, 353
- graphite 12

h

- H/C ratio 191
- liquids 5
- heat
 - capacity 4, 9f., 133, 186
 - conductivity 149, 152, 158
 - exchange capabilities 194
 - generation 40f., 134f.
 - losses 8f., 40f., 152, 185ff.

- management 164
- of vaporization 4
- recovery 281
- removal problem 13
- requirement 134
- supply 17
- transfer efficiency 212
- transfer limitations 136, 199
- transport limitations 51
- heat exchangers 9, 43, 118, 131, 133ff.
- heating
 - cartridges 244
 - system 10
 - value 147
- n*-heptane 21, 89
- hexadecane 4, 95f.
- hexane 90
 - cracking 97
- n*-hexane 91
- hexene 90
- homogeneous gas phase chemistry 26
- hopcalite 119
 - carrier 119
- hot-gas blowers 181
- hot spot 69f., 86, 149
 - formation 199, 233, 247
 - temperatures 84, 88
- humidification 15, 166, 195
- hydrites 3
 - MBH4 5
- hydrocarbon 3, 17, 38
 - activation 80
 - cracking 38, 98
 - fossil 3
 - higher 3, 8, 21, 32, 39, 43
 - ignition 81
 - light 26, 33, 39
 - liquid 3, 5, 14, 44f.
 - mixtures 127
 - non-volatile 6
 - oxidation 125
 - pre-reforming 86f.
 - reforming 80ff.
 - saturated, *see* alkanes
 - unconverted 10
 - unsaturated, *see* olefins
- hydrodesulfurisation 108
- hydrogen 3ff.
 - back-diffusion 300
 - carriers 3
 - diffusion 168
 - dilution 13, 103, 147
 - dissociation 12
 - efficiency 129
 - filling station 332
 - flow rate 129
 - flux 167, 285
 - generation 105
 - liquified 5
 - mass flow 129
 - oxidation 67
 - partial pressure 166, 169f.
 - permeator 208
 - peroxide conversion 264
 - production 155
 - ratio (HR) 8
 - recovery 171, 285
 - selectivity 44, 75, 82, 85
 - separation 66, 168, 170
 - source 3
 - sulfide 3, 14, 47
 - unconverted 13
 - utilisation 13, 182, 188, 191
 - yield 32, 37f., 72, 94f., 102, 106, 149, 151, 189
- hydrolysis 107
- hydrotalcite 84
- hydrotreater 345
- i*
- ignition 178
 - auto 36
 - butane 179f.
 - ethane 179f.
 - homogeneous 178ff.
 - methane 179f.
 - propane 179f.
 - surface 179
 - temperature 36, 41f., 179f.
- impregnation 66, 73, 76
 - post 76
 - pre 76
- impurities 174
- industrial processes 68f., 80f., 110, 169
- inhibiting effect 126
- injection
 - nozzle 292, 338
 - systems 42, 267
- insulating materials 180, 293
- insulation 185
 - inner thermal 267
 - material 280f., 286
- integrated
 - heat-exchangers 158
 - reformer/combustor 246
 - water-gas shift reactor/heat-exchanger 271
- internal combustion engine 10, 45, 52, 148
 - technology 215

ion exchange resin 107
isothermal conditions 156, 201

j

jet diesel fuel 347f.
– A 6
– A1 6
– hydro processing 108
– Jet-A 347
– JP-8 6, 102, 347, 350

k

kerosene 81, 94, 97f., 108
– compound cracking 97
– hydrodesulfurised 93
ketones 98
kinetics 136, 149
– first order 136
Knudsen diffusion 168, 172

l

laser ablation 366
legislation 10
lifetime analysis 108
light-off 124, 126f.
– partial oxidation 152
liquid
– phase 44
– pump 290, 308
Liquified Petroleum Gas (LPG) 4f., 10, 44, 47,
52, 84, 86, 327ff.
– cracking 97
– low sulfur 109
– storage equipment 44
– surrogate 97
lithium aluminium hydride 352
lithium ion battery 332
load changes 153, 248
– transient changes 248
Low Temperature Co-fired Ceramic tapes
(LTCC) 366
Lower Heating Value (LHV) 4, 6f., 9, 29, 38,
44

m

mass
– flow rate 130, 197f.
– fraction 53
– production 355, 365f.
– ratio 42
– transfer coefficients 221
– transfer limitations 51, 133, 136, 138, 140,
155, 163, 199, 229, 234
membrane 12, 164ff.

– alloying 165
– dense 172
– dry-out 8f.
– fabrication 369f.
– imperfections 166
– lifetime 165
– material 12, 15
– metal 166, 209
– microporous ceramic 172f.
– Nafion 12, 15
– palladium 18, 165ff.
– polybenzimidazole 15
– polymeric 164
– porous 172f.
– porous glass 254
– purification unit 202
– quality 168
– separation 18f., 164ff.
– separation devices 283f.
– separation modules 284
– surface area 168, 202
– thickness 166ff.
– tubular 172
– types 172
– vanadium 165f.
Membrane Electrode Assembly (MEA) 12
mercaptanes 5
– ethyl 5
– tertiary butyl 5
metal 12f., 54, 60
– clusters 57
– foams 65, 88, 274
– noble 78, 82, 84, 88, 93
– non-precious 68
– passivating 62
– porous 279
– precious 68, 75, 77, 117
– promoter 71
– salt 57
– surface 52, 54
metallic
– gauze technology 220
– ions 14
– membranes 66
methanation 21, 49, 51, 101, 112, 120, 123f.
– activity 116, 121
– catalysts 51
– reaction 18, 51, 106
– selective 109, 123, 164
– thermodynamic equilibrium of 78, 85
methane 3, 5, 7ff.
– combustion 133ff.
– conversion 25f., 82f., 137, 155
– cracker 192f.

- cracking 96f.
- decomposition 154
- fuel processing 8
- partial oxidation 27, 83, 100
- reformer/combustor 247
- selectivity 85, 122
- steam reforming 47, 133ff.
- methanol 4f.
- combustion 299
- conversion 72f., 75, 77, 256ff.
- dehydration 20
- fuel processor/fuel cell system 312
- partial oxidation 77, 80
- reformer/evaporator/burner 263f.
- steam reformer/PEM fuel cell system 299
- steam reforming 68f., 73, 75f., 313f.
- methane-fuelled bus 305
- methane-fuelled portable fuel cell 308
- methyl formate 19
- methylcyclohexane 45, 89, 106f.
- dehydrogenation reaction 45
- methylnaphthalene 94f.
- microchannel 50f., 81f., 84, 114f., 119, 149
- coupled reformer/afterburner 209
- fabrication 365f.
- heat-exchanger 158, 211
- plates 82
- wash-coated 85
- microelectromechanical system (MEMS) 367f.
- Microlith 220, 231f., 347
- gauzes 232
- packed metal gauze technology 237, 270, 275
- micro-membrane pump 290
- micro-organisms 44
- micro reaction technology 226
- microreactor 225, 243, 262
- chip-like 260
- technology 298
- microstructure fabrication 365f.
- microstructured
- evaporators 249
- heat-exchanger 187, 249, 305
- plates 81
- reformers 249, 151
- microwaves 43
- mobile applications 345
- model
- CAD (Computer-Aided Design) 346, 349
- chemical reaction network 149
- homogeneous (HOM) 160
- kinetic 139, 158, 199
- one-dimensional dynamic 152
- one-dimensional isobaric 139
- transient 138
- two-dimensional 149, 158, 281
- modulation range 42
- molar
- flow rate 17
- oxygen flow rate 17
- steam flow rate 17
- monolith 59
- ceramic 61, 82, 218ff
- cylindrical 219f., 231
- fabrication 359
- FeCrAlloy 234, 360ff.
- first 95
- metallic 61, 82, 138, 152, 218ff.
- porous 66
- production technique 360f.
- second 94
- silicon carbide 221f.
- stability 361
- structure 361
- third 94
- void fraction 59, 220
- multi-fuel conversion capability 348
- n**
- nanoparticle 65, 75
- dispersion 65
- gold 120
- nanotubes 5
- naphthalenes 6, 96, 99
- nickel
- steam reforming catalyst 68
- nickel-based alloys 361
- nitrogen 3
- nitrous oxides (NO_x) 10
- emissions 52, 124
- o**
- O/CO ratio 194, 197, 213
- octane
- isomers 23
- number 5
- iso-octane 6, 25f., 28, 34, 36f., 81, 89ff.
- n-octane 5, 24f., 89ff.
- odorants 44, 47
- sulfur-free 47
- off-heat 318
- olefins 5, 86, 99
- light 95
- on-board power
- demand 332
- plant 349
- organic

- compounds 10, 108
 - materials 65f.
 - volatile 10
 - osmotic drag 15
 - oxidation
 - flameless 320
 - partial 7, 22ff.
 - preferential 60, 161, 274ff.
 - reactions 133
 - total 22f., 34ff.
 - oxidative steam reforming 69
 - oxygen 12
 - conversion 118
 - deficient atmosphere 22
 - mole fraction 150
 - stoichiometry 191
 - storage capability 80
 - treatment 101
 - unconverted 12
 - oxygen/carbon ratio (O/C) 17, 23f., 26ff.
- p**
- palladium 75f.
 - palladium-zinc alloy 75
 - paraffinic diesel compounds 94
 - paraffins 99
 - partial oxidation of light paraffins 84
 - iso-paraffins 6
 - n-paraffins 6
 - parallel-flow 169f.
 - parasitic power losses 190, 199, 202
 - partial
 - oxidation mode 148
 - recirculation 345
 - system load 9
 - peak burner (PB) 358
 - peptisation, *see* gelation
 - performance
 - experimental 50
 - losses 13ff.
 - permeability 167f., 100, 283f.
 - coefficient 168
 - hydrogen 172
 - specific 172
 - permeate 166f., 169ff.
 - hydrogen/steam mixture 202
 - partial pressure 170
 - pressure 170
 - permeation 283
 - hydrogen 199, 254f.
 - rate 166, 285
 - reduction 166f.
 - perovskite structures 70, 81, 89
 - phase diagram
 - C-H-O 54f.
 - phase transition 10, 60, 64
 - phenanthrenes 6
 - physical vapour deposition 67
 - plasma generation 267
 - plate heat-exchanger 136, 180, 195, 217
 - catalytic afterburner 147
 - design 156
 - fabrication 361ff.
 - microchannel 158
 - technology 139, 207
 - platinum 12ff.
 - platinum/ruthenium 13f.
 - poisoning
 - chlorine 73
 - effect 13f.
 - partial 104
 - reversible 104
 - sulfur 73, 88, 91, 101ff.
 - polymer 362
 - corrugated 289
 - cross-flow 289
 - fluorocarbon 12
 - polymerisation 40, 98f.
 - pore
 - blockage 80
 - sizes 25f.
 - volume distribution 65
 - power
 - density 348
 - output 340, 345
 - precipitation 66f.
 - preferential oxidation
 - two-stage 162
 - water-cooled 193
 - pre-heated 181
 - air stream 40, 155
 - catalytic combustion 206
 - reformer 152, 200
 - pre-heating 227
 - electrical 206
 - feed 192, 206, 212
 - fuel/air/steam mixture 200, 232
 - temperature 27, 147
 - pressure swing adsorption (PSA) 15, 19, 45
 - Printed Circuit Heat-Exchangers (PCHE) 133
 - product mass flow rate 197f.
 - promoter 80
 - propane 3ff.
 - conversion 185
 - cracking 38
 - partial oxidation 84f.
 - undiluted 97
 - propulsion of naval systems 348

- propylene 20, 23f., 95
 - prototype 344f.
 - purification
 - hydrogen 174
 - process 19
 - pulse
 - duration 270
 - frequency 270
 - pulsed laser deposition 67
 - pyrenes 6
 - Pyrex glas 368
 - cover 315
 - layer 311
 - plate 281
 - pyrolysis 39, 99
 - pyrophoric 72, 80, 111
- r**
- radiation
 - external 53
 - internal 53
 - losses 293
 - reflection property 293
 - shield 293
 - radical 180
 - reactions 41
 - reaction
 - chemical 57
 - endothermic 134f., 222f., 350
 - exothermic 134f., 222f.
 - gas phase 225
 - heterogeneous 57, 177
 - homogeneous 177f., 180, 200
 - light-off 88
 - network 50
 - partial oxidation 152
 - preferential oxidation 161, 189
 - pressure 131, 170ff.
 - rate 41, 50f., 58, 156, 158, 271
 - reforming 186
 - steam reforming 131, 133, 169
 - temperature 18ff.
 - trimolecular 177
 - water-gas shift 155, 159, 162f.
 - reactor
 - adiabatic 24, 70, 100, 133, 158, 160, 247
 - alumina micro-channel 61
 - aluminium 107
 - autothermal membrane reformer 201
 - carbon monoxide purification 327
 - catalyst coated reformer/burner heat-exchanger 144
 - Catalytic Plate (CPR) 223
 - catalytic wall 134, 223
 - clean-up 188, 213
 - coaxial cylindrical 132
 - concentric spherical 131f.
 - concentric tubular 131
 - configurations 131
 - copper 244
 - counter-flow 132
 - cracking 193, 350
 - decomposition 46
 - dimensions 177
 - dual fixed bed 131f.
 - dual stage preferential oxidation tubular 274
 - electrical heated 244
 - exit 57f.
 - fixed bed 48, 51, 69, 146, 211, 217, 227
 - furnace temperature 86
 - heat-exchanger 159
 - high temperature water-gas shift (HTWGS) 194, 207
 - housing 23
 - inlet 58, 69, 88, 118, 149, 156, 232
 - integrated heat-exchangers 131
 - length 137f., 142, 149, 152
 - lithium aluminium hydride 352
 - load 163
 - low temperature water-gas shift (LTWGS) 194, 203
 - medium temperature 269
 - membrane 168ff.
 - metal surface 85
 - methanation 164, 199
 - methane steam/burner 229
 - methanol reformer/burner 145
 - methanol steam reforming membrane 170ff.
 - microchannel 22, 91, 143, 159, 209
 - microchannel honeycomb 233
 - Microlith 231
 - microstructured 288
 - microstructured heat-exchanger 187, 225, 244
 - microstructured testing 280
 - monolithic 48, 69, 116, 209, 217, 230, 269, 360
 - non-steady state 193
 - outlet composition 196
 - partial oxidation 26f., 70, 81, 147
 - performance 158, 169, 237
 - plasmatron 268
 - plate heat-exchanger 221ff.
 - porous 162
 - preferential oxidation (CO PROX) 120f., 162, 187, 190, 194, 201, 203, 211

- quasi-monolithic 232
- reformer/burner heat-exchanger 146
- silicon 281f.
- single heat-exchangers 133
- specific chemical 57
- spray-pulse type catalytic 269
- stainless steel 244f.
- suspended tube 286ff.
- temperature 26, 118
- ten-fold screening 73
- tubular fixed bed 136, 350
- tubular membrane 170
- tubular steam reforming 23, 131, 169, 229
- volume 186, 244
- wall 134f., 223
- water-cooled 207f.
- water-gas shift 121, 155, 160, 187ff.
- water-gas shift membrane 172
- reformate 6f., 10, 13f., 170ff.
- composition 129, 148
- hydrocarbon 15
- flow constant 13
- flow rate 170, 251, 279
- pressure 170
- purification 181
- surrogate 270f., 274, 285
- synthetic 277f.
- reformation 44
- reformer 7f., 16
 - adiabatic temperature 28
 - alcohol steam 285
 - autothermal diesel 238
 - autothermal gasoline 206f.
 - autothermal methanol 77
 - catalytic 266
 - chip-like methanol steam 261f.
 - diesel autothermal (ATR) 193, 196, 347
 - diesel steam (STR) 196
 - efficiency 31, 130, 238, 299
 - electrical heated 244
 - ethanol 49
 - feed evaporation system 299
 - fixed bed plate 136
 - FLOX 320f.
 - gasoline 238
 - Glid/Arc plasma 268
 - HotSpot 300f.
 - methanol 14, 298, 304ff.
 - methanol steam 310f.
 - microchannel oxidative steam 209
 - microchannel steam 142
 - microstructured methanol 249
 - modular autothermal 300
 - monolithic autothermal methanol 230
 - monolithic autothermal propane 235f.
 - monolithic propane 70
 - octane 158
 - outlet 109
 - partial oxidation 148
 - plasma 43
 - plasmatron 43, 264f.
 - plate 136
 - plate-fin (PFR) 139f., 240f.
 - pre- 16, 181, 325, 331
 - propane autothermal (ATR) 347
 - tubular fixed bed steam 136, 331
 - tubular natural gas steam 326
 - volume 202
- reformer/heater/evaporator system 321
- reforming
 - aqueous 44
 - autothermal 7, 16, 21, 26, 29f., 32ff.
 - butane steam 84f.
 - catalyst layer 136
 - catalytic steam 149
 - channel 136f.
 - diesel 70, 92ff.
 - dimethyl ether steam 105
 - ethanol steam 77f.
 - gasoline 88, 94
 - homogeneous plasma 43
 - hydrocarbon 80, 91
 - internal 15f.
 - isooctane 32
 - kerosene 92f.
 - layer 135
 - liquified petroleum gas 84
 - methane steam 18f., 68f., 80f., 100, 129ff.
 - methanol steam 71, 73, 75f., 80, 105, 131f., 232f.
 - natural gas/methane 81
 - non-thermal plasma 43
 - oxidative steam 29, 69, 82, 149
 - partial oxidation 81
 - platinum/rhodium steam 80
 - pre- 39f., 86, 147, 155, 269
 - process design 129, 181
 - propane steam 84
 - quasi-autothermal 132
 - reactions 101
 - reactors 227
 - spray-pulse 270
 - steam 7, 15ff.
 - temperature 44
- re-hydrogenation 45
- residence time 50, 79, 84, 86, 105, 248
 - modified 59, 157
- retenate 166, 171

- partial pressure 170
- Reverse Water Gas-Shift Reaction (RWGS) 49
- S**
- sealing techniques 362f.
- Selective Adsorption for Removing Sulfur (SARS) 108
- selectivity 25f., 51, 57f.
 - product 25
- self-hydrolysis 45
- side reaction 20, 22, 51
- Sievert's law 168
- Sievert's solubility constant 167
- silica 57, 60, 77f., 96
 - membrane 283
 - mesoporous 247
 - sol 64f.
- silicon 67
 - black 107
 - chip 367
 - microchannels 67
 - microreactors 67
 - reaction zone 287f.
- silicon nitride 286
- simulation 70, 133, 152
 - CFD 281f., 287
 - dynamic 205ff.
 - numerical 50, 136, 170, 281
 - reformat surrogate 276
 - static 193
 - three-step 152
- sintering process 98
- slurry
 - catalyst 81f.
 - viscosity 64f.
- sodium borohydride 45f., 107
 - concentration 352
 - hydrogen generation system 351
- sol-gel
 - coating 64f.
 - method 64f., 82
- solid plate material 293
- soot formation 40, 340
- specific surface area 57f.
- spray-pulse techniques 43
- stage
 - dual 277
 - second 339
 - small series 289
 - three 280
 - water-gas shift 339
- stainless steel 54f., 61, 65
 - heat-exchanger 242
 - metal foils 237
- radicals 180
- surface 54
- tube 178
- vessel 217, 267
- standard enthalpy of formation 6
- start-up
 - behaviour 206f.
 - burner 228, 338
 - energy 339
 - gas supply 205
 - gasoline fuel processor 337
 - power 339f.
 - procedure 205f., 339, 343
 - rapid 217
 - strategy 81, 205, 213
 - time 205ff.
- start-up/shut-down procedures 61, 111
- stationary conditions 244
- steam
 - condensation 9
 - cracking 39
 - gas turbines (SGT) 358f.
 - generation 181f., 199f.
 - generators 338
 - jackets 292
 - partial pressure 47
 - reformer/catalytic combustor 82, 249
 - reformer/heat exchanger 250
 - reforming 68f., 241f.
 - superheated 227
 - supported partial oxidation 26f.
 - unconverted 17
- steam/carbon ratio (S/C) 17ff.
- stoichiometric
 - factor 58
 - ratio (SR) 8, 12f.
- storage density
 - gravimetric 5, 45
 - volumetric 5, 45
- submarine applications 348
- sulfur 3, 5f., 46f., 102f.
 - compounds 3, 14, 88, 91, 101
 - free- 47
 - polycyclic 47
 - species 103
 - tolerance 101, 104
- sulfur dioxide 102f., 125
- Super Ultra Low Emissions vehicle
 - regulation 10
- suprastoichiometric values 125
- surface area 60, 62, 65f., 88, 103
 - specific 98
- surfactant 64
- syngas 26

- system
 - load 343
 - pressure 18, 41
- t**
 - tank to wheel 340
 - temperature
 - adiabatic 157
 - coolant 159
 - cycling 60
 - distribution 351f.
 - feed 110
 - flame 149
 - fluctuations 73f., 92, 133
 - gradient 52, 68, 134, 136f., 351
 - isothermal 157
 - light-off 81
 - mal-distribution 139, 338
 - operating 109, 155, 167, 190
 - optimum 156ff.
 - pre-heating 100
 - profile 70, 139f., 142, 152, 156, 271
 - reaction 73, 76ff.
 - reduction 75f.
 - resistance 81, 111
 - shift stage 111
 - wall 137, 161
 - tetra-decane 101
 - tetralin 93
 - thermal
 - conductivity 158, 233
 - expansion coefficients 285
 - explosion 177
 - oil cycle 305
 - output 343
 - partial oxidation 148
 - plasmas 43
 - power output 323, 340
 - resistance 66
 - shock resistance 218
 - stress 134
 - thermo neutral conditions 30, 191
 - thermocouples 268, 278, 280f.
 - thermodynamic equilibrium 18, 22f., 27, 156
 - calculations 27, 32f., 147
 - gas composition 28, 38, 71, 239
 - thermophoresis 65
 - thiophenes 88
 - toxic 44
 - toluene 45, 89ff.
 - conversion 89
 - unconverted 338
 - transition test 340
 - transport limitations 68, 310
 - mass 83
 - tube-bundle cooler 285
 - turbine expander 204f.
 - turn-down ratios 72, 343
 - Turn-Over Frequency (TOF) 59, 84
- u**
 - upstream 8, 108f., 120f.
- v**
 - vaporisation 43
 - vaporizer 187
 - velocity
 - flow 137
 - gas hourly space 69, 71, 87, 137f., 143, 160, 228ff.
 - inlet 137
 - weight hourly space 69ff.
 - viscosity 64f.
- w**
 - wafer substrates 65
 - water
 - balance 8, 183, 190f., 195ff.
 - condensation 289
 - cooling 13, 210
 - excess 8
 - feed flow rate 194
 - grey 346
 - injection 148, 158, 213
 - migration 15
 - recovery 8, 191, 199
 - separation 195
 - service 346
 - supercritical 44
 - water-gas shift reaction (WGS) 8, 14, 17f., 22, 30, 32, 44, 48f., 60, 114ff.
 - Weight-Hourly Space Velocity (WHSV) 58ff.
 - welding procedure 244
 - wet chemical etching 365
- x**
 - XPS (X-ray Photon Spectroscopy) 73
- y**
 - yield 57f.
- z**
 - zeolite 57, 88, 96, 105
 - membranes 282
 - zinc oxide 73, 77
 - matrix 76
 - zinc sulfide 73
 - zirconia 105