

Index

a

ab initio methods 214
 absorption coefficient 170, 330
 AC signal 522
 acceptor blend 166
 – supersaturation 166
 acceptor-type conjugated polymers 95
 acrylate monomers 499
 aerosols 537
 air-stable polymer devices 272
 – achievement 272
 alkyl chains 5, 345
 alkyl-substituted polycarbazole polymers 98
 alternating polyfluorene copolymers (APFOs) 76
 alumina films 495
 alumina layers 499
 aluminosilicate barrier 497
 amorphous films 477, 480
 anionic semiconductor species 233
 annealing spin-cast thin films 29
 anodic alumina template 339
 antistatic coating 213
 – applications 213
 Arrhenius-like thermal activation 206
 arylene vinylene based low-bandgap polymers 140
 atomic force microscopy (AFM) 302, 391
 – surface topography images 71
 atomic layer deposition 495
 Auger recombination process 193
 Auger spectroscopy 27

b

backbone melting 10
 balance of system (BOS) 543
 ball-to-ball distances 163
 Barix-coated plastic film 500

Barix multilayer technology 498
 Barix process 504, 505
 Barix resin system 499
 benzo-ethylene-dioxythiophene 214
 BHJ-based devices 174
 bicontinuous interpenetrating network 59
 black rollers 435
 blending polystyrene (PS) 526
 Boltzmanns constant 284
 balance of modules (BOM) 554
 bright-field TEM
 – images 316, 320
 – micrographs 309, 311
 built-in intramolecular charge transfer 109
 bulk-heterojunction (BHJ) 57, 59, 155, 165, 193, 284, 300, 319, 368, 348, 544
 – architecture 347
 – layers 375
 – phase-separated 266
 – photoactive layer 302
 – photovoltaic devices 63, 94, 380
 – solar cells 134, 138, 263, 269, 376, 382, 383, 544
 – systems 309

c

cadmium-indium-gallium-selenide (CIGS) 543
 cadmium telluride (CdTe) 543
 Cadogan ring closure reaction 97
 carbazole-based monomers 104
 carbazole-based polymers 96, 111, 115, 121
 – ladder-type 96, 100, 103, 111, 121, 124, 125
 – structure 110
 carbazole moiety 95
 CdSe nanoparticles 181, 186, 199
 – concentration 199
 – synthesis 181

- charge-carrier mobility 494
 - charge-transfer absorptions 18
 - charge-transport properties 179
 - chemical vapor deposition (CVD) 497
 - classic silicon-based solar cells 245
 - close-packed self-organized layers 109
 - close-packed titania mesopores 340
 - coefficient of linear thermal expansion (CLTE) 474
 - coffee stain effect 76
 - common cleaning techniques 219
 - plasma cleaning 219
 - UV ozonizing 219
 - wet cleaning 219
 - concentration-dependent optical behavior 102
 - conductive polymers 245, 251
 - largest shortcoming 251
 - conjugated polymers 368, 375, 385, 494
 - conjugated triblock copolymers 85
 - consumer electronics 555
 - conventional oil and gas 536
 - copolymers backbone 109
 - copper-metallized PET foils 523
 - copper phthalocyanine (CuPc) 230
 - corona device 521
 - cost-effective production process 425
 - cost-intensive printing 520
 - Coulomb interaction 180, 206
 - long-range 205
 - crystal-packing effects 169
 - crystalline films 474
 - crystalline silicon modules 553
 - cubic zinc blend structure 184
 - current-voltage
 - behaviors 192
 - characteristics 186, 287
 - curve 23, 202, 460, 463
 - cyclic voltammetry (CV)
 - data 266
 - experiments 121
 - mobile phones, *see* consumer electronics
- d**
- Debye-Scherrer analysis 29
 - Debye-Scherrer diffraction rings 19
 - deposition techniques 375
 - large-scale 375
 - liquid-state 513
 - device film 173
 - processes 185
 - structures 332
 - dimethylformamide (DMF) 225
 - dimethylsulfoxide (DMSO) 220
 - dip coating 342
 - dispersion polymerization 247
 - approach 255
 - donor-acceptor composites 179
 - photovoltaic cells 266
 - donor-acceptor-donor segments 140
 - donor-acceptor interface 160, 300, 346, 348, 336, 337
 - donor-acceptor heterojunctions 57
 - donor-acceptor layer 206
 - donor-acceptor material 197, 202
 - donor-acceptor system 198, 451
 - hybrid 368
 - donor blend 166
 - drift-diffusion motion 202
 - dye-sensitized photovoltaic cells 229
 - dye-sensitized solar cells (DSSC) 26, 58, 66, 181, 189, 244, 340, 370, 544
- e**
- EDOT 215
 - oxidative polymerization 215
 - electric field 346
 - electrical doping 226
 - electricity European exchange (EEX) 547
 - electrochemical oxidation 217
 - approach 145
 - characterization 144
 - techniques 206
 - electrodes 332, 371, 426, 437, 441, 522
 - structure 458
 - electroluminescence images 70
 - electron acceptors 189
 - electron-deficient heterocycles 130
 - electron-deficient phenyloxadiazoles 62
 - electron-donating monomers 130
 - electron diffraction patterns 311
 - electron donor 323
 - electron-hole pairs 272, 293, 331
 - distance 288
 - electron-hole transfer 197
 - electron injection barriers 28
 - electron spectroscopy for chemical analysis (ESCA) 27
 - electron-transport layer 21
 - electron transfer 333, 347
 - electron transport materials (ETMs) 59, 63, 204
 - domains 22
 - mechanisms 205
 - electronic circuitry 472
 - electronic printing process 519
 - electronic relaxation process 199
 - electrophilic substitution reaction 100
 - electropolymerization 96, 146, 343, 347
 - electrostatic force microscopy (EFM) 72

- ellipsometric data 435
 - ellipsometry 448
 - encapsulation process 504
 - technology 506
 - energy conversion efficiency (ECE) 58
 - energy-filtered TEM (EFTEM) 307
 - energy storage systems 551, 552
 - energy transfer 350
 - enthalpic interaction 338
 - environmental scanning electron microscopy (ESEM) 75
 - EPIA, *see* European Photovoltaic Industry Association
 - equatorial wide-angle reflections 112
 - equatorial X-ray scattering intensity distribution 123
 - ethylene vinyl acetate copolymer (EVA) 494
 - European Photovoltaic Industry Association (EPIA) 544
 - evaporation processes 454
 - exciton diffusion 347
 - length 332, 350
 - exciton harvesting 344, 347
 - exciton transport 197
 - external quantum efficiencies (EQEs) 58, 330, 334, 363
 - curves 122
 - spectrum 338
- f**
- Förster process 197
 - Fermi level alignment 232
 - Fermi level pinning 233, 331
 - field-dependent measurements 205
 - field effect hole mobilities 256
 - field effect transistor (FET) 129, 144, 255
 - flexographic printing 518, 525
 - Flory–Huggins parameter 301
 - fluorene alkyl substituents 78
 - fluorenone containing copolymers 86
 - fluorine-doped tin oxide (FTO) 331, 364
 - fossil fuel 531, 537
 - fullerene-based electron transport 164
 - fullerene derivative 165, 169, 173
 - absorption 169
 - domains 19
 - materials 171
 - stability 173
 - variations 165
- g**
- gas-phase 513
 - geminate recombination 202
 - generic polymer 180
 - structure 180
 - glass-based displays 479
 - glass substrates 492
 - global warming 534, 537
 - gravure printing 519, 525
 - grazing emission X-ray fluorescence (GEXRF) 28
 - grazing incidence small-angle X-ray 29
 - greenhouse gases 537
 - gross domestic product (GDP) 533
- h**
- healing damaged devices 30
 - heat transfer coefficient 434
 - high angular annular dark field detector scanning transmission electron microscopy (HAADF-STEM) 225
 - high-boiling solvents 227
 - high-density data storage 472
 - high-efficiency devices 86
 - high-efficiency polymeric solar cells 300
 - high electron affinity 332, 368
 - high-energy-absorbed photon 193
 - high open-circuit voltage 188
 - high-performance devices 257, 322
 - high-quality conjugated polymer brushes 195
 - high-quality inorganic films 498
 - high-resolution microscopy techniques 302
 - highest occupied molecular orbital (HOMO) 100, 160, 231, 291, 300, 331, 445
 - hole-collecting electrode 180
 - hole-extracting layers 229
 - hole injection barriers 28
 - hole transport materials (HTMs) 58, 64
 - holographic microprisms 455
 - HOMO-LUMO
 - bandgap 213
 - gap estimation 16
 - levels 64, 78
 - transition 226
 - homogeneous thin films 455
 - HT-PAT polymorphs 9
 - HT-PHT films 27
 - HT-PT electron transport 17
 - HT-regioregular polythiophenes 7, 9, 17, 18, 25, 30
 - HT-HT sequences 9
 - architecture 5
 - HTPT films 26
 - Hubbert graph 536
 - Hubbert law 537
 - hybrid organic 26
 - nanocrystal solar cells 229
 - hydrolysis-resistant automotive wiring 472

i

- ideal photovoltaic device 206
 - ideal polymer 79
 - idealized single-layer device 59
 - IMI systems 435, 436, 437
 - in situ* PEDOT films 216
 - in situ* polymerization 341, 343
 - layers 213
 - polythiophene 371
 - incident photon to current efficiency (IPCE) 58
 - indium-tin oxide (ITO) 220, 331, 428, 435, 493
 - coated foil 526
 - electrode 136, 253, 291, 363, 441, 426, 462
 - film 441
 - replacement 250, 251
 - inherent surface smoothness 478
 - inkjet printing 75, 76, 173, 518
 - inline measurement system 434
 - infiltration techniques 347
 - inorganic crystalline semiconductors 221
 - inorganic material 371
 - inorganic nanocomposites, *see* Hybrid organic
 - inorganic nanowires 348
 - inorganic semiconductor 179, 385
 - nanoparticles 179, 202
 - inorganic solar cells 93
 - insoluble Fullerene layers 169
 - Institute for Solar Energy Systems (ISE) 464
 - Institute of Microsystem Technology (IMTEK) 464
 - insulator-to-metal transition 249
 - insulator-metal-insulator 435
 - interdigital electrode geometry 447
 - internal quantum efficiency (IQE) 195, 450
 - International Panel on Climate Change (IPCC) 538
 - intersystem crossing process 199
 - intrinsically conducting polymer (ICP) 213
 - inverted tandem cell structure 274
 - ion beam milling 27
 - ion beam technique 28
 - ion-solvating functional groups 67
- k**
- Kelvin probe 232, 233
 - measurements 366
 - Knoevenagel polycondensation 141
- l**
- Lawessons reagent 142
 - light-absorbing material 243
 - light-emitting diodes (LEDs) 93, 135, 137
 - light-induced degradation 230
 - light-scattering measurements 256
 - liquid crystalline mesophase 12
 - lithographic structuring 442
 - long-term stability 228
 - long-wavelength emission 269
 - low-bandgap
 - analogues 78
 - building blocks 130
 - materials 76, 167
 - nanoparticles 192, 197
 - polymers 81, 82, 121, 130, 136, 143, 146, 147, 171, 349
 - segment 130, 135
 - sensitizers 62
 - low current densities 334
 - low-energy hole 22
 - low-energy ion bombardment 430
 - low induced stress 494
 - low-lying conduction band, *see* High electron affinity
 - low-mobility polymer 333
 - low-performance technology 557, 558
 - low-resistance domains 23
 - low-temperature transitions 10
 - lowest unoccupied molecular orbital (LUMO) 4, 264, 291, 300
 - level 159, 231
 - variation 170
 - luminescence decay 201
 - LUMO–LUMO gap 349
 - LUMO–LUMO drop 349
- m**
- macromolecular chemical design 116
 - macroscopic single domains 14
 - MALDI-TOF mass spectroscopy 216
 - mapping techniques 71
 - maximum power point (MPP) 290
 - MDMO-PPV 313
 - matrix film 313, 314
 - mean carrier drift length 285
 - measurement techniques 344
 - MEH-PPV 335
 - melting temperatures 347
 - mesoporous titania/polymer 337
 - metal-assisted cross couplings 14
 - reactions 5
 - metal electrodes 445
 - metal-insulator-metal (MIM) model 230
 - metal-like conductivity 96
 - metal oxide-polythiophene 365
 - metal oxide nanoparticle 189, 376
 - devices 197

- metal oxide networks 385
 - metallic electrode 331
 - methylene dioxythiophene (MDOT) 214
 - microcrystalline domains 9
 - microelectronics industry 517
 - microreplication technologies 441
 - microstructure 452
 - microwave absorption studies 249
 - mobile ionic impurities 28
 - module efficiency 459
 - moisture barriers 496
 - molecular-scale structure 202
 - monochromatic illumination 267, 343
 - monomer vapors 499
 - monomeric units 99
 - Monte Carlo techniques 206
 - approaches 207
 - modeling 202
 - simulations 499
 - morphology fixation 169
 - morphology mapping 70
 - multicomponent system 165
 - phase diagram 165
 - multilayer polymer tandem solar cell 273
 - multiple electron-hole pairs 193
 - multiple exciton generation 193
- n**
- nanocrystal device 181
 - classes 181
 - nanocrystal materials systems 181
 - nanocrystal photovoltaic device, *see* Generic polymer
 - nanocrystalline ZnO 373, 378
 - nanoimprint lithography (NIL) 339, 517
 - nanoparticle 375
 - devices 196
 - films 335
 - shape 184
 - nanopillars 341
 - nanoporous devices 335
 - nanoporous metal oxide 369
 - nanoporous TiO₂ 368
 - nanoporous titania films 329, 335, 342
 - nanoscale phase separation 76
 - nanoscale structure-property relationships 9
 - nanostructure 333, 341
 - electrodes 442
 - geometry 348
 - ideal structure 195
 - metal oxides 368
 - photovoltaic device 195, 197
 - photovoltaics 181
 - polymeric devices 341
 - pores 385
 - nanowires, *see* Nanopillars
 - National Renewable Energy Laboratory (NREL) 245, 491, 551
 - near-field scanning optical microscopy (NSOM) 72
 - near-field scanning photocurrent microscopy (NSPM) 72
 - near infrared (NIR) 170
 - photons 301
 - neutral conjugated polymers 245
 - new renewable energies (NRE) 539
 - next-generation organic photovoltaics 30
 - nickel-catalyzed reaction 96
 - Yamamoto polymerization 97
 - nitrogen-bridged ladder-type polymer 100, 108
 - nonamphiphilic dye 352
 - nonoptimum phase morphology 273
 - nonspace-charge-limited devices 289
 - nonuniform electric field 287
 - n*-type semiconductors 26, 162
 - nuclear power 534
- o**
- oil shortage 534
 - open-circuit energy level diagrams 65
 - open-circuit voltage (Voc) 21, 57, 134, 191, 193, 206, 231, 364, 459, 503
 - optical absorption spectra 19, 369
 - optical simulations 448
 - optimal device thickness 289
 - optimized blend compositions 167
 - cyclohexafullerenes 167
 - OPVC fabrication 526
 - organic composite photovoltaics (OCPV) 329, 347
 - OCPV models 329
 - organic electronic devices 299, 443, 447
 - organic field effect transistors (OFETs) 514
 - circuits 517, 522, 524
 - devices 527
 - organic hole transport materials 251
 - organic light-emitting diodes (OLEDs) 58, 213, 447, 491, 514,
 - displays 485, 500
 - materials 484
 - organic light-emitting polymers 471
 - organic moieties 250
 - low-cost processability 250
 - organic photovoltaic (OPV) 3, 552
 - absorber 492
 - cells 494
 - devices 155, 165, 446
 - effect 165

- modules 552
 - technologies 552
 - organic photovoltaic cell (OSC) 58, 59, 202, 213, 246, 434, 491, 514, 549
 - devices 93, 245, 443, 447
 - technology 26
 - organic polymeric materials 129
 - organic semiconducting materials 93
 - organic semiconductors 5, 17, 471, 513
 - organic solar cell 218, 244, 455, 448, 457, 463, 491, 492, 552
 - architecture 458
 - devices 65
 - electrode interface 441
 - PEDOT-type materials 218
 - organic thin-film devices 220
 - Organization for Economic Cooperation and Development (OECD) 531
 - organometallic derivatives 215
 - metal-catalyzed coupling 215
 - organometallic synthesis 217
 - Ormecon dispersion process 249
 - ortho-dichlorobenzene (ODCB) 294
 - oscillator circuits 524
 - oxidant sodium peroxodisulfate 215
 - polymerization 215
 - oxidative polymerization mechanism 215
 - oxygen-doping effects 15
 - oxygen-scavenging role 269
 - oxygen plasma treatment 230
- P**
- Pacific Northwest National Laboratories (PNNL) 497
 - particle size distribution (PSD) 222
 - phenyl-C₆₁-butyric acid methyl ester (PCBM) 18, 166, 310
 - assembly 18
 - clusters 316
 - crystals 166, 316, 318
 - domains 310, 311, 316, 319, 322
 - films 312, 314
 - heterojunctions 319
 - molecules 314
 - nanocrystals 311, 316, 320
 - phase separation 20
 - polymer solar cells 287, 315
 - PCNEPV domains 305, 308
 - PDI-based device 118
 - chemical structure 214
 - PEDOT 217, 218
 - buffer layers 218, 229, 453, 455
 - polymeric salts 216
 - preparation 218
 - properties 218
 - redox states 217
 - role 229
 - Peoples Republic of China (PRC) 543
 - perylene-based dyes 116
 - perylene dicarboximide antennae moiety 169
 - perylene monodicarboximide (PI) 62
 - perylene tetracarboxydiimide (PDI) 117
 - phase-segregated mixture 252
 - phenylene vinylene (PPV) derivative 61
 - phosphoric acid groups 332
 - photoactive layer deposition 255
 - productive tool 255
 - photocurrents 364
 - density 289
 - generation 17
 - photodegradation reactions 482
 - photoinduced absorption (PIA) 369
 - measurements 199
 - photoinduced ESR experiments 369
 - photolithography spin-coated semiconductor 523
 - photoluminescence images 70
 - photoluminescence quenching 68, 199, 343
 - photoluminescence spectral data 338
 - photoreaction mechanisms 481
 - photoresist structures 442
 - photovoltaic 549
 - applications 185
 - cells 336, 343
 - conversion efficiency 254, 264, 491
 - conversion solar energy 283
 - devices 26, 117, 122, 179, 181, 190, 243, 250, 368, 375, 376, 382, 391
 - energy 551
 - fabrication method 253
 - main steps 284
 - polymers 250
 - physical vapor deposited (PVD) 497
 - PIA spectroscopy 369, 378, 379
 - planar heterojunction photo-voltaic cell 364
 - planar metal oxide 363
 - planar zinc oxide (ZnO) 363
 - plasma enhanced chemical vapor deposition (PECVD) 497
 - polychlorotrifluoroethylene (PCTFE) 496
 - polyester films 471
 - polyethylene naphthalate (PEN) 426, 471, 472, 496
 - films 472, 475, 477, 478, 479, 480, 497
 - polyethylene terephthalate (PET) 425, 471, 475
 - films 472, 477, 478, 479, 480
 - heat-stabilized 485

- substrates 251, 502
 - polyethylenedioxythiophene (PEDOT)
 - dispersions 247
 - polymer 68, 75, 181, 196
 - bandgap 349
 - blends 380, 383
 - chains 333, 338, 346, 472
 - dopant system 257
 - engineering 349
 - films 473
 - flexibility 22
 - influence 257
 - matrix 312
 - metal oxide 368
 - mobility 344, 346
 - morphology 257
 - nanowires 348
 - optical spacer 263
 - organic solar cells 255
 - phase separation 21
 - photovoltaic devices 57, 243, 252
 - physical processes 196
 - production 243
 - solar cells 18, 125, 263, 271, 272, 299, 311, 322, 375
 - polymeric semiconductor-based solar cells (PSCs) 299
 - polymethylmethacrylate (PMMA) 339
 - polystyrene sulfonic acid (PSS) 215
 - polythiophenes 3, 4, 10, 226
 - controlled crystallization 291
 - derivatives 332
 - optical properties 226
 - orientation 291
 - phase 23
 - plasticizers 12
 - polymer chains 291
 - power-law decay 205
 - power conversion efficiency (PCE) 23, 57, 80, 264, 334
 - precipitation kinetics 166
 - precipitation thermodynamics 166
 - printing techniques 517
 - process 525
 - pump-down curve 433
 - pump-probe spectroscopy 199
 - absorption measurement 193
 - PV module installation 548
 - pyrrole-containing polymers 78
- q**
- quantitative structure activity relationship (QSAR) analysis 174
 - quantum-conned systems 180
 - quantum efficiency (QE) 263
 - quantum rods 184
 - formation 184
 - quasi living process 5
 - quasi-steady state photoinduced absorption experiment 203
 - quasi-two-dimensional behavior 16
 - quenching effects 173
- r**
- radiative force (RF) 537
 - Raman spectroscopy 70, 71
 - random copolymers 143
 - rapid charge-pair recombination process 192
 - rapid spin coating 7
 - red-absorbing fluorine copolymer 189
 - red-shifted absorption 293
 - red-shifted optical absorption 7
 - reel-to-reel process 85, 442
 - refractive index 346
 - renewable energies (RE) 539, 553
 - source 546, 548
 - residual charge moieties 217
 - resonant energy transfer (RET) 350, 351
 - rigid film 480
 - rigorous coupled wave analysis (RCWA) 448
 - ring oscillators 522
 - roll-coating equipment 432
 - roll-coating machines 429, 431, 436
 - roll-to-roll capable photolithography 523
 - roll-to-roll fabrication 514
 - roll-to-roll printing techniques 491
 - roll-to-roll processes 243, 522, 526
 - root-mean-square roughness 229
 - ruthenium dye 335
 - Rutherford backscattering spectrometry (RBS) 16, 28
- s**
- SAED analysis 318
 - sandwich-structure devices 204
 - scanning electron microscopy (SEM) 119, 302, 337, 341
 - scanning Kelvin probe microscopy (SKPM) 71
 - scanning probe microscopy (SPM) 302
 - scanning transmission X-ray microscopy (STXM) 74
 - Schottky-Mott framework 232
 - Schottky-Mott model 207, 232, 233
 - secondary ion mass spectrometry (SIMS) 29, 74
 - selected area electron diffraction (SAED) analysis 19, 302

- selenium-triethylphosphine complex 184
 - self-assembled monolayer (SAM) 291
 - semiconductor-dielectric interfaces 520
 - semiconductor interface 231
 - semiconductor nanoparticles 179
 - advantages 179
 - semicrystalline polymers 344, 345, 475
 - semiladder-type polymer 104
 - short-circuit current 23, 24, 348, 349, 376, 452, 455, 503
 - density 348, 382, 450, 461, 463
 - scales 461
 - side chain melting 10, 12
 - silicon-based PV 493
 - silicon-based solar cell 243, 428
 - silicon hybrid solar cells 229
 - single-layer laminate sheets 496
 - single-wall carbon nanotube (SWCNT) 231
 - single-walled nanotubes (SWNT) 25
 - single solar cells 277
 - characteristics 277
 - singlet oxygen (O_2) 173
 - net generation 173
 - quantum yield 173
 - small-angle neutron spectroscopy 224
 - small-angle reflections 112
 - sol-gel process 272
 - titanium oxide 263
 - solution-based 264, 269
 - solar cells 229, 332, 341, 367, 441, 442, 491, 544
 - buffer layer 229
 - industry 426
 - market 425
 - solar simulating devices
 - arc lamps 482
 - xenon 482
 - solar spectrum 334
 - solid-state crystalline order 9
 - solid-state devices 67
 - solid-state spectra trend 15
 - solid-state structure 6, 24
 - solid-state transfer methods 513
 - solution-processed devices 189, 190
 - solvent-plasticized chains 13
 - solvent effect 225
 - Solvophobic interactions 8
 - source-drain current 256
 - saturation regime 256
 - Soxhlet extraction 15, 28
 - space-charge-limited (SCL) 286, 289, 306
 - space-charge density 205
 - spin-cast films 256
 - photoluminescence spectra 256
 - process 168
 - spin-coated films 75, 311, 316, 516
 - spin-coated polymer layer 336
 - spray pyrolysis method 335, 342, 429
 - sputtering process 429
 - stable charge-transfer-like configuration 233
 - stable colloidal suspensions 7
 - standard operating procedure (SOP) 503
 - state-of-the-art inorganic solar cells 283
 - state-of-the-art nuclear power plants 542
 - state-of-the-art performing devices 155
 - fullerene derivatives 155
 - state-of-the-art polymer-fullerene cells 336
 - streak camera measurements 199
 - structure-property relationship 129
 - substituent-dependent processes 12
 - sulfonated polyaniline (SPAN) 253
 - layer-by-layer deposition 253
 - surface potential mapping 72
 - Suzuki-type polymerization 97
 - Suzuki coupling 105
 - Suzuki polycondensation 100
- t**
- tandem cell architecture 263, 272, 273
 - tandem solar cells 143
 - tandem structure 273
 - electronic absorption spectrum 273
 - temperature-accelerated degradation
 - mechanisms 500
 - temperature-dependent generation rate 288
 - temperature-dependent measurements 205
 - terawatt (TW) energy 549
 - tetradecylphosphonic acid (TDPA) 184
 - tetrapods 184, 185
 - growth 185
 - TFB-rich domains 69, 73
 - thermodynamic equilibrium systems 246
 - thermopower measurements 249
 - thickness-dependent maxima 24
 - thin blend film 301
 - thin-film absorption spectra 16
 - thin-film devices 95, 229, 448
 - thin-film electrodes 428
 - thin-film encapsulation 498
 - thin-film inorganic PV materials 492
 - thin-film inorganic solar modules 496
 - thin-film photovoltaic (PV) cells 197, 220
 - optical design 197
 - thin-film PV technology 554
 - thin-film technology 543
 - thin polymer films 310
 - thin semiconductor films 516
 - thin transparent films 26

- thiophenes 135
 - electron-donating strength 135
 - three-dimensional (3D) device
 - architecture 441
 - time-correlated single-photon counting 199, 201
 - time-of-flight (TOF) measurements 294
 - time-resolved luminescence
 - measurements 199
 - time-resolved microwave conductivity (TRMC) 363
 - titania-based OCPVs 329, 331, 347
 - titania films 347
 - layer 331, 336
 - nanostructure 337, 339
 - titania precursor 334
 - titania templates 329
 - titania/polymer solar cell 331
 - bilayer 335
 - titania/polymer system 334, 352
 - titanium dioxide 264
 - nanoparticles 189
 - sintered films 189
 - TM-polarized light 452
 - total primary energy supply (TPES) growth 531
 - transient absorption spectroscopic techniques 78
 - transition metal oxides 231
 - inorganic buffer layers 231
 - transmission electron microscopy (TEM) 273, 302, 341
 - transparent conductive oxide (TCO) 331, 441, 429
 - electrode 251, 331
 - material 428
 - transversal magnetic (TM) polarization 443
 - trisopropylsilylethynyl-substituted pentacene (TIPSEP) 146
 - TRMC technique 368, 390
 - twist glass transition 12
 - two dimensional polycyclic aromatic hydrocarbons 116
 - two-layer system 169
 - two-phase model 12
 - two-phase transitions 246
- u**
- ultrasonic nebulizer 335
 - ultraviolet photoelectron spectroscopy (UPS) 133
- UV light exposure 228
 - UV stability 481
 - UV–Vis absorption 77, 78, 109
 - band edge 16
 - UV–Vis spectroscopy 73, 257, 133
- v**
- vacuum system 432
 - vanadium (III) oxide (V_2O_3) 231
 - various coating methods 514
 - vertical phase morphology 73
 - vibronic structure 7
 - vinylene dioxythiophene (VDOT) 214
 - voltage-dependent photocurrent 330
- w**
- water-soluble polymer 215
 - water vapor transport rate (WVTR) 496
 - WAXS experiments 123
 - weak interaction 316
 - well-formed thin films 68
 - well-ordered nanoscale morphology 109
 - whisker formation 168
 - wide-bandgap inorganic semiconductor 363
 - winding system 433, 434
 - witness cells 504
 - Wittig condensation 144
 - wrap-through device 459, 461
- x**
- X-ray contour maps 9
 - X-ray diffraction (XRD) 216, 264, 341
 - X-ray diffractometry 111
 - X-ray photoelectron spectroscopy (XPS) 337, 386
 - xerox process 96
 - XPS depth proling technique 270
- y**
- Yamamoto polycondensation reaction 98, 103, 105
 - Youngs modulus 479, 480
- z**
- ZAO 428, 435
 - zero-loss-tered 308
 - ZnO films 388
 - ZnO nanoparticles 190, 191, 377, 379
 - ZnO nanorod 374

