

Index

Page numbers in *italics* indicate figures and tables

a

- N,O*-Acetal trimethylsilyl ether 217
- Acetal substitution 231
- Acetalization 494, 892
 - by transition-metal catalysts 892
 - *i*-Pr₃SiOTf-mediated intramolecular 494
 - of aldehydes and ketones 444
- Acetals 473–485, 574–575
 - Hosomi–Sakurai allylation 475
 - protection 574–575
 - R₃SiX-promoted reactions 473–485
- β-Acetamido Ketones 558
 - One-Pot Multicomponent Synthesis 558
- Acetates 445
 - conversion of THP and MOM ethers 445
- Acetic acid 414
 - reaction catalyzed by In(III) 414
- acetogenin(–)-mucocin 564
- Acetone cyanohydrin 277
- Acetonide 481
- Acetophenone 262, 264, 676, 774
 - Bu₃SnH reduction 264
 - catalytic asymmetric cyanation 774
 - cyanation, La catalyzed 672
- 1,2-*trans*-acetoxy alcohols 842
- 4-acetoxy-1,3-dioxane 482
- Acetylene 363, 930–935
 - addition of Imines Cu catalyzed 930–935
 - intramolecular reaction 363
- Acetylenic alcohols 355
- Acetylenic Schmidt reaction 1011
- Acetylenic sila–Cope rearrangement 1006
 - Au catalyzed 1006
- 2-acetyl furan 834
- Acetylpyrroles 834
- Acid anhydrides 414
 - reaction catalyzed by In(III) 414
- Acid catalysis 56
 - for high chemoselectivity 56
- Acidity constant 36
- AcOTf 445
- Acrolein 15, 55, 764
 - 1,3-dipolar cycloaddition 15
 - Diels–Alder reaction 55
- Acrolein derivatives 755
- Acroleins 192
 - cycloaddition of 2-substituted 192
- Acrylamides 194, 517
 - cycloaddition 517
 - cycloaddition promoted by BF₃•OEt₂ 194
- Acrylic acids 193
 - catalyst 193
- Acrylic esters 295
 - [2 + 2]cycloaddition reaction 295
- N*-acryliminoacetates 590
 - Mannich-type reactions 590
- 3-acryloyl-2-oxazolidinone 614, 667
- Acryloyloxazolidinone 765
- Actinidiolide 953
- Acyclic epoxide 682
- Acyclic epoxy alcohols 785
 - one-pot synthesis 785
- Acyclic siloxydiene 998
- N*-acyl quinolinium 269
 - cyanide additions 269
- N*-acyl-α-imino phosphonates 921
- O-acyl-cyanohydrins 605
- 1-acyl-3,5-dimethylpyrazoles 951
- 2-acyl aziridines 612

- N-acyl thiazolidine-2-thiones 741
 Acyl-1,3-oxazolidin-2-ones 614
 Acyl-Claisen rearrangements 147
 Acyl-Pictet-Spengler reaction 73
 Acylal 445
 – formation and hydrolysis 445
 Acylals 575
 – formation and Cleavage 575
 6β -acylamido- 5α -steroids 570
 Acylation 408, 409, 566–567, 574
 – by Bismuth salts 566
 – In(III) Lewis acids catalyzed 408
 – of alcohols and phenols 574
 – of electron-rich aromatic compounds 409
 Acylation reaction 245–247
 – Al(III) catalyzed 245–247
 Acylhydrazone 197
 – reaction with cyclopentadiene 197
 Acylhydrazones 11
 – enantioselective allylation 11
 N-acylhydrazones 471, 911
 – enantioselective free-radical additions 911
 N-acylhydrazones 399
 – In(OTf)₃ activated 399
 Acylhydrazone ester 160
 N-acylimidazoles 690
 acylimidazolesN-acylimidazoles
 – epoxidation 690
 N-Acyliminium generation 399
 N-acyliminium ion 398, 496
 3-acyloxazolidin-2-ones 614
 N-acyloxazolidinone 754, 1050
 N-acyloxazoline 142
 Acyloxy borane catalyst 211
 – chiral 211
 Acyloxyborane 211
 Acyloxyborane catalyst 188, 189, 190, 216
 N-acylpuridinium ions 495
 Acypyroles 83
 N-acylpurroles 690, 709
 – addition reaction 709
 – epoxidation 690
 Acylzirconocene chlorides 497
 Adamantane 370
 – carbonylation 370
 Adamantanone 546
 Addition reaction 144–147, 162–169,
 396–400
 – C=N 396–400
 – Zn(II) catalyzed 162–169
 1,4-Addition reaction 391–396
 Adjacent amine group 61
 Adjacent Basic Sites 60
 Aflatoxin B₂ 6
 Ag(I) complexes 964
 Ag(I) Lewis acids 987–1011
 Agelastatin A 443
 AgNO₃ 991
 AgNTf₂ 989, 991
 AgOAc–PHOX complex 1000
 AgOAc–QUINAP complex 1000
 AgOTf 990, 994
 Al catalysts for ene reactions 256–260
 – Al catalyzed 256–260
 – substrates 256
 Al(III) Lewis acids 241–336
 – preparation 248, 251
 Al(O*i*-Pr)₃ 274, 276, 331
 Al(salen) complex 272, 284, 291
 – structure 291
 Al[(*R,R*)-salen]Cl complex 293
 Al[*(S,S)*-salen]Cl 291
 Al[*(S,S)*-salen]N₃ 291
 Alanine methyl ester imine 975
 – alkylation 975
 AlAr₃(THF) 732
 ALB-cyclohexenone complex 287
 Alcohols 40, 414, 416, 446, 499–502,
 573–574, 581, 990, 1009
 – acetylation with acetic anhydride 40
 – acylation 574
 – catalytic halogenation 581
 – chlorination catalyzed by InCl₃ 416
 – intramolecular addition 990
 – intramolecular additions Au catalyzed 1009
 – methoxymethylation 573
 – R₃SiX-promoted reactions 499–502
 – reaction catalyzed by In(III) 414
 – silylation 446
 Alcoholysis 571
 – of epoxides 571
 Aldehyde 553–554, 728, 736, 767
 – addition of triethylaluminum 728
 – allylation with BINOL-Ti complex 736
 – allylation with Ti-complex 736
 – asymmetric allylation Ag catalyzed 1003
 – cycloaddition 767
 – remote stereocontrol of allylation 553–554
 Aldehyde acetals 483
 Aldehyde tris(trimethylsilyl)silyl 487

- Aldehydes 11, 256, 267, 268, 271, 299, 302, 356, 381–391, 435, 442, 443, 444, 451, 453, 455, 458, 485, 508, 536, 552–553, 591, 603, 642, 649, 649, 650, 651, 722–725, 728, 731–733, 736, 745, 760, 878, 880, 992, 993, 1005
 - 1,2-additions 381–391
 - acetalization 444
 - addition of allylsilane 732, 736
 - Al catalyzed cycloadditions 302
 - alkynylation 1005
 - alkynylation catalyzed by $\text{InCl}_3\text{-TMSCl}$ 384
 - alkynylation $\text{In(OAc)}_3\text{-RuCl}_3$ -catalyzed 390
 - allylation Cr catalyzed 880
 - allylation Yb(OTf)_3 catalyzed 647
 - arylation 732
 - asymmetric addition 878
 - asymmetric addition of alkyl groups 724
 - asymmetric alkylation, Ti-complex mediated 722
 - asymmetric alkynylation 458
 - asymmetric allylations 455
 - asymmetric diethylzinc addition 723
 - asymmetric vinylation 731
 - bromoallylation 552–553
 - catalytic allyltitanation 733
 - catalytic enantioselective allylboration 11
 - chemoselective oxathioacetalization 603
 - competition reaction 651
 - competition reaction 642
 - competitive allylation reaction 649
 - cyanation 649, 768
 - cyanoalkoxycarbonylation methyl cyanoformate 268
 - cyanosilylation with TMSCN 268
 - cyclotrimerization of catalyzed by InCl_3 453
 - dithioacetalization 443
 - enantioselective addition Ag catalyzed 992
 - enantioselective alkylation with Grignard reagents 264
 - enantioselective allylation 993
 - enantioselective hydrophosphonylation reactions 271
 - HDA reaction 760
 - hydrophosphonylation Al-mediated 272
 - In(OTf)_3 -catalyzed reaction 451
 - InCl_3 catalyzed tandem reaction between arylamines and γ 435
 - InCl_3 -catalyzed deoxygenation of aromatic 442
 - Me_3Al promotes [2 + 2]cycloaddition 299
 - mukaiyama aldol reaction 485
 - passerini-type reaction 508
 - protection 444
 - (R_2AlCl) -induced intermolecular ene reaction 256
 - reaction of diketone 745
 - reaction with diethyl cyanophosphonate 267
 - reagent for asymmetric alkylation 728
 - reagents for the enantioselective addition 725
 - reation GaCl_3 Catalyfed 356
 - Sc(OTf)_3 -catalyzed allylation 591
 - SnCl_2 mediated allylation 536
 - strecker-type reaction of 650

Aldimine 80

 - by quanidium salt catalyst 80

Aldimine– Yb(OTf)_3 complex 641

Aldimines 73, 75, 181–182, 591, 642, 651

 - competition reaction 651
 - competition reaction of 642
 - from tryptamine 73
 - hydrocyanation 75
 - hydrophosphonylation Al-mediated 272
 - Sc(OTf)_3 -catalyzed allylation 591
 - Zn(II) catalyzed 181–182

Aldol products 85

Aldol reaction 118–119, 142–144, 154–160, 211, 213, 250–256, 377–381, 447, 506, 537–545, 589, 606–607, 636, 637, 739–747, 825–834, 994, 996, 1001, 1002

 - Al catalyzed 250–256
 - asymmetric *N*-nitroso 1001
 - B(III) Lewis acid promoted 209
 - BINAP•silver(I)-catalyzed asymmetric 994
 - by In(III) Lewis acids 377
 - by scandium triflate 589
 - catalyzed by lanthanide triflate 637
 - chiral catalysts for catalytic enantioselective 211
 - Cu catalyzed 911–919
 - diastereo- and enantioselective 996
 - direct asymmetric,of diazoester Zr-Binol catalyzed 834

- Aldol reaction (*contd.*)
- enoxytrichlorosilanes using chiral Lewis base catalysts 506
 - In(OAc)₃-enhanced Ru-catalyzed 447
 - lanthanide Lewis acid catalyzed 636
 - of chiral *syn* and *anti*- α -methyl- β -protected-oxy aldehydes 213
 - scandium and yttrium catalyzed 606–607
 - Sn(II) and Sn(IV) Lewis acid based 537–545
 - Ti catalyzed 739–747
 - 2-trimethylsilyloxyfuran with aldehydes 745
 - with Lewis acids 142–144
 - with LPDE 118
 - with trimethoxysilyl enolates 1002
 - zirconium catalyzed 825–834
 - Zn(II) catalyzed 154–160
- Aldol-tishchenko reaction 702–706, 706, 707, 834
- lanthanide catalyzed 702–706
 - reaction pathway 706
 - using a La(OTf)₃/(R)-BINOL/BuLi catalyst 707
 - with chiral Yb(OTf)₃ complex 707
 - Zr catalyzed 834
- Aldol-type additions 917, 919
- of malonic acid hemithioesters to aldehydes 917
 - of nitriles to ketones 919
- Aldol-type reaction 209–214, 473–474, 495
- acetals and subsequent elimination of tetrahydrothiophene 495
 - boron Lewis acids promoted 209
 - with silyl enolates 473–474
- Aldoxime 847
- cascade reaction Hf catalyzed 847
- Aliphatic alkynes 941
- addition, reactions, Cu catalyzed 941
- Aliphatic amines 605
- carbomethylation 605
- Alkali Metal Salts 109–112
- Lewis acidity 109–112
- Alkene cyclopropanation 882
- Ru(II) porphyrin-catalyzed 882
- Alkene-siloxyalkyne carbocyclizations 47
- Alkenes 256, 407, 578–579, 988, 990, 1010
- addition of thiolacetic acid and thiols 407
 - hydroalkylations 988
 - hydroarylation 578–579
 - intermolecular hydroamination 1010
 - intramolecular alkoxymetalation 990
 - nickel-catalyzed carbonyl-ene type reactions 256
 - 3-(2-alkenoyl)-2-oxazolidinones 875
 - N*(α,β -alkenoyl)oxazolidinones 141
 - Alkenyl enolates 826
 - diastereospecific synthesis 826 - Alkenyl trichloroacetate 994
 - Alkenylnitrone 847
 - Alkenylzirconocene 826
 - Alkalysis 282
 - Al(OTf)₃-catalyzed 282 - Alkoxo titanium complexes 796
 - 2-Alkoxy-2-phenylethanol 1049
 - 1-alkoxy-3-nitroalkanes 479
 - 2-alkoxy-1,4-pentadien-3-one 616
 - β -alkoxy carbonyl compounds 473
 - Alkoxy dienones 617
 - Alkoxyazetidines 990
 - N*-alkoxycarbonylamino sulfones 555
 - Alkoxyepoxides 280
 - Alkoxysilanes 470
 - Tert*-alkyl chloride 242, 244
 - Tert*-alkyl fluoride 242
 - Tert*-alkyl–alkynyl coupling 242, 244
 - 2-alkyl-2-adamantanone 181
 - 2-alkyl-2-aryl-3,4-dimethyl-5-phenyloxazolidines 617
 - 4-alkyl-1,3-dioxanes 482
 - Alkyl alkynes 796
 - intermolecular hydroamination 796 - Alkyl aluminum 301
 - Alkyl aryl sulfoxides 786
 - asymmetric synthesis 786 - Alkyl dimethylsilyl ethers 485
 - Alkyl halides 449
 - coupling reactions 449 - Alkyl hydrazone 680
 - Alkyl lithiums 126
 - Alkyl siloxanes 470
 - Alkyl silyl ethers 604
 - Alkyl transfer reaction 243
 - Alkyl-Selective Addition to Ketones 179–181
 - Alkyaluminum chloride 256
 - Alkyamines 794
 - intermolecular hydroamination 794 - 1,1-alkylaryl-alkenes 609
 - α -*tert*-alkylated ester 242, 243
 - Alkylation 144, 229, 241–244, 263, 409, 722, 837, 973–976
 - Al(III) catalyzed 241–244
 - B(III) Lewis acid catalyzed 229
 - by titanium complexes [13] 722

- catalyzed by Zr or Hf chloride 837
- Cu catalyzed 973–976
- Lewis Acid Activated 367
- of alanine methyl ester imine 976
- of aldehydes 144
- of aldehydes with Grignard reagents 263
- of arenes 409
- of heteroatom nucleophiles 244
- of pentamethylbenzene 1004
- Alkylation reaction 247–248, 565
 - Al catalyzed 247–248
 - by bismuth salts 565
- Alkyldichloroboron Lewis acid catalyst 190
- O-alkylhydroxylamines 612, 708
 - 1,4-addition 708
 - conjugate addition 612
- Alkylidene malonates 942
- Alkylidenecyclopropanone silyl acetal 523
 - regioselective ring-opening 523
- Alkylithium 359
- (alkylsulfinyl)methylphosphonates 787
- Alkyne 439, 794
 - hydroamination 794
 - intramolecular allylstannylation 439
- Alkyne π acid 363
- Alkyne-propargylic acetates 1009
 - cyclization 1009
- Alkyne–carbonyl coupling reactions 988
 - inter- and intramolecular 988
- Alkynes 361–368, 403, 405, 794, 1005, 1011
 - addition reaction catalyzed by In(OTf)₃ 405
 - addition reactions 403–407
 - carbometalation 365–368
 - π complexation 361–365
 - gold(I)-catalyzed intramolecular addition reaction 1005
 - intermolecular hydroamination 794
 - intramolecular carbothiolation 1011
- 1-alkynes 365
- Alkynyl aluminum 282
- 2-alkynylanilines 440
 - intramolecular cyclization 440
- O-alkynylarylaldimines 440
- Alkynylation 162, 168, 244, 261, 384, 390, 415
 - enantioselective 162, 168
 - 2-fluorobenzaldehyde 261
 - of acid chlorides catalyzed by InBr₃ 415
 - of aldehydes 390
 - of aldehydes Au catalyzed 1005
- of aldehydes catalyzed by InCl₃–TMSCl 384
- of ketones 162
- tert-Alkyl chloride and bromide 244
- Alkynylation asymmetric 458
 - In(III)–BINOL catalyzed 458
- o*-alkynylbenzaldehyde 1008
- Alkynylchlorogallium 365
- Alkynylgallium 372
- Alkynyltrimethylsilanes 414
- Allenamides 969
- Allene 222
- 1,2-allenic ketones 592
- Allenoate–Claisen rearrangement 174
- Allenyl enolate 826
 - Zi rconocene-derived 826
- Allenyl-tributylstannane 506
- Allenylation 478
 - intramolecular using propargylsilanes 478
- Allenynes 1008
 - cycloisomerization 1008
- allo*-phenylnorstatine 700
- Allonate/Claisen tandem reaction 533
- Allyl 2,4-dimethylphenyl ethers 329
 - Claisen rearrangement 329
- Allyl alcohol 850
 - ZACA reaction 850
- Allyl aminoacetates 331
- Allyl ester 856
- Allyl halides 536
 - SnCl₂ mediated allylation 536
- Allyl morpholine 148
- Allyl phenyl ethers 327
 - aromatic Claisen rearrangement 327
- Allyl vinyl ethers 327
 - tandem Claisen rearrangement/alkynylation reaction 327
- Allyl(enoyl)silane 503
- Allyl–In(III) complex 455
- Allylation 9, 10, 15, 16, 119, 168, 261, 383, 388, 389, 414, 415, 430, 440, 455, 471, 476, 504, 534–536, 646, 647, 649, 645–649, 732–739, 840, 880, 890, 992, 1002
 - aldehydes in the presence of benzoic acid 646
 - aldehydes with allylsilane catalyzed by Yb Lewis acid 647
 - aldehydes with allylstannane catalyzed by Yb(OTf)₃ 646
 - allenylstannane catalyzed by Yb(OTf)₃ 649
 - and prins cyclization 430

- Allylation (*contd.*)
- asymmetric 455, 992
 - benzaldehyde 736
 - by of titanium Lewis acids 732
 - by Ti-BINOL-Boroxine combined system 16
 - catalyzed by In(OTf)₃ 440
 - diastereoselective 534
 - dihydrofurans 387
 - dihydropyrans 387
 - enantioselective 10
 - intramolecular of oxocarbenium ions with allylsilanes 476
 - lanthanide Lewis acid catalysis 645–649
 - nucleophilic 534
 - of *N*-acylhydrazones derived from aldehydes and ketones 504
 - of acid chlorides 414
 - of acid chlorides catalyzed by InBr₃ 415
 - of aldehyde or ketone-derived acrylhydrazones 9
 - of aldehydes 15, 388
 - of aldehydes Ag catalyzed 993
 - of aldehydes with allyl tin 880
 - of aldehydes with allylic trimethoxysilanes 1002
 - of aldehydes with allyltributyltin catalyzed 645
 - of aromatic aldehydes 261
 - of benzaldehyde with allyltributyltin 840
 - of carbonyls 471
 - of epoxides 648
 - of gem-diacetates 389
 - of hydrazones 168
 - of imines catalyzed by lanthanide triflate 649
 - of imines with allylstannanes 733
 - of ketones 385
 - of the aldehydes with tributylallyltin 736
 - Pd(II) and Pt(II)-catalyzed 890
 - promoted by InCl₃ 383
 - trifluoroacetaldehyde 387
 - using allylsilanes 388
 - with Lewis acids 119
- Allylation reactions 552–554, 591–592, 609–611
- Bismuth(III) Lewis Acids promoted 552–554
 - Sc(OTf)₃ catalysis 609
 - Sc(OTf)₃-catalyzed 591
- Allylations 838–840, 935–937
- of ketones, Cu catalyzed 935
 - with Allylstannanes Zr-catalyzed 838–840
- Allylboration 260
- Al mediated 260
- Allylboration of aldehydes 217
- Allylboron reagent 218
- Allylboronate 609, 937
- transmetallation 937
- Allylchlorosilane 431
- Allyldiisopropoxyborane 8
- Allyldimethyl(2-pyridyl)silane 994
- Allyldimethylsilyl chloride 442
- Allylgallium 355, 357, 365, 371
- Allylic 414
- Allylic alcohol 179, 768, 782
- cyclopropanation 768
 - enantioselective epoxidation 782
- Allylic alkylation 870
- asymmetric by POZ 870
- Allylic bromide 386, 439
- intramolecular reaction 439
- Allylic epoxy alcohols 785
- one-pot synthesis 785
- Allylic halogenation 502
- R₃SiX-promoted 502–503
- Allylic indium 414
- Allylic Rearrangement 569
- glycols 569
- Allylic silanes 14, 200
- annulation 200
- Allylic Substitutions 115–117
- LPDE mediated 115
- Allylic trimethoxysilanes 997
- Allylmagnesium bromides 354
- Allylmagnesium halide 372
- N*-allylmorpholine 147
- Allyloxysilanes 835
- π-Allylpalladium 494
- π-Allylpalladium chloride dimer catalyst 890
- Allylphenol 851
- ZACA reaction 851
- 2-allylphenol 429
- Allylsilane 217, 471, 476, 503, 848, 937
- [2+3] cycloaddition 848
 - transmetallation 937
- E*-allylsilanes 792
- Allylsilicates 472
- Allylsiloxane 216
- Allylstannanes 382, 385, 534, 647, 732, 838, 890
- Allyltin reagents 387

- Allyltitanium 732
 – preparation 732
 Allyltributyl stannane 455
 Allyltributyltin 335
 Allyltrichlorosilane 504, 506
 Allyltriisopropylsilane 200
 Allyltrimethoxysilane 168, 992, 993, 994
 Allyltrimethylsilane 261, 389, 475
 Allylsilane 647, 733
 Aluminate complexes 283
 Aluminum 266
 – pentavalent 266
 Aluminum alkoxide 277, 284
 – preparation 284
 Aluminum dialkoxide 266
 Aluminum dodecatungstophosphate 244, 245, 283
 Aluminum dodecylsulfate trihydrate 287
 – preparation 287
 Aluminum phenoxide 304
 aluminum phenoxides sterically hindered 262
 – structures 262
 Aluminum triisoperoxide 804
 Aluminum tris(2,6-diphenylphenoxyde) 252, 522
 Aluminum
 tris(2- α -naphthyl-6-phenylphenoxyde) 328
 Aluminum
 tris[2,6-bis(4-fluorophenyl)phenoxyde] 287
 Amidation 991
 – intramolecular 991
 Amidinium Salts 82
 Amidoalkylation 217, 536
 – diastereoselective intramolecular 217, 536
 2-amidofurans 313
 – Diels–Alder/rearrangement reaction 313
 Amidolysis 612
 Amination 973–976, 1001
 – Cu catalyzed 973–976
 – of silyl enolates with azo diester compounds 1001
 Amine 590
 – immobilizations 590
 Amine base–chiral Lewis acid 141
 Amine Catalysts 80–83
 – protonated 80–83
 Amines 396, 414, 446, 453, 650, 1009
 – *N*-*tert*-butoxycarbonylation 446
 – condensation 453
 – conjugate addition of 396
 – intramolecular additions Au catalyzed 1009
 – reaction catalyzed by In(III) 414
 – strecker-type reaction 650
 α -aminonitrile 66, 558, 832
 – synthesis 558
 (1*R*,2*S*)-2-amino-1,3-diphenyl-1-propanol 1048
 1-Amino-3,4-diols 89
 α -amino iminolactones 351
 β -amino esters 608
 β -amino ketones 608
 β -amino- α -hydroxycarboxylic acids 400
 1-amino-2-indanol 895
 Amino alcohol 628, 853
 – selective O-acylation 628
 syn- β -amino alcohol 156
 Amino alcohol zinc complex 1051
 1,3-amino alcohols 380
 – catalyzed by InCl₃ synthesis 380
 Amino Group 575–576
 – protection 575
 α -Amino Phosphonates 400, 498, 558, 921
 – synthesis 558
 Aminoacetals 496–498
 – R₃SiX-promoted reactions 496–498
 Trans-1,2-aminoalcohol derivatives 279
 Aminoalkenes 46, 628, 799
 – asymmetric hydroamination 628
 – cyclization 46, 799
 N-(α -aminoalkyl)benzotriazoles 638
 Aminoalkynes 799
 – intramolecular hydroamination 799
 Aminoallenes 799, 800
 – asymmetric intramolecular hydroamination 800
 para-aminoarylketones 567
 2'-aminoalchones 396
 – cyclizations catalyzed by InCl₃–SiO₂ 396
 α -Aminohyrazones 89
 3-aminoimidazoles 600
 Aminolysis 282, 572
 – Al(OTf)₃-catalyzed 282
 – aziridines 572
 Aminolysis reactions 569
 2-Aminotetrahydropyrans 496
 Ammonium Salts 83
 Anhydrides 233
 – ring opening 233
 Anilines 350, 368
 – BCl₃-promoted o-acylation of 350
 – direct o-ethynylation 368

- Anilinium salt 50
 – acidity 50
p-Anisaldehyde 25
o-anisaldehyde 928
 Anisole 835
 – acylation 835
 Annulation reaction 616, 627
 – by scandium and yttrium 616
 – Y complex 627
Anti- β -azido- α -hydroxyamides 691
Anti-aldol reactions 142
 – by MgCl₂ 142
Anti-aldol-type adducts 139
Anti-Markovnikov aldimine product 796
L-anti-sphingosine 829
(R)-arbutamine 700
 Arbusov rearrangement 500
 Arene 363, 369, 1004
 – benzylation 1004
 – intramolecular reaction 363
 – Lewis Acid Activated 369
 Arene-siloxyalkyne carbocyclizations 46
 Arene–platinum complex 350
 Arene–siloxyalkyne carbocyclization 989
 Arenes to alkynes 405
 – Friedel–Crafts type addition 405
 Arenynes 1008
 – cyclization Au catalyzed 1008
 Aromatic alkylation 369
 Aromatic Claisen rearrangement 329
 – MABR-mediated 329
 Aromatic substitution 410, 408–413, 655
 – achiral lanthanide Lewis acid catalysis 655
 – of indoles catalyzed by In(III) salts 410
N-Aroyl trifluoromethane sulfonamides
 – pK_a Value 37
N-Aroyl trifluoromethane sulfonamides 37
 – Hammett σ_p 37
 2-aryl-2,3-epoxy acylate 205
 – acyclic 205
 – cyclic 205
 1-aryl-1-alkylhydrazines 798
 Aryl amines 437
 Aryl cyclopropyl ketones 487
 Aryl halides 178
 – exchange reactions 178
 Aryl iodide 987
 Aryl methyl sulfoxides 786
 Aryl nitroolefins 761
 Aryl pinacol 58
 Aryl silyl enol ethers 607
N-aryl tetrahydroisoquinolines 935
N-arylaldimines 423, 424
 – imino Diels–Alder reaction 423
 – InCl₃ catalyzed reaction 424
 Arylalkynes 1008
 – Intramolecular [4+2] cycloadditions 1008
 Arylbis(triflyl)methanes 41
 – synthesis 41
 Arylboron dichloride 1025
 Arylboronic acid 221
 4-arylbutyric acids 566
 2-Arylcycloalkanones 1004
 Aryldibromoborane 1027
 Aryldimethoxyboranes 1027
 Arylglyoxals 436
 – three-component reaction 436
N-Arylidene glycine methyl ester 153
2-(arylidene)malononitrile 801
 Arylidene malonate 907
 2-aryliindoles 438
 Aryliodine bis(trifluoroacetate)s 502
 Arylisotriazines 351
 1-arylnaphthalenes 351
 arylnaphthalenes 1-arylnaphthalenes 355
 Arylnitroso dienophiles 596
 Aryloxo titanium complexes 796
 2-aryltiho-acetophenones 202
 – cyclization 202
 2-aryltiho-ketones 202
 aryltins 578
 Aryltitanate reagents 491
 Aryltitanium 731
 1-aryltiarienes 226
 – cross-coupling 226
 Aryl trifluoromethyl ketones 144
 Arylzinc reagents 491
 Asymmetric catalysis 454–458, 624
 – by chiral indium complexes 454–458
 Asymmetric Diels–Alder reaction 113, 456, 614
 – catalyzed by chiral In(III)–BINOL complex 456
 – mediated by alkali metal Lewis acid 113
 – of cyclopentadiene with 3-acryloyloxazolidin-2-one 614
 Asymmetric Epoxidation 687–691
 – lanthanide catalyzed 687–691
 Asymmetric hetero-Diels–Alder reaction 614
 – of benzaldehyde with the Danishefsky's diene 614
 Asymmetric ionic Diels–Alder reaction 562
 – for the synthesis of *cis*-decalins 562

- Asymmetric reduction 454
 – In(OTf)₃-catalyzed 454
- Asymmetric ring-opening 777
 – cyclohexene oxide 777
 – of meso epoxides 777
- ‘Ate-complexes’ 721
- ATNP 329
- Atom transfer 234
- Atom transfer cyclization 439
- Atom transfer radical polymerization 1020
- ATPH 264, 308, 324, 332
 – application 264
- Au(I) Lewis acids 987–1011
- Au(III) Lewis acids 987–1011
- AuCl₃ 1010
- AuCl₃/AgOTf 1004, 1005
- Aza Diels–Alder reaction 91, 92, 96, 663, 652, 652, 656–663, 664, 845, 953, 956
 – catalytic asymmetric 656–663, 663
 – catalyzed 663
 – Cu catalyzed 953
 – cyclohexenone with aldimines 96
 – enantioselective 956
 – of Brassard diene 92
 – of Danishefsky’s diene 91
 – of N-tosyl α-imino ester with Danishefsky’s diene 953
 – lanthanide triflate catalyzed 652
 – postulated transition state model for 664
 – three-component 652
 – Zr catalysts 845
- Aza Henry reaction 71, 76, 82, 926–930
 – β-amino nitro compounds 76
 – ammonium salt 82
 – Cu catalyzed 926–930
- Aza Michael addition 52
- Aza(bisoxazolines) 978
 – CuCl₂/polymer-bound 978
- Aza-Claisen rearrangement 327
 – of zwitterionic allyl–vinylammonium complexes 327
- Aza-Diels–Alder reactions 595
- Aza-Michael reactions 18, 19, 662
 – of N-acylpyrroles catalyzed by YLB 19
 – of alkoxylamines and catalytic asymmetric fluorination of β-Keto esters 662
 – of methoxyamine catalyzed by (S,S,S)-YLi₃tris(binaphthoxide) 18
- Azadienes 424
 – imino Diels–Alder reaction 424
- 2-azadienes 956
- 1-azafenestranes 324
- 1-azaspirocyclic product 204
- Azetinyl thiazolidine-2-thiones 741
- Azidation 416
- β-Azido hydrins 1049
- Azido trienone 313
 – Diels–Alder/Schmit–Aubé reaction of 313
- Azidolysis 527
 – regio- and stereoselective 527
- Aziridination 228, 896
 – catalytic asymmetric 228
 – of aryl imines with diazoacetate, Fe catalyzed 896
- Aziridination reactions 882
 – of aryl imines 882
- Aziridine 227
 – *cis trans* 227
- (Z)-aziridine 602
- Aziridine ring opening 443
 – catalyzed by In(OTf)₃ 443
- Aziridine-2-carboxylate 495
- Aziridines 93, 400–403, 404, 528, 572, 594, 683, 880
 – aminolysis 572
 – reaction catalyzed by InCl₃ 404
 – reaction with acid anhydride 594
 – ring opening 400–403
 – ring opening with TMSCN 683
 – ring-opening reaction 528
 – synthesis by phosphoric acid catalysts 93
 – thiolysis 572
- 2,3-aziridino alcohols 528
 – stereoselective rearrangement 528
- Aziridinyl alcohol 153
- Aziridinyl alcohol ligand 152
- Azlactone 78
 – kinetic resolution 78
- Azomethine imines 966
 – kinetic resolution 966
 – with electron-deficient alkynes 966
- Azomethine ylide 151, 152, 964, 965, 999
 – cycloaddition 964
 – 1,3-dipolar cycloaddition 999
 – enantioselective cycloaddition 965
- 2-azopyridine 998
- b**
- B(III)Lewis acids 187
- B(C₆F₅)₃ 55
- Baeyer–Villiger oxidation 545–546
 – Sn(II) and Sn(IV) Lewis acid promoted 545

- Baeyer–Villiger Reactions 148–149
 Balanol 893
 BAMOL 26
 Barbier-type allylation 648
 – catalyzed by $\text{La}(\text{OTf})_3$ 648
 – of α,α -difluoropropargyl bromide
 catalyzed by $\text{Eu}(\text{OTf})_3$ 648
 Barbier-type reaction 647
Bayer reaction 249
 – of indole 249
 Baylis–Hillman acetates 419
 Baylis–hillman adducts 221
 – β -bromo 221
 Baylis–Hillman reaction 67, 149, 781–782
 – Ti catalyzed 781–782
 Beckmann Rearrangement 568
 Benzaldehyde 15, 58, 221, 355, 723, 736,
 759
 – allylation with BINOL-Ti complex
 736
 – asymmetric allylation 15
 σ -benzaldehyde iron complex 895
 – catalytic asymmetric diethylzinc
 addition 723
 – phenylation 58
 – reaction with but-3-yn-2-one 221
 Benzannulation 1008
 – gold-catalyzed 1008
 Benzene 247
 – Al catalyzed alkylation 247
 (S) -3-(benzene-fused-phthalimido)-2-
 piperidinone 868
 Benzimidazole 436, 563
 – 2-substituted 436
 – synthesis 563
 1,5-benzodiazepines 436
 – synthesis of catalyzed by InBr_3 436
 Benzofuran 232, 436
 – InCl_3 catalyzed three-component
 reaction 436
 Benzoic acids 37
 – Hammett σ_p 37
 – pK_a Value 37
 Benzophenone imine glycine methyl ester
 922
 2-benzopyrylium-4-olate 614
 2-benzopyryrium-4-olate 667
p-benzoquinone monoimine 200
 Benzoquinoneimine 232
 1,4-Benzoquinones 7, 766
 – asymmetric [3 + 2] cycloaddition 7
 – cycloaddition 766
 Benzothiophenes 202
 – 3-aryl-substituted 202
 Benzoyl cyanide 774
 Benzoylation 978
 – Cu(II)-catalyzed 978
 Benzoylhydrazone 505
 N-benzyl imines 210
 N-benzyl imino–aldol adducts 210
 (R,R) -3-aza-3-benzyl-1,5-dihydroxy-1,5-
 diphenylpentane 762
 2-benzyl-4-chloro-tetrahydropyran 571
 4-(*S*)-benzyl-((*E*)-2'-butenoyl)-1,3-oxazolidin-
 2-one 615
 Benzyl diphenylphosphinates 499
 Benzyl meldrum's acids 599
 Benzyl sulfide 855
 N-benzylanilines 368
 – o-ethynylation with chloroacetylene
 368
 Benzylation 484
 – of alcohols with benzaldehydes and
 Et_3SiH 484
 – of arenes 1004
 N-benzylhydroxylamine addition 145
 O-benzylhydroxylamine 612, 942
 – asymmetric conjugate addition 612
 Benzylic alcohol 414, 553
 – deoxygenative allylation 553
 – reaction catalyzed by In(III) 414
 Benzylic alcohols secondary 442
 N-benzylidene-2-hydroxyaniline 663
 (S) -*S*-*N*-benzylidene-*p*-toluenesulfinamide
 545
 Benzylidene acetal 792
 – deuteride addition 792
 Benzylidene- β -diketones 1006
 Benzylideneaniline 762
 N-benzylideneaniline 880, 882, 883, 998
 N-benzylidenebenzylamine *N*-oxide 664
 Benzyloxyacetyl chloride 147, 148
 α -benzyloxyaldehyde 758
 N-benzyloxycarbonyl-2-methoxypiperidine
 620
 – nucleophilic substitution 620
 Benzyloxysilanes 835
 $\text{BF}_3\bullet\text{Et}_2\text{O}$ 380, 539
 $\text{BF}_3\bullet\text{OEt}_2$ 194, 196, 204, 207, 208, 213, 224
 – by nucleophilic substitution 224
 – selectivity 207
 $\text{BF}_3\bullet\text{OEt}_2$ zinc(II) iodide catalyst 220
 $\text{BF}_3\bullet\text{OEt}_2$ catalysis 200
 Bi(II) Lewis acids 551
 $\text{Bi}(\text{N}(\text{SO}_2\text{C}_{10}\text{F}_{21})_2)_3$ catalyst 574
 $\text{Bi}(\text{NTf}_2)_3$ 566
 $\text{Bi}(\text{OTf})_3$ 572
 $\text{OBi}(\text{OTf})_3\bullet x\text{H}_2\text{O}$ 556

- Bi(OTf)₃•xH₂O 565, 577
 Bi(OTf)₃•xH₂O catalysis 574
 Bi(OTf)₃•xH₂O-chiral bipyridine complexes 556
 1,1'-Biaryl-2,2'-dimethanol 86
 1,1'-Biaryl-2,2'-diol 318
 Bicyclic *endo*-chromium complex 317
 Bicyclic amine 601
 bicyclo[2.2.2]diazaoctanes 327
 Bicyclo[m.n.l]Alkanones 563
 Bicyclotetone synthesis 27
 Bicyclopentanones 803
 Bifurans 438
Biginelli reaction 432
 Biginelli condensation 600
 – by Sc(OTf)₃ 600
 Biginelli reaction 97, 434, 557–558, 669, 670
 – Bi(III) Lewis Acids 557–558
 – catalyzed by InCl₃ 434
 – promoted by chiral Yb catalyst 669
 – transition state model 670
 Bimetallic lanthanide catalyst 682
 Bimetallic lanthanide complexes
 – structures of ligands 680, 685
 Bimetallic mechanism 682
 (*R*)-BINAP•AgClO₄ complex 1001
 BINAP•Ag(I) 992
 BINAP•AgF 1002
 BINAP•AgOTf complex 994
 BINAP•AgPF₆ 995
 BINAP/AgOTf/KF/18-crown-6 catalyst system 997
 1,1'-binaphthol 188
 Binaphtholate yttrium aryl complexes 628
 BINOL 454, 457, 657, 658, 688, 723, 725, 741, 748, 1041
 – cross-linked polymer-supported 1041
 – dendritic 1041
 – monoethers 454
 (*R*)-H₈BINOL-Ti catalyst 732
 (*R*)-BINOL 148, 170, 248, 277, 284, 334, 657, 735, 741, 750
 (*R*)-BINOL-Ti 758
 (*R*)-BINOL-Ti(OⁱPr)₂/(*R*)-BINOL complex 750
 (*R*-BINOL-MgI₂ catalyst 149
 (*S*)-BINOL 322, 335, 454, 455, 664, 730, 871
 (*S*)-BINOL-Ti 730
 (*S*)-H₈BINOL 730
 F₈BINOL 752, 787
 H₄BINOL/Ti/H₄BINOL 759
 H₄BINOL/Ti/H₈BINOL 759
 BINOL catalyst 259
 BINOL derivative 318, 336
 – 3,3'-disubstituted 318
 – 3,3'-silylated 336
 BINOL ligands 164, 751
 – bifunctional 164
 – bridged multitopic 751
 BINOL zirconium catalyst 840
 – asymmetric activation of chiral 840
 BINOL-derived ligands 615
 BINOL-Ca(II) catalyst 150
 BINOL-Ti 742
 BINOL-Ti catalyst 748, 777–779, 790
 BINOL-Ti complexe 734, 735, 768, 777, 787
 – asymmetric catalysis 735
 – preparation 734
 BINOL-Ti oxide 741
 BINOL-Ti(OⁱPr)₂ 750
 BINOL-Ti(OⁱPr)₂ complex 735
 BINOL-TiCl₂ 741
 BINOL-TiCl₂ complex 757
 BINOL-TiF₂ 736
 BINOL-titanium complex 751
 – pseudoenantiomeric 751
 BINOL-Zn(II) complexes 154
 BINOLAM ligand 267
 BINOLAM-Ti(IV) 774
 Ti₄(μ-BINOLato)₆(μ₃-OH)₄ 740
 BINOLH₈BINOL-Ti catalyst 758
 (*S*)-BINPO 866
 biomimetic transfer hydrogenation 94
 Biphenylenediol 251
 Bipyridine 611
 [3,5-bis(trifluoromethyl) phenyl]boronic acid 190
 1,3-bis-exocyclic dienes 230
 2,2'-bis(diphenylphosphanyl)biphenyl 872
 2,6-bis(2-oxazolinyl)phenylplatinum(II)
 NCN-pincer complexes 871
 Bis(2,6-diphenylphenoxy) aluminum triflimide 297
 Bis(2-oxazolinyl)xanthene ligands 140
 (*R,R*)-N,N'-bis(3,5-di-*tert*-butylsalicylidene)-
 1,2-cyclohexanediamine 162
 Bis(3-indolyl)methanes 837
 Bis(4-substituted-2,6-di-*tert*-butylphenoxyde) 262
 Bis(amidate) complex 796
 Bis(boronic acid) 1028
 2,2-Bis(diphenylhydroxymethyl)binaphthyl 87
 Bis(indolyl)methanes 249, 410
 Bis(iodomethyl)zinc 768
 Bis(organoaluminum) complex 264

- Bis(oxazoline)s 136, 147, 169
 – tridentate 169
- Bis(oxazoline)s-MgI₂ 139
- Bis(oxazoline)s-Mg(NTf₂)₂ catalysts 141
- Bis(oxazoline)s-Mg(OTf)₂ 144
- Bis(oxazoline)s-Mgl₂ 137
- Bis(perfluorobutanesulfonyl)amide 655
- Bis(pinacolato)diboron 1021
- N,N*-bis(siloxy)enamines 479
- N,N'*-bis(trifluoromethanesulfonyl)-
 benzamidines 37
 – Hammett σ_p 37
 – pK_a Value 37
- Bis(trifluoromethanesulfonyl)amine 473
- 1,1-bis(triflyl)alkanes 41
 – synthesis 41
- Bis(triflyl)amide 303
- Bis(trimethylsilyl)peroxide 528
- 2,2'-bis(tritylamoно)-4,4'-
 dichlorobenzophenone 735
- Bis-1,2-(2,6-dihydroxyphenyl)ethane,
 2-hexylresorcinol 599
- Bis-aluminated phenoxide 274
- Bis-aluminated triflic amide 310
- Bis-ferrocenyl amide phosphine 999
- Bis-oxocane type compounds 205
 – synthesis 205
- Bis-phosphoramido 507
- Bis-silylated β -hydroxycarboxylic acid 494
- Bis-sulfonamide catalyst 88
- Bis-thiourea catalysts 68
 – Axially chiral 68
- Bis-titanium isopropoxide 792
- Bis-titanium(IV) catalyst 736
- Bis-triflylamide 319
 – C₂-symmetric 319
- Bis[(*R*)-1-phenylethyl]amine 487
- 1,1'-(2,2'-bisacylamino)binaphthalene
 657
- Bisbenzimidazole 917
- BisBINOL ligands 751
- Bishomoallylic alcohols 610
- β,β -bisindolyl ketones 592
- 1,3-bisindolyl compounds 393
- Bismuth chloride 563
- Bismuth nitrate 557
- Bismuth triflate 555
- Bismuth(III) iodide 553
- bismuth(III) mandelate 576
- Bismuth(III) nitrate pentahydrate 557
- Bismuth(III) Salts 581
 – in Ionic Liquids 581
- Bismuth(III) Triflate 581
 – polymer-supported 581
- Bisoxazolines 916, 1050
 – supported on poly(ethylene glycol) 1050
- Bisoxazoline copper(II) complexes 914, 916, 978
 – chiral dendritic 916
- Bisoxazoline Cu(II) complexes 915
 – polymer-bound or dendritic 915
- Bisoxazoline/copper(II) complexes 980
 – spirocyclic 980
- 2,2'-bispyrroles 502
- 1,3-bisiloxo-1,3-dienes 473
- Bisstannyl compounds 1027
- 2,2'-bisthiophenes 502
- N,O*-bis(trimethylsilyl)hydroxylamine 942
- Bithiophenes 438
- BMPD-yttrium isopropoxide complex 628
- Bolm's system 164
- C–F bond cleavage 241–244
 – activation through F–Al interaction 241–244
- Borate ester 234–235, 235
 – cage-shaped 234
- Boron Polymer 1020–1028
 – Main-Chain 1026–1028
 – Side Chain 1020–1022
- 3,3'-Br₂BINOL 8, 804, 832
- 6,6'-Br₂BINOL 748, 758, 832
- Brassard's diene 86, 761
- Brassard-type diene 953
- (*R*)-3,3'-Br₂-BINOL 153
- (*S*)-6,6'-Br₂BINOL 773
- 4-bromo-1-crotonoyl-3,5-dimethylpyrazole
 881
- Bromo homoallylic alcohols 552
- α -bromoacrolein 876
- 2-bromoacrolein 190, 755
- Bromobutyl boronate 1020
- (+)-3-bromocamphor 324
- Bromohydrins 198
- Bromohydroxylation 991
 – by silver(I) salts 991
- Bromomethoxylation 991
 – by silver(I) salts 991
- Bromopyridine 177
- α -bromostyrene 179
- Bromothiophene 176
- Brønsted acid 35, 46–50, 52–53, 56
 – activation of electrophiles 56
 – as an Electron Acceptor 52–53
 – as a Proton Donor 46–50
 – Brønsted–Lowry definition 35
 – intermolecular reaction 46–50
 – Lewis definition 35

- Brønsted acid catalysis 53, 62
 Brønsted acid catalyst 89
 – bearing bis(triflyl)methyl group 89
 Brønsted Acid-Assisted Chiral Brønsted Acid (BBA) 24–29
 Brønsted acid-assisted chiral Brønsted acid (chiral BBA) 29
 – formation 29
 Brønsted Acid-Assisted Chiral Lewis Acid (BLA) 1–12
 – generation 3
 – use 3
 Brønsted acid-assisted chiral Lewis acid catalyst 190
 Bu_2BOTf 213
 $s\text{-}\text{Bu}_2\text{Mg}\bullet\text{LiCl}$ 179
 Bu_3SnF 541
 $t\text{-}\text{Bu-BOX}$ 970
 $n\text{-}\text{BuLi}$ 128, 180
 $n\text{-}\text{Bu}_2\text{Mg}$ 180
 $n\text{-}\text{BuMgCl}$ 180
 $n\text{-}\text{Bu}_3\text{MgLi}$ 176, 180
 $n\text{-}\text{Bu}_3\text{MgLi}\bullet\text{LiCl}$ 180
 3-buten-1-ol 615
 3-((E)-2-butenoyl)-1,3-oxazolidin-2-one 615
 3-(2-butenoyl)-1,3-oxazolidin-2-one 664
 3-butenylmagnesium chloride 801
 1-*tert*-butoxycarbonyl-2-(*tert*-butyldimethylsiloxy)pyrrole 537
tert-butyl-pybox complexes 879
tert-butyl hydroperoxide 170, 782
 1-butyl-2-propenyl vinyl ether 328
 1-butyl-3-methylimidazolium chloride 247
 2,6-di(*t*-butyl)-4-methylpyridine catalyst 357
 $t\text{-}\text{butyl isocyanide}$ 508
 $n\text{-}\text{butyl triflate}$ 1004
 2,6-*tert*-butyl-4-methylpyridine 745
 Butylation 264
 – Al(III) Lewis Acids 264
 Trans-*tert*-butylation reaction 247
 – of enamide compound 247
 4-*tert*-butylcyclohexan-1-one 264
 1,2-bis(*tert*-butyldimethylsilyl)hydrazones 603
 $t\text{-}\text{butyldimethylsilyl enolate}$ 487
 $N\text{-}\text{tert}\text{-}\text{butyldimethylsilylhydrazones}$ 603
 Butyllithium 263
 Tert-butylphenylketone 262
 3,5-di-*tert*-butylsalicylic acid 744
- c**
- C–H activation processes 222–224
 – boron (III) Lewis acids catalyzed 222–224
- C–H bond activation processes 223
 – rhodium-catalyzed 223
- Ca(II) Lewis acids 135
 Ca(II)-catalysts 149
 Camphorsulfonamide 729
 10-camphorsulfonic acid 500
 (–)-Caparrapi oxide 21
 Carbamate 991
 Carbene Au(I) complexes 1004
 Carbinols 262
 – chemoselectivity 262
 – stereoselective synthesis with MAD 262
- Carbocycles 970
 – five- or six-membered 970
- 5-*endo*-dig-carbocyclization 1005
- Carbocyclization reactions 989
 – Silver(I) salts 989
- Carbodiimides 804
 – asymmetric polymerization 804
- Carbometalation 361, 365, 848–851
 – carbon–carbon triple bonds 365
- Carbometalation reaction 368
 – of phenols with chloroacetylene 368
- Carbomethoxylation
 – of aliphatic amines 605
- Carbon Bond Forming Reactions 987–991
 – Achiral Silver(I)-Catalyzed 987–991
- Carbon–carbon bond formation 475
 – diastereo- and diastereoface-selective 475
- Carbon–carbon bond-forming
 – organosilicon Lewis acids promoted 503
- Carbon–carbon bond-forming reactions 860–890, 1004–1011, 1035, 1040
 – Gold(I) and Gold(III)-Catalyzed 1004–1011
 – by Ti catalyst 1040
 – transition-metal catalyzed 860–890
- Carbon–carbon bonds 1010
 – hydroamination of unsaturated 1010
- Carbon–heteroatom bond-forming reaction 891–897
 – transition-metal catalyzed 891–897
- Carbonyl addition 260–277, 353, 494
 – Al(III) Lewis acids mediated 260–277
 – Ga(III) Lewis Acids Promoted 353
 – intramolecular 494
- Carbonyl alkylation reaction 260
 – organoaluminum complexes 260

- Carbonyl allylation 215, 489
 Carbonyl compounds 252, 253, 485–496,
 733, 771, 803, 1001
 - α -Amination 1001
 - aldolization of α,β -unsaturated 252
 - bis-silylation of α,β -unsaturated
catalyzed by $\text{Pd}(\text{OAc})_2$ 494
 - catalytic asymmetric epoxidation 687
 - complexation of α,β -unsaturated 253
 - cyanation 771
 - direct asymmetric hydroxylation 803
 - Hosomi–Sakurai allylation
489–490
 - nucleophilic additions 490
 - nucleophilic allylation 733
 - R_3SiX -promoted reactions 485–496
 - reactions with heteroatom
nucleophiles 493–496
 Carbonyl group 25
 - activation by TADDOL 25
 Carbonyl-ene cyclization 752
 Carbonyl-ene reaction 258, 742, 747–752,
 874, 884, 888
 - (*S*)- α -benzyloxypropanal with
2-methylprop-1-ene 742
 - enantioselective by BINOL-based
aluminum Lewis acid 258
 - of chiral α -hydroxyaldehydes 742
 - of ethyl glyoxylate with α -methyl
styrene 751
 - of formaldehyde, vinyl and alkynyl
analogs of glyoxylates 752
 - of glyoxylate 752
 - of glyoxylate ester with olefins 749
 - α -methylstyrene with glyoxylate 750
 - of olefins and trifluoropyruvat 874
 - Ti catalyzed 747–752
 - with Pd catalysts and chirally flexible
phosphine ligands 888
 - with methylenecyclohexane 884
 Carbonylation 227
 - $\text{BF}_3 \cdot \text{OEt}_2$ and cobalt complex
catalyzed 227
 carbopalladation 578
 Carborane acid 43–45
 - acidities 43
 Carbosilane dendrimers 1028
P-carboxybenzaldehyde 647
 Carboxylation 245
 - of fused aromatic compounds 245
 Carreira's catalyst 745
 Caryophyllene 6
 Cascade Michael-aldol reaction 78
 - of mercaptobenzaldehyde 78
 Cascade reaction 847
 - of aldoxime 847 $[\text{Rh}_2(\text{OAc})_4]$ catalysis 608
 Catalyst turnover frequency 676
 Catalyst turnover number 676
 Catalytic asymmetric nitroaldol reaction 694
 Catalytic Grignard Addition to Ketones
181–182
 Catecholborane 170, 360
 Catecholboronate 235
 Cationic zirconium complexes 841
 CbzNH_2 52
 $\text{Ce}(\text{III})[(R)\text{-BNP}]_3$ complex 662
 $\text{Ce}(\text{NO}_3)_6(\text{NH}_4)_2$ 662
 Centrolobine 431
 (–)-centrolobine 564
 Ceric ammonium nitrate 608
 Cetyltrimethylammonium bromide 160
 $6,6'-(\text{CF}_3)_2\text{BINOL}$ 749
 $6,6'-(\text{C}_2\text{F}_5)_2\text{BINOL}$ 830
 Chan's diene 745
 Chelate controlled reactions 214–215
 - boron (III) Lewis acids promoted
214–215
 Chelation control 386
 Chiral Al(salen)Cl complex 268
 Chiral Brønsted Acids 62–79
 Chiral Lewis acid catalysis 624
 - in aqueous media 624
 Chloral 277
 (–)-chloramphenicol 991
 α -chloro- α,β -cyclohexanone 626
 (Z) -chloro allylic alcohol 256
 2-chloro-2,3-epoxycarboxylic ester 280
 3-chloro-2,3-diarylpropanols 221
 2-Chloroacetaldehyde dimethylacetal 473
 Chloroacetylene trimethylsilylated 367
 Chloroaluminate 283
N-(*p*-chlorobenzylene)aniline 882
 Chlorodialkylboron Lewis acid 211
 Chlorodicyclohexyl borane 225
 Chlorhydrin 198, 528, 570
 - direct synthesis 528
 Chlorotitanium enolates 741
 Chlorotriethylsilylacetylene 358
 (–)-Chromazonarol 20
 Chrysene 349
 Cinchona alkaloid derivative 616
 Cinchona alkaloid motif 75
 Cinchona alkaloid-based ammonium salt
83
 Cinchona alkaloids 930
 Cinchona-alkaloid catalyst 78
 Cinchonine 773

- Cinnamic acid 60
 – reaction with benzene 60
cis-1,2,6-trimethylpiperidine 664
cis-aziridine 879
cis-carboxyethyl-1,3-diphenylaziridine 882
 Citronellene 256
 Claisen condensation reaction 832
 – α,α -disubstituted esters, catalyzed by ZrCl₄ 832
 Claisen rearrangement 64, 207, 327–331, 568, 908–909, 1005
 – Al catalyzed 327–331
 – asymmetric enolate 331
 – Au catalyzed 1005
 – Bismuth (III) Lewis Acids 568
 – Cu catalyzed 908–909
 – enantioselective 207, 330
 – of substituted allyl vinyl ethers 328
 – C₂-symmetric bromoboron Lewis acid promotes 207
 Claisen Rearrangement Reactions 147–148, 174–175
 – Zn(II)-catalyzed 174
 (–)-clavosolide 494
 Cleavage reactions 231
 Cleaving reactions 891–897
 – transition-metal catalyzed 891–897
 Clerodane decalin core 28
 Clerodane diterpene 29
 Co-salen complex 865
 Cobalt–phosphine complexes 863
 2,4,6-collidine 483
 Combined acid catalysis 1–29, 2
 – classifications 2
 Complexation
 – Lewis Acid Activation 361–369
 Complexes 894
 Condensation 851
 – Zr or Hf catalyzed 851
 Condensation reaction 1011
 – NaAuCl₄-catalyzed 1011
 Conia-ene reaction 1005
 Conjugate acid 36, 45
 Conjugate addition 120–121, 145, 147, 641–644, 686, 687, 688, 942–943
 – Lewis acids 120–121
 – Lewis acid catalyzed 145
 – of cyanide to α,β -unsaturated carboxylic acid derivatives 686
 – of cyanide to α,β -unsaturated imides 687
 – of cyanide to β -aryl, alkyl, and alkenyl $\alpha\beta$ -unsaturated N-acylpyrroles 688
 – of Nitrogen Nucleophiles, Cu catalyzed 942–943
 – stoichiometric enantioselective 147
 Conjugate addition reactions 393
 – catalyzed by InBr₃ 393
 Conjugate Additions 686–687, 938–943
 – Lanthanide Lewis Acid promoted 686–687
 – of Carbon Nucleophiles Cu catalyzed 938–942
 Conjugate base 36
 Conjugate-addition-initiated ring closure 555
 Cooperative intermolecular catalysis 671
 Cooperative intramolecular catalysis 671
 Coordination of Lewis acids 250–253
 – models for 251
 Copper acetylide 960
 Copper Lewis acids 903, 904
 – Common 904
 – Jahn–Teller effect 924
 Copper(I)–Fesulphos complex 925
 Copper(II) triflate 1001
 Corey lactone 320
 Corey's BLAs 3
 Corey's chiral BLAs 13
 Coupling of anilines 846
 – Zr-catalyzed three-component 846
 Cp₂YCl 626
 CpFe⁺(CO)P(OCH₃)₃(THF)]BF₄[–] 863
 Cr complexes 878
 Cr(salen) complexes 878
 Cr–salen complexes 865
 Cross aldol-Tishchenko reaction 703, 706
 – with Y-salen complex 706
 – yttrium-salen-complex-catalyzed asymmetric 703
 Cross-aldol reaction 740, 916
 – of pyruvates catalyzed by Cu(OTf)₂/t-Bu-BOX 916
 Cross-coupling reaction 226, 987, 1004
 – by Gold(I) and gold(III) compounds 1004
 – iodobenzene and arylboronic acids 1004
 – palladium-catalyzed 226
 – of thiopyridines 226
 Crossed prins cyclization 431
 – catalyzed by InCl₃ 431
 Crotonaldehyde 252
 (*E*)-3-crotonoyloxazolidin-2-one 612
 3-crotonoyloxazolidinone 612
 1-crotyl naphthyl 568
 Crotyl(vinyloxy)silanes 503
 Crotylation 10

- Crotylboronates 451, 609
 – In(O Tf)₃-catalyzed reaction 451
- Crotyldiisopropoxyboranes 8
- Crotylgallium 353
- Crotylsilane 992
- Crotylstannane 383
- Crotyltrimethoxysilane 992
- Cu(ClO₄)₂/C₃-symmetric trisoxazoline 924
- Cu(I) complexes 871
- Cu(II) bisoxazoline complexes 947
 – recycling 947
- Cu(II) Schiff base complex 953
- Cu(II)/*t*-Bu-BOX 953
- Cu(II)/bisoxazoline complexes 905, 914
- Cu(II)/BOX catalyst 953
- Cu(II)/pybox complex 911
- Cu(II)/salen complex 975
- Cu(II)/trisoxazoline complexes 963
- Cu(II)-chiral bisoxazoline complexes 903
- Cu(II)-chiral bissulfoximine complexes 950
- Cu(MeCN)₄ClO₄ 964
- Cu(OTf)₂ 138
- Cu(OTf)₂ complexes 976
- Cu(OTf)₂/*t*-Bu-BOX 914, 924, 926, 944, 945, 956
- Cu(OTf)₂/(phosphinophenyl)benzoxazine 950
- Cu(OTf)₂/bis(imine) 958
- Cu(OTf)₂/bisoxazoline 910
- Cu(OTf)₂/Bn-BOX 942, 976
- Cu(OTf)₂/BOX complexes 969
- Cu(OTf)₂/diamine 937
- Cu(OTf)₂/diamine catalyst 919, 921
- Cu(OTf)₂/Ph-BOX 908, 930, 945, 970
- Cu(OTf)₂/*t*-Bu-bisoxazoline 905
- Cu(OTf)/Ph-BOX 958
- Cu(PF₆)₄(MeCN)₄ 958
- Cu(SbF₆)₂ 968
- Cu(SbF₆)₂/*t*-Bu-BOX 939, 944
- Cu(SbF₆)₂/Adam-BOX 945
- Cu(SbF₆)₂/BOX complexes 973
- Cu-HY/Ph-BOX 970
- (–)-Cubebol 1008
- CuCl₂/aza(bisoxazoline) 978
- CuCl₂/aza(Bn-BOX) 978
- CuF/bis(diphenylphospholane) complexes 919
- CuI/l-proline 963
- Cumene hydroperoxide 148
- Cumyl hydrogen peroxide 787
- Curtius rearrangement 686
 – (S,S)-ErCl₃-PyBOX complex 686
 – (S,S)-[(salen)Al]₂O 686
- (salen)AlCl complex 686
- lanthanide-PyBOX complex 686
- Cyanation 650, 651, 649–651, 672, 676, 768–777
 – *N*-diphenylphosphinylimine 676
- enantioselective of aldehydes 774
- lanthanide Lewis acid catalysis 649–651
- of acetophenone 672
- of aldehydes and ketones catalyzed by Yb(OTf)₃ 650
- of ketones catalyzed by silylene-bridged Pr complex 651
- Ti catalyzed 768–777
- Cyanation of ketones 391
 – InBr₃ catalyzed 391
- Cyanation reactions 593, 613
 – scandium catalyzed 613
- Cyanide 390
 – addition reaction 390
- Cyanide transfer reaction 277
- Cyano-ethoxycarbonylation reactions 709
- Cyanohydrin 651, 264, 267, 768, 770, 843
 – from alkenes is Zr catalyzed 843
- Cyanohydrin carbonate 772
- Cyanohydrin formation 390
- Cyanohydrin trimethylsilyl ether 73, 774, 775
- Cyanosilylation 3, 673, 671–675, 774, 1041
 – catalytic asymmetric of aldehydes 671
- catalytic Enantioselective of Ketones Using Gd Complex 673
- enantioselective 3
- of aliphatic aldehydes Binol-Ti supported 1041
- of Ketones with La catalysts 671–675
- Cyanosilylation reactions 264–271
 – Al catalyzed 264–271
 – aluminum catalysts 266
- Cyanotitanium 768
- Cyclic acetals 41
 – preparation 41
- Cyclic amine 217
- Cyclic dienes 423
 – imino Diels–Alder reaction 423
- Cyclic diketones 974
- Cyclic enol ether 412
 – reaction of pyrroles 412
- Cyclic ethers 476
- Cyclization 20, 45, 115, 200, 440, 479, 481, 522–523, 530, 607, 851
 – [2 + 2] 522
 – Acid catalyzed 45
 – asymmetric 530

- catalyzed by $\text{In}(\text{OTf})_3$ 440
- cationic 115
- destannylation 479
- enantioselective polyene 530
- *endo*-dig 851
- of polyene 20
- of reagent-controlled diastereoselective polyene 22
- oxocarbenium ions 481
- regio and stereoselective 1,2, *n*-triols 200
- $\text{Sc}(\text{OTf})_3$ -catalyzed, diastereoselective 607
- tandem [4 + 2]/[3 + 2] 522
- Cyclization reactions 877–890
 - transition-metal catalyzed 877–890
- Cycloaddition 16, 17, 312, 322, 324, 381, 382, 416, 428, 429, 493, 504, 653, 652–654, 664, 666, 667, 667, 764, 847, 848, 944, 953, 966, 968, 969, 999
 - [2 + 2 + 2] 302
 - [2 + 3], Zr catalyzed 848
 - [2 + 3], Hf catalyzed 847
 - [3 + 2] 302, 493
 - [4 + 2] 312, 322, 324
 - [4 + 3] 312
 - 1,3-dipolar catalyzed by InCl_3 429
 - 2-methoxycarbonyl-2-cyclopenten-1-one 968
 - Azomethine ylides 999
 - between diazoacetates and α -substituted acroleins 16
 - catalyzed by $\text{In}(\text{OTf})_3$ 416
 - catalyzed by InCl_3 428
 - enantioselective [3 + 2], Si(IV) Lewis acid catalyzed 504
 - *endo* and *exo* selective 966
 - In(III) catalyzed 381
 - intramolecular [2+3] 847
 - intramolecular [3 + 2] 324
 - lanthanide Lewis acid catalyzed 652–654
 - of carbonyl ylide 667
 - of carbonyl ylide promoted by $\text{Yb}(\text{OTf})_3/\text{PyBOX}$ 667
 - of cyclopentadiene to pyrazolidinone crotonate 944
 - of Danishefsky's diene to *N*-tosyl imines 953
 - of diazoacetates to acroleins 764
 - of diene cu catalyzed 953
 - of nitrogen-stabilized oxyallyl cations with dienes 969
 - of nitrones catalyzed by chiral bis-titanium catalyst 17
 - Pd-catalyzed 382
 - promoted by $\text{Yb}(\text{OTf})_3/\text{PyBOX}$ 664
 - tandem [4 + 2]/[3 + 2] cycloaddition of nitrocyclopentene and vinyl ether 324
 - tandem inter[4 + 2]/intra[3 + 2] of silyl tethered nitroalkene and chiral vinyl ether 324
 - three-component 1,3-dipolar 653
 - using α,β -unsaturated 2-acyl imidazole 666
- [2 + 2] Cycloaddition 765–767
 - Ti catalyzed 765–767
- Cycloaddition 1,3-dipolar 1043
 - diphenyl nitron to vinyl ethers 1043
- Cycloaddition of 297
 - Al catalyst 297
- Cycloaddition reaction 5, 140–141, 151–153, 188–195, 295–327, 304–331, 421–427, 492–493, 753–768, 958–970
 - [2 + 1] 295
 - [2 + 2] 295
 - [4 + 2] 304–327
 - Al catalyzed 327–331
 - B(III) catalyzed 188–195
 - [3 + 2], [2 + 2], and [4 + 3] cu catalyzed 958–970
 - of 2,3-dihydrofuran with 1,4-benzoquinones using a chiral BLA 5
 - In(III) salts catalyzed 421
 - silicon catalyzed 492–493
 - Ti catalyzed 753–768
 - Zn(II)-Catalyzed 151–175
- Cycloaddition, 1,3-dipolar 874–877, 876, 878, 884, 958, 964
 - Cu(II)-catalyzed 958
 - Fe complex catalyzed 876
 - of ary imines with dipolarophiles 884
 - of azomethine ylides with electron-deficient alkenes 964
 - of nitrones with α,β -unsaturated aldehydes 874
 - Rh or Ir catalyzed 878
 - transition-metal catalyzed 874–877
- Cycloaddition 196–197, 201–202, 517–522, 614–615, 663, 665, 844–848, 951, 966
 - [3 + 2] 197
 - [3 + 3] 196
 - [4 + 3] 197
 - 1,3-dipolar 614–615

- Cycloaddition (*contd.*)
 - B(III) catalyzed 196
 - between dienes and α,β -unsaturated 1-acyl-3,5-dimethylpyrazoles 951
 - catalytic asymmetric 1,3-dipolar 663–667
 - catalytic asymmetric 1,3-dipolar 665
 - hetero [2 + 2] 201–202
 - In(acac)₃ 381
 - of 3-oxopyrazolinin-1-iium-2-ides 966
 - of azomethine imines with terminal alkynes 966
 - pericyclic 844–848
 - scandium and yttrium catalysts 614–615
 - Sn-compounds catalyzed 517–522
- [3+2] Cycloadditions 763–765
 - Ti catalyzed 763–765
- Cycloalkenones 424
 - InCl₃ catalyzed reaction 424
- Cyclobutane 426, 1006
 - [3 + 2] cycloaddition 426
- Cyclobutane derivatives 765
- Cyclobutanone 843
- Cyclocondensations 757
 - activated dienes with aldehydes 757
- Cyclohexadiene 195
 - chemoselective diels alder reaction 195
- 1,3-cyclohexadiene 492
- (1*R*,2*R*)-cyclohexane bis-sulfonamide 295
- Trans*-cyclohexane chlorohydrin 283
- Cyclohexane-1,4-dione 264
- Cyclohexanecarboxaldehyde 263
- 1,3-cyclohexanedione 881
- Cyclohexanone enolates 366
 - ethenylation 366
- Cyclohexanones 553
 - 1,2-Allylation 553
- (*R,R*)-cyclohexene-1,2-diamine 770
- Meso*-cyclohexene oxide 283
- Cyclohexene oxide 285, 682
 - kinetic resolution of one-substituted 285
- Cyclohexenone 333
- Cycloimines 799
- Cycloisomerization 1006
 - Au catalyzed 1006
 - of enynes 437
- Cyclopentadiene 64, 188, 219, 308, 755
 - A reaction Al catalyzed 308
 - Aluminum Lewis acid-catalyzed DA reaction 306
 - reaction with acrolein 64
- 1,3-cyclopentadiene 492
- Cyclopentadienyl dicarbonyl iron Lewis acid 879
- Cyclopentadienyl zirconium complexes 855
- Cyclopentane 801, 1006
 - by gold-catalyzed carbocyclization reactions 1006
- Cyclopentanone-2-carboxylic acid *tert*-butyl ester 999
- Cyclopropanation 767–768, 1050
 - of diphenylethylene 1050
 - Ti catalyzed 767–768
- Cyclopropanation reaction 1006
 - Au catalyzed 1006
- Cyclopropanes 493
- Cyclopropyl carbinols 452
 - rearrangement 452
- (*R*_{Ru})-[(*p*-cymene)RuCl(S)-BINPO] SbF₆ 866
- [(*p*-cymene)RuCl(*R*)-QUINAP] SbF₆ 866
- [(*p*-cymene)RuCl(S)-TolBINPO] SbF₆ 866

d

- α -D-ribofuranosides 117
 - stereocontrolled synthesis 117
- D-glucal 452
- Dactylolide 430
- Danishefski's diene 322
 - [4 + 2] cycloaddition 322
- Danishefsky's diene 88, 154, 191, 234, 422, 595, 602, 845, 953, 998
 - dimethyl-substituted 953
- Danishefsky-type dienes 869
- DBFOX-Ph ligand 875
- Deacetalization 892
 - by transition-metal catalysts 892
- 1-Decene 850
- n*-decylaluminum 850
- Dendralene 304
- Dendrimers 1028
- Denishefsky's diene 757, 758
- (–)-11'-Deoxytaondiol methyl ether 20
- Deprotection 502, 854, 935
 - by ZrCl₄ and NaBH₄ 854
 - of prenyl esters 502
 - of propargyl amines 935
- Desilylation 854
 - Zr catalyst 854
- rac*-Desoxyequilenin 1008
- 2,6-di-*tert*-butylpyridine 499
- Di(*i*-propoxy)titanium dichloride 742
- Di- μ -oxo titanium–salalen complex 784
- (*R,R*)-di- μ -oxo salen–Ti complexes 790
- 3,5-di-*tert*-butyl-2-hydroxybenzaldehyde 770

- β,β -dialkyl- γ -substituted pantolactones 607
N,N-dialkylanilines 781
 – Asymmetric FC reaction 781
Dialkylzincs 497
2,2-diallyl-2,3-dihydroronaphthalene-1,4-dione 568
Diallylisopropylsilane 218
 – michael addition 218
Diamines 171
1,2-diamines 685
Diaminochlorophosphine 349
1,2-diaminocyclohexane 723
 α,α -Diaryl β -amino alcohol 1023
gem-diarylethylene 837
Diarylmethanes 413
 – synthesis catalyzed by $InCl_3$ 413
Diarylmethylamines 163
1,3-diaryloxy-2-propanols 571
Diarylpiridones 60
Diarylpropene 835
Diarylzinc 731
Dazaaluminolidine 320
Diazocarbonyl 426
 – intermolecular 1,3-dipolar cycloaddition 426
 α -Diazocarbonyl compounds 451
 – $InCl_3$ -catalyzed reactions 451
 – $In(OTf)_3$ -catalyzed intramolecular insertion 452
DIBAL reduction 262
N,N-dibenzyl-aminoaldehyde 119
Dibenzyl azodicarboxylate 973, 974, 1001
Dibenzylamine 932
2,5-dibenzylcyclopentanone 357
Dibromo-boron type catalyst 188
1,2-dibromoethane 987
2,3-dibromopropene 552
2,6-dibromopyridine 177
Dicationic Carbonyl Compound 58
Dichloro(4-methylphenyl)iodine 790
Dichlorogallium hydride 372
Dichloromalonate ester 832
Dichlorophenylborane 221
Dichlorophosphetidine 348–349
Diels–Alder 505, 947
 – of 3-acryloyl-oxazolidin-2-one 947
 – of methacrolein with cyclopentadiene 505
Diels–Alder cycloaddition 517, 867, 943–952
 – Cu catalyzed 943–952
 – of cyclopentadiene and methacrolein 867
 – Sn-compounds catalyzed 517
Diels–Alder cycloadducts 950
 – diastereo- and enantioselective 950
Diels–alder dimerization reaction 863
 – cobalt–phosphine-catalyzed intermolecular 863
Diels–Alder reaction 3, 13, 26, 32, 53, 55, 64, 82, 85, 88, 110, 112–115, 142, 190, 190, 191, 192, 188–195, 196, 297, 304–322, 325, 421, 421–425, 426, 492, 493, 519, 520, 560–562, 594–597, 613–614, 625, 652, 652, 653, 653, 657, 658, 659, 656–663, 753–756, 844, 845, 861–874, 945, 948, 951, 978, 1034, 1040, 1046
 – activated 1,3-dienes 492
 – Al(III) Lewis acids mediated 304–322
 – aminosiloxydiene and aldehydes 26
 – between acroleins and cyclopentadiene 864
 – between acrylonitrile and cyclopentadiene 871
 – between acryloyl-*N*-oxazolidinones and cyclopentadiene 871
 – between 2-bromoacrolein and dienophiles 190
 – between cyclopentadiene and acryloyl-2-oxazolidinone substrates 948
 – between cyclopentadiene and 3-crotonoyl-1,3-oxazolin-2-one 1046
 – Bismuth (III) Lewis Acids 560–562
 – BLA catalysts 191
 – boron Lewis acid catalyzed 188–193
 – 2-bromoacrolein with methyl butadiene 755
 – catalytic asymmetric 315, 656–663, 658
 – catalytic asymmetric inverse-electron 659
 – Catalytic asymmetric promoted by chiral Yb catalysts 657
 – catalyzed by LLA 13
 – chiral BLAs for 3
 – chiral boron catalysts 190
 – chiral 1-cinnamoyl sulfinylpyrrolidine with cyclopentadiene 308
 – chemoselective 55, 195
 – Cu(II)-catalyzed enantioselective 945
 – Cu(II)/bisoxazoline-catalyzed 978
 – 1,3-cyclohexadiene $B(C_6F_5)_4$ catalyzed 493
 – cyclopentadiene with acrolein derivatives 755

- Diels–Alder reaction (*contd.*)
- cyclopentadiene with 3-acryloyl- or 3-crotonoyloxazolidinones 614
 - cyclopentadiene with 3-acryloyl-1,3-oxazolidin-2-one 614
 - Danishefsky's diene 88
 - Danishefsky's diene and aldehydes 322
 - diastereoselective 519
 - diastereoselective using chiral auxiliary 307
 - diene with aldehyde 191
 - dienyl alcohol and α -acetoxyacrolein 304
 - effect of coordination of Lewis and Brønsted acids on chemoselectivity 196
 - effects of metals salts on the rate 110
 - enantioselective 188, 520
 - enantioselective inverse-electron demand 659
 - enantioselective with amidinium salt catalysts 82
 - *exo*-selective 308
 - *exo* selective asymmetric 519
 - fumaryl–oxazolidinones 870
 - In(III) salts catalyzed 421
 - InCl_3 catalyzed imino 423
 - $\text{In}(\text{OTf})_3$ catalyzed intramolecular 422
 - intramolecular imino 426
 - ionic 421
 - methacrolein with 1,3-dienol derivatives 756
 - of acrylates with cyclopentadiene 317
 - of acrylates with 2-siloxy-1,3-butadiene 297
 - of *N*-acryloyl and *N*-crotonoyl oxazolidinones 319
 - of acryloyl oxazolidinones mediated by Et_2AlCl 305
 - of activated carbonyls 322
 - of allylic alcohol and dienyl alcohol 304
 - of an achiral dienophile with cyclopentadiene 315
 - of an acrolein and cyclopentadiene 866
 - of azadiene 424
 - of chiral substrates 194–195
 - of coumarin with isoprene 845
 - of cyclic diene and glyoxalate 874
 - of cyclopentadiene 754
 - of cyclopentadiene and methyl methacrylate 1040
 - of cyclopentadiene with a chiral spirodione 625
 - of cyclopentadiene with azachalcones 951
 - of cyclopentadiene with *N*-acryloyl-oxazolidinone 871
 - of cyclopentadiene with acryloyl 870
 - of diene with crotonaldehyde and acrolein 863
 - of 1,3-dienes with olefins, Zr or Hf catalyzed 844
 - of dimethyl fumarate with cyclopentadiene 306
 - of ester-tethered substrates 309
 - of furan 844
 - of isoprene and methyl vinyl ketone 595
 - of lactones with cyclopentadiene 311
 - of maleimide 320
 - of methyl cronomate and cyclopentadiene 190
 - of α -methyl- α,β -unsaturated ketones with cyclopentadiene 308
 - of nitroalkene MAPh promoted 325
 - of nonactivated conjugated dienes 872
 - of oxazoline 754
 - of 8-phenylmenthyl α -fluoroacrylate 306
 - of silyloxydiene and aldehydes 652
 - of sterically hindered dienophiles 309
 - of thiabutadiene and electron-deficient olefin 653
 - of thiabutadiene catalyzed by $\text{Yb}(\text{OTf})_3$ 653
 - of 1,2,3-triazole with dimethyl acetylenedicarboxylate 1034
 - of various α,β -unsaturated carbonyls 309
 - point binding model 192
 - promoted by LPDE 112–115
 - proposed mechanism for the InCl_3 catalyzed imino 425
 - quinone 660
 - reversal of chemoselectivity 53
 - scandium complex with ferrocenyl-based chiral diol ligand 613
 - *Sc salt catalysts* 594
 - Super BLA for selective 32
 - TADDOL catalysed 85

- Ti catalyzed 753–756
- transition-metal catalyzed 861–874
- with crotonoyl 870
- with bis(oxazoline)s–Mg(II)complexes 142
- Yb(OTf)₃ catalyzed under high pressure 652
- Diels–Alder reaction promoted 660
 - catalytic asymmetric quinone 660
- Diels–Alder type reaction 89
 - of diene with nitrosobenzene 89
- 1,3-diene 580, 792
 - catalytic hydrosilylation 792
 - intermolecular hydroamination 580
- Dienynes 1007
 - intramolecular cyclopropanation 1007
- Diethoxymethane 599
- Diethyl azodicarboxylate 405
- Diethylzinc 723
- Diethylzinc addition to imines 163
- Diethynylvinylmethane 364
- Difluoroalkane 243
- α,α -difluoroenoil silyl ether 636
- β,β -difluorohomopropargyl alcohols 647
- Difluoromethylene ketones 636
- Difluoropropargyl bromide 647
- Difluorovinyl allyl ethers 207
 - enantioselective rearrangement 207
- (R)-DIFLUORPHOS 992
- gem-dihalocyclopropanes 989
 - electrocyclic ring opening 989
- 1,2-dihydroisoquinoline 440, 990
- 2,3-dihydro-4*H*-pyran-4-one 757
- 3,4-dihydro-(2*H*)-pyran 497
- 3,4-dihydro-2*H*-pyran 423
- Dihydrobenzofuran 426, 766
 - [3 + 2] cycloaddition 426
- 2,3-dihydrofuran 426
- Dihydrofurans 387
 - InCl₃ catalyzed allylation 387
- Dihydrogen trifluoride tetrabutylammonium 842
- Dihydroisoquinoline 68
- 1,2-dihydroisoquinoline derivative 990
- 5,6-dihydropyran-2-ones 487
- Dihydropyran carboxamides 953
- Dihydropyranones 195
 - cycloadditions Lewis acid promoted 195
- Dihydropyrans 387
 - InCl₃ catalyzed allylation 387
- Dihydropyridines 495
- Dihydropyridone 845
- 3,4-dihydropyrimidin-2(1*H*)-ones 557
- Dihydropyrimidinones 557
- 3,4-dihydroquinoline-2-one 565
- Dihydroxy bis(sulfonamide) ligand 729
- 3,3'-diindoylmethane 410
- 2,6-Diisopropylphenol 6
- 1,3-diketone 196, 975, 988
 - cycloaddition 196
- β -diketones 1004
 - intermolecular addition 1004
- 1,3-dimethoxy-benzene 249
- 2,4-dimethoxy-2-methylbenzopyrans 602
- 3,5-dimethoxy-2-hydroxy acetophenone 567
- 2,6-dimethoxyphenyl acetate 567
- 2,2-dimethoxypropane 602, 617
- 2,2-dimethyl-1,3-dioxolanes 521
- 1,4-dimethyl-2,5-piperazinedione 264
- 3,3-dimethyl-1,2,4-butanetriol 774
- 4,4'-dimethyl-2,2'-bipyridine 951
- 4-N,N-dimethylaminomandelic acid ethyl ester 781
- N,N-dimethylaniline 248, 916
- Dimethyldioxolane 826
- 1,3-dimethylindole 602
- Dimethylmaleate 999
- 2,6-dimethylphenol 676
- 2,5-dimethylpyrrole 798
- Dimethyltitanocene 794
- Diol Catalysts 83–89
- Diols 574
 - protection 574
- Dioxepanes 481
- 1,3-dioxolanes 575
- Dioxomolybdenum-*N*-ethylephedrine complex 782
- Diphenols 574
 - protection 574
- α,α -Diphenyl-L-prolinol derivatives 1024
- 1,3-diphenyl-1,3-propanedione 1005
- 2,2-diphenyl-4-hexen-1-ol 990
- Diphenyl diselenides 449
 - coupling reactions 449
- (*R,R*)-diphenylethane-1,2-diol 787
- 1,2-diphenylethylene-1,2-diamine 770
- Diphenylethylenediamine 159
- (*R,R*)-1,2-diphenylethylenediamine 879
- Diphenylmethanol 244
- Diphenylmethylsulfides 244
- N*-Diphenylphosphinoyl 156
- 1,1-diphenylpropene 837
- Dipyrrolyl alkanes 412
 - meso-substituted 412

- Dipyrromethane 411
 – synthesis catalyzed by InCl_3 or TFA 411
- Direct aldol reaction 143, 156, 702–706, 705
 – by chiral Mg(II) complexes 143
 – lanthanide catalyzed 702–706
 – of methyl ketones and hydroxyketones promoted by (*S*)-LLB-KOH 705
- Direct Henry reactions 160
 – use of discrete Lewis acids and Brønsted bases 160
- Direct Mannich reaction 93
 – of 1,3-diketone with *N*-Boc aldimines 93
- Dirhodium(II) carboxamidate 867, 868
- Dirhodium(II) carboxylates 867
- Disilver(I) complex is 991
- Disilyl cation 501
- α,α -disubstituted β -ketoester 832
- 2,6-disubstituted tetrahydropyrans 206
- 1,3-dithiane 575, 603
- Dithioacetalization 1032
 – of carbonyl compounds 1032
- 1,3-dithiolanes 443
- Divinyl ketones 972
 – asymmetric Nazarov cyclization 972
- divinylbenzene 1048
- Diyne 363
- 1,4-dynes 364
- Domino Diels–Alder/Prins/Pinacol reactions 521
- Dorzolamide 612
- Drierite 654
- DTBM–SEGPHOS•Au(I) complex 1006
- e**
- Electrophilic additions 565–567
- Electrophilic amination 81
- Enamidomalonates 147
- β -enamidomalonates 939
 – Cu(II)-catalyzed addition reaction 939
- Enamine 435, 793
 – InCl_3 catalyzed 435
- Enamine formation 453
 – hydrogenation 793
 – InBr_3 -catalyzed 453
- Enantioselective reduction 144
 – of trifluoromethyl ketones 144
- Enantioswitching 659
- 5-*endo*-dig cyclization 798
- Ene reaction 608–609, 644–645, 645, 970–972, 1050
 – copper-catalyzed 970
 – lanthanide Lewis acid catalyzed 644–645
 – of glyoxylate catalyzed by $\text{Yb}(\text{OTf})_3$ 645
 – of α -methylstyrene with ethyl glyoxylate 1050
 – scandium and yttrium catalyzed 608–609
- 1,6-ene-ynamides 1006
- Enecarbamate 94, 412, 914, 1001
 – reaction of pyrroles 412
- Enol ester epoxide rearrangement 779
- Enol ester epoxides 778
 – kinetic resolution of racemic 778
- Enol silanes 912
 – addition reaction, Cu catalyzed 912
- Enol silyl acetal 743
- Enol silyl ethers 636
 – hydroxymethylation 636
- Enolates 359, 367, 704
 – aldol-type addition and direct reaction 704
 – alkylation 367
 – kinetic 359
- Enolization 357
 – Lewis acid activated 357
- Enones 392, 395, 397, 709
 – addition of allyltrimethylsilane to 395
 – addition reactions 397, 709
 – additions catalyzed by InCl_3 392
 – catalytic asymmetric epoxidation 688
- N*-enoyl-4-phenyl-1,3-oxazolidinones 610
- 1,4-ene 364
- Enynes 437, 439, 1007, 1008
 – cycloisomerization 1008
 – intramolecular cyclization 439
 – intramolecular cyclopropanation 1007
 – PtCl_2 -catalyzed cycloisomerization 437
- (+)-8-Epi-puupehedione 20
- (+)-epiaustralin 324
- (+)-8-Epicaparrapi oxide 21
- (\pm)-epilupinine 627
- Epimerization 431
- Epothilones 703
- Epoxidation 170, 687, 689, 690, 691, 692, 782–786, 855, 895
 – allylic alcohols using metallocene catalysts 855
 – asymmetric 784
 – BINOL–Zn(II) catalyst 170
 – enantioselective 170

- of α,β -unsaturated amides 692
- of α,β -unsaturated carbonyl compounds 687
- of *N*-acylpyrroles and transformation of *N*-acylpyrrole unit 691
- of benzaldehyde with phenyldiazomethane 895
- of enones using La complex 690
- of enones using La-BINOL 689
- of olefins with peracids or hydroperoxides 782
- postulated mechanism of lanthanide-catalyzed 689
- Ti catalyzed 782–786
- Epoxide opening reactions** 224
 - boron (III) Lewis acids catalyzed 224
- Epoxide rearrangement** 122, 123, 449
 - InCl_3 -catalyzed 449
 - LiBF_4 , promoted 123
 - LiBr promoted 123
 - with LiClO_4 122
- Epoxide ring opening** 205, 401, 402, 454, 777–779
 - $\text{BF}_3\bullet\text{OEt}_2$ -promoted 205
 - catalyzed by InCl_3 402
 - In and Ga monoether BINOL complexes catalyzed 454
 - regioselective 401
- Epoxide-opening process** 693
 - One-pot sequential catalytic asymmetric epoxidation-regioselective 693
- Epoxides** 203–205, 280, 404, 499, 526–527, 569–572, 593, 613, 681, 777, 841, 856, 893
 - alcoholysis 571
 - aminolysis 569–570
 - catalytic asymmetric ring opening 681
 - deoxygenation by Zr 856
 - desymmetrization 777
 - intramolecular reaction 499
 - meso 613, 777
 - opening of meso 570
 - reaction catalyzed by InCl_3 404
 - reaction of Nitriles with 570
 - reaction with aromatic or aliphatic amines 593
 - rearrangement 203–205, 569
 - ring opening transition-metal catalyzed 893
 - ring opening, Zr catalyzed 841
 - ring-opening reaction of 526–527
- ring-opening reactions have been Al mediated 280
- thiolysis 571–572
- of Epoxides** 453
 - InBr_3 - or InCl_3 -catalyzed conversion 453
- 1,2-epoxides** 778
 - regioselective ring-opening 778
 - Ti catalyzed 777–779
- 2,3-epoxy alcohol derivatives** 526
- 2,3-epoxy alcohols** 203, 594
- Epoxy azide** 527
- Epoxy ester** 856
 - ring-opening fluorination of 594
- α,β -epoxycarboxylic acids** 401
- 1,2-epoxycyclohexanes** 224
- Epoxyquinols** 844
- Epoxytwinol** 844
- Erker's catalyst** 327
- Ester condensation** 853
 - Hf catalyzed 853
- Ester formation** 546–549
- Esterification** 57
 - of carboxylic acids and alcohols 57
- Esterification reaction** 174
 - Zn(II)-catalyzed 174
- Esters** 83, 193, 499–502
 - catalyst for 193
 - enantioselective synthesis from ketenes 83
 - R_3SiX -promoted reactions 499–502
- (+)-Estrone**
 - enantioselective syntheses 4
- Et_2Zn** 153, 156, 163
 - second-generation 156
- $\text{Et}_2\text{Zn}/(\text{S},\text{S})$ -linked BINOL** 154
- 1,2-ethanethiol** 444
- Ethylenylation** 366
 - Ga(III) Lewis Acids promoted 366
- Ethers** 499–502, 891
 - cleavage of 891
 - Rg_3SiX -promoted reactions 499–502
- Ethoxyvinyllithium–HMPA system** 127
- 1-ethyl-3-methylimidazolium trifluorosulfonylimide** 888
- 2-ethyl-1-hexene** 793
 - hydrogenation 793
- Ethyl cyanoformate** 773, 773
- Ethyl diazoacetate** 880
- Ethyl glyoxylate** 322, 781, 905, 970
 - asymmetric FC reaction 781
- Ethyl vinyl ketone** 55
 - Diels-Alder reaction 55
- Ethylene glycol diethyl ether** 1001

- Ethylnilation
– Lewis acid activated 367
1-ethynyl-2-propenyl pivaloates 1007
o-Ethylnylanilines 368
Ethylnylgallium 365
 $\text{EtMe}_2\text{MgLi}\bullet\text{LiCl}$ 181
Etter's urea 65
Exchange reaction 175–179
– with Zn(II) ate complexes 175
– Br/Mg 179
– halogen-magnesium 177, 176
– halogen-zinc 175
– I/Br–Mg 178
3-exomethylene β -lactam 963
- f**
Febrifugine 620
 $\text{FeCl}_2/\text{pybox}$ complexes 897
Felkin-Ahn-like cyclic transition-state model 743
Ferrier reaction 206–207, 559
– boron (III) Lewis acids promoted 206–207
– by bismuth trichloride 559
Ferrier Rearrangement 419, 420, 437, 569
– BiCl_3 catalysed 569
– catalyzed by InBr_3 420
– catalyzed by InCl_3 420
– In(III) Lewis acid induced 437
Ferrocene 837
Ferrocene-dihydropyrimidinones 433
Ferrocenyl diazides 620
Ferrocenylborane polymers 1028
1,2-ferrocenyldiamine 419
FERRODIOL 613
Fesulphos ligand 964,871
Fischer cyclization 798
Flavanones 395, 443, 563–564
– isomerisation of 563–564
– 2'-hydroxy-substituted chalcones 563–564
– oxidation 395
Flavones 395
Fluoral-ene reaction 751
9-fluorenylmethylphenylsilylene 651
Fluorinated alkynylamines 220
1-fluoro-pyridinium triflate 619
4-fluoro-1,2-dihydroneaphthalenes 490
 α -fluoroacrylates 311
 Z -fluoroalkene 243
2-fluorobenzaldehyde 261
4-fluorobenzaldehyde 261
N-fluorobenzenesulfonimide 975
- 4-fluorobenzenesulfonyl chloride 409
Fluoroborane Trip_2BF 1021
Fluorous catalysts 41
(*R*)-fluoxetine 691
Formaldehyde 256
Fostriecin 705, 992
Friedel–Crafts cyclization 202
– 2-arylthio-ketones 202
Friedel–Crafts acylation 357, 408, 834, 1038
– of anisol 1038
– of anisole 408
– of aromatic rings 834
– of 2-methoxynaphthalene 408
Friedel–Crafts addition 391
– $\text{In}(\text{OTf})_3$ catalyzed 391
Friedel–Crafts alkenylation 598
– of arenes with alkynes 598
Friedel–Crafts alkylation 74, 349, 373, 598, 618–619, 906, 907
– by scandium and yttrium 618–619
– Cu catalyzed 906
– of aromatic compounds 598
– of indoles 74, 618, 907
– of α,β -unsaturated 2-acyl imidazoles 618
– reductive 373
Friedel–Crafts benzylation 599
Friedel–Crafts phenethylation 599
Friedel–Crafts reaction 173, 230, 245–250, 655, 780–781, 834–838, 835, 837, 905–908, 906, 907
– Al(III) catalyzed 245–250
– boron (III) Lewis acid catalyzed 230
– catalytic asymmetric 780
– catalyzed by Yb catalyst 655
– copper catalyzed 905–908
– dehydroxylative catalyzed by HfCl_4 835
– indoles with trifluoro ethylpyruvate 907
– of aromatic and heteroaromatic compounds 906
– of benzene rings Hf-catalyzed 835
– of indoles and arylidene malonates 907
– regioselective, Zr and Hf catalyzed 837
– Ti catalyzed 780–781
– tandem carboalkoxylation-friedel–crafts alkylation 655
– Zr(IV) and Hf(IV) Lewis Acids Catalyzed 834–838
– Zn(II)-catalyzed 173

- Friedel-Crafts sulfonylation 248
 – of benzene 248
- Friedel-Crafts type addition 68, 93
 – of indole 68
- Friedel-Crafts type cyclodehydration 58
- Friedel-Crafts type reaction 280, 406, 598–599, 622
 – In(OTf)₃-catalyzed 406
 – of aromatic compounds 622
 – of propylene oxide with cyclic/acyclic alkenes 280
 – scandium and yttrium catalyzed 598–599
- Friedel-Crafts/aldehyde cyclotrimerization 885
- Fries rearrangement 567
 – Al catalyzed 246
 – catalyzed by Bi(OTf)₃•xH₂O 567
- Fullerene epoxide 224
- Furan diol 452
 – chiral 452
- Furans 218, 1009
 – gold-catalyzed cycloisomerization 1009
- Furo[2',3':5,6] Pyrano[4,3-b] Quinoline 560
- Furyl acrylamide 307
- Furyl hydroperoxides 786
- g**
- Gallium(III) Lewis acid 347, 348, 351, 357, 359, 361
 – acidic tetracoordinated basic 370
 – asymmetric catalysis 360
 – ligands 357
 – organohalogen compounds 348–350
 – organometallic compounds 359–361
 – organooxygen and organosulfur compounds 351–353
 – pentacoordinate 351
 – transition metal complexes 361
- Gallium enolate 357, 365
- Gallium phenoxide 368
- Gallium tris(trifluoromethanesulfonate) 349
- Gallium(III) complexes 359
- Gallium(III) halide 355
- Gallium-cobalt phenoxides 360
- Gallium-titanium phenoxides 360
- Gallium/lithium/bis(binaphthoxide) catalyst 360
- Gas-phase acidity 37
- Gd(O-iPr)₃ 671, 674, 684
- Gd(OTf)₃-PyBOX complexes 660
- Gem-diacetates 389
- Georgyone
- corey's BLAs 4
 – enantioselective syntheses 4
- Geranyl pyrrolidine 175
- Glaser oxidative coupling 963
- Glycine alkyl ester 152
- Glycine-derived silyl enolates 828
- Glycopyranosides 559
 – synthesis of 2,3-unsaturated 559
- Glycosidation 117, 483
 – oxygen and nitrogen nucleophiles 483
 – with Lewis acids 117
- Glycosides 469
- Glycosyl N-phenyltrifluoroacetimidate 654
- Glycosyl trichloroacetimidates 483
- Glycosyl trichloroacetylcarbamates 483
- Glycosylation 654, 654, 654
 – catalyzed by lanthanide triflate 654
 – glycosyl fluoride catalyzed by lanthanide triflate 654
 – lanthanide Lewis acid promoted 654
- Glyoxal bis-hydrazone 950
- Glyoxylate 758
- Glyoxylate esters 912
- Glyoxylate-ene reaction 752, 972
 – enantioselective Cu catalyzed 972
- N-glyoxyloyl camphorpyrazolidinone 609
- Gold(III) porphyrin complexes 1010
- Grignard reagent 135, 147, 179, 181, 1027
 – bifunctional 1027
- Griseofulvin 611
- Guanidine 80, 81, 581
 – axially chiral 81
 – chiral seven-membered 81
 – C₂-symmetric 80
 – C₂-symmetric bicyclic 81
 – polysubstituted 581
- Guanidium Salts 80–81
- Guindon's stereoselective defunctionalization 542
- (-)Gymnodimine 945
- h**
- H-ZSM-5 zeolite 409
- Hafnium triflate 834
- Hafnium(IV) perfluorooctane sulfonamide 852
- Halide-PyBOX complex 680
- Halides 499–502
 – R₃SiX-promoted reactions 499–502
- Halofurans 1010
- Halogenation 790, 973–976
 – Cu catalyzed 973–976
 – Ti catalyzed 757–764, 790

- Halohydrin reaction 991
 Halohydrins 443
 – reductive elimination 443
 Halosilanes 479
 4-Halotetrahydropyrans 479
 Halogenation 581
 Hammett acidity function 36
 Hantzsch dihydropyridines 604
 Hantzsch ester 94, 976
 HAuCl_4 catalyst 1004
 Heck cyclization 553
 Henry reaction 77, 79
 – catalyzed by a novel cinchona alkaloid 77
 – β -Nitroamine with high enantioselectivity 79
 Hepta-4,5-dienylamine 800
 – ring-closing reaction 800
 3,6-Heptadienyl ethers 478
 Hetero Diels–Alder reaction 84, 86, 110, 112, 114, 153–154, 322–327, 520–521, 661, 662, 656–663, 744, 756–763, 845, 865, 953–958, 998
 – asymmetric catalysis 757
 – 1,3-Cyclohexadiene with *N*-Sulfinyl dienophiles 763
 – enantioselective inverse electron-demand 761
 – 1-Methoxydienes with glyoxylate 757
 – Ti catalyzed 744
 Hetero Diels–Alder 86
 – Ag catalyzed 998
 – Al catalyzed 322–327
 – Asymmetric catalyzed by chiral Yb(III) phosphate 661
 – BAMOL catalysed 86
 – Bismuth (III) Lewis Acids 560–562
 – catalytic asymmetric 656–663
 – catalytic asymmetric promoted by $\text{Eu}(\text{hfc})_3$ 656
 – catalyzed by LiClO_4 110
 – cu catalyzed 953–958
 – diastereo- and enantioselective 953
 – effects of metals salts on the rate of 110
 – mediated by alkali metal Lewis acid 114
 – of aminodiene with aldehyde 84
 – of aromatic aldehyde 86
 – of *N*-Arylimines 561
 – of benzaldehyde 324
 – of danishefsky's diene (1-methoxy-3-trimethylsilyloxy-1,3-butadiene) with aldehydes 865
 – of keto esters 662
 – SnCl_4 -Catalyzed 520
 – Zn(II) catalyzed 153
 – Ti catalyzed 756–763
 – Zr catalysts for 845
 Hetero Michael addition 53, 54
 Heterobimetallic lanthanide complexes 695
 Heterobimetallic lanthanide–alkali metal complexes 695
 Heterobimetallic lanthanide–alkali metal–BINOL complexes, 695
 Heterobimetallic Sc complex 676
 Heterocyclization 988
 – gold(I)-catalyzed 988
Heteropolymetalic catalyst 703
 Hexadentate chiral ligand 670
 Hexafluoro-2-propanol 939, 975
 Hexafluoroisopropanol 907
 Hexamethyldisilazane 625
 1,1,1,3,3-Hexamethyldisilazane 446
 Hexamethyldisiloxane 654
 Hexamethylphosphoramide 64
 1,5-Hexandiye 798
 Hf(IV) Lewis Acids 825
 $\text{Hf}(\text{OTf})_4$ 832
 $\text{Hf}(\text{OTf})_3$ 436
 $\text{HfCl}_4(\text{thf})_2$ catalysts 852
 HfCl_4 835
 $\text{HfOCl}_2 \bullet 8\text{H}_2\text{O}$ 852
 Hoffmann camphor-based allylboronates 609
 Hofmann–Martius rearrangement 50
 Homo Mannich-Type reactions 556
 – Bismuth (III) Lewis Acids 556
 Homo-aldol reaction 916
 – of ethylpyruvate 916
 Homoallenic alcohols 1005
 Homoallyl alcohol 353, 840
 – cleavage 353
 Homoallyl ethers 476
 – tandem acetalization–allylation reaction 476
 Homoallylgallium reagent 372
 Homoallylic alcohol 451, 734
 – kinetic two-substituted 451
 Homoallylic alcohols 218, 429, 431, 449, 450, 609, 732, 747, 890
 – $\text{In}(\text{OTf})_3$ -Catalyzed rearrangement 450
 – linear 449
 – prins cyclization 431
 Homoallylic amines 431, 591
 – prins cyclization 431
 homoallylic chlorides 569

- Homoallylic hydrazines 591
 Homoallylic sterols 449
 Homoallylstannane 478
 Homobimetallic lanthanide catalysts 671
 Homocoupling 987
 – of alkyl Grignard reagents 987
 Homolysis
 – of Organogallium(III) compounds 370
 Homopropargyl alcohol 282, 479
 Hosomi–Sakurai allylation 475–478, 489
 – of aldehydes 489
 – silicon catalyzed 475–478
 Hunig base 616
 Hydrazination 71
 – enantioselective 71
 Hydrazine acids 680
 1-Hydrazinodiene 596
 α -Hydrazinonitriles 593
 Hydrazone 168, 197, 590, 680, 682, 832
 – catalytic asymmetric hydrocyanatin 682
 – cycloaddition 197
 – Mannich-type reactions 590
 Hydride reductions 1022
 Hydride transfer reaction 545
 – Sn(II) and Sn(IV) Lewis acid promoted 545
 Hydroamination 48–50, 580, 794–800, 1010
 – Au catalyzed 1010
 – bismuth-catalyzed intermolecular 580
 – Effect of aniline substitution 48
 – of vinyl arenes 49
 – other unsaturated substrates 50
 – Ti catalyzed 795–800
 Hydroarylation 48–50, 578
 – Effect of aniline substitution on 48
 – of alkenes 578
 – of vinyl arenes 49
 – other unsaturated substrates 50
 Hydrobenzoin 978
 (S,S) -Hydrobenzoin 150
 Hydroboration polymerization 1026
 Hydroboration reaction 1021
 – on the polymer 1021
 Hydrocyanation 75, 264–272, 680
 – Al catalyzed 264–271
 – aluminum catalysts 266
 – of aldimines 75
 – of aromatic imines 272
 – of hydrazones 680
 Hydrodefluorination 501
 Hydrolysis 895
 – of meso-epoxides and kinetic resolution of terminal epoxides 895
 Hydroperoxyacetals 233
 Hydrophosphonation 272
 – of aldehydes with dimethylphosphite 272
 – of aldimines 272
 Hydrophosphonylation 67, 91
 – of aldimines 67
 – of imine 91
 Hydrophosphonylation reaction 271–272
 – Al catalyzed 271–272
 Hydrosilanes 483
 Hydrosilylation 1029
 – of methylidideundecenylalane 1029
 Hydrosilylation of ketamines 172
 Hydrostannanes 483
 α -Hydroxy ketone 203, 1001
 3-Hydroxy-1,5-enynes 1009
 – benzannulation 1009
 α -Hydroxy- γ -Ketoesters 606
 β -Hydroxy ketone 203, 1025
 β -Hydroxypropargylamines 204
 δ -Hydroxy- β -Ketone esters 745
 3-Hydroxy-2-arylacrylic acid ethyl ester 879
 5-Hydroxy-3-ketoesters 801
 5-Hydroxy-4,4-difluoro-2-alken-1-ol 243
 α -Hydroxy enones 944
 β -Hydroxy thioethers 571
 γ -Hydroxyalkenes 803
 – asymmetric intramolecular iodocyclization 803
 Hydroxyalkylation 248–250
 – Al catalyzed 248–250
 α -Hydroxyamides 508
 α -hydroxybenzaldehydes 602, 617
 – cyclocondensation 617
 2'-Hydroxychalcones 397, 563
 – In(III)–SiO₂ catalyzed cyclization 397
 – intramolecular cyclization 563
 α -Hydroxyesters 508
 α -Hydroxyethylene-2-indanone 122
 3-Hydroxyflavin 87
 Hydroxylbenzaldehyde 893
- i*
 6,6'-I₂BINOL 750
 IMDA reactions 310
 Imidazolidin-2-ones 495
 Imidazolium chloroaluminate 248
 Imidazolyl chloride 356

- Imido titanium 796
 Imidotitanium complex 796
 Imine 268, 454, 496–498, 597, 649, 733, 793, 795, 932, 990, 998, 990
 – addition of phenylacetylene 932
 – allylation 733
 – reduction 794
 Imine allylation 215–218
 – with boron Lewis acids 215
 Imine–Lewis acid complex 158
 – Ag(fod)-catalyzed [1 + 2] cycloadditions 990
 – asymmetric reduction 793
 – competitive allylation reaction 649
 – [1 + 2] cycloaddition 597
 – hydrocyanation Al-mediated 272
 – hydrogenation 793
 – hydrocyanation to with HCN 268
 – R₃SiX-promoted reactions 496–498
 – reduction 454
 Imines, phenol-derived 12
 – enantioselective allylation 12
 Imino Diels–Alder reactions 953
 – catalyzed by CuClO₄•MeCN 953
 Imino ene reaction 646
 – catalyzed by Yb(OTf)₃ 646
 α-imino esters 929, 999
 – PMP-protected 929
 Imino–aldol reactions 210
 Iminodienophiles 194
 – with B (III) catalysts 194
 Iminoester 937
 – AgOAc-catalyzed cycloaddition of 999
 – [1 + 2]-type 937
 Iminooxazoline 170
 Iminophosphonate 937
 – allylation of 937
 In(III) Lewis acids
 – activation of hard and soft nucleophiles 390
 In(III)–BINOL catalyst 456
 In(III)–BINOL complex 455
 In(III)–diselenide complex 448
 In(III)–PYBOX complex 456
 In(OAc)₃ 381
 In(OTf)₃–n(OAc)_n 445
 In(OTf)₃ 379, 387, 399, 415, 421, 423, 445
 In(OTf)₃–alkyne complex 405
 In–InCl₃ system 448
 (+)-INDABOX 863
 (−)-[(INDABOX)(p-cymene)RuCl]SbF₆ 863, 864
 indanone oximes 568
 – rearrangement 568
 1-indanones 599
 Indanooxazolidin-2-one 991
 Indeno[1,2-*b*]benzopyran 602
 Indium complex chiral 455
 – pathways for the formation 455
 Indium enolate 442
 Indole 391, 393, 409, 440, 440, 798
 – acylation 409
 – addition catalyzed by InCl₃ 393
 – addition reaction 391
 – InBr₃-catalyzed synthesis 440
 – polysubstituted 440
 – sulfonation 409
 Indolinones 559
 – synthesis of pyrrole-substituted 559
 Indolizidines 199, 324
 – natural polyhydroxylated 324
 1,2,7,8-indolizidinetetrol 498
 Indolizine alkaloid 914
 β-Indolyl alcohol 1053
 1-Indolyl-1-alkylamine 94
 3-indolylarylmethanamines 908
 3-indolylquinones 393
 Intermolecular cooperative dual catalysis 686
 – [(salen)Al]₂O complex and (PyBOX)ErCl₃ complex 686
 Intramolecular cooperative catalysis 709
 – postulated Lewis acid–Lewis acid 709
 Intramolecular Friedel–Crafts acylation 599
 – of benzyl Meldrum's acids 599
 Intramolecular hydroamination 604
 – using Sc complexes 604
 Intramolecular Michael like process 309
 Inverse electron-demand 757
 N-iodo succinimide 803
 Iodoalcohol 850
 Iodocyclization 803
 α-iodolactone 335
 Iodolysis 527
 – regio- and stereoselective 527
 Iodopyridines 176
 Ionic liquids 247
 – immobilized 247
 (R)-(−)-ipsdienol 748
 Iridium(I) complex 886
 Iron–pybox complexes 879
 Isocarbocycline analogs 752
 Isocyanophosphorane 3
 Isomerization reactions 203–209
 – B(III) Lewis acid based 203–209
 1-isopropenyl-2-methylbenzene 502

Isopropyl glyoxylate 504
 Isopropyl pybox catalyst 879
 Isopropylbenzene 363
 Isopropylmagnesium amide 144
 Isoquinoline alkaloid 68
 Isoquinolinium 269
 – cyanide additions 269
 Isoxazolidine 145, 763, 847
 Isoxazolidine cycloadducts 960
 Isoxazolidinones 145
 ITM-2 122

j
 JandaJel-supported BINOL-AlCl 1033–1034

Jorgensen's hydration model 65
 Jorgensen's model 64

k
 K(I) Lewis acids 109–130
 Kelly's bisphenol 65
 Ketene dithioacetal 297, 765
 – [2 + 2]cycloaddition of 297
 Ketene silyl acetals 7, 210
 – enantioselective Michael addition 7
 Ketenes 295, 299
 – [1 + 2]cycloaddition 295
 – Me₃Al promotes [1 + 2]cycloaddition of 299
 Ketenesilyl acetals 919
 Ketimines 793
 – hydrogenation 793
 α-keto esters 976
 – aromatic and aliphatic 976
 – asymmetric transfer hydrogenation 976
 β-keto esters 974, 975
 – acyclic and cyclic 974
 – enantioselective fluorination 975
 2-keto esters 973
 β-keto phosphonates 924, 975
 – addition reaction Cu catalyzed 924
 – chlorination 975
 – deprotonation 924
 α-Ketoacid 60
 – reacted with benzene 60
 Ketoazides 526
 Ketoepoxides 284
 – kinetic resolution 284
 α-ketoesters 729
 – catalytic enantioselective addition of diethylzinc 729
 β-ketoester 790, 833, 988, 1005
 – catalytic asymmetric fluorination 790

– electrophilic fluorination 790
 – intramolecular addition 1005
 – one-pot enantioselective heterodihalogenation 790
 Ketohydrazone 680
 Ketoimines 677
 – catalytic enantioselective Strecker reaction using Gd catalysts 677
 Ketone 53
 – michael addition 53
 Ketone acetalization 357
 Ketone enolates 1002
 – Catalytic enantioselective protonation 1002
 Ketones 8, 10, 193, 219, 262, 356, 358, 367, 385, 381–391, 442, 444, 456, 649, 671, 691, 722, 729, 731, 732, 737, 774, 775, 935, 992, 1004, 1023
 – *alpha*-ethynylation 367
 – 1,2-additions 381–391
 – a reaction Al catalyzed 308
 – acetalization 444
 – addition of acetylenes to, Cu catalyzed 935
 – addition of allylsilane 732
 – addition reaction 390
 – allylation 456
 – allylation Ti catalyzed 737
 – asymmetric addition of alkynylzinc 731
 – asymmetric alkylation, Ti-complex mediated 722
 – asymmetric vinylation 731
 – borane reduction of 1023
 – catalyst 193
 – catalytic asymmetric addition of alkyl group 729
 – catalytic asymmetric Meerwein–Ponndorf–Verley reduction 691
 – catalytic double-activation for enantioselective cyanosilylation of 775
 – catalytic enantioselective allyl and crotylboration 10
 – chemoselective nucleophilic attack on 219
 – cyanation 649
 – cyanation lanthanide catalyzed 651
 – cyanosilylation La catalyzed 671
 – cyanosilylation with Gd/catalyzed 672
 – deprotonation of monoethynylated 358

Ketones (*contd.*)

- enantioselective addition of allyltrimethoxysilane 992
- enantioselective asymmetric allylboration 8
- enantioselective cyanosilylation of 774
- enantioselective ethylation of 729
- hydride reduction by MAD 262
- InCl_3 -catalyzed deoxygenation of aromatic 442
- InI_3 catalyzed allylation 385
- nonracemic 1004
- protection of 444
- reaction GaCl_3 Catalyfed 356
- Ketones α -endiynylated 367
- Ketones, phenol-derived 12
 - enantioselective allylation 12
- Ketoximes 575
 - cleavage 575
- KF-18-crown-6 ether 994
- kinetically enhanced metalation* 127
- Kinugasa reactions 962
- Knoevenagel condensation 432
 - In(III) Lewis acids catalyzed 432
- Knoevenagel reaction 801
 - Ti catalyzed 801

I

- La(O-iPr)_3 705
- La(O-iPr)_3 /linked-BINOL complex 692
- $\text{La(O-iPr)}_3/\text{NMe}$ -linked-BINOL 693
- La-K-BINOL (LPB) complex 272
- (+)-lactacytin 680
- β -lactam 960
 - by Cu catalysis 960
- β -lactam via 641
 - synthesis 641
- β -lactams by 962
 - α -allylated 962
- β -Lacton 9
- Lactone 148
- β -lactone 8, 616, 743
 - catalyzed by the chiral oxazaborolidine 9
- δ -Lactone derivatives 86
 - enantioselective 86
 - synthesis 743
- δ -lactone 761, 953
- Lanthanide contraction* 635, 699
- Lanthanide bimetallic catalyst 670–694
- Lanthanide complex 651
 - silylene-bridged 651
- Lanthanide cyanide 672

- Lanthanide isopropoxide 671
- Lanthanide Lewis acid 635–656, 670–710
 - achiral 636
 - chiral 656–670
- Lanthanide metal cyanide 672
- Lanthanide-crown ether 668
- Lanthanides
 - bis(perfluoroalkanesulfonyl)amides 655
 - Lewis acid-surfactant combined catalyst* 621
 - Lewis acid 45, 52, 62, 109–130, 347–374, 470, 551–582, 589, 635, 825–856, 903–980, 987–1011, 1019–1056
 - bulky organoaluminum 471
 - immobilized to polymers 1019
 - Lanthanide 635
 - polymer-supported 1019–1056
 - polystyrene-containing boron 1020
 - Sc and Y 589
 - titanium 721
 - Lewis Acid Activation 348–361, 369–370
 - by Interactions with σ Electrons 369–370
 - Lewis Acid Polymeric 1020–1029
 - Boron-Containing 1020–1029
 - Lewis acid-assisted chiral Brønsted acid (chiral LBA) 9
 - use 9
 - Lewis Acid-assisted chiral Brønsted acid (LBA) 20–23
 - Lewis Acid-assisted chiral Lewis acid (LLA) 12–19
 - generation of 12–19
 - use 14
 - Lewis acid-Lewis acid cooperative catalysis
 - Proposed working model of 19
 - using YLB 19
 - Lewis Acid–Brønsted Base Catalyst 707–708
 - Lewis acid–Brønsted catalysis 645
 - Lewis acid–Lewis base 162
 - Lewis acid–Lewis base bifunctional catalyst 266, 267
 - Lewis acid–Lewis base catalysis 164
 - Lewis acid–Lewis base interactions 365
 - Lewis acid–surfactant combined catalysts 1036
 - Lewis acidic polymeric boronates 1020
 - Lewis acidic silacycles 504
 - Use 504
 - Lewis acidity 109
 - Ag(I), Au(I), and Au(III) 987–1011
 - Bismuth (III) 551–582
 - Cu(I) and Cu(II) 903–980
 - Ga(III) 347–374
 - Li(I), Na(I), and K(I) 109–130

- Mg(II), Ca(II), and Zn(II) 135–182
- Polymer-supported 1052
- Zr(IV) and Hf(IV) 825–856
- Lewis acids 187–236, 241, 250, 377–459, 469, 537, 517–547, 859–897, 1019
 - ‘water-tolerant’ 527
 - Al(III) 241
 - boron (III) 187–236
 - Classification 537
 - design 250
 - for reaction pathway control 187
 - from vanadium to platinum 859–897
 - In(III) 377–459
 - new types of boron-based 234–235
 - nonchelating 203
 - photoswitchable 235
 - silicon 469
 - Sn(II) and Sn(IV) 517–550
- Lewis acids, metal 1019
- Lewis base 45
- Lewis base activation of Lewis acids 506
- Lewis basic phosphine 229
- Lewis basic site 57
- Lewis basicity 109
- $\text{Li}_3[\text{La}(\text{binol})_2(\text{biphenol})]$ complex 703
- Li(I) Lewis acids 109–130
- LiClO_4 117
- Limonene 550
- LiNTf_2 112, 117
- Lithium amides 126
- Lithium diisopropylamide 359
- Lithium enolates 826
- Lithium Lewis acid 113
 - Bidentate 113
- Lithium salts 110
 - Lewis acidity 110
- (S)-LLB catalyst 701
- (S)-LLB-type $\text{Li}_3[\text{La}(\text{biphenol})_3]$ complex 702
- LLB-KOH catalyst 703
- LLB-LiOTf catalyst 705, 706
- $\text{Ln}(\text{O}-i\text{-Pr})_3$ 688, 696
- $\text{LnCl}_3\text{-PyBOX}$ complexes 671
- $\text{LnCl}_3\bullet 2\text{LiCl}$ 181
- LPDE 112, 115, 119, 122
- 2,6-lutidine 293, 483
- (+)-Lycopladine A 1005
- Lyotropic liquid-crystal 1037
- m**
- $\text{M}_3[\text{Ln}(\text{binol})_3]$ -type complexes 696, 697
 - possible configurations 697
 - structure 696
- MABR 329
- MAD 308, 332
- Magic acid 43, 45
- Malonate 76
 - enantioselective 1,4-addition 76
- Malonitrile 70
 - Michael reaction 70
- Manganese(III) acetylacetone 892
- Mannich reaction 831, 992, 998
 - Asymmetric vinylogous 998
 - direct 831
 - of benzophenone imine glycine alkyl esters with *N*-tosyl imines 922
- Mannich reaction asymmetric 458
 - catalyzed by In(III)-linked-BINOL complex 458
- Mannich-type reaction 30, 89, 97, 154–160, 158, 221, 396, 555–556, 590, 608, 638, 639, 640, 637–641, 747, 830, 883, 919–925, 997
 - Ag catalyzed 997
 - based on Lewis acid and Lewis base 160
 - Bi(III) Lewis acids promoted 555–556
 - catalyzed by chiral BBA 30
 - catalyzed by $\text{Yb}(\text{OTf})_3$ 638
 - Cu catalyzed 919–925
 - in aqueous media 640
 - In(III) Lewis acids catalyzed 396
 - lanthanide catalyzed 637
 - of enol silyl ethers 638
 - of ketene silyl acetal 89, 97
 - of *N*-(α -aminoalkyl)benzotriazoles catalyzed by $\text{Yb}(\text{OTf})_3$ 639
 - of organotrifluoroborates 221
 - of silyl enolates 555
 - scandium and yttrium catalysts 608
 - $\text{Sc}(\text{OTf})_3$ -catalyzed 590
 - *N*-sulfonyl imines 925
 - three-component catalyzed by $\text{Yb}(\text{OTf})_3$ 640
 - Ti catalyzed 747
 - using chiral palladium complexes 883
 - Zn(II)-catalyzed 154–160
 - Zr(IV) and Hf(IV) Lewis acids Catalyzed 830
- MAPH 324
- Markovnikov hydroamination products 799
- Markovnikov products 795
- Markovnikov regioselectivities 407
- Markovnikov’s rule 529
- Markovnikov-adducts 796

- Maruoka's chiral bis-titanium Lewis acid 15
Me₃SiOTf 470
MeAl[(S,S)-salen] 291
Mediterranean fruit fly attractant 305
 Meerwein–Ponndorf–Verley Reduction 273–277, 691
 – Al mediated 273–277
 – Ketones 691
 Meerwein–Ponndorf–Verley reduction 693
 – Catalytic asymmetric 693
 Meldrum's acid 941
 Menthol 853
 (–)-menthol 315, 853
 Menthyl acetate 853
 Merrifield resin 1021, 1040, 1054
 Mesityl oxide 43, 252
 Metal-centered chiral catalysts 63
 Metallic aluminum 302
 Methacrolein 308, 312, 756
 – A reaction Al catalyzed 308
 – Diels–Alder reaction/ring expansion 312
 Methallytributyltin 335
 N-4-methoxy-3-methylphenyl aldimines 272
 1-methoxy-1,3-butadiene 757
 1-methoxy-3-(trimethylsiloxy)-1,3-butadiene 661
 2-methoxy-2-methyl-[1,3]dioxan-5-one 597
 Methoxy-2-(o-methoxyphenyl)oxazole 253
 – [3 + 2] cycloaddition 253
 Methoxy-2-(aryl)oxazole 253
p-Methoxyacetophenone 1038
O-Methoxycarbonyl- α -diazoacetophenone 615
 2-Methoxyfuran 619
 2-Methoxynaphthalene 408
 – acylation catalyzed by InCl₃ 408
 4-Methoxyphenol 249
p-Methoxyphenyl amine 932
N-(4-Methoxyphenyl)imines 608
P-Methoxyphenyl 604
 2-Methoxyphenyl-1,5-carboxaldehyde 215
 2-Methoxypropene 745
N-Methyl-bis[(*R*)-1-(1-naphthyl)ethyl]amine 664
 α -Methyl buta-1,3-diene 755
 1-Methyl-1,3-butadiene 322
 2-Methyl-1,3-butadiene 753
 2-Methyl-1-tetralone 1004
 2-Methyl-2-phenylpropanal 356
 Methyl 3-(trialkylsilyloxy)-2-diazo-3-butenoate 589
 Methyl 3-methyl-2-butanoate 252
 Methyl acrylate 188
O-methyl aldoximes 742
 Methyl aluminum binaphthoxide 253
 Methyl aryl sulfides 789
 – oxidation 789
 Methyl crotonate 252
 Methyl ketones 3
 – enantioselective cyanosilylation 3
 Methyl rotaglate 87
 Methyl trichloroacetate 995
 Methyl trifluoropyruvate 391
 – addition of aromatic ring 391
 Methylaluminoxanes 327
 Methylaluminum
 bis(2,6-di-*tert*-butyl-4-alkylphenoxyde) derivatives 263
 Methylaluminum bis(2,6-diphenylphenoxyde) 262, 522
 Methylcyclohexane 370
 – carbonylations 370
 Methylcyclopentane 626
 2-Methylcyclopentanone 358
 2-Methylene aziridines 197
 – coordination of BF₃•OEt₂ 197
 2-Methylene-1,3-cyclohexanedione 644
 Methylene cyclopentane 970
 Methylene cyclopropanes 198–199, 230
 – annulations 198–199
 – boron (III) Lewis acid catalyzed 230
 Methylene cyclopropyl ketone 230, 526
*M*ethylenecyclopropane 523–525, 569, 596, 843
 – ring opening 569
 – ring-opening reaction 523–525
 – silyl-substituted 525
 Methyleneoxindole 618
 – [5 + 2] cycloaddition 618
 4-Methylenetetrahydropyrans 477
 (+)-*N*-Methylephedrine 160
 – Zn(OTf)₂ 160
(1R,2S)-N-Methylephedrine-O-propionate 740
(1R,2S)-(-)-N-Methylephedrine 773
 6-Methylhepta-4,5-dienylamine 800
N-Methylmaleimide 304
N-ortho-Methylphenyl maleimide 320
 2-Methylpropanoate ester 833
 (2-Methylpropenyl)pyrrolidine 800
 2-Methylpyrrole 798
 α -Methylstyrene 970, 972
(6-Methyltetrahydropyran-2-yl)acetic acid 564

- Meyer–Schuster rearrangement 1006
 - Au catalyzed 1006
 Mg(II) ate complexes 175–181
 Mg(II) complexes 136, 140, 147, 175, 876
 Mg(II) Lewis acids 135
 Mg–salen complex 865
 MgI₂ complex 148
 Michael addition 6, 72, 74, 168, 218, 287, 288, 291, 293, 294, 360, 394, 533–534, 881
 - bismuth (III) Lewis acids promoted 554–555
 - by chiral aluminum Lewis 287
 - enantioselective 74
 - intramolecular 288
 - Lewis acid-controlled Sn(II) and Sn(IV) 533
 - malonic diesters to cyclic enones 291
 - malononitrile and nonsubstituted/substituted cyanoacetates 293
 - of acetyl acetone to nitroalkene 72
 - of carbon nucleophiles 291
 - of indoles to α,β -unsaturated ketones 293
 - of ketene silyl acetals to α,β -enones 6
 - of malonate to 2-cyclopentenone 360
 - of malonates to α,β -unsaturated carbonyls 293
 - of malonates to cyclic enones 287
 - of nitromethane or malononitrile to unsaturated carbonyl compounds 881
 - of oxime derivatives 294
 - phosphonates to cyclic enones 291
 - phosphonates to cyclohexanone 291
 - syntheses of 1,3-bisindolyl compounds 394
 - using the chiral BLA 6
 - Zn(II)-catalyzed 168
 Michael addition of diallylisopropylsilane 218
 Michael addition reactions 286–294, 999
 - Ag catalyzed 999
 - Al(III) Lewis acids mediated 286–294
 Michael adducts 71
 Michael reaction 68, 70, 81, 150, 394, 622, 642, 555, 592–593, 611–613, 642–644, 687–694, 694, 883 871
 - between methyl vinyl ketone and ethyl cyanoacetate 871
 - catalytic asymmetric La catalyzed 692–694
 – catalyzed by methanofullerenes 883
 – catalyzed by Yb(OTf)₃ 642
 – catalyzed by Yb(OTf)₃ on silica support 643
 – cyclic enones with malonates 692
 – formation of heterocycles 555
 – hetero 394
 – in the presence of TMEDA 643
 – β -keto esters and α -nitro esters catalyzed by Yb(OTf)₃ 643
 – Lanthanide catalyzed 687–691
 – LASC-catalyzed 622
 – of ethyl acetoacetate and methyl vinyl ketone in water 642
 – of indanone and tetralone β -ketoesters 611
 – of malonate 70, 81
 – of pyrrolidone 68
 – scandium catalysts 611–613
 – Sc(OTf)₃ 592
 – N-silylenamine catalyzed by Yb(OTf)₃ 644
 – α -substituted malonates 692
 – using (R,R)-LaO-iP₃/Linked-BINOL complex 694
 – versatile 555
 – with Ca(II) catalysts 150
 – with β -keto esters and cycloalkenones 642
 Michael-type addition 391, 433
 - In(III) Lewis acids catalyzed 433
 - silyl enol ethers 391
 Michael-type hydroarylation 578
 (R)-MNEA 664
 (S)-MNEA 664
 2-MOM-pyridazinone 231
 Monobenzoylated diol 978
 Monobromoborane dimethyl sulfide complex 188
 Morita–Baylis–Hillman reaction 28, 29, 68, 88, 541, 832
 - Brønsted acid catalyzed asymmetric 29
 - by BINOL derivative 88
 - of imines with yrones catalyzed by ZrCl₄ 832
 Morita–Baylis–Hillman reaction 74
 – enantioselective 74
 Morita–Baylis–Hillman-type reaction 494
 – of α -enones with acetals 494
 Mucohallic acids 381
 – reaction with acidic methylene 381
 – ring-opened form 381
 Mukaiyama aldol pathway 143

- Mukaiyama aldol process 761
 Mukaiyama aldol reaction 6, 24, 25, 85, 251, 379, 485–487, 507, 589, 667–668, 762, 828, 829, 860, 861, 914, 995, 1025, 1039,
 – Ag catalyzed 995
 – aldehydes and ketones 485–487
 – between aldehyde and silyl enol ether 1025
 – between silylketene acetals and pyridine *N*-oxide aldehydes 914
 – Bismuth (III) Lewis acids 556–557
 – by FeCl_3 860
 – catalytic asymmetric 667–668
 – catalyzed by TADDOL 24, 25
 – effect of surfactants 861
 – enantioselective 85
 – $\text{InCl}_3\text{--AgClO}_4$ catalyzed 379
 – of benzaldehyde 1039
 – of ketene thioacetal to methyl pyruvate catalyzed by a $\text{Cu}(\text{OTf})_2$ 914
 – of TMS enolates 507
 – proposed transition state for the *anti* adduct 829
 – $\text{Sc}(\text{OTf})_3$ -catalyzed 589
 – 1-(trimethylsilyloxy)-1-cyclohexene with benzaldehyde 251
 – vinylogous 85
 – with chiral BLA 6
 – $\text{Zr}(\text{IV})$ and $\text{Hf}(\text{IV})$ Lewis acids catalyzed 828
- Mukaiyama-aldol reaction asymmetric 457
 – In(III)-PYBOX catalyzed 457
- Mukaiyama-aldol reactions 209, 211, 378, 636
 – boron Lewis acids promoted 209
 – enantioselective 211
 – $\text{InCl}_3\text{--SiR}_3\text{Cl}$ catalyzed 378
 – silyl enol ethers in aqueous THF 636
- Mukaiyama-aldol reactions 212
 – enantioselectivity and diastereoselectivity 212
- Mukaiyama-aldol type reactions 391, 1025
 – Boron-Containing Polymeric Lewis Acid 1025
 – employing InCl_3 391
- Mukaiyama-type aldol 537
- Mukaiyama-type aldol reaction 997
 – 3-trimethylsilyloxy-vinyl diazoacetate with aldehydes 997
 – of silyl enolates with α -ketoesters 997
 – of trimethoxysilyl enolates 997
- Mukaiyama-type reactions 532–545
 – Sn(II) and Sn(IV) Lewis acids promoted 532–545
- Mukaiyama–Michael addition 309, 939
 – Al catalyzed 309
 – of silylketene acetals and enolsilanes to alkylidene malonates 939
- Mukaiyama–Michael reaction 120, 612, 614
 – of α,β -unsaturated ketones and enol silyl ethers 641
- Mulaiyama-aldol reactions 668
 – in aqueous media promoted by $\text{Pr}(\text{OTf})_3$ complex 668
- Myers–Saito cyclization 989
 (–)-myrtenal 493
- n**
- N_2O -ligand 163
 $\text{Na}(\text{I})$ Lewis acids 109–130
 Nafion SAC-13 40
 Nalfnavir 778
 Nanometer-Sized Bismuth 553
 $\text{NaphO--Zn}(\text{II})\text{--R}_2$ 164
 1-naphthaldehyde 992
 Naphthalene 369
 – catalytic aromatic alkylation 369
- 2-Naphthalenethiol 1053
 Naphthyl alcohol 840
 Naphthyl ketone 989, 1008
 α -(2-naphthylimino)ester 999
 Naproxen 759
 Nazarov cyclization 886, 972–973
 – Cu catalyzed 972–973
- Nazarov cyclization reaction 99
 – catalyzed by phosphoramido 99
- Nazarov reaction 592, 616, 989, 1007
 – Ag catalyzed 989
 – Au catalyzed 1007
 – catalytic, enantioselective 616
- Nazarov-type cyclization 490
 NCN-palladium complexes 883
 NCN-pincer complexes 883
 $(\text{Neomenthylindenyl})\text{zirconocene dichloride}$ 850
 Neryl pyrrolidine 175
 $\text{Ni}(\text{II})$ complexes 876
 $\text{Ni}(\text{II})$ -perchlorate hexahydrate 881
 Nickelacyclopentadiene 301
 Ninhydrin 58, 59
 – acid catalyzed condensation 59
- Niobium(V) chloride 892
 Nitrile imines 141
 – cycloadditions 141
- Nitrile oxides 140
 – cycloaddition 140

- Nitriles 570
 – reaction with epoxides 570
- Nitro aldols 160
- Nitro Michael reaction 74
 – with novel bifunctional thiourea catalysts 74
- Nitro-Mannich reaction 73, 707, 926–930
 – Cu catalyzed 926–930
 – lanthanide catalyzed 707
- Nitroaldol (Henry) reaction 157
- Nitroaldol reaction 700, 701, 701, 702, 698–702, 926
 – acceleration 702
 – copper-catalyzed 926
 – diastereo- and enantioselective 700
 – effects of the ionic radii of rare earth metals 699
 – heterobimetallic catalysts 699
 – mechanism 698, 698–702
 – of α -keto esters 701
 – proposed mechanism promoted by LLB and LLB-II (LLB-LiOH) 701
 – tandem inter-intramolecular catalytic asymmetric 700
- tert*-nitroaldols 704
 – kinetic resolution of 704
- Nitroalkene 72, 324, 325, 965
 – [1 + 2]cycloaddition 324
 – enantioselective 71
 – enantioselective and diastereoselective 77
 – Michael reaction 72
 – tandem double-intramolecular [1 + 2]/[1 + 2] cycloadditions 325
- β -Nitroamines 77
- Nitroamines β -Nitroamines 71
- 3-nitrobenzaldehyde 276
- N*-(*p*-Nitrobenzoyl)hydrazone 847
- p*-Nitrobenzylalcohol 1032
- Nitrogen heterocycles 990
- Nitromethane 990
- Nitrone 15, 65, 140, 302, 498, 763, 764, 847, 958, 960, 963
 – ATPH catalyzed 1,3-dipolar cycloaddition 302
 – coupling of propargylic alcohol with 963
 – cyanation 65
 – cycloaddition 140, 764, 958
 – [1 + 3] cycloaddition Hf or Zr catalyzed 847
 – 1,3-dipolar cycloaddition 15
 – *exo* selective cycloaddition 960
- Nitroso aldol reaction 27, 86
 – regioselective synthesis 27
- Nitroso-Diels–Alder reactions 958
 – enantioselective 958
- Nitrosobenzene 1001, 1002
- β -nitrostyrenes 373
 – reaction with trialkylgallium 373
- Norbornadiene 302
 – [1 + 2 + 2]cycloaddition reactions of 302
- Norbornene 797
 – hydroamination 797
- Norbornene carboxylate 307
 – fluorinated 307
- NTf₂ 47
- Nucleophilic addition 62
- Nucleophilic substitutions 413–421
- NUPHOS 871
- NUPHOS diphosphines 886, 888
- O**
- O–H insertion 604
- (+)-Ochromycinone 1008
- Octahydroacridines 561–562
 – one-pot stereoselective 561–562
- 2-octanone 359
- 1-octyne 302
 – [1 + 2 + 2]cycloaddition of 302
- Of α -methylstyrene 448
 – InBr₃-catalyzed reaction 448
- Of 3-exomethylene β -lactams 963
- Of [Ru(CH₃CN)(triphos)](OTf)₂ 893
- Of diazoacetates 17
- Of epoxides 454
 – InBr₃- or InCl₃-catalyzed conversion 454
- Of ethylpyruvate 916
- Of oxovanadium–biphenolate 891
- Of phenanthrenes 437
 – metal-catalyzed synthesis 437
- Olefin activation reactions 528–532
- Olefin cross-metathesis 225
- Olefin hydrosilylation 227
- 6-(3,4) olefin-ene cyclization 747
- Olefination 491
 – of aromatic aldehydes Ni-catalyzed 491
- Olefins 51, 55, 748, 782, 793, 1010
 – addition of carboxylic acid 51
 – addition of phenol 51
 – *anti*-aminohydroxylation 55
 – asymmetric epoxidation 782
 – Au catalyzed addition 1010
 – Carbonyl-Ene reaction 749

- Olefins (*contd.*)
 - disubstituted 748
 - hydroamination 51
 - hydroboration 793
 - hydrogenation 793
 - substrates 748
- Olefins 51
- Oligosaccharide syntheses 654
- (*R,S*)-(ON⁺)Ru-salen complex 865
- One-pot cyclocondensation 669
 - Aldehyde, 1,3-keto ester, 669
- One-pot Mannich reaction 398
 - catalyzed by InCl₃ 398
 - diastereoselective 398
- One-pot multicomponent synthesis 558
- One-pot synthesis 400
 - using InCl₃ as catalyst 400
- Oppenauer Oxidation 273–277
 - catalysts for 274
 - Al mediated 273–277
 - of benzyl alcohols 276
- Organic reaction 46–62
 - Brønsted acid catalyzed 46
- Organic Synthesis 112–125
 - catalyzed by Lewis acids 112–125
- Organic-Inorganic hybrid polymer 1038
- Organoalkali metal reagents 125–130
- Organocupper reagents 491
- Organogallium 728
- Organogallium compounds 360
 - tetra- and pentacoordinated 360
- Organogallium phenoxides 359
- Organogallium(III) compounds 370–374
 - homolysis of 370–374
- Organolithium reagents 135
- Organomagnesium amide 144, 147
- Organometallic bases 126–128
- Organometallic reagents 128–130
- Orthoformate 501
- oseltamivir phosphate 686
- 6,6-(OTf)₂BINOL 830
- 6-Oxabicyclo[3.2.1]octane 1009
- Oxanickellacycles 490
- Oxaspipentanes 123
- 1,2,3-oxathiazinane-2,2-dioxide heterocycles 608
- 1,3-oxathiolanes 444, 575
 - in(OTf)₃-catalyzed synthesis 444
- 1,3-oxathiolanes, 1,3-dithiolanes 603
- 1,3-oxathiones 224
- 1-oxatrienes 196
 - cycloaddition 196
- Oxazaborolidine 5, 8, 192, 1023
 - polymeric chiral 1023
- Oxazaborolidine derivatives 1022–1026
 - Polystyrene-supported chiral 1022–1026
- Oxazaborolidinone 1025
 - Cross-linked polymer-supported 1025
- Oxazinones 78
 - kinetic resolution 78
- Oxazolidinone 305, 754
 - cycloadditions to 754
 - diastereoselective Diels–Alder 305
- Oxazolidinone acrylate 945
- Oxazolidinone cinnamate 950
- Oxazolidinone enoates 950
 - β-substituted 950
- Oxazolidinone isothiocyanate-substituted 143
- α-oxazolidinonyllallenylstannanes 204
- Oxazoline 754
 - reaction with cyclopentadiene 754
- 2-oxazoline-4-carboxylate 253
- Oxazoline carboxylate 253
- Oxidation reaction 576–577, 855
 - by Bismuth (III) Lewis acids 576–577
 - Zn(II) catalyzed 170
 - Zr catalyzed 855
- Oxidopyrylium betaine 87
- Oxime ethers 1023
- Oxirane Ring Opening 123–125
 - Lewis acid catalyzed 123–125
- Oxiranes 352, 400–403
 - Lewis acid activation of 352
 - ring opening 400–403
- 2-Oxo-3-azabicycloketones 27
 - diastereo- and enantioselective synthesis 27
- μ-oxo-type chiral bis-Ti(IV) oxide 764
- 4-oxoazetidine-2-carbaldehydes 552
- Oxocarbenium ion 474, 476, 478
 - intermolecular reaction 478
- μ-oxodititanium complexes 751
- 3-oxoesters 473
- 1-oxoindan-2-carboxylic acid 611
- Oxomalonate 322
- 2-oxonia [3,3]-sigmatropic rearrangement 450
 - in(OTf)₃ allyl transfer 450
- Oxonia [3,3]-sigmatropic alkyl migration 429
- 2-oxonia Cope rearrangement 474, 481
 - silicon promoted 481
- Oxonium-ene type cyclization 430

- of homoallylic alcohols catalyzed by $\text{In}(\text{OTf})_3$ 430
- 5-oxy-2-pyrrolidiones 496
- Oxy-Michael reaction 642, 644
 - catalyzed by cerium sulfate 644
 - of alcohols and α,β -unsaturated ketones 642
- α -oxyaldehyde 734
 - allylation 734
- Oxygen-to-Carbon migration 206
 - boron (III) Lewis acids promoted 206
- Ozonolysis 233

- p**
- Palladium black 228
- Palladium catalyst 360
- Palladium complex 349, 883
- Passerini-type reaction 508
- Pauson–Khand reaction 803
- Pd(II) cationic complexes 869
- Pd(II) complex 871, 884
- Pd–POZ 870
- Pechmann condensation 435
 - InCl_3 catalyzed 435
- Pechmann reaction 436, 567
 - synthesis of 4-substituted coumarins 567
- Pent-4-enoic acid, hex-5-enoic acid 990
 - cyclization 990
- Pentacoordinate aluminum chelate complex 261
- 1,4-pentadiyne 798
- Pentafluorobenzaldehyde 277
- Pentafluorophenyl bis(triflyl)methane 31
- Pentafluorophenylbis(triflyl)methane 38
- Pentamethylbenzene 1004
 - alkylation 1004
- Pentanal 263
- cis-perhydronaphthalene 369, 370
 - catalytic aromatic alkylation 369
- trans-perhydronaphthalene 370
- Perrin titration method 82
- Petasite reaction 221
- 6,6'-Ph₂-BINOL–Ca(II) catalyst 151
- Ph₂Zn 163
- Ph₃P·Au(I) 1010
- Ph₃P·AuCl/BF₃·OEt₂ 1004
- Ph-BOX 970
- (S,S)-Ph-Pybox 143
- Ph-pybox 612
- 6,6'-Ph₂BINOL 766
- Phenanthrenes 59
 - from benzopinacol 59
- Phenolic ketone 838

- Phenols 368, 574, 1010
 - acylation 574
 - Au catalyzed addition 1010
 - o-ethynylated 368
- (R)-2-Phenyl-2-methoxyethanol 23
- (Z)-1-phenyl-1-trimethylsiloxypropene 1037
- 4-phenyl-3-buten-2-one 58
 - acid catalyzed 58
- D-phenyl alanine ethyl ester 228
- 2-phenyl-1-butene 793
 - hydrogenation 793
- Phenylacetylene 355, 987, 1008
- Phenyl aziridines 598
 - 1,3-dipolar cycloaddition 598
- Phenyl glycidyl ether 64
- Phenyl ozazoline 148
- Phenyl vinyl sulfone 965
- Phenyl-boron 1020
- Phenylation 163, 1047
 - of 4-trifluoromethylacetophenone 1047
 - of imines 163
- Phenylbis(triflyl)methane 39
- Phenylboronic acid 1024
 - cross-linked polystyrene-containing 1024
- 3-phenylcyclobutanone 148
- 2-phenylethanol 892
- N-phenylmaleimide 964
- (1R,2R)-(+)-1-phenylpropylene oxide 1053
- Phenylsilane 505
- Phenylsilylalkyne 851
- Phenylthioacetylene 968
- phenylthiopropene 258
- Phosphaferrocene–oxazoline 962, 966
- Phosphanyloxazoline iridium complexes 886
- Phosphine–silver(I) complexes 992
- Phosphino-oxazoline 870, 953
- Phosphoramido 506
- Phosphoric acid catalysts 95
 - kinetic resolution 95
 - substrates 95
- Phosphoric acids 90–99
 - chiral cyclic 90
 - novel catalysts 97–99
- Phosphorodiamidic acid derivative 97
- Ph₃P·AuCl 1006
- [(Ph₃PAu)₃O]BF₄ 1005
- (Ph₃P)AuOTf[–] 1010
- Phthalocyanine–copper complex 951
- Pictet–Spengler reaction 36, 58, 497
 - of imines 497
- Pictet–Spengler reaction 96, 400

- Pictet–Spengler reaction (*contd.*)
 – catalyzed by phosphoric acid catalysts 96
 – In(OTf)₃ catalyzed 400
- Pinacol cross-coupling 448
 – In/InCl₃ promoted 448
- Pinacol rearrangement 58, 481
- Pinacol type rearrangement 208, 285
 – 3-silyloxyoxetanes 285
 – boron (III) Lewis acids promoted 208
- PINAP ligand 941
- 2-piperazinemethanol 1023
- Piperidines 257
 – diastereoselective synthesis of *cis* and *trans*-3,4-disubstituted 257
- Piperidone 61
 – reaction with benzene in TfOH 61
- Piperidone enol ether 232
- Pivaloate 989
- Pivalonitrile 838
- Platinum(II) complex 893
- Poly(dioxaborole)s 1028
- Poly(ethylene glycol) 445
 – deprotection 445
- Poly-condensation reactions 232
- Polycyclic heteroarenes 438
 – In(ONf)₃ catalyzed 438
- Polyene 22, 530–532
 – cyclization 22
 – tandem cyclization of 530–532
- Polyethylene 1019
- Polyethylethylene 1020
- Polymer 1020, 1038
 – borylated 1020
 – Phenyl-silyl linkage 1020
 – three-dimensional metal-organic 1038
- Polymer incarcerated method 605
- Polymer Synthesis 578
 – by Bismuth (III) Lewis acids 578
- Polymer-micelle incarcerated method 605
- Polymer-supported B(C₆F₅)₂ 1028–1029
- Polymer-supported BINOL–Ti 1041–1043
- Polymer-supported Cu Lewis acids 1050
- Polymer-supported Diol–Ti complex 1040
- Polymer-supported Fe Lewis acids 1049
- Polymer-supported indium(III) Lewis acid 1052
- Polymer-supported Sc Lewis acids 1035–1039
 – in water 1035–1036
 – nanostructured 1036–1037
- Polymer-supported Sn Lewis acids 1053–1054
- Polymer-supported Yb Lewis acids 1054–1056
- Polymer-Supported Zn Lewis Acids 1051–1052
- Polymeric borane catalyst 1029
- Polymeric boronate 1020
- Polymeric Monolith Ti–TADDOLate 1046
- polymeric Ti–TADDOLate catalyst 1045
- Polymerization 1020
 – boron-containing monomer 1020
 – of silicon-containing monomer 1020
- Polymetallic asymmetric catalysts 670–694
- Polymetallic lanthanide complexes 680, 685
 – structures of ligands 680, 685
- Polymethylhydrosiloxane 171, 733
- 1,3-polyol 691
- Polyolefins 1020
 – rhodium-catalyzed functionalization of 1020
- polyphosphoric acid 568
- Polyprenoids 21
 – LBA for enantioselective synthesis of 21
- Polystyrene 1021, 1048
 – brominated cross-linked 1021
 – chlorosulfonated 1048
- Polystyrene-supported Al(OTf)₃ 1032
- Polystyrene-supported AlCl₃ 1029–1032
- Polystyrene-supported chiral Bisulfonamide-Ti 1046–1047
- Polystyrene-supported chiral N-Sulfonylamino Alcohol-Ti, 1048
- Polystyrene-supported perfluoroalkyl sulfonic acid 1054
- polystyrene-supported perfluoroalkyl sulfonic ytterbium 1054
- Polystyrene-Supported Ti–TADDOLate 1043–1046
- N*-(polystyrylbutyl)pyridinium triflylimide 852
- Polythiophenes 1027
 – main-chain Lewis acids of boron-modified 1027
- Potassium cyanide 772
- Potassium cyanide/18-crown-6 complex 772
- Potassium organotrifluoroborates 221
- i*-Pr-PYBOX ligand 266
- (*S,S*)-*i*-Pr-box/Zn(OTf)₂ 147
- ortho*-prenylphenols 568
 – rearrangement 568
- Preparation 38
- Prins cyclization 432, 803
 – for the synthesis of unsaturated heterocycles 432

- in ionic liquids 432
- suppression of epimerization catalyzed by InBr_3 432
- TiCl_4 -mediated 802
- Prins cyclizations 479
 - silicon promoted 479
- Prins reaction 532–533, 562
 - Sn(II) and Sn(IV) Lewis acids promoted 532–533
 - Synthesis of 4-Chlorotetrahydropyrans 562
- Prins-type annulation 477
 - using allylsilanes 477
- Prins-type cyclization 198, 427–431, 615–616
 - and allylation 430
 - boron(III) Lewis acids based 198
 - In(III) catalyzed 427
 - scandium catalyst for 615–616
 - *syn*-selective 198
- i*-PrMgCl 178
- i*-PrMgCl•LiCl 178
- (*i*-Pr)(*n*-Bu)₂MgLi 176
- Proazaphosphatrane sulfide 782
- Propargyl alcohols 167, 261
- Propargyl amines 497, 932, 935
- Propargyl ether 499
- Propargyl pivaloate 1006
- Propargyl vinyl ethers 988
- Propargyl–Claisen rearrangement 988
 - silver(I)-catalyzed 988
- Propargylgallium 370
- Propargylic alcohols 729, 1004
 - A gold(III)-catalyzed nucleophilic substitution reaction 1004
 - from aldehydes and alkynes 729
- Propargylic allylic alcohols 162
- Propargylic amines 988
- Propargylic esters 1006
- Propargylic pivaloates 989
- Propargyliodiums 494
- Propargylsilanes 478
- 12-propylresorcinol
 - cyclocondensation 599
- 2-propylresorcinol 599
- 10-propynyl-9(*10H*)-acridone 201
- Prostaglandins 320
- Protection 853
 - Zr catalyzed 853
- Protection Deprotection 443–446, 573–576, 603
 - by bismuth(III) salts 573
 - by Sc(OTf)_3 603
- Protonation 530
 - Sn(II) and Sn(IV) Lewis acids catalyzed 530
- Pseudo-*C₃*-symmetric trisoxazoline 907
- (*S,S*)-pseudoephedrine 504
- Pt(II) cationic complexes 869
- Pt–POZ 870
- Pt–oxazolines catalyst 871
- (–)-pterocarpin 994
- Pudovik reaction 271
- Pybox 877
 - [Sc-pybox] (Cl)₂⁺ 606
 - [Sc((*S,S*)-*t*-Bu-pybox)](Cl_2)SbF₆, 606
- Pyran 498
 - 2*H*-pyran motif 196
- Pyranobenzopyrans 617
 - *cis* annelated 617
- 2*H*-pyrans 988
- Pyranyl lactols 206
- Pyrazolidin-3-ones 966
- Pyrazolidines 504
 - Pyrazolidinone 960
 - Pyrazolidinone acrylamides 145
- 2-pyrazolines 764
- Pyridazinone 231
- 2-pyridinecarboxaldehyde 248
- Pyridines 434, 495
 - InCl_3 catalyzed synthesis of tetra-substituted 434
- Pyridylmagnesates 177
- N*-(2-pyridylsulfonyl)imines 144
- Pyrogallol 20
- Cis*-pyrone 324
- Pyrrole 412, 554, 619, 834, 1011
 - addition to Electron-Deficient Olefins 554
 - InBr_3 catalyzed reaction of 412
- Pyrrolidine 152, 964, 1000, 965, 1010
 - cycloadducts 965
- 4-(Pyrrolidino)pyridine derivative 83
- Pyrrolizidines 324
 - natural polyhydroxylated 324

q

- Quinine 930
- Quinoline 1033
- Quinolines 434
 - $\text{InCl}_3\text{--SiO}_2$ catalyzed synthesis 434
- Quinone motif 193
- p*-Quinoneimines 200
- p*-Quinones 395
 - addition reaction catalyzed by InBr_3 395

r

- Radical addition 139, 334, 669
 – Catalytic asymmetric conjugate 669
 – intermolecular 139
 – to α,β -unsaturated carbonyls 334
 – to *exo*-methylene lactone 334
- Radical alkylation 333
 – of cyclohexenone 333
- Radical allylation 335
 – α -iodoimide with allyltributyltin 335
- Radical cyclization 332, 334
 – alkynylacrylate 334
 – Et₂AlCl assisted 332
 – iodoethyl propargyl ether 332
- Radical cyclization reactions 136, 202
 – bromine-transfer 136
 – catalytic enantioselective PhSe-group-transfer 136
- Radical deuteration 332
 – of α -selenyl sulfoxide 332
- Radical polymerization 1020
- Radical Reactions 136–140, 137, 331–336, 909–911
 – Al catalyzed 336
 – Cu catalyzed 909–911
 – diastereo- and enantioselective 137
 – Mg(II)-Catalyzed 136–149
- Raney nickel reduction 607
- Rare earth bimetallic asymmetric catalysis 671
- Rare earth metal-peroxide 688
- Rare Earth-Alkali metal heterobimetallic complexes, 695–698, 697
 – Preparation 697
- (–)-Rasfonin 6, 8
- (–)-rasfonin
 – Mukaiyama aldol reaction promoted by chiral BLA 8
- Rautenstrauch rearrangement 1007
 – Au catalyzed 1007
- Reaction 777
- Rearrangement 203–209, 208, 285, 417, 481, 567–569
 – Al mediated 285
 – B(III) Lewis acid based 203–209
 – catalyzed by Bi(OTf)₃ \bullet xH₂O 567
 – In(III) based 417
 – silicon promoted 481
 – thermodynamic 208
- Rearrangements Sn catalyzed 523–528
- Redox reactions 440
 – In(III) salts catalyzed 440
- Reduction 545, 792–793
 – Sn(II) and Sn(IV) Lewis acid promoted 545
 – Ti catalyzed 792–793
- Reduction of ketones 170
- Reduction Reactions 170–172
 – Zn(II) catalyzed 170–172
- Reductive aldol reaction 441
 – catalyzed by InBr₃ 441
- Reductive cross-coupling 448
 – In/InCl₃ promoted 448
- Reductive Etherification 560, 564
 – Bismuth (III) Lewis Acids mediated 564
- Reformatsky-type reaction 449
- Reissert reaction 269
 – of isoquinolines with *l*-menthyl chloroformate 269
 – of nicotine amides 269
 – with chiral aluminum Lewis acid 269
- Reissert compounds 269
- Reissert-type reaction 1033
- resorcinarenes 565
- Retro-nitroaldol reaction 701
- Ring opening 675, 681–686, 841–843
 – Catalytic enantioselective *meso*-epoxide 675
 – of *meso*-aziridines by cyanide 683
 – of *meso*-Epoxides and meso-Aziridines 681–686
 – of oxiranes is catalyzed by Zr or Hf 841
 – of Three-Membered Cyclic Compounds 841–843
 – with phenyl lithium 681
- Ring opening reaction 279, 282, 280, 284, 523–528, 593–594, 613
 – Al mediated 279
 – by Sc(OTf)₃ 593
 – β -eliminative 284
 – of fluorinated epoxides 282
 – scandium catalyzed 613
 – substrates for 280
- Ring-expansion reaction 285
- Ring-opening 683
 – Catalytic enantioselective *meso*-epoxide with TMSCN 683
- Ring-opening azidation 280, 282
 – α,β -epoxy carboxylic acids 282
 – of the epoxyalcohols with aluminum azide complex 280
- Ring-opening fluorination 594
- Ritter reaction 570, 578
 – Synthesis of Amides 578

- (*R,S*)-Ru(II)-salen complex 865
 – danishefsky's diene 866
 (+)-Rubiginone 1008
 Ruthenium complexes 867
 Ruthenium phosphate complex 867
 Ruthenium(III) chloride 893
 R₃ZnMgCl 182
- S**
- Sakurai–Hosomi allylation 992
 – Ag catalyzed 992
 Sakurai–Hosomi reaction 388, 389, 394, 610
 – catalyzed by InCl₃–TMSCl 389
 – catalyzed by scandium–pybox
 complexes 610
 Salan [*N,N*-bis(*o*-hydroxybenzyl)-
 1,2-diaminoethane] type ligand, 728
 (*R,R*)-SALEN 293
 (*R,R*)-(salen)–Cr(III) 866
 (salen)Co catalysts 894, 895
 – oligomeric 895
 – polymer-supported 895
 (salen)Cr(III) complex 893
 (salen)Cr(III)X 894
 [(salen)Ti(μ-O)]₂ 770, 777
 Salen ligand 770
 Salen–Ti catalyst 778
 Salen–Zn(II) complexes 162
N-salicyl-β-amino alcohol 776
 Sc(BINOL)₂Li 613
 Sc(III)-pybox-*i*-Pr complex 615
 Sc(OTf)₃ 423, 426, 604, 605, 607, 612
 – resin- or polymer-supported 605
 Sc(OTf)₃-pybox complex 616
 Sc(OTf)₃/ionic liquid system 603
 Sc(OTf)₃–*i*Pr-pybox complex 612, 614
 Sc(OTf)₃–PyBOX complex 660
 Sc[(*R*)-F₈BNP]₃ 619
 Sc–pybox complex 606
 Scandium 589–629
 Scandium catalyst 590, 601, 605–606, 614
 – bearing the H₈-BNP ligand 614
 – immobilization of 605–606
 – in organic synthesis 601
 – polymer-supported 590
 Scandium complex 619
 – bearing perfluorinated binaphthyl
 phosphate ligand 619
 Scandium indane–pybox complex 617
 Scandium nonafluorobutanesulfonate 595
 Scandium pentafluoroethanesulfonate 595
 Scandium perfluoroalkanesulfonate 595
 Scandium trifluoromethanesulfonate
 1038–1039
- Microencapsulated 1038
 – Polymer-Micelle Incarcerated
 Sc(OTf)₃ 1039
 – preparation 1038
 Scandium tris(dodecyl sulfate) 621, 1036
 Scandium tris(dodecylsulfonate) 1036
 Scandium
 tris(perfluoroctanesulfonyl)methide
 complex 589
 Scandium-(4'*S,5'S*)-4-CH₂OTIPS-5-Ph-pybox,
 614
 Scandium-(4'*S,5'S*)-4-CH₂OTIPS-5-Ph-pybox
 complex, 613
 Scandium-based Lewis acid 622
 – polymer-supported 622
 Scandium-catalyzed reactions 620–625
 – aqueous media 620–625
 scCO₂/poly(ethylene glycol) 589
 Schiff base 738, 789
 Schiff base catalysts 66, 676
 Schiff base Cr(III) complex 895
 Schiff base ligands 743, 775, 777
 – achiral tridentate 777
 – tripeptide-based 775
 Schiff base–titanium complex 745
 Schiff-base titanium(IV) complex 761
 Schwartz's reagent 731
 (*S*)-SEGPHOS 958
 Selective coordination 250
 Selenylimidates 597
 Self-condensation 937
 Semicarbazones 575
 – cleavage 575
 Senecialdehyde 252
 Sharpless catalyst 786
 Sharpless epoxidation 782, 784
 Si(IV) Lewis acids 469–509
 – synthetic use 470–473
 Si-MCM-4 409
 Si-MCM-41 414
 Sigmatropic rearrangement 121, 174, 205,
 596, 988, 1005
 – Au catalyzed 1005
 – boron tribromide mediated 205
 – Lewis acid mediated 121
 – silver(I)-catalyzed 988
 Silacycles 471
 – strained and unstrained 471
 Silacyclobutanes 471
 Silacyclopropanes 471
 Silica-supported AlCl₃ 1034–1035
 Silicon 472
 – hexacoordinate 472
 Silicon enolates 860

- Silicon enolates (*contd.*)
 – hydrolysis 860
 Silicon Lewis acids 506–508
 – activated by Lewis bases 506–508
 1-Siloxy-1,5-dynes cyclizations 48
 Siloxy alkyne 989, 991
 – [1 + 2] cycloaddition 989
 – hydroamination 991
 Siloxy cyclobutene 989
 Siloxy cyclohexadiene 1008
 Siloxy hexyne 989
 α -siloxycyanohydrins 396
 2-siloxydihydrobenzofuran 494
 Silver iodide 987
 Silver tosylate 987
 Silver(I) halide 988
 Silver(I) triflate 990
 Silver(I)-phosphine complexes 998
 O-Silyl-N,O-ketene acetals 25
 Silyl carboxylates 413
 – reactions catalyzed by $\text{InCl}_3\text{-AgOTf}$ 413
 O-silyl dienolate 745
 Silyl dienolates 366, 507
 Silyl enol ether 160, 212, 358, 608, 743, 745, 761, 921
 – addition reaction Cu catalyzed 921
 – BINOL-Ti-catalyzed aldol reaction 743
 – diastereoselective addition 608
 – transmetalation 358
 Silyl enolate 471, 473, 507, 998, 1001
 – Aldol-type reaction catalyzed 473
 – mukaiyama aldol reaction 485
 – nucleophilic addition of aldehyde 507
 Silyl ethers 413, 573–574
 – Cleavage and Conversion 573–574
 – reactions catalyzed by $\text{InCl}_3\text{-AgOTf}$ 413
 Silyl ketene acetal 608, 939
 – Cu(II)-catalyzed addition reaction 939
 – diastereoselective addition 608
 Silyl ketene amines 991
 α -silyl oxocarbenium 474
(R)-silylacetylene 1005
 Silylacetylene, silyl enol ether 367
 – catalytic ethynylation 367
 Silylacetylenes 361
 Silylallylgallium 353
 Silylation of alcohols 625
 – yttrium-based catalyst 625
 Silyldienol ether 24
 o-(β -silylethenyl)phenols 368
 2-(β -silylethenyl)cyclopentanone 357
 Silylum salt 493
 Silylketene 767
 – cycloaddition 767
(*E*)-silylketene acetal 739
 Silylketene acetals 911
 α -silyloxy-epoxides 204
 – stereoselective ring expansion 204
 3-silyloxyfurans 212
 Simmons-Smith type reaction 295
 – of allylic alcohols 295
 Sm complex 691
 $\text{Sm}(\text{O}-i\text{Pr})_3/\text{H}_8\text{-BINOL}$ 690
 Sn(II) Lewis acids 517–547
 Sn(IV) Lewis acids 517–547
 $\text{Sn}(\text{OTf})_2$ 523, 525
 Sn-X bond distances 518
 sodium tetraarylborates 578
 Sonogashira coupling reaction 987
 Sp-sp₂ coupling reaction 447
 Spiro-oxindoles 802
 Spirocyclic pyran 222
 Spirocyclopropane oxazolidinones 768
 γ -stannylcarbenium ion 479
(+)-stenine 313
 Strained heterocycles opening reactions 279–285
 – Al mediated 279–285
 Strained organosilicon Lewis acids 503–505
 Strained silacycles 503
 Strecker reaction 66, 68, 80, 83, 96, 268, 558, 675–681, 681, 776
 – *N*-allylaldimine with hydrogen cyanide 66
 – Bismuth (III) Lewis acids 558
 – catalyzed by guanidine 80
 – catalyzed by phosphoric acid catalysts 96
 – chiral switches in 681
 – enantioselective 83
 – Ketoimines and Hydrazones 675–681
 – of *N*-benzyl substituted imines with TMSCN 776
 – of dihydroisoquinoline 68
 – of aromatic *N*-allylimines with HCN 268
 – substrate for 68
 – with chiral aluminum Lewis acids has been 268

- Strecker synthesis 74
 – with novel bifunctional thiourea catalysts 74
- Strecker-type reaction 144, 268, 650, 775
 – catalytic enantioselective 144
 – catalyzed by Yb(Tf)₃ 650
 – of *N*-fluorenyl aldimines with TMSCN 268
 – Ti catalyzed 775
- Strecker-type reactions 832
 – mediated by Zr or Hf catalysts 832
- Stubborn dienophiles* 311
- Styrene 1020
- Styreneoxide 1049
- 2-substituted 1,3-dithianes 789
 – Oxidation 789
- N*-sulfinyl dienophiles 958
- β -sulfonamide alcohol ligands 730
- Sulfone 855
- N*-Sulfonyl-(*S*)-tryptophan 1025
- N*-sulfonyl aldimines 908
- Sulfonylation 409
 – of activated arenes 409
- Sulfonyloxirane 826
- Sulfoxidation 786–789
 – Ti catalyzed 786–789
- Sulfoxidation-kinetic resolution process 787
 – one-pot titanium-catalyzed tandem 787
- Sulfoxide 855
- Sulfur nucleophiles 54
 – combined 31
 – Michael addition 54
 – Introduction of Electron-Withdrawing Group 38–41
- Super Brønsted acid 31, 35–36, 38–45, 40
 – achiral 35
 – definition 35
 – fluorous 40
- Super Brønsted acid catalyst 29–31
- Superelectrophile 56–62
- Syn* aldol 139
- Syn*-aldol adducts 144
- Syn*-diastereoselective aldol reactions 143
- Synthons 850
- t**
- TADDOL 24, 25, 335, 723, 761, 1043
 – Representative structures 24
- TADDOL-Ti reagents 803
- TADDOL-Ti(OTs)₂ 763
- TADDOL-TiBr₂ 761
- TADDOL-TiCl₂ 754, 761, 763, 765, 768
- TADDOL-titanium complexes 724
- Tamoxifen 835
- Taniaphos ligand 965
- Tertiary allylic alcohols 731
 – Ti catalyzed 731
- Tetraalkylated gallium compound 373
- $\alpha, \alpha, \alpha', \alpha'$ -Tetraaryl-1,3-dioxolane-4,5-dimethanol derivative, 83
- 3,3',5,5'-tetrabromo-1,1'-biphenyl-2,2'-diol 310
- Tetrabutylammonium triphenyldifluorosilicate 399
- tetrabutylphosphonium bromide 571
- Tetraethylmethylanes 364
- tetrafluorophenylbis(triflyl)methane polystyrene-bound, 39
 – Catalytic activity 39
- Tetrahydrofuran derivative 990
- Tetrahydrofuran motif 216
- Tetrahydrofurans 200, 479, 525, 572
 – 2,3,5-trisubstituted 479
 – 2,5-disubstituted 525
 – O-Acylative cleavage 572
 – regio and stereoselective 200
- Tetrahydroindenenes 219
- Tetrahydropyran 200, 222, 562
 – synthesis 562
- Tetrahydropyran derivative 990
- Tetrahydropyran-4-one 607
- Tetrahydropyanones 474
 – regio and stereoselective 200
- Tetrahydropyranyl Ether 573, 1032
 – formation, cleavage, and conversion 573
- Tetrahydropyranylation 1032
 – of alcohols 1032
- Tetrahydropyridines 601
- Tetrahydrothiophene 494
- (tetrakis(pentafluorophenyl)porphyrinato) Ru(II) complex 882
- Tetrakis(pentafluorophenyl)borate ion 470
- Tetrakisamido titanium complex 799
- 2,2',4,6-Tetramethylbenzophenone 171
- N,N,N',N'*-Tetramethylethylenediamine 642
- Tetraol 89
- Tetraphos-Pd complex 884
- Tf₂NH 47, 49, 53, 54, 55, 195
- TfN[Al(*i*-Bu₂)]₂ 311
- TfN[Al(Me)Cl]₂ 311
- TfNH₂ 46, 48
- TfOH 46, 50, 53
 (TfOH) 160
- The single-pass reaction column 40
- The solution phase acidity 37
- The takemoto's catalyst 72

- (+)-Thiamphenicol 991
 Thieryl carbonate 853
 Thieryl ester 853
 Thieryl-boron 1020
 Thierylmagnesate 177
N-(2-thienyl)sulfonyl aldimines 925
 Thiranes 453
N-thioacyliminium ions 497
 Thio-Michael addition 277
 – of chiral aluminum alkoxide 277
 Thioacetalization 444
 Thioacetals 574–575
 – protection 574–575
 α -Thioallenes 1011
 – cycloisomerization 1011
 Thiocarbonyls 559–560
 – conversion reaction 559–560
 Thioesters 366
 – α -Ethylenylation 366
 Thioglycoside synthesis 415
 Thiol group 575
 – protection 575
 Thiolacetic acid 407
 – addition reaction 407
 Thiolactones 209, 453
 – from isomerization 209
 Thiols 414
 – reaction catalyzed by In(III) 414
 Thiolysis 571, 572
 – aziridines 572
 – of epoxides 571
(R)- γ -Thionodecalactone 209
(S)- γ -Thiodecalactone 209
Thionolactones 209, 453
– isomerization 209, 453
Thiopyridines 226
– oxidative addition to Pd(0) 226
Thiourea catalyst 66–79
– atropisomeric 75
– bearing acidic functional group 79
– bearing both guanidine and thiourea functional groups 79
– bearing primary or secondary amine 79
– bifunctional chiral 70–79
– monofunctional 66–70
– novel bifunctional 74
– use binaphthyl backbone 74
Thioureas 581
– catalytic guanylation 581
Ti Lewis acids 1040–1048
– polymer-supported 1040–1048
Ti(IV) complexes 166
Ti(IV) Lewis acids 232
Ti(IV)(TADDOLato) catalyst 790
Ti(IV)-(S)-BINOL 16
Ti(NMe₂)₂(dpma) 798
Ti(O'Pr)₂-BINOLate 1041, 1043
Ti(O'Pr)₂Br₂ 748
Ti(O'Pr)₂Cl₂ 748
Ti(O'Pr)₄ 723, 729, 747, 748, 787, 801
Ti-(S)-BINOL catalyst 15
Ti–Ga–salen heterobimetallic catalyst 778
Ti-salen [N,N'-bis(salicylidene)ethylene-diamine] type catalysts, 729
TiCl₂(O'Pr)₂ 761
TiCl₄ 732, 747
TiCl₄-(R)-2-phenyl-2-methoxyethanol complex 23
TiCl₄-Bu₃N 740
TiCl(OTf)₃ 733
TiF₄ 738
Tin enolate 1002
Tin–boron exchange reaction 1027
Tischenko products 275
Tischenko reduction 619
– of β -Hydroxyketones 619
Tishchenko reaction 703
– of β -Hydroxyketones 703
Titanium μ -oxo complex 724
Titanium alkoxide 723, 733
– cleavage 733
Titanium bis(sulfonamido)imido complex 800
Titanium catalyst 728, 760
– development 728
– by transmetallation 728
– dendritic chiral 760
Titanium complexe 722, 730, 787
– C₃-Symmetric tris(β -Hydroxy amide) chiral ligand 731
– metathetic ligand exchange process 722
– of chiral sulfonamides 730
– preparation 787
Titanium dimethylamino complexes 795
Titanium enolate 214
Titanium isopropoxide diethyl tartrate 782
Titanium Lewis acid 721–805
Titanium tetra-*tert*-butoxide 741
Titanium tetraalkoxide 786
Titanocene complexes 800
Titanocene derivatives 754
Titanocene enolates 826
TMEDA 128
O-TMS cyanohydrins 605
TMSCN 266
TMSOTf 607

- α -Tocopherol 499
 p -Tol-BINAP·AgF 995
 (R) - p -Tol-BINAP 992
 (R) -Tol-BINAP·AgOTf 999
 (R) -Tol-BINAP·AgOTf to 1001
 (R) -Tol-BINAP/CuPF₆ complex 905
 (S) -Tol-BINAP·AgNO₃ 992
Toluene 362
 – electrophilic aromatic substitution 362
N-Tosyl enamine–alkyne carbocyclization 989
N-Tosyl- α -imino ester 924
N-Tosyl aziridines 401
N-Tosyl imine 922, 953, 956
N-Tosylated γ -amino olefin 1010
Transesterification 852
 – Zr or Hf catalyzed 852
Transfer hydrogenation 976
 – Cu catalyzed 976
Transition-metal atoms 860
 – used for Lewis acid 860
Transition-metal Lewis acids 859–897
Transmetallating reagent 384
Transmetallation 384, 387, 414, 553
 – bismuth (III) Lewis acids promoted 553
Transthiacetalization 444
Tri(*i*-propoxy)titanium chloride 742
Tri-*n*-octylammnium salts 44
 – ν N–H frequencies 44
Trialkylaluminum 253, 333
Trialkylaluminum compounds 725
Trialkylgallium 359
N-Trialkylsilyl imines 210
Trialkyltin enolate 994
Triaryloxy borate ester 234
3,3'-bis-triarylsilylated BINOLs 322
(1*H*)-1,2,3-triazole 1035
Triazole antifungals 674
Tributyltin triflate 8
Trichloroacetylisocyanate 483
Trichlorosilyl aldolate 507
Tricyclic nitrosoacetal 325
Tricyclic silyl aldolate 487
1,7,9-trienes 310
Triethylborane 372
Triethynylvinylmethane 364
Triflate 193
Triflic acid 192
Triflimide 192, 193
Trifluoro ethyl hemiacetal 390
Trifluoro ethylpyruvate 906, 916
Trifluoroacetaldehyde ethyl hemiacetal 387
 – in-mediated allylation 387
Trifluoroacetic acid 194
Trifluoroacetic anhydride 246
(1*R*,2*R*)-2-Trifluoroacetylamo-1-phenyl-1-propanol 476
 α -(Trifluoromethyl)- α , β -unsaturated amides, 220
1,4-trifluoromethyl-ation ketones 286
 β -Trifluoromethylated allylic alcohols 386
Trifluoromethylation 286
N-Triflyl phosphoramide 99
Triisopropylsilyl triflate 597
2-(Triisopropylsilyloxy)acrolein 597
Trimethoxysilyl enolates 995
4,7,7-trimethyl-3,4,5,6,7,8-hexahydrobenzopyran-2(*H*),5-diones, 881
Trimethyl orthoformate 602
Trimethylalkynylsilanes 417
Trimethylallylsilanes 417, 419
Trimethylenemethane 381
 – cycloaddition Pd-catalyzed 381
Trimethylhydroquinone 499
Trimethylorthoformate 1038
2-trimethylsiloxyfuran 498
1-trimethylsilyl nitropropanate 608
Trimethylsilyl azide 401
Trimethylsilyl bis(fluorosulfonyl)amide 473
Trimethylsilyl
 bis(trifluoromethanesulfonyl)amide 470
Trimethylsilyl cyanide 3, 878
Trimethylsilyl enol ether 589
Trimethylsilyl enolates 473, 1002, 1003
 – asymmetric protonation 1002
 – enantioselective protonation of 1003
Trimethylsilyl iodide 473
Trimethylsilyl ketene acetal 213
O-Trimethylsilyl monothioacetals 441
 – reduction 441
Trimethylsilyl nitronates 929
Trimethylsilyl nitronates 929
Trimethylsilyl pentafluorophenyl
 bis(trifluoromethanesulfonyl)methylide, 499
Trimethylsilyl trifluoromethanesulfonate 469
Trimethylsilylated nitrogen 469
Trimethylsilylcyanide 649, 768–770
Trimethylsilylmethylenecyclopropyl imines 199
 – *endo* cyclization 199
2-trimethylsiloxyfuran 612, 745

- Triorganosilylum ions 485
 3,5,8-trioxabicyclo[5.1.0]octane derivatives 778
 – aminolysis 778
 1,3,5-trioxanes 453
 Triphenoxy borate ester 234
 Triphenylphosphine 863
 Triphenylphosphine oxide 3, 6
 Tris(pentafluorophenyl)borane 210, 214
 Tris(pentafluorophenyl)borane Lewis acid 209
 Tris(perfluoroalkanesulfonyl)methide 655
 Tris(perfluorobutanesulfonyl)methide 655
 Tris-pentafluorophenyl boron Lewis acid 195
 Tris(2-pyridyl)-phosphine complex 885
 Tris(trimethylsilyl)silyl bis(trifluorosulfonyl)amide 487
 Tris(trimethylsilyl)silyl enol ethers 297
 Trityl ethers 574
 – cleavage 574
 Tryptamine homologs 799
 (−)-(S)-tulipalin B 542
- u**
 Ugi–Strecker reactions 600
 α,β -unsaturated 597
- v**
 $V(O)(OTf)_2$ 891
Iso-valeraldehyde 266
 Vanadium–carboxylates 892
 VAPOL 319
 (S)-VAPOL 830
 VAPOL catalyst 228
 VAPOL-aluminum catalyst 319
 VANOL 318
 Vinyl arenes 49
 – intermolecular hydroamination and hydroarylation 49
 – of vinyl arenes 49
 Vinyl sulfones 965
 Vinylarenes 447
 – dimerization 447
 Vinylation 731
 – asymmetric catalytic 731
 Vinylation Aromatic 360
 Vinylcyclohexene 851
 Vinylcyclopropane 218, 478
 Vinylgallium dichloride 360
 Vinylmagnesium halide 360
 Vinylpropanes 525
 – donor–acceptor 525
- (E)-vinylsilane 851
 Vitamin D₃ analogs 752
- w**
 (−)-wilforonide 333
 Wilkinson’s catalyst 224
- x**
 Xabox 877
 Xabox-*i*-Pr-Mn(II) 861
 Xabox-Bn-Mn(II) 861
 Xabox–Bn–Mg(II) complexes 877
- y**
 $Yb(OTf)_3$ 607
 $Yb(OTf)_3$ or $Sc(OTf)_3$ 380
 $Yb(OTf)_3/Ph$ –PyBOX complex 667
 $Yb[(R)-BNP]_3$ 661
 $Yb[(R)-H_8-BNP]_3$ complex 661
 $YbCl_3/tBu$ –PyBOX complex 682
 $YbCl_3/Ph$ –PyBOX complex 682
 YCl_3 626
 YLB ($Li_2[Y(binol)_3]$) catalyst 708
 Ytterbium triflate 636
 Yttrium 589–629
 Yttrium isopropoxide 628
 Yttrium-based Lewis acid catalyst 625
 Yttrium-catalyzed C–O bond cleavage 626
- z**
 Zampanolide 430
 Zimmerman–Traxler transition state model 8
 Zinc acetylides 497
 Zirconium alkoxide catalysts 834
 Zirconium complexes for Sharpless epoxidation 855
 Zirconium enolates 825–826
 Zirconium-catalyzed asymmetric carboalumination of alkenes 848
 Zirconocene 219
 Zirconocene imide 842
 Zirconocene–imide complex 841
 Zn(II) amide 168
 Zn(II) Ate Complexes 175–182
 Zn(II) catalyst 156, 158, 162
 – dinuclear 158, 162
 – dinuclear chiral 156
 Zn(II) complex 152, 169, 876
 – bipyramidal five-coordinated 152
 – dinuclear 169
 Zn(OH)F 168
 Zn(OTf)₂ 152, 166, 173

Zn-InBr₃ system 448
Zn–Ni transmetalation 491
ZnF(OTf) 160
Zr(IV) Lewis Acids 825
Zr-BINOL catalyst 828

Zr-BINOL complex 830, 834, 838, 845
ZrCl₄(thf)₂ catalyzed 852
ZrOCl₂•8H₂O 852
Zu(II) Lewis acids 135
Zwitterionic species 222

