

Index

a

- acceptor molecules 108
- adsorption 4f., 71
 - desorption hysteresis 5
- aerosols 195ff.
 - absorption 200ff.
 - accumulation mode 241f.
 - aethalometer 202
 - agglomerates 239, 242
 - air particulate matter (PM) 196f., 200f., 268ff.
 - atmospheric aging 195
 - atmospheric cycling 196
 - atmospheric interaction 195f., 198
 - black carbon (BC) 199ff.
 - brown carbon 202
 - carbonaceous components 199ff.
 - climate and health effects 198, 205, 216ff.
 - cloud condensation and ice nuclei (CCN/IN) 196, 205, 211ff.
 - cloud processing 196
 - coarse mode 241f.
 - collection efficiency curves 240
 - combustion 199f., 203
 - composition 195f., 199ff.
 - Cunningham slip correction factor 238, 241
 - deliquescence relative humidity (DRH) 213, 215
 - diesel exhaust particulate matter (DPM) 211
 - dry deposition 196
 - efflorescence relative humidity (ERH) 213, 215
 - electrical mobility 241
 - elemental carbon (EC) 199ff.
 - equal settling velocity 239
 - exhaust plumes 196
 - filter 202
 - gas-particle interactions 206ff.
 - humic-like substances (HULIS) 205, 208f.
 - hygroscopic growth 206, 212ff.
 - inertia 239
 - integrating-plate techniques 202
 - integrating-sphere techniques 202
 - interaction with water vapor 212ff.
 - kinetic model framework by Pöschl, Rudich and Ammann (PRA) 207f.
 - lifetimes 196, 243
 - low-volatility organic compounds (LVOCs) 203f.
 - macromolecular fraction of water-soluble organic carbon (MWSOC) 200f.
 - mass spectrometers 256ff.
 - mechanical mobility 238, 241
 - morphology 239
 - non-volatile organic compounds (NVOCs) 203f.
 - nucleation mode 241f.
 - organic aerosol (OA) 202
 - organic air particulate matter (OPM) 202ff.
 - organic carbon (OC) 199ff.
 - particle mass concentration 197f.
 - particle size 195ff.
 - particle size distribution 241ff.
- aerosol particle sizing instrumentation 248ff.
 - APS (aerodynamic particle sizer) 249f.
 - DMS (differential mobility spectrometer) 249ff.
 - EDB (electrical diffusion battery) 249f.
 - EEPS (engine exhaust particle sizer) 254
 - ELPI (electrical low-pressure impactor) 249f., 258, 261
 - FMPS (fast mobility particle sizer) 249f., 254f.
 - Moudi 249f.

- nano-Moudi 249f.
- nano-SMPS (nano-scanning mobility particle sizer) 249f.
- OPC (optical particle counter) 249f.
- SMPS (scanning mobility particle sizer) 244, 249ff.
- aerosol
 - phase transition 212f., 215
 - photoacoustic spectroscopy 202
 - polycyclic aromatic hydrocarbon (PAH) 209ff.
 - primary organic aerosol (POA) 202, 204
 - secondary organic aerosol (SOA) 203ff.
 - semi-volatile organic compounds (SVOCs) 203, 206, 208
 - solar radiation 206, 208
 - surface-to-volume ratio 129, 206
 - terminal settling velocity 238f.
 - total carbon (TC) 199ff.
 - transformation 195f., 198, 205ff.
 - volatile organic compounds (VOCs) 203f., 208
 - water-soluble organic carbon (WSOC) 200f.
 - wet deposition 196
 - yellow carbon 202
- Agency for Toxic Substances and Disease Registry (ATSDR) 127
- antibacterial 25f.
 - activity 39ff.
 - effect 38
 - evaluation 39
 - inactivation 41
 - surfaces 48f.
 - tiles 113
- antifungal growth 33
- antimicrobial effect 17, 40f.
- antipollution 17
- antisoiling 33
- approach
 - bottom-down 7
 - bottom-up 4, 182, 184
 - top-down 182
- automobile
 - diesel particulate filter 211
 - exhaust 128f., 132, 211, 276, 293
 - emission control 129
 - gold catalyst 129f.
 - three-way catalyst 129, 147
- auto-oxidation 25, 28f.

- b**
- batch slurry reactors 81f.
- biodegradation 55, 131
- Bohr radius 99

- Brownian motion 236f.
- building block 4

- c**
- CaCO₃ 43, 45f., 49
- carbon
 - activated 4, 113
 - microsphere (CM)-encapsulated 168
 - nanofibers 151f.
 - spherical mesocarbon microbeds (MCMB) 169f.
- carbon nanotubes (CNTs) 4f., 151ff.
 - applications 152
 - aspect ratio 151f.
 - -based composites 170f.
 - -oxide composite 6
 - catalyst supports 153ff.
 - -based composite 170
 - copolymerized 5
 - electrical conductivity 152
 - electrical resistance 4
 - functionalized 5, 153
 - multi-walled (MWNs) 5, 152ff.
 - purification 5
 - sensors 4
 - single-wall (SWNTs) 152, 158
 - solubility 11
 - synthesis 152, 154
 - TiO₂ 7, 11
 - thermal conductivity 152
 - toxicity 11
 - water-soluble 6
- catalyst deposition 152
 - chemical impregnation 152
 - colloidal techniques 153
 - electrodeposition 152f.
 - electroless 152
 - microwave techniques 152f.
 - sputtering 153
- catalyst
 - electro- 149ff.
 - gold 129f.
 - nano- 3f.
 - nanoparticulate 3
- catalyst poisons
 - organosulfur compounds 154
- catalyst
 - Pt nanoparticle 150ff.
 - PtRu bimetallic nanoparticle 150f., 154
 - quaternary 151
 - ternary 151
 - three-way 129, 147
 - zeolite 132
- catalytic

- activity 2
 - converter 129
 - dechlorination 132
 - decomposition 155
 - catalytic gold nanoparticles 129f.
 - patents 129f.
 - cementitious materials 33ff.
 - burn off 33, 35
 - concrete 34
 - dye fade 34
 - Eco-cements 33, 47f.
 - fading rate 33
 - photocatalyst 33ff.
 - Rhodamine B dye 34
 - chalking 31, 34ff.
 - charge transfer rate 164
 - chemiluminescence detector system 44
 - chromophores 28
 - coagulation 10
 - coatings 3, 11, 30, 34, 43
 - automotive 25
 - carbonization 168
 - efficacy 43
 - organic 28
 - paint 43, 49
 - polymeric 28, 168
 - porous 43
 - reactive surface 128
 - surface 20
 - thickness 44
 - TiO₂ 26, 30f., 113ff.
 - composite 147, 153f., 165ff.
 - anode material 165f.
 - carbon nanotube-based 170
 - cathods 154
 - Si nano- 169f.
 - Nafion 153
 - contaminants
 - chemical destruction 4
 - organic 9
 - photchemical destruction 4
 - toxic 53
 - contamination monitoring, *see* nanoparticle characterization techniques
 - crop fertilization 53
- d**
- dense non-aqueous phase liquid (DNAPL) 9f.
 - contamination 10
 - Department of Energy (DOE) 53, 158
 - depollution 42ff.
 - desgin for the environment (DFE) 178
 - dichalkogenides
 - layered structure 98f.
 - quantum confinement 98f.
 - quantum size effect 98
 - diffusion
 - carrier 86
 - oxygen 31
 - dispersion effect 30, 40
 - DNA technique 128
 - dye
 - cementitious materials 34
 - sensitization 81ff.
- e**
- ecotoxicology 11
 - electrocatalysts 149ff.
 - Pt nanoparticles 150f., 164f.
 - electron-hole 25ff.
 - pair 27, 58, 66, 69f., 130
 - photoinduced 27
 - recombination 25, 31, 80, 86, 109, 130f.
 - separation 90, 109, 130
 - surface trapping 130
 - electron transfer (ET) 108f.
 - acceptor 109, 164
 - MoS₂ 108
 - electronic excitation 25
 - emission 33, 44ff.
 - energy cost 3
 - energy efficiency 3
 - environmental
 - applications 3, 10
 - contamination 53
 - engineering 1
 - health and safety (EHS) 188f.
 - monitoring 125f.
 - nanotechnological technique 9
 - pollutants 51, 54
 - environmental protection
 - agency (EPA) 52, 125, 186, 209ff.
 - regulations 52, 125
 - environmental remediation 51ff.
 - advantages 68
 - applications of photocatalysts 68ff.
 - approach 55
 - dissolved oxygen 65f.
 - economic considerations 57
 - recycling 54
 - regeneration 54
 - risk 1f., 10
 - environmental remediation techniques 55, 127ff.
 - advanced oxidation processes (AOPs) 56
 - air stripping 55
 - biological degradation 55, 131
 - carbon adsorption 55

- end-of-pipe 131
- incineration 55
- oxidation through chlorination 55f.
- oxidation through ozonization 55
- photocatalysis 131
- photocatalytic degradation 131f.
- photo-oxidation 56, 131
- sedimentation 55
- semiconductor-based photocatalysis 131
- total mineralization 132
- transfer methods 55
- ultrafiltration 55
- UV photon catalysis 131
- epidemiological study 267ff.
- Air Pollution and Health: a European Approach (APHEA) 272
- cardiovascular disease 275f.
- design 267, 269
- diseases of the Central Nervous System 279ff.
- entry routes into human body 270ff.
- environmental air pollution 268, 271ff.
- European Prospective Investigation on Cancer and Nutrition (EPIC) 278f.
- inhalation 270f.
- International Agency for Research on Cancer (IARC) 279, 282
- Long-Term studies 272f.
- metabolism 270f.
- National Mortality Morbidity Air Pollution Study (NMMAPS) 272
- Observatoire National des Asthmes Professionnels (ONAP) 284
- odds ratio (OR) 269f.
- particulate air pollution 267ff.
- particulate matter (PM) 268ff.
- relative risk (RR) 269f.
- respiratory disease 276ff.
- risk factor profile deterioration 276
- Short-Term studies 272
- workplaces 281ff.
- excitonic peak 99ff.
- excitons 30f., 69f., 98f.
 - bulk 100
 - effective mass model (EMM) 70, 100
 - hydrogen-like 100
- exhaust 128f.
 - aftertreatment 211
 - treatment of diesel 130, 211
 - treatment of gasoline 130
- f**
 - Fermi level 97
 - fuel cell 147ff.
 - catalyst support materials 148, 151ff.
 - direct methanol (DMFC) 149ff.
 - durability 150f.
 - electrical conductivity 151
 - electro-osmosis 150
 - high temperature 149
 - humidification level 150
 - low-temperature 148ff.
 - membrane electrolyte assembly (MEA) 154
 - molten carbonate 149
 - nanoparticle catalysts 150f.
 - operating temperature 149
 - phosphoric acid 149
 - polymer electrolyte membrane (PEMFC) 149ff.
 - proton exchange membrane 149f.
 - solid oxide 149
 - fullerene 5, 11, 152
 - dispersion state 5
 - sorbents 5
 - -type hemisphere 152
- g**
 - gas-phase
 - photocatalysis 113
 - photoreactors 112
 - gas purification of VOC 112
 - genetic engineering 128
 - genetically modified (MO) crops 188
 - graphite
 - -like carbon proportion 202
 - solid electrolyte interface (SEI) 171
 - green
 - chemistry 3
 - design approaches 178
 - groundwater
 - perchlorate-contaminated 133
 - remediation 7ff.
- h**
 - hazardous substances
 - chemical classes 127
 - transformation 127
 - high magnetic gradient separation (HGMS) 6
 - hydrocarbon (HC) 148f., 157
 - fuel 148f.
 - polycyclic aromatic (PAH) 209ff.
 - unburned 128f.
 - hydrogen 157ff.
 - bio- 3
 - carbon nanomaterials 158
 - combustion 199

- fuel 148
- pyrolysis 199
- reduction 150
- storage 3, 148, 157ff.
- hydrolysis 78
- hydroxyl functionality 32
- hydroxyl groups 30

i

- industrial ecology (IE) 177f.
 - application to nanotechnology 178f.
- industrial ecology concepts
 - corporate social responsibility (CSR) 179, 186ff.
 - life cycle assessment (LCA) 179ff.
 - material flow analysis (MFA) 179, 184
 - substance flow analysis (SFA) 179, 184ff.
- industrial ecology framework 177f.
- inorganic compounds 26
- interception 10
- interfacial charge transfer 130
- International Council on Nanotechnology (ICON) 189
- International Organization for Standardization (ISO) 180, 187
- irradiation 34, 37, 47, 64, 80

k

- Kelvin equation 213
- Köhler theory 213ff.

l

- life cycle
 - assessment (LCA) 179ff.
 - benefits 181f., 184, 187
 - engineering (LCE) 178
 - impact assessment (LCIA) 180f.
 - implications for nanotechnology 180
 - inventory (LCI) analysis 180ff.
 - performance 184
 - product 179, 181f., 184
 - stages 179f.
 - studies 181
- lithium ion batteries 148, 165ff.
 - anode nanomaterials 165ff.
 - capacity retention 167
 - carbon nanotubes 170f.
 - discharge capacity 168ff.
 - semiconductor electrolyte interface (SEI) 166, 171
 - Si nanocomposites 169f.
 - Sn nanoparticles 166ff.
 - storage capacity 166ff.

m

- membranes
 - hollow monolithic cylindrical 6
 - nanofiltration (NF) 4, 6
 - nanoporous alumina 163
 - nanoporous polycarbonate 163
 - polymer electrolyte, *see* fuel cells
 - polypeptide-based 133
 - proton exchange, *see* fuel cells
 - reverse osmosis 6
 - silver nanoparticle array 4
 - ultrafiltration 6
- metals
 - deposition 80ff.
 - removal 6
- methanol reduction 151
- mineralization 82, 114, 132
 - 4-chlorophenol 82
 - total 132
- mineralizing 55f.
 - complete 56, 59
 - partial 55
- molecules 4, 125
 - bio- 4
 - building 125
 - self-assembling 125
 - toxic 125
- MoS₂ 54, 72f., 86ff.
 - band structures 89f.
 - bulk properties 86, 91ff.
 - catalytic hydrodesulfurization (HDS) 87, 89, 97
 - crystal structure 89, 93, 98
 - electronic properties 86f., 89ff.
 - high-temperature lubricant 87, 89
 - molybdenite 86f.
- MoS₂ nanocluster 86, 91ff.
 - synthesis 92ff.
- MoS₂
 - n-type 89f.
 - optical properties 89f., 93ff.
 - photocatalytic properties 90ff.
 - photocorrosion 88, 90
 - quantum size effect 98f.
 - semiconductor 89f., 95
 - size 88, 91, 93, 95, 98
 - solar photoelectrochemical electrode 89
 - surface to volume ratio (S/V) 92
- n**
- nanocluster
 - crystal structure 93f., 97
 - defects 93
 - growth 92f., 97f.

- magic sized 97
- metal-sulfide 74
- metallic properties 96f.
- MoS₂ 92ff.
- light adsorption 77
- optical properties 73, 93ff.
- oxidation potential 77
- photostability 72, 77
- platelet 97f.
- semiconductor 68, 74, 77
- size 93ff.
- solution-based 74
- surface properties 73, 93
- nanocluster synthesis 77, 92ff.
- hydrophilic head group 92f.
- hydrophobic tail group 92f.
- inverse micelle 92f., 97
- pulsed electric arc 97
- surfactant molecules 92f.
- ultrahigh vacuum methods 96
- nanocluster
- triangular 96f.
- WS₂ 97
- nanomaterials
- applications 147ff.
- aspect ratio 147, 151f.
- carbon 151ff.
- composites 147, 153
- graphite nanofibers 158
- Li ion storage 166
- nanotubes 147f., 151ff.
- nanowires 147f., 151, 163f.
- non-carbon-based 159
- production 296
- surface area 147, 158, 163
- surface reactivity 159
- synthesis 163f.
- use 296
- nanoparticle
- adsorbents 4f.
- agglomeration 10, 230f.
- air-borne, *see* aerosols
- bioavailability 10
- by-product 230
- nanoparticle characterization techniques 74ff.
- aerosol particle sizing instrumentation, *see* aerosol
- AFM (atomic force microscopy) 235, 258
- AFS (atomic fluorescence spectroscopy) 142
- ANC (Aitken nucleus counter), *see* CPC
- catalytic surface oxidation 126
- chemical analysis of fine particles 140
- CNC (condensation nucleus counter), *see* CPC
- cost effective 126
- Coulter Counter 235f.
- CPC (condensation particle counter) 243ff.
- cyclone, *see* impactor
- DLS (dynamic light scattering) 77, 236f.
- EDX (energy-dispersive-X-ray) analysis 235, 259
- EIS (electrochemical impedance spectroscopy) 164
- electrometer 246, 248
- ELR (electron spin resonance) 111
- ESP (electrostatic precipitator) 258f.
- filtration 235
- flame ionization devices 126
- GC-MS (gas chromatography-mass spectrometry) 76, 126
- GFAAS (graphite furnace atomic adsorption spectroscopy) 142
- HGAAS (hydride generation atomic adsorption spectroscopy) 142
- HRTEM (high-resolution transmission electron microscopy) 93f., 202
- ICP-AES (inductively coupled plasma atomic emission spectroscopy) 142
- ICP-MS (inductively coupled plasma mass spectroscopy) 142
- impactor 239ff.
- infrared spectroscopy 126
- off-line 235, 258
- on-line 235, 243, 256f.
- photoionization devices 126
- Raman spectroscopy 202
- Rayleigh scattering 236
- SAD (selective area diffraction) 74, 93f.
- SAXS (small-angle X-ray scattering) 74f.
- SEC (size-exclusion chromatography) 75f.
- SEM (scanning electron microscopy) 113, 235, 258f.
- SMPS (scanning mobility particle sizer) 244, 249ff.
- STM (scanning tunneling microscopy) 96f.
- TEM (transmission electron microscopy) 74f., 86, 235, 258f.
- TXRF (total reflection X-ray fluorescence) 258
- wet chemistry methods 126
- XPS (X-ray photoelectron spectroscopy) 74, 110
- XRD (X-ray diffraction) 74, 202
- XRF (X-ray fluorescence) 76, 97
- nanoparticle
- CeO₂ 11

- concentration metrics 229f., 232f.
 - core-shell 164
 - nanoparticle detection, *see* nanoparticle characterization techniques
 - nanoparticle detection strategies 259ff.
 - nanoparticle diameter
 - aerodynamic 239
 - equivalent 239
 - Stokes 239
 - nanoparticle distribution 298ff.
 - ambient air 298f.
 - water 299ff.
 - nanoparticle
 - functionalized 10
 - inhalation 10
 - iron 7ff.
 - lifecycle 231
 - magnetic 4, 6
 - nanoparticle measurement techniques, *see* nanoparticle characterization techniques
 - nanoparticle
 - mobility 10, 232ff.
 - natural 230
 - non-magnetic 6
 - nanoparticle occurrence 233ff.
 - air 234
 - plant 233
 - soil 233
 - water 233
 - workplace environment 234f.
 - nanoparticle
 - persistence 10
 - pristine 10f.
 - Sn 166ff.
 - sorption capacity 2
 - sources 294f.
 - nanoparticle synthesis 73, 167f.
 - acid-catalyzed hydrolysis 73
 - base-catalyzed hydrolysis 73
 - gas-phase 73f.
 - high-temperature flame hydrolysis 73
 - manmade 230
 - MoS₂ 74
 - properties 229f.
 - sizes 229, 231
 - solution-based 73f.
 - TiO₂ 73, 78ff.
 - nanoparticle
 - toxicity 1, 3, 10f., 231, 301f.
 - ultrafine particles (UFPs) 229f., 234f., 243, 259, 273ff.
 - ZnO 11
 - nanotechnology applications
 - atomic-level synthesis 125
 - on-line sensitive sensors 125
 - nanotechnology firms 188f.
 - nanotechnology risk 188f., 292ff.
 - assessment 294ff.
 - communication 294
 - identification 292f.
 - management 292, 294
 - predicted environmental concentration (PEC) 295f.
 - predicted no-effect environmental concentration (PNEC) 295f.
 - National Science Foundation (NSF) 302
 - NO_x
 - gas detection system 44
 - reduction 33, 44ff.
 - removal 42, 44f., 129
 - non-governmental organizations (NGO) 187f.
- O**
- O₂ reduction 151, 153
 - opacity, *see* TiO₂
 - organic compounds 5
 - dechlorination rate 7
 - impurity 109
 - removal 6, 26
 - volatile, *see* VOCs
 - organometallic compounds 5
 - oxidants 113
 - ozone 209f.
 - decomposition 129
 - depletion 205
- P**
- paint
 - antibacterial 38f.
 - acrylic water-based 35
 - chalking 35f.
 - coatings 43
 - composition 35
 - degradation 45
 - depollution 43
 - durability 33, 36
 - Eco-paint films 39, 45, 47
 - fading 36
 - film 33ff.
 - gloss loss 33, 36f.
 - inorganic 36, 38
 - mass loss 33ff.
 - matrix 45
 - methylene blue-impregnated silicate 36
 - organic 35ff.
 - photoactivity 33
 - photocatalyst 39
 - photocatalytic effect 35f., 39, 43

- PVC-based alkyl 33
- shedding 36
- stability 35f.
- self-cleaning effect 33ff.
- translucency 45f., 49
- photoactivity tests
 - hydroxyl content 31ff.
 - oxygen consumption 32f.
 - 2-propanol oxidation 31f.
- photocatalysis 53f., 56ff.
 - heterogeneous 56, 60
 - light-activated 58f.
 - MoS₂ nanocluster 101ff.
 - pentachlorophenol (PCP) 106ff.
 - phenol 103ff.
 - TiO₂ 101ff.
 - WS₂ nanocluster 101ff.
- photocatalyst
 - application, *see* technological applications
 - CdS 107
 - charge separation 61
 - charge transfer 62
 - coupled semiconductor 109f.
 - heterogeneous
 - light intensity 66
 - material properties 71f., 77
 - metal dichalcogenides 86
 - MoS₂ 54, 72f., 86ff.
 - nanocluster photostability 72
 - nanomaterials 66ff.
 - pH of solution 62f.
 - photostability 83
 - preparation 54
 - presence of salts 62ff.
 - quantum confinement 68
 - semiconductor nanoclusters 68f., 74, 76f.
 - SnO₂ 73, 90
 - solvent 65f.
 - surface chemistry 71f.
 - surfactants 64f.
 - synthesis 54
 - Ta_xN_x 83ff.
 - TaON 83
 - TcS₂ 90
 - TiO₂ 7, 25ff.
 - TiO_{2-x}N_x 80, 84
 - WS₂ 83, 89ff.
 - WSe₂ 91, 98
 - ZnO 83f., 90
- photocatalytic 27f., 33
 - activity 20, 27f., 54, 62, 80, 91
 - bactericidal effect 39ff.
 - chemistry 26
 - degradation 114, 130
 - efficiency 27, 54, 61, 80
 - oxidation 57, 80
 - paints 35f., 43
 - selectivity 62
 - size effect 53
- photocatalytic surface 17ff.
 - chemistry 53
- photocatalytic water splitting 57, 59
- photochemical cancer treatment 26
- photodestruction
 - chemical waste 91
 - pentachlorophenol (PCP) 106ff.
 - phenol 103ff.
- photoelectrocatalytic generation of hydrogen 53
- photoexcitation 27, 59, 65, 70, 72, 82, 95, 98, 101
- photoluminescence (PL) 109, 137
- photolysis 206, 208
 - laser 59
- photolytic degradation 28, 111
- photooxidants 210
- photo-oxidation 6, 28, 48, 56, 61ff.
 - gas-phase 113
 - pentachlorophenol (PCP) 108
 - reactions 77, 111
- photo-oxidative degradation 28
- photo-reduction 31, 63, 80f.
- pigment 19f., 22ff.
 - Calgon milled 41
 - concentration 30, 40
 - crystallinity 42
 - dispersion 30, 40
 - effect 25
 - form 19
 - nanoparticle surface-treated rutile 25
 - porosity 41
 - rutile 19f., 25
 - surface 30f., 42
 - surface area 44, 49
 - TiO₂ 20, 22ff.
- platinum surface-catalyzed reaction 129
- pollutant
 - adsorption 4
 - degradation 6f.
 - elimination 125f.
 - herbicides 53, 56, 133
 - identification 126
 - inorganic 2, 26, 54
 - insecticides 132
 - organic 2, 6, 26, 54, 62, 130
 - persistent organic (POP) 132
 - pesticides 53, 55f., 131ff.

- plume 9
- quantification 126
- reduction 125
- removal 26
- secondary 55
- pollution control 129f.
- patents 130
- pollution
 - detection 1, 4
 - indoor air 127
 - prevention 1, 3
 - remediation 125
 - sensing 4, 125
 - treatment 125
- polymer 28f., 30f., 35
 - artificial protein 128
 - co- 10
 - cross-linked nanoporous 5
 - degradation 29
 - matrix 20
 - Nafion-type 149, 151, 153
 - photosensitized oxidation 29
 - polar organic 20
 - poly(ethylene)oxide (PEO) 165
- precursor 110
- protein engineering 128
- proton
 - conductor 149
 - hopping 149
- purification 4
 - air 26, 55
 - soil 55
 - water 26, 55
- q**
- quantum confinement 68, 70, 98ff.
- quantum dots 147
- quantum efficiency 112
- quantum size effect 27, 68, 71, 98ff.
 - dichalkogenides 98
 - MoS₂ 98f.
 - WSe₂ 98f.
- r**
- radicals 28ff.
 - alkoxy 29
 - free 28
 - hydroxy 29
 - hydroxyl 6, 27f., 30, 77, 79
 - OH 113
 - oxygen 29
 - perhydroxyl 30
 - peroxy 29
 - photogenerated 41
- reaction
 - Eley-Rideal 207
 - heterogeneous 203, 207
 - Langmuir-Hinshelwood 207, 209
 - multiphase 203, 207
 - radical-initiated polymerization 204
- redox
 - catalyst 91
 - potentials 27, 77, 108
 - reactions 25, 91, 109, 130
- remediation, *see* environmental remediation 51ff.
- resins 4
- Rydberg states 100
- Reynolds number 241
- s**
- self-cleanig
 - effects 33ff.
 - surfaces 33
 - tiles 115
- semiconductor 6, 68ff.
 - coupled systems 133
 - electrolyte interface (SEI) 166, 171
 - highest occupied molecular orbital (HOMO) 69, 95ff.
 - indirect 69
 - lowest occupied molecular orbital (LUMO) 69, 95f., 98
 - MoS₂ 89f., 95
- semiconductor nanocluster 68f., 74, 76f.
 - metal-sulfide 74
 - MoS₂ 72, 77
 - light adsorption 77
 - optical properties 73
 - oxidation potential 77
 - photostability 72, 77
 - solution-based 74
 - surface properties 73
 - synthesis 77
 - TiO₂ 6f., 82
 - WS₂ 77
- semiconductor
 - nanosized 91
 - n-type 89f.
 - photocatalytic efficiency 130
 - surface 130
- sensors 4, 133ff.
 - biosensors 134
 - chemical 4
 - detection of heavy metals in water 141f.
 - electrochemical 4, 134
 - flow-through Raman scattering 4
 - gas 138ff.

- mass 135ff.
- novel 140
- optical 137f.
- PEEBLE (probe encapsulated by biologically localized embedding) 137
- real-time chemical composition measurements 140
- solid-state 139
- ultrasensitive detection of pathogens 140f.
- silicon
 - amorphous 159
 - crystalline 159
 - microfabrication processes 4
 - nanocrystalline porous 137
 - polycrystalline 159
- sludge process 56
- solar cells 3, 148, 159ff.
 - application of nanomaterials 161ff.
 - counter electrodes 164f.
 - dye-sensitized (DSSCs) 148, 161ff.
 - efficiency 159ff.
 - materials 160
 - photovoltaic cells 159
 - spectral irradiance 87
 - terrestrial solar irradiance window 161
- spin-orbit splitting 100
- steady-state signal detection 46f.
- Stokes
 - law 238
 - number 241
 - particle diameter 239
- supercapacitors 148
- Superfund sites 52f.
- superhydrophilicity 26, 116
- surface
 - activity 3
 - depolluting 33
 - -normalized reaction rates 7
 - photocatalytic 17ff.
 - pigment 20
 - reactivity 5
 - self-cleaning 33
 - -to-volume ratio (S/V) 92, 129, 206
- surface water discharge 52
- surfactants 64f., 102, 163

- t**
- technological applications of photocatalysts
 - gas-phase photoreactors 112
 - gas purification of VOCs 112
 - indoor air purification 113f.
 - outdoor air purification 115, 127
 - PVC 116
 - self-cleaning tiles 115
 - TiO₂-coated porous filter 114
- TiO₂ 7, 17ff.
 - activity 25f.
 - adsorbance 71, 81
 - agglomerates 20ff.
 - aggregates 20ff.
 - amorphous 78f.
 - anatase 17f., 24, 33, 36ff.
 - anatase-rutile phase 78f.
 - antibacterial 25f.
 - antiviral 26
 - brookite 17, 79
 - coating 30f., 82
 - colloids 78
 - conventional 22f.
 - crystal structure 17f., 79
 - dye sensitization 81ff.
 - deposition of metals 80ff.
 - doping 80
 - electronic properties 78f.
 - fungicidal 26
 - gas-to-particle conversion 23
 - films 115f.
 - flocs 20f.
 - impurities 79
 - light scattering 22, 24
 - modifications 17, 32
 - nanoparticles 22ff.
 - nanostructure 78, 163f.
 - nitrogen substitution 80, 85
 - opacity 17, 19f.
 - opalescent effect 25
 - optical behavior 24
 - particle size 20, 22ff.
 - photoactivity 25, 30ff.
 - photocatalysis 7, 25ff.
 - photocatalyst 7, 25f., 53f., 56ff.
 - photocatalytic activity 78, 80
 - photophysical 77
 - pigmentary 22ff.
 - pigments 17ff.
 - polymorphs 19
 - preparation 22f.
 - properties 17ff.
 - reflectance 20
 - refractive index 17ff.
 - rutile 17ff.
 - sulfur substitution 80
 - surface 79f.
 - surface area 23, 27, 80, 82
 - synthesis 78ff.
 - thin film 27
 - transformation 27
 - transparent 26f.

- ultrafine 22ff.
- Toxic Release Inventory (TRI) 51f., 127
- toxicity data 127
- treatment technologies, *see* environmental remediation
- transition metal
 - carbides 129
 - dichalkogenides 91, 98
 - oxycarbides 129
 - oxide catalyst system 129

u

- ultrasonication 6
- UV
 - absorption 19f., 25
 - efficiency 57
 - filter 25
 - ozonization 56
 - peroxidation 56
 - protection 24f.
 - radiation 20, 25, 31, 47
 - spectrum 25

v

- VOCs (volatile organic compounds)
 - monitoring 126f.
 - reduction 33, 47, 127
 - removal 42, 55

w

- waste
 - detection 125
 - heat 149
 - munitions 53
 - prevention 125
 - reduction 3
 - treatment 128
- wastewater treatment 6
- water purification 26, 62
- water splitting reaction 59
- water treatment 4, 6, 26
 - detection of heavy metals 141f.
 - drinking water production 6
 - ultrasensitive detection of pathogens 140f.
- wet-chemical process 22
- weatherometer
 - Atlas 34, 46
 - QUV 36f.

z

- zerovalent iron 7f.
 - bulk 7
 - corrosion 7
 - granular 7ff.
 - nanoscale (nZVI) 7ff.
 - reactive barrier 8f.
 - reactivity 7

