

## Index

### **a**

Abragamian function 428  
 abundant spin-1/2 nuclei  
   broadline experiments 184–199  
   combined pulse and sample rotation  
     experiment 282–289  
   multiple pulse experiments 275–282  
   sample rotation 275  
 active rotation 78  
 adiabatic CP 167, 264, 303  
 adiabatic pulses 138  
 adiabatic remagnetization in the rotating  
   frame (ARRF) 167, 265  
 adjoint operator 74  
 aluminophosphates (ALPOs) 491  
 amorphous 64, 448, 461, 465, 470, 480,  
   486, 493  
 amphiphilic molecules 509  
 angular momentum 10, 76  
 anisotropic medium 124  
 anisotropic phases 422, 507  
 anti-phase coherence 89  
 Arrhenius equation 424  
 atactic polypropylene 481  
 average Hamiltonian theory (AHT) 3,  
   91, 151, 156

### **b**

BABA 370  
 benchtop spectrometers 427  
 biopolymers 67, 454, 465  
 Bloch equations 19, 23

Bloembergen, Purcell, and Pound (BPP)  
   model 405, 422  
 Boltzmann law 11, 85, 89, 105  
 broadline experiments  
   1D spectra acquisition 425–432  
   spin lattice relaxation times 432–435  
 broadline NMR spectroscopy  
   adiabatic pulses 138–141  
   cross-polarization 149–169  
   echo experiments 176–183, 194–199  
   experimental implications 132  
   Fick's equation of diffusion 187–189  
   FID acquisition 132  
   finite pulse duration 133  
   heteronuclear spin decoupling  
     CW heteronuclear spin decoupling  
       171–172  
     off-resonance effects and pulse  
       decoupling schemes 172–176  
   inhomogeneous and homogeneous line  
     broadening mechanisms 141–142  
   moment analysis 192–194  
   quadrupolar nuclei 200–224  
   signal intensity 133–138  
   spin diffusion 187, 191  
 bulk magnetic susceptibility (BMS) 117

### **c**

calamitic liquid crystals 507  
 Carr–Purcell–Meiboom–Gill (CPMG)  
   51, 178–182, 218, 234, 305, 407, 429  
 cement 493

- centerband-only detection of exchange (CODEX) 443
- chain conformations 466
- chemical shift anisotropy (CSA) 103, 143, 145, 148, 172, 173, 184, 200, 206, 211, 229, 317–329, 403, 415, 417
- classical physics 8, 73
- Clebsch–Gordan coefficients 107
- cocrystal 454
- coherences 27, 85, 213, 316, 385, 430
- coherent process 49, 53, 166, 187, 406, 430
- Cole–Cole spectral density 422
- combined rotation and multiple pulse spectroscopy (CRAMPS) 282
- contact time 150, 259
- continuous wave (CW) heteronuclear spin decoupling 169
- correlation experiments 56, 309, 330, 352, 372, 376, 378
- C7 pulse sequence 370
- cross-polarization (CP)
- AHT 151–157
  - dynamics 160–166
  - magic angle spinning 157–167
  - pulse sequence and Hartmann–Hahn conditions 149–151
  - quadrupolar nuclei 209
  - standard continuous wave (CW) CP experiment 167–169
  - thermodynamic model 157–160
- Curie law 16, 118
- d**
- data acquisition 136, 182, 284, 301
- Davidson–Cole spectral density 423
- decoupling efficiency 172
- density functional theory (DFT) techniques 4, 458
- density operators 86
- deuterium 425, 513
- dipolar coupling constant 43, 112, 146, 148, 164, 182, 200, 344, 351, 362, 365, 368, 371, 414, 417
- dipolar interaction 43, 96, 112–116, 136, 142, 163, 174, 177, 187, 194–199, 229, 246, 249, 275, 280, 314, 329–375, 407, 414, 427, 440
- dipolar order 167, 411
- dipolar truncation 372
- Dirac notation 73
- discotic liquid crystals 507
- Doppler effect 141
- double rotation (DOR) 4, 297
- double tilted (DT) frame 155, 282
- DQ techniques 316, 373, 430
- DRAMA 362
- DRAWS 363
- DROOPY 257
- DROOPY-1 176
- DROOPY-2 176
- dynamic angle spinning (DAS) 4, 381
- dynamic nuclear polarization (DNP) 5
- dynamic processes 60, 66, 397–444, 459–460, 479–485, 523–525
- Dyson time-ordering operator 90
- e**
- eDROOPY 257
- eigenfunctions 74, 83
- eigenstates 75
- eigenvalue equation 74
- electric field gradient (EFG) 107
- electric quadrupole moment 107
- energy eigenvalues 115
- equilibrium density matrix 85
- equilibrium magnetization 16, 28, 40, 47, 85, 124, 157, 162, 434
- external magnetic field 5, 8, 15, 98, 100, 121, 129, 145, 174
- f**
- fast field-cycling (FFC) 426
- fast regime 399, 416, 438
- Fermi contact 37, 117
- ferrocene spin diffusion 165
- Fick's equation 187, 191, 464, 476
- field inhomogeneity 49, 194, 211, 407
- finite pulse duration 133, 182, 281

- first order quadrupolar interaction 106, 136, 182, 200, 210, 290, 300, 381, 403
- flip-flop term 142, 157, 184, 250, 258, 275, 359
- fluorinated mesogens 516
- Fluorine-19 518
- Fourier transform (FT) 3, 17, 25, 41, 55, 124, 143, 176, 232, 281, 312, 381, 386, 398, 422
- frequency and phase modulation (FMPM) 254
- frequency-switched Lee–Goldburg (FSLG) 286, 331
  
- g**
- gauge-including projector augmented wave (GIPAW) methods 4, 458
- geopolymers 496
- glasses 65, 424, 468, 479, 486, 496
- Goldman–Shen pulse sequence 189, 356, 374, 478, 505
  
- h**
- Hahn echoes 49, 211–218
- half-integer quadrupolar spins 10, 201, 212, 223, 291–301, 381
- HARDSHIP 354, 506
- Hartmann–Hahn conditions 149–167, 259–266, 304, 336
- $^1\text{H}$  2D exchange experiments 476
- heat reservoirs 166
- HETCOR experiments 57, 304, 330–333, 454, 463, 476, 505
- heteronuclear decoupling 38, 153, 156, 169–176, 244–257, 328
- heteronuclear dipolar interaction 113, 114, 148, 164, 172, 246, 255, 329–354
- heterophasicity 470, 503
- high-phase TPPM 257
- high power CW heteronuclear spin decoupling 170, 250
- high-resolution experiments to study molecular dynamics
  - CODEX 443
  - 1D and 2D spectra acquisition 438
    - 1D chemical exchange 438–439
    - line broadening from interferences 439–440
    - lineshapes from 2D experiments 440
  - relaxation times measurement 440
    - abundant nuclei 440–441
    - rare nuclei 441–442
  - spinning sidebands exchange 442
  - 2D chemical exchange 442
- high-resolution NMR spectroscopy
  - abundant spin-1/2 nuclei
    - combined pulse and sample rotation experiment 282–288
    - multiple pulse experiments 275–281
    - sample rotation 275
  - dilute spin-1/2 nuclei 227
    - basic MAS experiments 268–273
    - cross-polarization and sample spinning 257–267
    - heteronuclear spin decoupling and sample spinning 244–257
    - sample rotation 228–236
    - spinning sideband suppression 236–244
  - quadrupolar nuclei
    - half-integer spin nuclei 291–294
    - integer spin nuclei 290–291
    - sample rotation 289
    - sensitivity enhancement 301–305
- $^2\text{H}$  NMR spectroscopy 425, 513, 520
- homogeneous broadening mechanism 118, 141, 179, 401, 407, 430
- homonuclear decoupling 38, 275–289
- homonuclear dipolar interaction 44, 115, 116, 136, 142, 163, 177, 185, 194–199, 249, 275, 280, 314, 355–375, 414, 427
- homonuclear dipolar recoupling 315, 360, 365, 368, 370
- HORROR 249, 366
- hydrates 450

hyperbolic secant (HS) pulses 221  
hypercomplex data acquisition 313

**i**

INADEQUATE 57, 378  
inclusion compounds 66, 67, 455  
incoherent relaxation processes 49, 53,  
187, 406, 430  
indirect spin–spin coupling 32–38, 116,  
375–380  
INEPT-HSQC 377  
inhomogeneous broadening mechanism  
118, 141, 179, 401, 407, 430  
inorganic glasses 67, 485, 493  
inorganic–organic hybrid materials 68,  
497–506  
inorganic systems 486  
  aluminophosphates 491–493  
  amorphous materials 493–497  
  silicate 486–489  
  zeolites 489–491  
interaction tensor 96, 100, 107, 112, 116,  
128, 148, 206, 314, 359  
interconformational motions 397, 466,  
479, 524  
Intermediate Axis System (IAS) 124,  
148, 152  
intermediate regime 399, 416, 438  
inversion-recovery pulse sequence 269  
irreducible tensor operators 107  
isotropic liquids 1, 29–62, 123, 169, 200,  
228, 408, 419

**j**

*J*-coupling(s) 32–38, 116, 375–380  
Jeener–Broekaert pulse sequence 435

**k**

Knight shift interaction 105  
Kronecker delta function 74

**l**

Larmor frequency 10, 99, 100, 110, 114,  
171, 176, 189, 201, 238, 294, 404,  
418, 433

line broadening 59, 103, 130, 141, 169,  
184, 244, 252, 275, 282, 295, 328,  
400, 430, 439

Liouville–von Neumann equations 90

liquid crystals 68, 507–524  
  mesogens and mesophases 511–514  
  molecules 124  
  order parameter 124  
  orientational order 124–128, 515–519  
  phase structure 519–523  
  relaxation times 413, 435  
  spectra 129, 200

liquid-state NMR spectroscopy  
  basic concepts 29  
  chemical exchange 57–62  
  chemical shift 29–32  
  indirect spin–spin coupling and spin  
  decoupling 32–38  
  INEPT 53  
  nuclear overhauser effect 44–47  
  nuclear spin relaxation 38–44  
  relaxation experiments 47–53  
  2D 53–57

longitudinal magnetization 16, 23, 27,  
85, 139, 189, 191, 433

low-power CW decoupling 251

lyotropic liquid crystals 69, 508

**m**

magic angle hopping (MAH) 244, 318  
magic angle spinning (MAS) 228–304  
  for quantitative determinations 273,  
274

  relaxation times measurement 269  
  for spectral editing 270–273

magic angle turning (MAT) 318  
magic-sandwich echo pulse sequences  
198

magnesium 489

magnetic resonance imaging (MRI) 3  
magnetization 16–29, 39–40, 47–57, 60,  
84–86, 137–140, 149–169, 187–191,  
311, 331

Markov process 420

MAS-J-HMQC experiment 376

- matrix representations 83, 86, 87  
 MELODRAMA 363  
 membrane lipids 509  
 mesogens 68, 507–524  
 mesophases 507–511  
 metal organic frameworks (MOFs) 500  
 MIRROR 372  
 model membranes 507  
 molecular dynamics  
   broadline experiments 424  
     1D spectra acquisition 425–426  
     relaxation times measurement 426  
     spin alignment 437–438  
     spin lattice relaxation times  
       432–435  
     spin–spin relaxation times 426–432  
     stationary stimulated echo 436  
     2D exchange 436–437  
 experimental observables 399  
   absolute frequency regimes  
     416–418  
   relaxation times 404–416  
   spectral lineshapes 399–403  
 glassy and crystalline phases 480  
 high-resolution experiments 438  
   1D and 2D spectra acquisition 438,  
     439  
   relaxation times measurement 440  
 liquid crystals 523  
 motional models 419  
   correlation times on temperature,  
     dependence of 423–424  
   lineshape analysis 419–422  
   spectral densities 422–423  
 motional time scales 399  
 pharmaceuticals 459  
 polymeric materials 479  
 reorientational motions 397  
 rubbers and melts 481  
 moment analysis 163, 192, 235, 346  
 motional models  
   correlation times on temperature,  
     dependence of 423–424  
   lineshape analysis 419–422  
   spectral densities 422–423
- MOUSE 4  
 multiple quantum magic angle spinning  
 (MQMAS) 4, 384
- n**
- NOESY 55  
 NOESY-type experiment 372  
 nonselective RF pulse 205  
 nuclear magnetic resonance (NMR)  
   active and passive transformations 78  
   average Hamiltonian theory (AHT) 91  
   basic concepts 8–11  
   Bloch equations and Fourier  
     transformation 17–27  
   crystallography 456, 459  
   density matrix theory 84  
   description 5–8  
   history 1–5  
   isolated nucleus with spin 1 87–89  
   isolated nucleus with spin 1/2 84–87  
   liquid-state 29  
     chemical exchange 57–62  
     chemical shift 29–31  
     indirect spin–spin coupling and spin  
       decoupling 32–38  
   INEPT 53  
   nuclear Overhauser effect 44–47  
   nuclear spin relaxation 38–44  
   relaxation experiments 47–53  
   2D 53–57  
   matrix representation 83–89  
   nuclear spin interactions 95  
   populations and coherences 27–29  
   rotation matrices and Euler angles  
     79–81  
   rotation operators 78–79  
   signal intensity 16  
   single pulse experiment 17–27  
   solid materials 63–69  
   spin ensembles 11–17  
   time-independent perturbation theory  
     81–83  
   time-independent Schrödinger  
     equation and spin Hamiltonians  
     81

- nuclear magnetic resonance (NMR) (*contd.*)
    - two coupled spin-1/2 nuclei 87
  - nuclear Overhauser effect (NOE) 2, 44–47, 55, 274, 372
  - nuclear quadrupolar coupling constant 109, 202
  - nuclear spin interactions
    - external and internal interactions 96
    - external magnetic fields 97–100
    - internal interactions
      - dipolar interaction 112–116
      - indirect spin–spin (*J*) couplings 116
      - Knight shift interaction 105–106
      - paramagnetic coupling 117–118
      - quadrupolar interaction 106–112
      - shielding or chemical shift interaction 100–104
  - nuclear Zeeman energy 8
- O**
- operator 73
  - order of coherence 85
  - organic–inorganic materials
    - metal organic frameworks 500–502
    - organically modified fillers and polymer/filler composites 502–506
    - organometallic complexes 497–500
  - organic small molecules 66, 447
  - organometallic complexes 497–500
  - orientational order parameters 124, 516
- P**
- Pake function 428
  - Pake pattern 134, 147, 181, 425
  - parahydrogen-induced polarization (PHIP) 5
  - paramagnetic contribution 104
  - paramagnetic coupling 117
  - passive rotation 78
  - Pauli exclusion principle 105
  - perturbation theory 81, 110
  - phase-altered spinning sidebands (PASS) experiment 241, 322
  - phase-modulated Lee–Goldburg (PMLG) 286
  - phase transformations 474
  - PHORMAT 320
  - PISSARRO 255
  - plastic crystals 68, 124
  - <sup>31</sup>P MAS NMR spectroscopy 521
  - polymeric materials 447, 465
    - interfaces and domain dimensions 474–479
    - molecular dynamics 479
    - glassy and crystalline phases 480–481
    - rubbers and melts 481–485
  - organic–inorganic materials
    - metal organic frameworks 500–502
    - organically-modified fillers and polymer/filler composites 502–506
  - phase properties
    - heterophasicity 470–474
    - phase transformations 474
    - polymorphism 470
  - primary structure 466
  - secondary and tertiary structure 466–470
  - polymorphism 449, 470, 508, 520
  - polyvinylidene fluoride (PVDF) 472
  - population weighted rate average (PWRA) 409
  - porous materials 68, 461, 489, 500, 519
  - principal axis system (PAS) 97, 125, 145, 152, 202, 228, 318, 328, 350
  - projector operator 74
  - proton detected local field (PDLF) 335, 513
  - proton-driven spin diffusion (PDSF) 372
  - pseudocontact shift 118
  - pseudopolymorphs 450
  - pulse decoupling schemes 172
  - pulsed field gradients (PFG) 2
- Q**
- QCPMG experiments 219, 305
  - quadrupolar coupling constant 109, 202

- quadrupolar CPMG 219, 305  
 quadrupolar echo sequence 210  
 quadrupolar frequency 109, 202  
 quadrupolar interaction 7, 63, 83, 96,  
 106–112, 136, 182, 200–224,  
 289–305, 348–352, 380–391, 403,  
 411, 415, 425, 437  
 quadrupolar nuclei 6–15, 106  
   cross-polarization 209–210  
   echo and sensitivity enhancement  
     experiments 210–224  
   half-integer spin nuclei 291  
     CT spectra 294–297  
     DOR 297–300  
     SATRAS 300–301  
   half-integer spin quadrupolar nuclei  
     203  
   integer spin nuclei 290–291  
   quadrupolar parameters 109, 204, 218  
   sample rotation 289  
   selective and nonselective RF pulses  
     205–208  
   sensitivity enhancement 210, 301  
   quadrupolar parameters 109, 204, 218  
   quadrupolar relaxation time 411, 415,  
     435  
   quadrupolar splitting 109, 200, 209, 222,  
     303, 349, 435  
   quadrupole coupling constant 109, 201,  
     210, 215  
 quantum mechanics 95  
   eigenstates 75–76  
   eigenvalue equations 74–75  
   nuclear spin and angular momentum  
     76–77  
   operators and functions 73–74  
   superposition states 75  
 quasi-crystalline 507
- r**
- RAMP-CP sequence 167, 264  
 recoupling efficiency 362  
 recoupling schemes 309, 313, 326, 337,  
 348, 351, 362, 370  
 reference frequency 30, 399, 442  
 reference signal 343, 430, 443  
 relaxation 19–27, 38–53, 124, 160–166,  
 189–192, 269–271, 274, 344, 399,  
 404–418, 426–435, 440–443  
 resonance condition 10, 21, 139, 172,  
 189, 254, 267  
 RF-driven dipolar recoupling (RFDR)  
 365  
 rotary resonance (RR) 249, 328  
 rotary resonance recoupling ( $R^3$ ) 337  
 rotational echo double resonance  
 (REDOR) 4, 337  
 rotational echoes 232, 342  
 rotational resonance ( $R^2$ ) 358  
 rotor-assisted population transfer (RAPT)  
 304  
 rotor-driven magnetization transfer 359
- s**
- sample rotation 228, 275, 289  
 satellite transition magic angle sample  
 spinning (STMAS) 300, 388, 390  
 scalar coupling 6, 33–38, 116, 376–380  
 Schrödinger equation 9, 30, 75, 81, 82,  
 90  
 SDROOPY 257  
 second-order quadrupolar contribution  
 111, 201, 291, 381  
 SEDRA 366  
 selective RF pulse 205  
 semicrystalline materials 64, 270, 461,  
 465  
 sensitivity enhancement techniques  
 149, 210, 219, 301  
 separated local field (SLF) 3, 333  
 separation experiments 309  
 shielding interaction 100–104, 127, 129,  
 133, 143, 144, 146, 246, 281  
 sideband elimination by temporary  
 interruption of the chemical shift  
 (SELTICS) 244  
 silicate 486  
 skew 235  
 slow regime 399, 416, 438

- small phase incremental alternation (SPINAL) 175, 254
  - solid echo 2, 178, 194, 430
  - solid-solid transformations 452
  - Solomon echoes 212–215
  - solvates 450
  - span 235
  - spatial proximities 331, 355, 375, 454, 475, 504
  - spectral decomposition 75
  - spectral density 41, 422
  - spectral distortions 136, 176, 182, 210
  - spin alignment 437
  - spin diffusion 164, 187–192, 250, 275, 331, 356, 374, 409, 432, 441
  - spin echo double resonance (SEDOR) experiment 177
  - spin-echo sequences 49, 176, 194, 210, 239, 387
  - spin Hamiltonians 75, 81, 95, 98, 101, 227
  - spin lattice relaxation 23, 39, 44, 51, 189, 191, 269, 404, 418, 432, 441
  - spin-lock fields 40, 51, 163, 150
  - spinning sideband suppression 236
  - spin relaxation 19–27, 38–53, 124, 160–166, 189–192, 269–271, 274, 344, 399, 404–418, 426–435, 440–443
  - SQ–DQ experiment 373
  - SQ–SQ experiment 373
  - SSNMR applications 447
    - inorganic and organic–inorganic materials 486
    - aluminophosphates 491
    - cements, geopolymers, and glasses 493
    - fillers and polymer/filler composites 502
    - MOF 500
    - organometallic complexes 497
    - silicates 486
    - zeolites 489
  - liquid crystals 507
    - mesogens and mesophases 507–514
    - molecular dynamics 523–525
    - orientational order 515–518
    - phase structure 519
  - pharmaceuticals 447
    - API forms identification 461, 463
    - disordered and amorphous forms 461
    - drug formulations and dispersions 463, 464
    - molecular complexes 454–456
    - molecular dynamics 459
    - NMR crystallography 456, 459
    - polymorphs 450
    - solvates 450
  - polymeric materials 465
    - interfaces and domain dimensions 474, 476, 478
    - molecular dynamics 479, 481, 485
    - phase properties 470
    - primary structure 466
    - secondary and tertiary structure 466, 467, 469
  - States method 313
  - stepped-frequency experiments 137
  - stop and go (STAG) experiment 321
  - superposition states 75
  - synthetic polymers 67, 465
- t**
- thermal equilibrium 11, 28, 220
  - thermodynamic model 157, 411
  - thermotropic liquid crystals 69, 507, 515
  - time-dependent Schrödinger equation 90
  - time-independent Schrödinger equation 81
  - time-proportional phase incrementation (TPPI) 312
  - TOBSY 379
  - TOFU 372
  - togglng frame 92, 279, 284, 362
  - TOSS experiment 243
  - transferred echo double-resonance (TEDOR) 352



- transverse magnetization 16, 17, 19, 26, 29, 49, 85, 419
- TRAPDOR 351
- two coupled spin-1/2 nuclei 115
- 2D dynamic angle spinning (DAS) 381
- 2D exchange 436
- 2D-EXSY technique 442
- 2D NMR spectroscopy 53
- 2D solid-state NMR spectroscopy
- basic structure 311
  - chemical shift anisotropy 317–318
    - abundant spin-1/2 nuclei 326–327
    - CSA amplification methods 324
    - MAH and MAT 318–320
    - pulse sequences recoupling 326
    - rotary resonance 328–329
    - STAG 321–322
    - TOSS-reverseTOSS 322
    - 2D-PASS 322–323
    - VACSY 322
  - classes 310
  - concepts 311
  - double quantum spectroscopy 316–317
  - heteronuclear dipolar coupling 329
    - HARDSHIP 354
    - heteronuclear correlation 330–333
    - REAPDOR and TRAPDOR 348–349
    - REDOR 337, 341–346, 348
    - separated local field 333–337
    - TEDOR 352–353
  - homonuclear dipolar coupling 355
    - broadband homonuclear dipolar recoupling 360, 362, 363, 365–368, 370–372
    - homonuclear correlation 372, 374–375
    - rotational resonance 358–359
    - WISE 355–356
  - J*-coupling 375
    - heteronuclear correlation 376–378
    - homonuclear correlation 378, 380
  - quadrupolar interaction
    - DAH and DAS 381, 383
    - MQMAS 384–387
    - nutaton 380–381
    - STMAS 388–391
    - recoupling 313–316
  - 2D SSNMR experiments 313
  - two-pulse phase modulation (TPPM) sequence 253
  - 2Q-HORROR 366
- U**
- uniaxial liquid crystalline phase 127, 507, 523
- V**
- variable-offset cumulative spectrum (VOCS) 138
- Vogel–Tamman–Fulcher (VTF) 424
- W**
- WAHUHA 3, 278, 281
- Weibullian function 428
- Wigner–Eckart theorem 107
- WISE 476
- X**
- XiX (XiX) 254
- Z**
- Zeeman energy levels 9, 81, 106, 132, 154, 185
- Zeeman interaction 98
- zeolites 68, 489
- zero-quantum matching condition 260

