

Index

a

- N,S*-acetal structure 346
- α -acetoxy thioderivative 138
- acidity 323, 351f., 362, 377
- acyclic synclinal model 296
- acyl anion equivalent 161f.
 - sulfur-stabilized 162
- N*-acyl imine 314f.
- acylation 212f.
- 1-adamentylsulfonamide 239
- ADC, *see* asymmetric dipolar cycloaddition
- 1,4-addition 90, 125
- addition-elimination-isomerization (AEI)
 - reaction 219
- 1,4-adduct 294
- alcohol 33f., 38, 203, 210
 - *anti*-1,2-amino 302
 - homoallylic 219f., 286
 - homopropargylic 220f.
 - secondary 203, 272, 305
 - sulfinylation using cinchona alkaloid/arenesulfinyl chloride system 38
 - β -sulfonimidoyl-substituted 219f.
 - δ -sulfonimidoyl-substituted 219
- aldehyde 131, 133, 187, 279, 295, 302, 363, 365f.
 - cyanosilylation 279
 - α,α -heterodisubstituted 142
 - α -hydroxy 302
 - Zn-promoted allylation 131
- aldol reaction, *see also* Michael-aldol
 - reaction 73, 169f., 227
 - Cu(I)-catalyzed 74
- alkaloid 36
- alkane sulfinate 37, 46
- alkanesulfinyl chloride 49
- alkenyl sulfone 292ff., 309
- alkenyl sulfoxide 88
- 2-alkenyl sulfoxime, titanated *N*-methylated 219
- alkoxide addition 88
 - diastereoselective C-O formation
- β -alkoxy vinyl sulfoxide 95
- alkoxy-lithium aluminium hydride 57
- O*-alkyl alkane sulfinate 33f.
- O*-alkyl arene sulfinate 37
- O*-alkyl *p*-toluenesulfinate 39
- O*-alkyl *tert*-butanesulfinate 39
- alkyl carbinol 62
- alkyl carrier 225
- alkyl ferrocenyl sulfoxide 286
- alkyl sulfonamide 237
 - ketimine 240
 - sulfinyl aldemine 240
 - tertiary 237
- α -alkyl- β -ketosulfoxide 61f., 71
 - reduction 71
- alkylation 70ff., 136, 287, 354ff., 357, 389f.
 - base influence 356
 - cyclic sulfonyl sulfoxide 357
 - Pd-catalyzed 287
 - β -phenylsulfinylethanol 356
 - solvent influence 70
 - stereochemical course 389
 - stereocontrol 354ff.
 - vinyl sulfoxide 356f.
- alkylidencyclopentane 96
- alkylidene transfer 214
- alkylsulfinyl group 236
- alkyne 201
- all-carbon stereogenic quarternary center 294ff.
- allenic derivative 202
- allocyathin 313f.
- π -allyl complex 278f.
- allyl cyclopropane 94
- γ -allyl intermediate 279
 - M-type 279
 - W-type 279

- allyl sulfide 336
- allyl sulfone 301
- allyl sulfoximine 216
- γ -allyl system 279
- allyl transfer 216
- allylation 286, 299, 381f.
 - aldehyde 286
 - α -sulfonyl carbanion 381f.
 - α -sulfonyl-stabilized 299
 - sulfoxide-promoted 286
- allylic alcohol 62f.
- allylic alkylation reaction 254, 273, 276
 - 1,3-diphenyl propenyl acetate 273
 - Pd-catalyzed 254, 273f.
- allylic amination 276
 - Pd-catalyzed 276
- allylic substitution 273ff., 278
 - enantioselectivity model 278
 - mechanism 276ff.
 - Pd-catalyzed 273f., 278
- allyltitanium(IV) complex 203
 - *in-situ*-formed sulfonimidoyl-substituted 203
- aluminium (salalen) complex 20
- AM1 calculation 401
- amide 130
 - α,β -unsaturated 130
- amide enolate addition 248
- α -amido sulfone 315
- amine 203, 233, 235, 241
 - primary 241
 - secondary 203
 - stereoselective 233
 - synthesis 233, 241
- amino acid 89, 246f., 259, 297
 - α,α -disubstituted 297
- α -amino acid 89, 246, 259, 366
 - cyclic 366
 - substituted 246
 - α -trifluoromethyl 370
- amino acid ester 221
- amino alcohol 39, 90, 303
 - *anti*-1,2-disubstituted 1,2-amino alcohol 133
 - 1,2-amino alcohol 242f.
 - 1,3-amino alcohol 244f.
 - Nelson's asymmetric synthesis 245
 - 1,4-amino alcohol 244f.
 - mechanism 246
 - synthesis 244
- α -amino alcohol 243
- β -amino alcohol 90, 140, 369
- γ -amino alcohol 140
- amino compound 189
 - β -functionalized 189
- β -amino ester 244, 258
- α -amino ketone 246
- β -amino ketone 244, 248
 - *syn*- α -substituted 248
- α -amino nitrile 246
- amino sulfoxide 80
- (6*R*,7*S*)-7-amino-7,8-dihydro- α -bisabolene 257
- β -aminophenylpropionic acid 371
- 1,2-aminothioether 134
- Andersen method 3f., 237
- Andersen reagent 235f.
- anion-stabilization effect 163
- anthracyclinone 78, 139
 - precursor 139
- L-arabinitol 59
- arene sulfinate 37, 46
- arenesulfinyl chloride 49
- aromatic aldehyde 183
- aromatic sulfoxide 131
 - *ortho*-directed metallation 131
- O-aryl alkane sulfinate 33f.
- O-aryl arene sulfinate 33f.
- aryl carrier 225
- aryl methyl sulfoxide 20
- aryl sulfinamide 237, 240
 - ketimine 240
 - sulfinyl aldemine 240
 - tertiary 237
- arylation 21
- N-arylation 213, 222
 - Buchwald-Hartwig-type 213
 - metal-catalyzed 213
- arylboronic acid addition 246f.
- rhodium-catalyzed 246f.
- rhodium(I)-phosphine-catalyzed 246
- trans*-arylcyclopropane carboxylate 195
- arylimine 134, 368f.
- O-arylmethyl *tert*-butanesulfinate 35
- α -arylpropionic acid 174f.
- arylsulfinamide 237
 - biocatalytic route 237
- arylsulfinyl group 236
- 2-(arylsulfinylmethyl)oxazole 366
- arylsulfonyl group 293
- α -arylthio amide 332
- aryltitanium reagent 293
- asymmetric dihydroxylation (AD),
 - see dihydroxylation
- asymmetric dipolar cycloaddition (ADC) 111ff., 115
 - 1,3-ADC 113, 115, 117, 118
 - π -facial selectivity 111

- non-functionalized vinyl sulfoxide 111
 - asymmetric substitution 275, 277
 - Pd-catalyzed 275, 277
 - asymmetric transformation, *see* transformation
 - aza-Darzens reaction 190, 249f.
 - aza-Darzens-type chemistry 249f.
 - aza-Wittig reaction 81
 - azabicyclo 219
 - azaheterocycle, functionalized 217
 - azapolycycle 217
 - aziridination 189ff., 192f., 249ff., 252, 405
 - catalytic 192
 - diastereoselectivity 190
 - mechanism 190f.
 - stereoselectivity 250f.
 - stoichiometric 190
 - aziridine 92, 134, 180, 189ff., 192f., 214, 249ff., 252
 - application 249
 - aza-Darzens-type chemistry 249f.
 - formation 191
 - ring-opening 189
 - synthesis via methyllide 251
 - aziridine-2-phosphate 249f.
 - aziridinyl carboxamide 190
 - azomethine ylide 115ff., 119, 300f.
 - heteroatomic 117
 - axially chiral olefin 335f.
- b**
- B3LYP calculation 400ff., 403f., 410, 414
 - benzaldehyde 126, 183ff., 272f., 360f.
 - diethylzinc addition 272f.
 - benzenesulfenate 51f.
 - oxidation 52f.
 - *ortho*-phosphonate group bearing 52
 - benzenesulfinate 51ff.
 - *ortho*-phosphonate group bearing 51f.
 - benzimidazolyl vinyl sulfone 299
 - O-benzyl *tert*-butanesulfinate 35f.
 - synthesis 36
 - benzyl *tert*-butyl sulfinate 6f., 35f.
 - benzyl *tert*-butyl sulfoxide 23
 - benzyl phenyl sulfide 333f.
 - α -lithiated 334
 - transition state 334
 - benzyl 2-pyridyl sulfide 336ff.
 - benzyl sulfide 342, 344
 - N-benzyl α -sulfinyl imine 80
 - benzylamine 85
 - benzylic alcohol 141
 - benzylic carbanion 133, 135f., 141
 - benzylic chiral center 136
 - benzylidenation 183ff.
 - N-benzylloxycarbonyl β -(fluoroalkyl) β -enamino sulfoxide 82
 - betaine 183, 186f., 191f., 196f., 403f.
 - *cisoid* 191f.
 - formation 183, 187, 191, 196
 - reactivity 403
 - rotation 404f.
 - structure 404
 - *transoid* 191f.
 - bicyclo[4.1.0]heptanes 312
 - bicyclo[2.2.2]octene 108
 - binaphthol 15
 - biologically active compound 176, 256ff., 322, 336
 - synthesis 256ff.
 - biomimetic model 409
 - Bolm catalyst 19
 - bond strength 237
 - borane 203
 - tetrasubstituted 203
 - borohydride 57, 67, 69
 - boschnialactone 103
 - Brook-type rearrangement 164
 - bryostatin 176
 - Buchwald-Hartwig conditions 222
 - tert*-butanesulfinamide (*t*-BSA) 236f., 239, 242, 248, 250f.
 - enantiomerically pure synthesis 239
 - synthesis 237, 239
 - tert*-butanesulfinate 51
 - N-*tert*-butanesulfinyl aziridine 251f.
 - tert*-butanesulfinyl imine 243
 - tert*-butyl alkyl sulfoxide 6
 - tert*-butyl arylsulfinate 6f., 35
 - 1,2-bis(*tert*-butyl) disulfide 406f.
 - tert*-butyldimethylsilylcyanide (TBDMSCN) 82
 - tert*-butylsulfinamide 256
 - tert*-butylsulfinate 9
 - tert*-butylsulfinyl group 236
- c**
- C- α control 77
 - C₃ triethanolamine ligand 15
 - C–C bond formation 225, 227
 - metal-catalyzed 225, 227
 - cage compound, heterocyclic 125
 - calyculin 176
 - carbacycline 336
 - carbamate 339
 - carbanion 163, 214, 321ff., 330f., 351ff.
 - configurational stability 330f.
 - (*R,M*)-configured 395

- carbanion (cont.)
 - (S,P)-configured 395
 - conformation 334, 352, 375f.
 - S_E2 reaction 334
 - sp^2 -like hybridized 334
 - stabilization 163, 214, 326, 339
 - sulfonimidoyl-stabilized 214
- carbinol 59, 61f., 72, 110, 269f., 273, 360, 364
 - cyclic 63
- carbocycle 96
- (–)-N-carbomethoxypelletierine 112
- carbonyl ylide 121
- carboxylation 362f.
 - prostereogenic α -sulfinyl carbon 362
- carboxylic acid 88, 345
 - β -alkyl-substituted 88
 - α -hydroxy 345
- catalyst 12, 16, 18f., 225ff., 252ff., 255f., 267ff., 270f., 276, 281, 283, 285, 287f.
 - bifunctional 279
 - dual Lewis-acid-Lewis-base 288
 - heterogeneous 285
 - reusable 285
 - P,N-sulfinimine-based 256
- (–)-centrolobine 66
- cetirizine 259ff.
 - synthesis 259ff.
- (S)-cetirizine·HCl 260f.
- chair transition state 165, 362, 368
- chalcone 224f.
- chelation-control method 171
- α -chloro- α -sulfinyl carbanion 365f.
- chlorosulfite 49f.
- O-cholesteryl 1-alkenesulfinate 44f.
- O-cholesteryl methanesulfinate 44
 - synthesis 44
- chromium complex 341ff.
 - deprotonation 343
- cinchona alkaloid 36ff., 296
- cinchona ester 37
- cisoid 191f.
- (–)-cispentacin 115
- CMO, *see* cyclohexanone mono-oxygenase
- collidine 412f.
- computational chemistry 399f.
- computational study 399ff.
- condensation 41ff., 240f.
- condensing reagent 42
- configuration 323ff., 326, 330, 352
 - inversion 338ff., 341
 - retention 338, 341, 380
- conformation 98, 182, 352, 375f.
- conformer 401ff.
 - energy 402
 - stability 401
 - structure 401f.
- conjugate addition 56, 83ff., 86ff., 125, 132, 167, 224, 292ff., 295f., 307, 344, 357ff.
 - 1,4-conjugate addition 132
 - benzylamine 85
 - enantioface-selective 344
 - general principle 83f.
 - Grignard reagent 88
 - intramolecular 86f.
 - intramolecular one-pot deprotection process 86
 - malonate 357
 - Ni-catalyzed 84, 224
 - nucleophilic 84, 86
 - radical-promoted 83, 95
 - Rh-catalyzed 294f.
 - stereocontrol 357f.
 - α -sulfinyl carbanion 357ff.
 - thiolate 85
 - α,β -unsaturated carbonyl compound 296
 - α,β -unsaturated ester 358
 - α,β -unsaturated sulfoxide 83ff.
 - vinyl sulfone 294
- conjugate reduction 297f.
 - Cu-catalyzed 298
 - β,β -disubstituted α,β -unsaturated carbonyl compound 297
 - β,β -disubstituted α,β -unsaturated sulfone 298
- contact-ion pair 376ff., 379, 388, 394
 - configuration 394
 - structure 394
- copper, *see* Cu
- CP-293,019 281
- cross-coupling 221f., 226f.
 - metal-catalyzed 221f., 226
 - Ni-catalyzed 221
 - Pd-catalyzed 222, 226f.
- crossed-aldol reaction 169f.
 - mechanism 169
 - L-proline-catalyzed 170
- crotylation 286
 - benzoyl hydrazone 286
- Cu catalyst 74, 200ff., 227, 252ff., 298, 301, 311f.
- Cu complex 200f.
- Cu(MeCN)₄PF₆/bis(oxazoline) 201
- Cu(SbF₆)₂-SIAM 252ff.
- Cu(II)-SIAM catalyst 252ff.
- curcuphenol 89
- Curtin-Hammett principle 204, 331
- Curtin-Hammett situation 385

N-cyano sulfoximine 212
 cyanoacetate 296f.
 – thiourea-catalyzed addition 297
 cyanohydrin 128
 cyanosilylation 279
 – Ti-catalyzed 279
 β -cyanosulfoxide 85
 cyclization 95f.
 – 5-*exo-trig* 95f.
 cycloaddition 56, 96, 103ff., 106, 122f., 270f., 292
 – [2 + 2] 292
 – [2 + 2 + 1] 123
 – [3 + 2] 292, 301
 – [4 + 2] 292
 – [4 + 3] 122
 – catalytic 270f.
 – 1,3-dipolar 300
 – 5-*exo-trig* 96
 – 6-*exo-trig* 96
 – formal [2 + 2 + 1] 123
 – [5 + 2] intramolecular 122
 – intramolecular radical 96
 – Lewis acid-catalyzed 300
 – Pd-catalyzed 301
 – sulfinyl-directed [5C + 2C] intramolecular 402
 cycloalkanone 72f.
 cyclobutane adduct 169
 cycloheptenone 132
 cyclohexadiene 104
 cyclohexane 125
 cyclohexanone 310
 cyclohexanone mono-oxygenase (CMO) 172ff.
 cyclohexene 125
 cyclohexenol 63, 108
 cyclohexenone 125, 132
 cyclohexylamine 241f.
 – α -substituted 241f.
 – synthesis 241f.
 cyclopentadiene 98ff., 102ff., 105, 309
 cyclopentane 122
 – functionalized 122
 2-cyclopentanone 91
 cyclopentene 359
 – functionalized 359
 cyclopentenone 89, 91, 132
 – substituted 89
 cyclopropanation 93f., 179f., 194ff., 197f., 281f., 311ff., 405
 – alkene 194
 – Cu-catalyzed 311ff.
 – cycle 283

– intramolecular 311f.
 – mechanism 196f.
 – stoichiometric 195ff.
 – styrene 282
 cyclopropane 94, 120f., 180, 194ff., 198, 214, 282
 – synthesis 282
 – *trans* 198
 cyclopropyl ester 283

d

DAG (diacetone-D-glucose) 5, 45ff., 409ff., 412f.
 – stereoselectivity 412
 DAG alkylsulfinate 5
 DAG arylsulfinate 5
 DAG method 5, 409ff.
 – mechanism 411
 – model system 410, 412
 – steric model 412f.
 DAGO 409f., 412f.
 Dane's diene 99f., 106
 Darzens reaction 314f., 353
 Davis' method 237
 Davis' protocol 246
 DCG (dicyclohexylidene-O-glucose) 45ff.
 decarboxylation 382f.
 5,6-dehydropiperidin-2-one 360
 3,4-dehydropyrrolidine 222
 density functional theory (DFT) 399f., 404
 density functional theory/molecular mechanics (DFT/MM) 399
 deprotonation 330f., 343, 381, 383ff., 393
 deprotonation-quenching sequence 393
 desulfinylation 116f.
 DET (*R,R*-diethyl tartrate) 12ff.
 diacetone-D-glucose, *see* DAG
 α,α' -dialkyl- β -ketosulfoxide 62
 diamine 242
 – C₂-symmetrical vicinal 242
 α,β -diamino acid 246
 α,β -diamino ester 242
 diarylamine 247
 α -diazo- β -keto ester 312
 α -diazo- β -ketosulfone 311ff.
 diazoacetamide 202
 – substituted 202
 diazoalkane 118ff.
 diazocompound 188, 190, 201f.
 diazoester 200ff.
 DIBAL (diisobutylaluminium hydride) 57ff., 60ff., 63ff., 66ff., 69f., 76, 79, 81, 124, 128f., 132

- DIBAL/ ZnCl_2 59f., 62ff., 65ff., 68ff., 71, 79, 129, 132
 - reduction 59ff., 62ff., 65ff., 71, 76, 132
 - reduction mechanism 61
 - stereoselectivity 63ff., 66ff.
- DIBAL/ ZnX_2 59ff.
- dicyclohexylidene-*O*-glucose, *see* DCG
- Diels-Alder reaction 55, 96, 98ff., 101, 103ff., 109ff., 127, 130, 175, 227, 252ff., 270ff., 308f., 401
 - [4 + 2] 175
 - asymmetric hetero 109ff., 308
 - catalytic 271
 - chiral Lewis acid-catalyzed 252, 271
 - $\text{Cu}(\text{SbF}_6)_2$ -SIAM-catalyzed 252ff.
 - *endo*-attack model 272
 - hetero 127f., 227
 - intramolecular 108f.
 - Ti-promoted 308
- diene 96, 98ff., 102ff., 106ff., 128, 252ff.
 - acyclic 253f.
 - cyclic 99, 252f.
 - 4-methyl-substituted 128
- dienophile 96ff., 99ff., 102ff., 107, 254, 308
 - bidentate 308
 - cyclic 100
 - reactivity 97, 107
 - stereoselectivity 97
 - sulfinyl ethylene 97
 - vinyl sulfoxide 96
- diester 227
- R,R*-diethyl tartrate, *see* DET
- 2,3-dihydrofuran 220f.
- dihydroxylation 301ff.
 - α,β -unsaturated sulfone 302
 - vinyl sulfone 302f.
- diisobutylaluminium hydride, *see* DIBAL
- β,δ -diketosulfoxide 64
- (*R*)-(-)-2,6-dimethylheptanoic acid 174
- diol 63, 64f., 129, 168, 302, 345f.
 - synthesis 63
- 1,2-diol 65
- 1,3-diol 64, 129
- 1,3-dipolar reaction 55, 110, 117, 300f., 403
 - calculation 403
 - Cu-catalyzed 301
 - cycloaddition 111, 117, 300f.
 - stereocontrol 403
- dipolarophile 111ff., 120
 - activated vinyl sulfoxide 113
 - acyclic sulfinyl acrylonitrile 120
- dipole 111, 121
- directing effect study 400, 403
- disparlure 356
- dithiane 161, 167, 169ff., 172, 344f.
 - conversion 161
 - crossed-aldol product 169f.
 - 2-hydroxy 164
 - lithiated 162ff.
- 1,3-dithiane 161ff., 170, 344
 - 2-anion 161
 - α -carbanion 344
- dithiane oxide 171, 175
- 1,3-dithiane ring introduction 162
- 1,3-dithiane-1-oxide 171f., 174
- dithioacetal 161ff., 167f., 171, 176f., 344f.
 - application 175
 - α -lithiated 167f., 344
 - natural product 175
- double stereodifferentiation process 369
- Doyle-Kirmse reaction 199
- dual activation 279, 281
- dynamic kinetic resolution (DKR) 35, 331ff., 334, 336, 394ff., 409ff.
 - energy diagram 332
 - reaction pathway 332
- sulfinyl chloride racemate 409
- dynamic thermodynamic resolution 331, 333f., 336, 338ff., 345
 - energy diagram 331
 - reaction pathway 331
- e**
- electron-density effect 369
- electron-withdrawing group 88, 97, 102f., 107, 121, 136, 236f., 292, 297, 300, 302, 314, 367, 401
- electronic approach control 98
- electrophile 72f., 131, 135ff., 139, 180ff., 203, 336ff., 342f., 353, 369, 371
 - activation 279
 - β -ketosulfoxide 73
 - prochiral 182
 - *N*-sulfinylimine 133, 135
- electrophilic addition 96
- enaminonitrile 92
- β -enaminosulfoxide 79ff.
 - synthesis 79
- enantiodetermining step 400
- enantioface-selection 344f.
- enantiomerization barrier 377ff., 380
- enantioselection 399
 - energy difference 399
- endo* approach 112
- endo* mode 98
- endo/exo* isomerization 393f.
 - free activation energy 394
- endo/exo* isomerization time 393f.

endo/exo selectivity 103, 105, 107, 111, 113f., 116f., 120, 124, 238, 300
 energy barrier 400, 403, 410ff.
 – translation into enantiomeric excess 400
 enolate 248, 358f.
 – addition 248
 – trapping with electrophile 358f.
 ephedrine 9
 epoxidation 181, 183, 186, 188f., 301, 303f., 404f.
 – aryl aldehyde 404
 – dienyl sulfone 303
 – general scheme 405
 – mechanism 404
 – rate-determining step 404
 – 2-sulfonyl-1,2-cycloalkadiene 303
 – α,β -unsaturated 303
 – vinyl sulfone 303f.
 epoxide 58, 68, 74, 76, 163, 183, 186, 214, 314f., 353
 – aliphatic 186
 – functional 187f.
 – ring-opening 163
 – terminal 187
 – unsaturated 186
 α,β -epoxy sulfoxide 91
 epoxysulfone 314
 (+)-*erythro*-roccellic acid 90
 esomeprazole 14
 ester 302, 359f.
 – γ -hydroxy- α,β -unsaturated 302
 – α,β -unsaturated 358f.
 Et₂AlCN 76f., 83, 85, 125, 128
 – pentacoordinated 77
 ethane 1,2-bis-sulfinyl chloride 48
 Evans auxiliary 11
 Evans oxazolidinone 12
exo approach 113, 115
exo mode 98
 external quench 380

f

π -facial selectivity 97ff., 100, 103f., 106f., 109ff., 112ff., 117ff., 120ff.
 – control 106
 fenoprofen 90
 ferrocene 131
 ferrocenyl *p*-tolyl sulfoxide 12
 flavone 89
 O-(9-fluorenyl) *tert*-butanesulfinate 35
 γ -fluoro- β -iminosulfoxide 81
 fluoroalkyl imine 370
 formyl anion equivalent 167f.
 free ylide pathway 202
 furan-2(5*H*)-one 302

furanone 113f.
 furyl imine 193

g

generalized gradient approach (GGA) 400
 glycidic acid 78
 glycidic derivative 187
 Grignard reagent 4, 6f., 9ff., 12, 70, 72, 88, 94, 126, 171, 242, 244f., 261, 327, 364
 – dithiane oxide addition stereoselectivity 171
 guanacastepene 216f.

h

H/D exchange experiment 382
 – mechanism 382
 (–)-halosaline 243
 α -halosulfone 314f.
 Heck reaction 223
 helicenequinone 106
 heteroarylsulfone 292f.
 Hoffmann test 325, 333
 homaline 94
 Horner-Wadsworth-Emmons (HWE)
 olefination 302
 hybrid quantum mechanical/molecular
 mechanical calculation (QM/MM) 400, 412
 hydrocyanation reaction 76ff., 82f., 85, 125, 128
 – mechanism 77
 – α -sulfinyl ketone 77
 hydrogenation 228, 255f., 267f., 270, 305f.
 – biferrocene diphosphine Rh-catalyzed 306
 – chemoselective 228
 – imine 228
 – ketone 305
 – β -ketosulfone 305f.
 – olefin 255f.
 – reactivity 228
 – Rh-catalyzed 268
 – Ru-catalyzed 305f.
 hydroperoxide 22
 hydroperoxo complex 406f.
 β -hydroxide ketone 132
 α -hydroxy acid 90
 β -hydroxy acid 90
 β -hydroxy sulfide 201, 333
 β -hydroxy sulfone 305, 381, 388
 α -hydroxy-carbanion equivalent 369
 β -hydroxy- γ -ketoester 73
 – α -substituted 73
 (2*S*,3*R*)-(–)-3-hydroxy-methylproline 166
 (*E*)- γ -hydroxy- α,β -unsaturated sulfoxide 85
 γ -hydroxyalkylation 216f., 219
 α -hydroxyester 227

β -hydroxyester 58, 73
 hydroxyethylamine dipeptide isostere 370
 α -hydroxyketone 68, 175
 hydroxysulfone 306ff., 381
 hydroxysulfoxide 57f., 70
 β -hydroxysulfoxide 58f., 63, 272f., 356, 364
 – α -alkylation 256
 – bidentate ligand 272f.
 – homoallylic 59
 β -hydroxysulfoximine 215, 224f.
 hygroline 112
 hyperconjugation 163, 323ff., 333, 377f.
 hypervalent iodo compound 24

i

imination 212
 – agent 212
 – metal-catalyzed 212
 imine 81ff., 190, 192, 212, 228, 236, 240, 367ff.
 – diastereofacial selectivity 236
 – electronic nature 192
 – hydrogenation 228
 – nitrogen substitution 236
 – protected 193
 – substituent 193
 – α -sulfinyl carbanion addition 367ff.
 β -iminosulfoxide 79ff., 82, 360
 – arylation 82
 – reduction 79
 – synthesis 79
 indolizidine 79, 86
 (*R*)-indolizidine 79
 induction 57, 283
 – 1,2-induction 77, 326f., 329
 – 1,3-induction 62f., 77, 80
 – 1,4-induction 92, 124ff., 130, 167
 – 1,5-induction 128, 130
 – 1,6-induction 129
 – 1,*n*-induction 57
 – enantiodetermining pathway 330
 – energy diagram 330
 – mechanism 283, 321, 329f.
 – reaction pathway 330
 intermolecular β -addition 95
 internal quench 380
 intramolecular C-H insertion 311
 intramolecular hydride transfer 61, 70, 124
 intramolecular nucleophilic substitution 179
 iron complex 19
 isomerization time 393
 isoxazolidine 115
 – 5,5-disubstituted 115
 isoxazopyridazinone 118

j

Jacobsen conditions 303
 Jacobsen's catalyst 303f.
 Julia-Colonna procedure 304
 Julia-Kocienski olefination 294
 Julia-like olefination 297
 Julia-type reaction 291, 315

k

Kagan oxidation 13
 β -keto γ -sulfinyl ester 65
 – stereoselective reduction 65
 ketone 73, 183, 215f., 305, 307, 363
 ketosulfone 305ff., 308ff., 315
 β -ketosulfoxide 57ff., 60f., 63ff., 66ff., 69ff., 73f., 77f., 80f., 117, 124f., 128f.
 – (*SR*)- α -alkyl- γ -fluoro-ketosulfoxide 75
 – electronegative substituent influencing chemo- and stereoselectivity 76
 – fluorinated 69, 74
 – hydrocyanation reaction 76, 125
 – (*S*)- γ -monofluorinated 74
 – perfluorinated α -alkyl(aryl) 76
 – polyhalogenated 69
 – reduction 57ff., 60, 63, 124f., 129
 – α -sulphenyl group influence 67
 – γ,δ -unsaturated 59f.
 (1*R*, *SR*)-ketosulfoxide 75
 kinetic conditions 113
 kinetic control 368
 kinetic resolution 395, 397

l

lactam 169
 β -lactam 127, 139, 194
 lactone 59ff., 62, 65
 – macrocyclic 60
 γ -lactone 61f., 364
 δ -lactone 62, 357, 364
 lactone enolate 73
 Lewis acid 252, 271, 279, 300
 Lewis acid-Lewis base bifunctional asymmetric catalysis 279f.
 ligand 14ff., 228, 252ff., 255, 265ff., 268ff., 271, 273ff., 276, 279, 281, 283f., 287f., 305, 307, 312, 322, 368, 376, 386f., 413
 – bidentate 273f.
 – C_1 -symmetric 274f.
 – C_2 -symmetric 1,2-diol 14
 – C_3 -triethanolamine 15
 – carbohydrate-tethered sulfur 270
 – chiral chelating 414
 – coordination mode 266f.
 – enantioselectivity 275f., 279

ligand (cont.)

- external ligand effect on stereoselectivity 369
- hydroxysulfoxide 284
- immobilizing 307
- N-based 267
- phosphine-based 267
- S,N 271, 275
- sulfonamide-based P,N 255
- sulfoxide bonding mode 267
- sulfoxide-based 265ff., 274, 279, 287
- sulfoxide/nitrogen 275
- sulfoxide/phosphine 276f., 279
- sulfoxime 228
- sulfur coordinating role 414
- thioether-based 288
- thioether/phosphorus 288
- lithiated dithiane 162ff.
- lithiated *N*-methyl sulfoximine 215
- lithiation 322, 324
- δ -lithiation 220
- 2-lithio-1,3-dithiane 162ff., 167
- aldehyde/ketone addition 164
- 2-lithio-2-methyl-1,3-dithiane 166
- 2-lithio-2-phenyl-1,3-dithiane 165
- lithium complex 73f.
- tricoordinated 73f.
- lithium enolate 73

m

- malyngolide 313f.
- manganese catalyst 17
- manganese complex 17
- manostatin 63
- maytansine 364f.
- menthol 3, 24, 41ff., 44
- condensation with *p*-toluenesulfinic acid 41f.
- menthyl alkylsulfinate 4, 8, 42, 44
- menthyl arene sulfinate 42f.
- menthyl sulfinate 4, 8, 42f., 44, 288
- synthesis 4
- O*-menthyl *p*-toluenesulfinate 40
- (MeO)₃PO 354f.
- metal-catalyzed asymmetric catalysis 267ff.
- metalloenamine 243, 257
- methanesulfinate 5
- methyl alkyl sulfoxide 4
- methyl *o*-bromophenyl sulfoxide 17
- methyl *tert*-butyl sulfoxide 23
- methyl carbinol 61
- methyl enol ether 75
- methyl jasmonate 313f.
- methyl phenyl sulfoxide 16, 18, 23

- methyl phenyl sulfoximine 211, 224
- preparation 211
- O*-methyl sulfinate 40
- steroidal 40
- synthesis 40
- methyl *p*-tolyl sulfoxide 11f., 15
- methyating reagent 70
- methylation 354f.
- cyclic sulfoxide 355
- stereocontrol 355
- α -sulfinyl carbanion 355
- α -methylene- γ -lactone 355
- exo*-methylenecyclopropane 301
- methylenedithiolane 169
- cycloaddition with chiral lactam 169
- methylenation 187
- Metzner epoxidation 189
- Michael acceptor 292, 294, 357, 359
- Michael addition 86, 89, 91ff., 94, 219, 222, 294ff., 344, 360, 395
- diamine-catalyzed 296
- intramolecular 86, 91
- mechanism 92
- organocatalyzed 295
- α -substituted cyanoacetate to vinyl sulfone 296
- transition state model 296
- Michael reaction 21, 86, 89, 91ff., 94, 219, 222, 294ff., 309ff., 344, 360, 395, 401
- Michael-aldol reaction 309ff.
- β -aryl α,β -unsaturated ketone 310
- catalyst function 310
- organocatalytic 310
- working model 310
- Mitsunobu reaction 69
- Modena system 13
- molybdenum complex 19
- MP2 calculation 401
- Mukaiyama reaction 127, 129, 227
- aldol 127, 129, 227
- vinylogous aldol 227
- multicomponent coupling 164

n

- NaBH₄ 68, 79, 81
- naphthaldehyde 126
- remote asymmetric nucleophilic trifluoromethylation 128
- 1-naphthyl methyl sulfoxide 19
- nelfinavir 85f.
- neutral coordinate-organocatalyst 284
- nitrile oxide 117f.
- nitro group reduction 226
- nitrogen-activating group 237
- nitron 111ff., 114f., 119, 175, 371

[3 + 2] nitronc cycloaddition 175
 nucleophile 130, 137, 285
 – activation 279
 – silicon-based 285
 – sulfonated 130
 – *ortho*-sulfonated benzylcarbanion 132
 nucleophilic addition 56ff., 84, 90, 133
 – intramolecular 133
 – Ni-catalyzed 84
 – α -sulfonyl group-mediated 57ff.
 nucleophilic epoxidation 91, 175
 nucleophilic process 123ff.
 nucleophilic substitution 137

O

Oppolzer's camphor sultam auxiliary 201
 orbital 323
 organoaluminium reagent 125
 organoborane 203
 organocatalysis 285, 288, 295
 organocatalyst 285, 288, 295, 297
 – bifunctional thiourea-tertiary amine 297
 organometallic reagent 49ff., 89, 125f.
 organozinc reagent 225
 organozincate 84
 oxabicyclo[3.2.1]octane 122
 oxacycle 216
 oxathiazolidine oxide 9f., 25, 233ff., 238f., 260
 – *N*-activated 235
 – *endo/exo* selectivity 238
 – precursor 239
 1,2,3-oxathiazolidine-2-oxide 9f., 25, 234, 261
 oxathiazolidine-*S*-oxide 233
 oxaziridine 22ff.
 oxazolidinone 12, 308
 oxazoline 74, 78, 167, 271f., 386f.
 – chiral (bis) 167f., 387
 oxidant 24
 oxidation 2, 12, 14, 22, 171ff., 237
 – catalytic 12
 – sulfide 173f.
 oxirane 75f., 91, 179, 183, 186f., 189, 365
 – spirocyclic bis-sulfonyl 91
 α -oxoester 167
 oxosulfonium salt 136f.
 α -oxy carbanion 323, 329f., 334f., 341, 343
 oxygen donor 22
 oxygen transfer mechanism 406f.

P

palladium catalyst 222, 226f., 254f., 273ff., 276f., 278
 palladium-catalyzed asymmetric allylic alkylation (Pd AAA) 273ff., 276
 (–)-pateamine 258f.
 – synthesis 258f.
 Pauson-Kahn reaction 123
 – intramolecular 123
 Pd AAA, *see* palladium-catalyzed asymmetric allylic alkylation
 Pd(π)-olefin π -complex 278
 Pd-trimethylenemethane (TMM) 301
 – sulfone-substituted 301
 (*S*)-pentafluoro- γ -caprolactone 70
 phaclofen 94
 phase transfer catalyst 304, 314f.
 phenyl benzyl sulfoxide 352
 – pK_a value 352
 phenyl *tert*-butyl sulfoxide 6
 phenyl sulfone 293
 – α,β -unsaturated 293
 4-phenyl-1,5-diazacyclooctan-2-one 94
trans-2-phenylcyclohexanol 49
 (+)-(*R*)-phenylethanol 215
 phenyloxirane 180
N-phosphinooxaziridine 23
 α -phosphorylvinyl sulfoxide 90
 (2*S*,3*S*,4*R*)-phytosphingosine 164
 Pictet-Spengler reaction 82
 piperidine 86, 134, 188, 280
 PM3 calculation 401
 polarizability 163
 polarized continuum model (PCM) 403f.
 polymeric chiral metalloporphyrin complex 20
 polyoxamic acid lactone 258f.
 pre-catalyst 200
 L-proline 169f.
 α -propanoate equivalent 365
 propargyl carbinol 59
 prostaglandine intermediate 358
 pseudopteroxazole 222ff.
 Pummerer intermediate 78
 Pummerer reaction 57, 63, 136ff., 139f.
 – additive 137f., 142
 – chiral center 138f.
 – interrupted 137, 140
 – mechanism 140f.
 – non-oxidative (NOPR) 69, 140, 369
 – non-oxidative, mechanism 140
 – normal 136f.
 – stereoselectivity 138
 – vinyllogous 137f., 141
 Pummerer rearrangement 69, 76, 136, 141f.

pyrazoline 120f.
 pyridine 130, 412f.
 – *ortho*-directed metallation 130
 2-pyridyl group 294
 2-pyridyl sulfone 295, 298, 315
 – β -aryl- β -alkyl 298
 – β , β -dialkyl- α , β -unsaturated 298
 – β -disubstituted α , β -unsaturated 298
 2-pyridyl vinyl sulfone 293f.
 (2-pyridyl)sulfonyl group 298
 – β , β -disubstituted α , β -unsaturated 295
 1-(4-pyridyl)-1-*p*-tolylsulfinyl ethylene 84
 α -pyridylsulphenyl carbanion complex 337
 – geometry optimization 337
 pyronesulfinylalkene 122
 pyrrolidine 134, 188, 300
 – 2,5-disubstituted 300
 – *endo*-pyrrolidine cycloadduct 300
 pyrroloazepine 113

q

quantum mechanical (QM) calculation
 400
 quenching 380, 383f.
 – kinetic 393
 quinine 6f.
 quinolyl sulfide 338
 quinone 106

r

racemization 323ff., 379
 – activation parameters 379
 – barrier 324f., 379
 – kinetics 379
 – polarimetric determination 379
 – pseudo first order 379
 – rate-determining step 324
 radical 95f., 283f., 298f.
 -structure calculation 299
 radical addition 298
 radical allylation 283f.
 – mechanism 284
 – sulfonamide/hydroxysulfoxide 284
 rate-determining step 186
 (*R*)-recifeiolide 59f.
 recyclability 222, 307
 reducing agent 124, 248f.
 reduction 56ff., 59ff., 62ff., 65ff., 71, 79,
 124f., 128f., 228, 248f., 260, 305ff., 308
 – oxaborolidine-catalyzed 307
 – transition metal-catalyzed 228
 reductive alkylation 226
 Reformatzky reagent 12
 Reissert reaction 280
 remote stereocontrol 123, 126f.

remote sulfinyl group 127
 – stereocontrol 127
 remote sulfoxide 123ff.
 d-*p* π -resonance 163
 restricted Hartree-Fock (RHF) method
 401
 retro-Michael reaction 21
 rhodium catalyst 267f., 293f.
 rhodium complex 200f., 246f., 270, 311
 – cationic disymmetrically P,C-chelated
 270
 ring-opening reaction 50f., 68, 76, 78, 163,
 189
 – nucleophilic 76, 78
 – oxirane ring 76, 78
 – thiane ring 68
 rotational barrier 325, 352, 377, 388
 rubiginone A₂ 106f., 125
 – retrosynthesis 107
 rubiginone C₂ 106f., 125
 – retrosynthesis 107
 ruthenium catalyst 267f., 281f., 305
 Rydberg orbital 401

s

S–N bond 237ff.
 S–O bond 237f.
 Salen ligand 16
 Salen manganese(III) complex 17
 SC-53116 256f.
 – synthesis 256f.
 Schiff base 18f.
 – tridentate ligand 18
 sedridine 112
 1-Selectride 81, 86, 124, 128
 N-SES aziridine 192
 seudenol 72
 Sharpless epoxidation 172
 shikimic acid 99
 SIAM (bis(sulfinyl)imidoamidine) ligand
 252ff.
 sibutramine 259f.
 – synthesis 259f.
 [2,3]-sigmatropic rearrangement 108, 110,
 179f., 196, 199ff., 203
 – catalytic 200
 – mechanism 199f.
 – sulfonium ylide-mediated 199
 α -silyl- α -sulphenyl carbanion 324, 342
 β -silyl- α -sulfinyl carbanion 354, 358, 363
 α -silylamine 247f.
 – silyl anion addition 248
 Simmons-Smith reaction 184
 – sulfonium ylide-mediated 179
 solvent influence 76, 333

- Sonogashira coupling 222
- spiroacetal 170
- spiroketal 110
- spirolic derivative 142
- spongistatin 176
- stabilized ylide 192f.
 - mechanism 192
- π,π -stacking interaction 135
- stanna-Pummerer rearrangement product 141
- statine 370
- steric approach control 98, 112
- steric effect 135
- stilbene oxide 180, 183ff., 188f.
 - synthesis 183
- β -stiryl *p*-tolyl sulfoxide 85
- Strecker reaction 259
 - sulfinyl imine-based 259
- substitution 330f.
- sugar alcohol 45f., 48
- sugar sulfinate 6
 - diastereoselective formation 6
- sulfenate ester 33
 - oxidation 33
- sulfenic ester 52
 - α -sulphenyl carbanion 321ff.
 - configurational stability 323ff., 326
 - diastereoselective reaction 326ff.
 - enantioselective reaction 329, 332ff.
 - 1,2-induction 326f.
 - preparation 322f.
 - properties 321f.
 - racemization mechanism 323ff.
 - secondary 327
 - stabilization 322f.
 - α -stannyl allyl sulfide-derived 328
 - tertiary 328f., 340
- sulphenyl group 321f.
 - properties 321f.
- α -sulphenyl- β -ketosulfoxide 67
- sulphenylation 73
- sulphenylketosulfoxide 67
 - reduction 67
- sulfide 12, 14, 22, 182ff., 185ff., 191, 321f., 324
 - C_2 symmetric 183, 186
 - catalytic use 188f.
 - α -chirality 322
 - CMO-catalyzed oxidation 173f.
 - formation 183
 - α,β -functionalized 137
 - α -lithiated 324, 326f., 336ff., 342
 - oxidation 12, 14, 22
 - structure 183
 - synthetic utility 321f.
 - tricarboxyl(η^6 -arene)chromium complex bearing 341
- sulfinamide 9ff., 12, 233ff., 241, 252, 255f., 260f.
 - aliphatic 260
 - application 233ff., 241, 256
 - aromatic 260
 - background 234f.
 - biologically active molecule 256
 - enantiopure 240
 - *endo/exo* selectivity 238
 - ether-functionalized 240
 - Grignard addition 261
 - ligand 252, 254
 - modular asymmetric synthesis 240
 - precursor 235
 - sulfinyl auxiliary 241
 - synthesis 233ff., 236ff., 240
 - transformation into enantiopure sulfoxide 9
 - tunable chiral 261
- β -sulfinamine 369
- sulfinate 3ff., 6ff., 10, 36ff., 49f.
 - Andersen method 3f.
 - diastereoselective formation 5ff., 49f.
 - precursor 8
 - synthesis 4, 33
 - synthesis using alkaloid 7
 - synthesis using 2-phenylcyclohexanol 5
 - synthesis using sulfite 7ff.
- sulfinate ester 48
 - C_2 -symmetric bis- 48
- sulfinate ketimine 260
 - reduction 260
- sulfinated electrophile 123ff.
- sulfinated nucleophile 130
- sulfinic acid ester, *see* sulfinic ester
- sulfinic ester 31ff., 39f., 42, 52
 - asymmetric oxidation 32
 - catalytic 35
 - chiral ester functionality 40
 - diastereomeric 31, 40ff.
 - enantiomeric 31ff.
 - structure 31
 - synthesis 32ff., 40
 - synthesis using optically active tertiary amine 33, 35
 - synthesis using sulfinyl chloride with achiral alcohol 33ff.
 - synthetic method 32
 - α,β -unsaturated 44
- sulfinimine 241
 - synthesis via condensation 241

- α -sulfinyl acetate 364f.
- masked 365
- (*Z*)-sulfinyl acrylonitrile 103
- α -sulfinyl aldehyde 77
- N*-sulfinyl α -amino 1,3-dithioketal 246
- N*-sulfinyl α -amino ketone 246
- ortho*-sulfinyl benzylcarbanion 135
- α -sulfinyl carbanion 351ff., 354ff., 357ff., 360f.
- alkylation 354ff.
- carbonyl addition 360
- configuration 352, 395
- conformation 352
- conjugated addition 357ff.
- geometry 352
- imine addition 367ff.
- lithium salt 352
- properties 351f.
- stereochemistry 351ff., 360
- stereogenic center formation 361f.
- α -sulfinyl carbon 362f.
- sulfinyl chloride 33ff., 37f., 41f., 44, 46ff., 49, 411
- rapid racemization 35
- α,β -unsaturated 44
- sulfinyl cyanohydrin 78
- α -sulfinyl cycloalkanone 77
- sulfinyl diazine 130
- *ortho*-directed metallation 130
- sulfinyl diene 107ff.
- π -facial selectivity 108
- reactivity 108
- 1-sulfinyl diene 107f., 110
- 2-sulfinyl diene 108ff.
- sulfinyl dienophile 96ff.
- cyclic 100
- geminal 99
- sulfinyl enamine 79
- endocyclic 79
- reduction 79
- sulfinyl epoxide 59, 74, 353
- (*E*)- α -sulfinyl ester 363
- sulfinyl ethylene 97, 111, 121
- dipolarophile 111
- reactivity 111
- sulfinyl furanone 114
- sulfinyl group 55ff., 107, 111, 118f., 123, 128, 130, 132, 140, 236, 288
- α -C 57
- chiral auxiliary 57
- electron-withdrawing 236
- π -facial selectivity control 119
- nucleophilic substitution 137
- regioselectivity control 118
- stereoselective S_N2 displacement 140
- stereoselectivity control 71f., 111, 119, 123, 130, 132
- sulfinyl imine 236, 241f., 244, 246f., 250, 254, 256, 259
- ligand 254
- α -sulfinyl imine 80
- cyclic 80
- N*-sulfinyl imine 165, 241ff., 244
- 1,3-sulfinyl induction 75
- 4-sulfinyl isoxazole 117
- sulfinyl ketimine 248f., 257
- reduction 248f.
- sulfinyl quinone 105f.
- 2-sulfinyl quinone 105
- sulfinyl sulfur 56
- sulfinyl transfer agent 234f., 237
- cyclic 237
- N*-sulfinyl- α -amino-1,3-dithiane 166
- sulfinyl-directed [5C + 2C] intramolecular cycloaddition 402
- reaction path 402
- bis(sulfinyl)imidoamidine (SIAM) ligand 252ff.
- α -sulfinyl- α,β -unsaturated ester 88
- nucleophile approach 88
- sulfinylation 6, 37f.
- catalytic 37
- sulfinylbenzylcarbanion 132ff.
- β -sulfinylethylamine 367
- 1-sulfinylethylene 83
- sulfinylimine 234ff., 240
- background 234
- synthesis 234ff., 240
- α -sulfinylketimine 82f.
- N*-sulfinylketimine 134
- sulfite 7ff., 38f., 50f.
- C_2 -symmetric transformation 8
- cyclic 50f.
- cyclic, derived from C_2 -symmetric alcohol 8
- dissymmetrical 7
- prochiral 38
- ring-opening reaction 51
- sulfonamide 307f.
- polymer-supported 307f.
- sulfonate ion 21
- catalytic arylation 21
- sulfondiimide 209
- sulfone 291ff., 293, 300, 302, 304ff., 307ff., 314ff., 380ff., 383ff., 386ff., 389f., 392ff., 395
- alkylation 390, 392
- α -amido 314

- sulfone (cont.)
 - base-mediated H/D exchange experiment 382
 - (*R,R*)-configured 388f.
 - (*R,S*)-configured 389
 - deprotonation 381f., 384f., 389, 392ff., 395
 - deuteration 382
 - enantiomerization 385
 - epoxidation 304
 - α,β -epoxy 304
 - β,γ -epoxy 304
 - formation 385f., 389
 - α -functionalized 314f.
 - heteroaryl 292f.
 - γ -hydroxy- α,β -unsaturated 306
 - hydroxyalkylation 388
 - γ -keto- α,β -unsaturated 306f.
 - metal-coordinating 315
 - prochiral 384f.
 - reduction 306f.
 - silylated 384
 - substituted 314f.
 - α,β -unsaturated 292f., 300, 302
 - β,γ -unsaturated 302
 - sulfonimidamide 209
 - sulfonium salt 137, 181ff., 187, 190, 195ff., 198f.
 - aziridination 190
 - camphor-derived 190
 - deprotonation 181
 - formation 182
 - sulfonium ylide 179ff., 187, 191, 194, 197, 203, 404
 - conformation 191
 - preparation method 180ff.
 - reaction 179ff.
 - stereocontrol conditions 182
 - stereogenic element introduction 182
 - sub-stoichiometric formation 197
 - theoretical investigation 182
 - α -sulfonyl carbanion 291, 315, 375ff., 378ff., 381ff., 384ff., 387ff., 390f.
 - alkylamino-substituted 390
 - alkylation 392
 - allylation 381f.
 - aryl-alkyl-substituted 375
 - asymmetric reaction conditions 380
 - chirality 375, 382f.
 - configurational labile 382ff., 388
 - configurational stability 378ff., 388
 - (*R,M*)-configured 395
 - (*S,P*)-configured 395
 - conformation 375, 389
 - dialkylamino-substituted 389f.
 - dynamic kinetic resolution 396
 - enantiomerization 377f.
 - external trapping 383
 - hydroxyalkylation 382
 - *in-situ* trapping 383f.
 - lithium salt 375f.
 - oxazolidine-substituted 391
 - protonation 381, 383
 - reaction 392
 - stabilization mechanism 377
 - stereogenic center addition 388ff., 391
 - structure 375f., 389f., 395
 - synthesis 392
 - α -sulfonyl carbanion salt 376, 389f., 393ff.
 - monomeric 394
 - racemization 379
 - structure 376, 389f., 394f.
 - sulfonyl chloride 43
 - sulfonyl cyclopropane 313
 - sulfonyl group 292ff., 298, 394
 - heteroaryl 292f., 298
 - metal-coordinating 291f., 298, 315
 - rotation 394
 - N*-sulfonyl imine 371
 - α -sulfonyl radical 299
 - sulfonyl trimethylenemethane synthon 301
 - N*-sulfonyloxaziridine 23
 - 3-sulfonylpyrrolidine 300
 - sulfoxidation 13f., 16, 23, 172, 405ff., 408ff.
 - Al-catalyzed 21
 - B3LYP calculation 406
 - 1,2-bis(*tert*-butyl) disulfide 406f.
 - iron-catalyzed 20
 - manganese-catalyzed 17
 - mechanism 406, 409f.
 - steric model 408
 - Ti(Salen)-catalyzed 16
 - using Ti/binaphthol complex 15
 - using Ti/1,2-diol complex 14
 - vanadium-catalyzed 18, 406ff., 409
 - sulfoxide 1ff., 6, 9ff., 13f., 55ff., 123, 172, 234f., 237f., 265ff., 268ff., 274ff., 279, 281, 283, 285ff., 288, 353f., 400, 403, 405, 409, 414
 - application 281, 283f.
 - bonding mode 267
 - C_2 -symmetric bis- 274, 283, 366
 - coordinating transition metal 414
 - coordination mode 266f.
 - cyclic equatorial 354
 - ligand 265ff., 274, 283f., 287f.
 - lithiated 353f.
 - main synthetic routes 2

- neutral coordinate-organocatalyst 284
 - non-enzymatic asymmetric synthesis 2ff.
 - stereoselectivity control 123
 - structure-activity study 286
 - switching to sulfoximine 403
 - synthesis 1ff., 9f., 238
 - synthesis using Evans auxiliary 11
 - synthesis using 1,2,3-oxathiazolidine-2-oxide 9f.
 - synthesis using prochiral sulfide 405
 - synthesis using racemic precursor 409ff.
 - sulfoxide-metal complex 267
 - sulfoximine 209ff., 212ff., 224, 227
 - application 209ff., 213
 - biological activity 210
 - C₂-symmetric bis- 212, 226
 - chiral auxiliary 214
 - chiral ligand 224
 - enzyme inhibition 210
 - general preparation process 211
 - herbicidal activity 210
 - insecticidal activity 210
 - lithiated *N*-methyl 215
 - *N,N*-type 227
 - *N,O*-chelating 227
 - *P,N*-type 227f.
 - structural modification 211ff.
 - structure 209ff.
 - *N*-substituted 212
 - synthesis 209ff., 212f.
 - sulfoxonium ylide 194
 - sulfur center 403ff.
 - directing effect 403
 - sulfur derivative, α -substituted 136f.
 - sulfur function 55, 400
 - directing effect 400, 403
 - stabilizing mechanism 163
 - sulfur precursor 3ff.
 - use 3ff.
 - sulfur ylide 93f., 179ff., 182, 400, 403f.
 - application 179ff.
 - conformation 182
 - epoxidation 405
 - reactivity 403f.
 - stereocontrol conditions 182
 - theoretical investigation 182
 - structure 404
 - synthesis 179ff.
 - sulindac ester 14
 - (–)-swainsonine 302
 - swinholide 176
 - (–)-sydowic acid 71
- t**
- tandem reaction 91ff.
 - intramolecular Michael addition/enolate alkylation 359
 - involving Michael-type addition 91, 93
 - tartaric acid diester 12f.
 - tertiary amine 33, 35
 - tetrahydrofuran 66, 69, 95, 163, 216f.
 - bicyclic 220
 - derivative 216, 220
 - *trans*-2,5-disubstituted 167
 - formation 95
 - substituted 217
 - 2,3,5-trisubstituted 163
 - tetrahydroisoquinoline 371
 - tetrahydropalmatine 368
 - tetrahydropyran 66
 - tetrahydropyrrole 117
 - tetralone 361
 - thermodynamic conditions 113f.
 - thermodynamic control 368f.
 - [2,3]-thia-Wittig rearrangement 328
 - α -thio carbanion 326, 334, 340f.
 - thioacetalization 162
 - thioanisole lithiation 322
 - thiocarbamate 321, 326, 334, 339ff.
 - lithiated 341
 - thiolane 189
 - Ti/binaphthol complex 15
 - Ti/DET complex 12f.
 - Ti/DET methodology 13
 - industrial application 13
 - Ti(Salen) catalyst 16
 - Ti/triethanolamine complex 15
 - titanating agent 219f.
 - titanation 219f.
 - titanium complex 12ff., 15, 308f.
 - titanium TADDOL complex 308f.
 - TMPOO (*N*-toluenesulfonyl-4-methyl-5-phenyl-1,2,3-oxathiazolidine-2-oxide) 239
 - S-N bond 239
 - p*-toluenesulfinamide (*p*-TSA) 235ff., 240
 - synthesis 236f.
 - p*-toluenesulfinate 46ff., 237
 - cellulose-derived 47
 - β -cyclodextrin-derived 47
 - p*-toluenesulfonic acid 41
 - condensation with menthol 41f.
 - p*-toluenesulfinimine 235f.
 - synthesis 236
 - p*-toluenesulfinyl chloride 41
 - p*-toluenesulfinyl imine 259
 - N*-toluenesulfonyl-4-methyl-5-phenyl-1,2,3-oxathiazolidine-2-oxide, *see* TMPOO

- p*-tolyl group 236
 - p*-tolyl methyl sulfoxide 19, 367
 - p*-tolyl sulfoxide 3, 361
 - (*R*)- α -(*p*-tolylsulfinyl) ketoxime 81
 - reduction using L-Selectride 81
 - (*R*)- α -(*p*-tolylsulfinyl)acetophenone 70
 - p*-tolylsulfoxide 371
 - N*-tosylnorephedrine 11
 - total synthesis 222, 257
 - (6*R*,7*S*)-7-amino-7,8-dihydro- α -bisabolene 257
 - transfer hydrogenation 268ff.
 - Ir-catalyzed 269f.
 - Rh-catalyzed 268
 - transformation 55
 - sulfinyl group-mediated 55ff.
 - transient chiral metal-complexed carbene, selective transfer 199
 - transition state 278f., 334, 362, 368, 402f., 412f.
 - calculation 403, 412f.
 - pro-*R* 408f., 412f.
 - pro-*S* 408f., 412f.
 - transoid 191f.
 - tricycle[4.3.0.0]nonenone 312
 - tricyclic compound 312f.
 - triisopropylphenylsulfonamide (TIPP sulfonamide) 248
 - trimethylsilylcyanide (TMSCN) 82
 - TS-*cisoid* addition 192
 - TS-*transoid* addition 192
 - tungsten catalyst 20
- u**
- umpolung synthon 161f., 177
 - urea hydrogen peroxide adduct (UHP) 16
- v**
- vanadium catalyst 18, 406ff.
 - diastereomeric forms 407f.
 - Schiff base-derived 18
 - vinyl aziridine 194, 251
 - vinyl cyclopropane 196, 198
 - vinyl epoxide 186
 - vinyl ether 309f.
 - vinyl sulfinyl allene 108
 - vinyl sulfone 292ff., 296ff., 300f., 315
 - conjugate addition 294
 - rhodium-catalyzed *cine*-substitution 293
 - β -substituted 300
 - vinyl sulfoxide 83ff., 86, 88, 91, 95, 97f., 107, 109, 111f., 115f., 121ff., 137, 220, 356f., 363, 401
 - ADC substrate 111
 - β -alkoxy 95
 - alkylation 356f.
 - conformation 401
 - dienophilic feature 97
 - electron-withdrawing group influencing reactivity and stereoselectivity 88, 97
 - functionalized 221
 - *gem*-disubstituted 99f.
 - lithiated 357, 363
 - reactivity 97, 100
 - selectivity 97
 - stable conformer 401
 - 1-substituted 88ff.
 - 2-substituted 84
 - *trans*-substituted 98, 100
 - vinyl thioether 137
 - γ -substituted 137
 - vinyl *p*-tolyl sulfoxide 101
 - (*Z*)-substituted 101
 - vitamin E intermediate synthesis 363f.
- w**
- Wittig reaction 223, 328
- y**
- ylide 181, 197f., 200, 203, 403f.
 - amide-stabilized 404
 - chirality transfer 200
 - conformation 203
 - ester-stabilized 197
 - facial selectivity 182, 198
 - formation 181f., 197, 199f.
 - mechanistic model 197
 - metal-associated 200
 - precursor 192, 194, 196, 198
 - prochiral 182
 - semi-stabilized 404
 - structure influence 200
- z**
- Zimmerman-Traxler chair-like transition state 362, 368
 - zinc alkoxide 225
 - zinc complex 299, 361f.