

Index

a

- acetophenone 102–103, 190, 224, 243–245, 343
- addition, *see also* cycloaddition; Michael addition
 - conjugate 56–57, 61–63
 - dialkylzincs to aldehydes 55, 58–59, 162–163, 262, 336–337, 346–349
 - to imines 81, 162–163
 - in ionic liquids 258–259
 - organometallic compounds to aldehydes 149–151, 193–197
 - phenylacetylene 80–81
- additive effect 372
- adsorption 4, 25, 357–358, 430–431
 - chirally modified 17–18
- agrochemicals 414
- AITUD 227, 229
- ALB complex 88–89, 166–167, 335–336
- aldehydes
 - addition of organometallic compounds 149–151, 193–197
 - dialkylzincs addition 55, 58–59, 162–163, 262, 336–337, 346–349
 - α -hydroxyaldehydes 271
 - silylcyanation 81–82, 255–256, 257
- aldimines 392–393, 407
- aldol reactions 57, 63–64, 84–87
 - core-functionalized dendrimers 153–155
 - in ionic liquids 265–269
 - in phase-transfer catalysis 399–402
 - peripherally modified dendrimers 168–169
- aliphatic α,β -unsubstituted carboxylic acids 374–376
- alkenes
 - epoxidation 248–250, 317–318
 - hydroformylation 279–281
- α -alkyl- α -amino acids 391–394
- alkylation
 - allylic 111–115, 163–166, 214–217
 - α -amino acids synthesis 384–396
 - carbonyl compounds 74–79
 - Friedel–Crafts hydroxyalkylation 57, 65
 - in phase-transfer catalysis 384–398
- allylic addition 258–259
- allylic alcohols 43, 49–51
- allylic alkylation 111–115, 163–166, 214–217
- allylic amination 163–166, 217–218, 259
- allylic esters 216–218, 220
- allylic etherification 218–220
- allylic nitromethylation 115–116, 221–222
- allylic oxidation 187–188
- allylic substitution 54–55, 58, 152–153, 256, 258
- amination, allylic 163–166, 217–218, 259
- amino acids
 - α -amino acids 82–84, 384–396, 408
 - hydrogenation of dehydro- α -amino acids 340–342
 - organocatalysts derived from 307–317
- amino alcohols 74–75, 77, 101, 150, 194–195, 252
- aminohydroxylation
 - α -aminooxylation 270–274
- olefins 44, 52–53
- amphiphilic
 - additives 209
 - dendrimers 160–161
 - PS-PEG 210–212
- anti-inflammatory agents 279
- aquacatalytic process
 - combinatorial approach 210–214
 - imidazoindole phosphine 214–222
- aqueous media 86, 209–210
- chiral-switching of aquacatalytic process 210–222

- heterogeneous- and aqueous-switching of 222–229
- aromatic α,β -unsubstituted carboxylic acids 369–374
- aryl alkyl sulfides 339–340
- availability, catalysts 417
- aza-Henry reaction 402, 404
- aziridination, olefins 44, 53–54

b

- batch equipment, multipurpose 414
- benazepril 422–426
- benzaldehyde 63–64, 74–77, 194–197, 257, 269
- benzylamine 372
- benzylation 299, 302, 389, 391–392
- BICOL-type dendrimers 141
- BINAPHOS 123, 279–281
- BINAPs 107–108
- in aqueous media 222–224
- in core-functionalized dendrimers 135–138, 142–144
- in ionic liquids 239–241
- in MOCs 343–346
- in supercritical carbon dioxide 276–278
- BINOLs
- in core-functionalized dendrimers 149–150, 171–173
- fluoros 195–196
- functionalized dendrimers 166–168
- lanthanum catalysts 337–338
- titanium ligands 333–337, 339
- biocatalysts 2, 413
- BIPHEP-cored dendrimers 140
- bisoxazolines 259–561
- bisphosphine ligands 236
- borane 101–104, 147–149, 160–161
- boron 81–82

c

- carbon dioxide, *see* supercritical carbon dioxide
- carbon–carbon bonds 151–152
- formation using fluoros catalysis 193–195
- formation using inorganic supports 54–66
- formation using ionic liquids 250–264
- formation using MOCs 333–337, 346–349
- formation using supercritical carbon dioxide 282–283
- hydrogenation using inorganic supports 28–29
- carbon–carbon double bonds
- hydrogenation 110–111, 235–239
- reduction 191–193
- carbon–heteroatom bond formation
- using inorganic supports 54–66
- using ionic liquids 250–264
- carbon–nitrogen double bonds
- hydrogenation 29, 111
- reduction 191–193
- carbon–oxygen bonds, fluoros catalysis 184–193
- carbon–oxygen double bonds
- hydrogenation 241–244
- reduction 29–30
- carbonyl compounds, *see also* aldehydes; ketones
- alkylation 74–79
- Michael addition 400
- carbonyl-ene reaction 87, 333–335
- Carbosil 58
- carbosilanes 169–170
- carboxylic acids
- aliphatic α,β -unsubstituted 374–376
- aromatic α,β -unsubstituted 369–374
- catalyst heterogenization 2
- catalyst immobilization, *see* immobilization
- chalcones 95–96, 316–317, 337–338
- in phase-transfer catalysis 399, 401, 405
- chinchona alkaloids 82–83
- PTC epoxidation 95–96
- chiral modifiers, *see* modifiers
- chromium–salen 252–254
- cinchona alkaloids 16, 82, 95, 302–305
- in phase-transfer catalysis 299–300, 384–387
- industrial applications 420–428
- palladium-modified 368–377
- platinum-modified 359–363
- cinchonidine 359–361, 364, 422
- cinchonine 359–363
- Claisen–Schmidt condensation 51, 424
- ‘click’ chemistry 175, 310, 352
- cobalt–salen complexes 101, 161–162, 186–187, 254–255
- combinatorial approach 297
- aquacatalysis 210–214
- confinement effects 26, 32–33, 53, 66
- conjugate addition 56–57, 61–63
- continuous-flow conditions 304, 319
- continuous-flow membrane reactor 176
- convergent synthesis 131–132, 176
- copper 53–54, 200–202, 259–562
- core-functionalized dendrimers 9–10, 133–135

- addition of organometallic compounds 149–151
- aldol reaction 153–155
- allylic substitution 152–153
- borane reduction of ketones 147–149
- hetero-Diels–Alder reaction 155–156
- hydrogenation 135–145
- Michael addition 151–152
- solid-supported 170–173
- transfer hydrogenation 145–147
- costs, *see* economics
- covalent immobilization 4–5, 25
- toolbox 431–434
- using inorganic supports 31–34, 45
- crown ethers 398–399, 408
- cyanation
- imines 406–408
- silylcyanation 81–82, 255–257, 326
- cyanohydrins 255, 407
- cyanosilylation 81–82, 255–257, 326
- cycloaddition
- Diels–Alder cycloadditions 92–94
- 1,3-dipolar cycloaddition 94
- cyclopropanation 57, 64–65
- in ionic liquids 259–262
- styrene 200–202, 260–261
- using organic polymer supports 116–118

d

- DACH dendrimer 145
- dehydro- α -amino acids 340–342
- ‘dendrimer effect’ 132
- dendrimer supports 8–10, 131–134, 175–177, *see also* core-functionalized dendrimers; peripherally modified dendrimers; solid-supported dendrimers
- dendritic structures 9, 132
- dendrzyme 132, 135
- dendronized polymers 142–143, 176
- deprotonation 91–92
- designing
- fluorous catalysts 182–184
- imidazoindole phosphine 214
- MOCs 330–333
- development time 414
- (DHQ)PHAL 246
- dialkylzinc, Schiff bases 391–394
- dialkylzincs
- addition to aldehydes 55, 58–59, 162–163, 262, 336–337, 346–349
- addition to imines 162–163
- diamines 107–109, 146
- diarylmethanols 79, 150
- diastereoselectivities 265, 267–268, 270–271

- dichloromethane 251
- Diels–Alder reactions 56, 59–61
- core-functionalized dendrimers 155–156
- cycloadditions 92–94
- using fluorous catalysis 203–204
- using ionic liquids 250–252, 270–274
- using MOCs 326–327
- peripherally modified dendrimers 167–168
- using supercritical carbon dioxide 282
- diethylzinc, *see* dialkylzincs
- dihydronaphthalene 185–186
- dihydroxylation
- in ionic liquids 245–248
- olefins 43–44, 52–53, 94–95, 245–246
- using ionic liquids and supercritical CO₂ 285
- DIOP, rhodium–DIOP 235–236
- dioxiranes 317
- diphosphines 135, 137–139, 157–158, 238
- 1,3-dipolar cycloaddition 94
- divergent synthesis 131–132, 176
- p*-divinylbenzene (DVB) 7, 77
- DPENDS 242–243
- DPENs 106, 159–160
- cored dendrimers 137–138, 145–146
- functionalized dendrimers 159–160
- in aqueous media 224–227
- in ionic liquids 242

e

- E 4759 421
- EATOS program 425
- economics
- catalysts 416–417
- industrial applications 1, 293, 415
- electrostatic interactions 4–6
- enamines 110, 268
- enantioselectivities 26
- immobilised catalysts 429
- in fluorous catalysis 194
- in ionic liquids 236–237, 239–243, 249, 267–268, 270–271
- in production 423–424
- ene reactions 56, 61, 87, 333–335
- enones, epoxidation 43, 51–52, 406
- entrapment 5–6, 25
- environmental factors 293
- ‘green’ chemistry 12, 14, 73, 233, 294, 297–298
- nonconventional media 12, 14–15
- enzymes 2, 391
- ephedrine derivatives 163–164

- epoxidation
 - alkenes 248–250, 317–318
 - allylic alcohols 43, 49–51
 - amino acid derivatives 314, 316–317
 - enones 43, 51–52, 406
 - fluororous catalysis 184–186
 - in ionic liquids 248–250
 - in MOCs 337–339, 349–350
 - Sharpless 49, 99–100
 - using organic polymer supports 95–100
 - using phase-transfer catalysis 95–96, 404–406
 - unfunctionalized olefins 40–49
 - α,β -unsaturated ketones 337–339, 404–406
- epoxides
 - hydrolytic kinetic resolution 100–101, 186–188, 254–255
 - ring opening 161–162, 173, 252–254
- esters
 - allylic esters 216–218, 220
 - HPB ester 422–426
 - β -ketoesters 241, 345–346, 363–368, 396, 402
- etherification, allylic 218–220

f

- ferrocenyl phosphines 166
- fluorination 262–264
- fluoroalkylated BINAPs 276–278
- fluorophilicity 183–184
- fluorous biphasic system 181–182
- fluorous catalysis 13–14, 181–182, 205–206
 - allylic oxidation 187–188
 - carbon–carbon bond formation 193–195
 - carbon–oxygen bond formation 184–193
 - designing fluororous catalysts 182–184
 - Diels–Alder reaction 203–204
 - ‘fluorous ponytails’ 182–184
- formylation, *see* hydroformylation
- Fréchet-type dendrons 145, 147
- Friedel–Craft hydroxyalkylation 57, 65
- functionalized dendrimers 131, 133, *see also* core-functionalized dendrimers; peripherally modified dendrimers; solid-supported dendrimers

g

- ‘generation’ of growth 131
- glycinate Schiff base 384, 398, 402, 408
- glycines 203–204, 384–391

- glyoxylate-ene reactions 333–335
- ‘green’ chemistry 12, 14, 73, 233, 294, 297–298

h

- ‘heavy fluororous’ 184, 187, 205
- hetero-Diels–Alder reaction 155–156
- heterogeneous catalysts 2
 - compared to homogeneous 25, 415–416
 - industrial applications 18–19, 415–418
- homochiral MOCs, *see* MOCs
- homogeneous catalysis 235
 - dendrimer supports 175
 - drawbacks 25, 323
 - economics 1
- homogeneous catalysts
 - compared to heterogeneous 25, 415–416
 - costs and availability 416–417
 - immobilization 2–3
 - dendrimer-supported 8–10
 - on inorganic materials 4–6
 - self-supported 10–11
 - using nonconventional media 12–16
 - using organic polymers 7–8
 - properties and handling 417
- HPB ester 422–426
- hybrid dendrimers 159–160
- hybrid metal oxides 328
- hydridane 219–221
- hydroformylation 123, 181, 279–281
- hydrogen 358
- hydrogen bonding, immobilization 34–39
- hydrogen concentration and pressure 236–237
- hydrogenation, *see also* reduction; transfer hydrogenation
 - carbon–carbon bond 28–29
 - carbon–carbon double bond 110–111, 235–239
 - carbon–nitrogen double bond 29, 111
 - carbon–oxygen double bond 241–244
 - chirally modified metal surface *see* metal surface catalysts
 - core-functionalized dendrimers 135
 - in supercritical carbon dioxide 274–279
 - industrial applications 418–428
 - ketones 107–110, 342–343, 360–361, 420–428
 - peripherally modified dendrimers 157–159
 - using ionic liquids and supercritical CO₂ 283–284
 - using MOCs 340–346

hydrogen-transfer reduction, *see* transfer hydrogenation
 hydrolysis 121–123
 hydrolytic kinetic resolution 100–101, 186–188, 254–255
 hydrophilic modification 209
 hydrovinylation 169–170
 α -hydroxyaldehydes 271
 hydroxyalkylation, Friedel–Crafts 57, 65
 α -hydroxyketones 271
 hydroxylation, *see* aminohydroxylation; dihydroxylation
 hyperbranched polymers 176

i

imidazoindole phosphine
 – allylic alkylation 214–217
 – allylic amination 217–218
 – allylic etherification 218–220
 – design and preparation 214
 – synthetic application 219–222
 imidazolinones 312–314
 imidazolium-based ionic liquids 235, 238, 244, 264, 266, 270
 imines
 – addition to 81, 162–163
 – aldimines 392–393, 407
 – cyanation 406–408
 – reduction 31, 193
 iminophosphines 165
 immobilization 2–3
 – common techniques 4–17
 – covalent 31–34, 45, 431–434
 – general requirements 332
 – in ionic liquids 234
 – poly(amino acids) 316
 – problems 323
 – process 295–299, 319
 – ship-in-a-bottle approach 47–48
 – on solid supports 28–30, 41–44, 55–57, 294
 – via coordination, ionic and other interactions 45–47
 – via hydrogen bonding, ionic and other interactions 34–39
 immobilized chiral metal complexes 413, 428–434
 indene 184–185
 industrial applications 18–19, 293, 320, 413, 435, *see also* pharmaceuticals
 – economics 1, 293, 415
 – hydrogenation catalysts 418–428

– immobilized chiral metal complexes 428–434
 – industrial requirements 414–418
 inorganic supports 25–27, 66–67
 – asymmetric oxidation 40–54
 – asymmetric reduction 27–39
 – carbon–carbon and carbon–heteroatom bond formation 54–66
 – immobilization techniques 4–6
 insoluble polymer-supported catalysts 299–300, 303, 319
 insulating groups 183
 internally functionalized dendrimers, *see* core-functionalized dendrimers
 ionic bonding 34–39, 45–47
 ionic liquids 233–235, 285–286
 – asymmetric oxidations in 245–250
 – asymmetric reductions in 235–245
 – carbon–carbon and carbon–heteroatom bond formation 250–264
 – catalytic reactions in 14–15
 – organocatalysis and 264–274
 – supported catalysis 48–49, 63
 – used with supercritical CO₂ 283–285
 ionic tag 266–267, 270
 ion-pair formation 25

j

Jacobsen's catalyst 47, 254, 297
 Janus dendrimers 176
 JMC 94 421
 Josiphos ligands 157–158, 431–433
 Josiphos units 157–158
 Juliá–Colonna epoxidation 314, 316

k

β -ketoesters 241, 345–346, 363–368, 396, 402
 ketones
 – borane reduction 101–104, 147–149, 160–161
 – epoxidation of α,β -unsaturated 337–339, 404–406
 – hydrogenation 107–110, 342–343, 345–346, 360–361, 420–428
 – reduction 189–191
 ketopantolactone 427
 kinetic resolution, terminal epoxides 100–101, 186–188, 254–255

l

β -lactam 304
 lanthanum 337–338, 351

latent biphasic system 134, 143, 176
 leaching 1, 294, 419
 – in ionic liquids 238–240, 286
 – rhodium 280
 Lewis acids 84, 92, 326–327
 Lewis bases 305–306
 ‘light fluororous’ 184, 205
 lithium amides 91–92

m

magnesium oxide 51–52, 62–63
 malonates 197–199, 214–216, 399, 401, 404
 manganese–salen complexes 40–42, 45–46, 48–49, 96–99
 – for asymmetric epoxidation 248–249, 349–350
 – in fluororous catalysis 184–186
 Mannich reaction 270–274, 402–404
 MCF 64
 MCM-22 47–48
 MCM-41 27–29, 41, 58, 65
 – confinement effects 32–34
 – in organocatalysis 308–309
 MCM-48 48–49, 249–250
 membrane filtration 133, 134, 176
 metal complexes, immobilized 413, 428–434
 metal surface catalysts 17–18, 357–358, 377
 – cinchona alkaloid-modified palladium 368–377
 – cinchona alkaloid-modified platinum 359–363
 – history of modification 358–359
 – tartaric acid-modified nickel 363–368, 418–420
 metalated salen ligands 95–97
 metal-free catalysis 203–205, 294, 297
 metal–organic coordination networks (MOCNs) 324, 331
 metal–organic coordination polymers (MOCs), *see* MOCs
 metal–organic frameworks (MOFs) 59, 324, 328
 metal–organic hybrid materials (MOHMs) 324
 metathesis
 – olefins 118–120
 – ring-closing 120
 methyl acetoacetate 190, 363–368
 methylation, allylic nitromethylation 115–116, 221–222
 methylcinnamic acid 373–374
 metolachlor 31, 432
 Michael addition 87–91
 – core-functionalized dendrimers 151–152
 – fluororous catalysis 204–205
 – in ionic liquids 269–271
 – in phase-transfer catalysis 398–402
 – peripherally modified dendrimers 166–167
 – using MOCs 335–336
 MOCNs 324, 331
 MOCs 323–325, 351–352
 – carbon–carbon bond formation 333–337, 346–349
 – design and construction 330–333
 – historical account of applications 326–330
 – hydrogenation 340–346
 – oxidation reactions 337–340, 349–350
 modifiers 17–18, 357–359, 361
 – in cinchona alkaloid palladium catalysts 369–370, 422–423
 – nickel in tartaric acid 369
 modular toolbox 431–434
 MOFs 59, 324, 328
 MOHMs 324
 molybdenum 50, 118–120
 monoalkylation 384–391
 monodendate phosphines, *see* MOCs
 monodendate phosphoramidites 140–142
 MonoPhos 340–342
 monophosphines 169–170
 MOCs 197–198, 211, 213, 226, 228
 Mukaiyama aldol reactions 84
 multipurpose batch equipment 414

n

nanosized membrane filtration 133–134, 176
 Neber rearrangement 403–405
 ‘negative’ dendrimer effect 157
 nickel 363–368, 418–420
 nitroaldol reaction 57, 63–64
 nitroalkanes 151, 401
 nitromethylation 115–116, 221–222
 NOBIN-cored dendrimers 156
 noble metals 357
 nonconventional media 2, *see also* aqueous media; fluororous catalysis; ionic liquids; supercritical carbon dioxide
 – catalyst immobilization 12–16
 nonionic cinchona-derived catalysts 302–305
 Noyori-type catalyst 137–138, 242, 342–343
 nucleophilic aromatic substitution 397–398

o

olefins, *see also* alkenes

- aminohydroxylation 44, 52–53
- aziridination 44, 53–54
- dihydroxylation 43–44, 52–53, 94–95, 245–246
- epoxidation 40–49
- metathesis 118–120
- optimization, catalyst structure 296–297
- organic polymer supports 7–8, 73, 123–124

 - addition reactions 80–81
 - aldol reactions 84–87
 - alkylation reactions 74–79, 111–115
 - α -amino acid synthesis 82–84
 - borane reduction of ketones 101–104
 - carbonyl-ene reaction 87
 - cycloadditions 92–94
 - cyclopropanation 116–118
 - deprotonation 91–92
 - epoxidation 95–100
 - hydroformylation 123
 - hydrogenation reactions 110–115
 - hydrolysis 121–123
 - hydrolytic kinetic resolution 100–101
 - Michael reaction 87–91
 - nitromethylation 115–116
 - olefin metathesis 118–120
 - phenylation 79–80
 - Reissert-type reaction 120–121
 - ring-closing metathesis 120
 - Sharpless dihydroxylation 94–95
 - silylcyanation of aldehyde 81–82
 - transfer hydrogenation 104–107
 - Wacker-type cyclization 121

- organic solvent filtration 239
- organic solvents, drawbacks to 233
- organic–inorganic hybrid polymers 324–325, 328, 352
- organocatalysis, *see also* aldol reactions; Michael addition
 - in ionic liquids 264–274
- organocatalysts 293–295, 319–320
 - derived from amino acids 307–317
 - immobilization process 295–299
 - Lewis bases 305–306
 - miscellaneous 317–318
 - mobilization 16–17
 - nonionic cinchona-derived 302–305
 - phase-transfer 299–303
- organometallic compounds, addition to aldehydes 149–151, 193–197
- Orito reaction 359–360, 363, 422
- osmium 52–53
- osmium tetroxide 94–95, 246–248

- oxazaborolidines 101–102, 147
- oxazolines 154, 226, 228
- bisoxazolines 259–261
- oxidation, *see also* dihydroxylation; epoxidation
 - allylic oxidation in fluorous catalysis 187–188
 - aziridination of olefin 44, 53–54
 - in ionic liquids 245–250
 - using inorganic supports 40–54
 - using MOCs 337–340, 349–350
 - using organocatalysts 297–298
- oxime sulfonates 403–404, 405

p

palladium

- in allylic aminations 164–165, 259
- in allylic substitutions 54–55, 58, 152–153, 256, 258
- cinchona alkaloid-modified 368–377, 420, 425
- in fluorinations 263–264
- in fluorous catalysis 197–200
- PS-PEG catalysts 210–217
- silk-palladium 358–359

PAMAM dendrimers 160–165

pantothenic acid 426–427

peptides 86–87, 394–396

perfluorocarbons 181–182, 276–280

peripherally modified dendrimers 9–10, 133, 156–157

- addition reactions 162–163
- aldol reaction 168–169
- allylic amination and alkylation 163–166
- Diels–Alder reaction 167–168
- hydrogenation 157–160
- hydrovinylation 169–170
- Michael addition 166–167
- reduction reaction 160–161
- ring opening of epoxides 161–162
- solid-supported 174–175

pharmaceuticals 279, 323

- dendrimer supports 148, 169
- industrial applications 422–428
- manufacture 414
- peptides as 394

phase separation 133–134, 143–145

phase-transfer catalysis 3, 16, 383, 408

- aldol reactions 399–402
- alkylation 384–398
- epoxidation 95–96, 404–406
- Michael addition 398–399, 400–402
- Neber rearrangement 403–405
- Strecker reaction 406–408

phase-transfer catalysts 299–303
 phenylacetylene 80–81
 phenylation 79–80
 phenylcinnamic acid 368–374
 phosphines 210–213, 226, 228, *see also*
 diphosphines; imidazoindole phosphine;
 MOPs
 – bisphosphines 236
 – ferrocenyl phosphines 166
 – iminophosphines 165
 – monophosphines 169–170
 phosphoramides 305
 photooxygenation 295–296
 platinum 250–251, 359–363, 420–424
 poly(amino acids) 315–316
 poly(ethylene glycol) (PEG) 8, 73, 295–296,
 see also PS-PEG
 – supported imidazolidinone 314
 – supported phase-transfer catalysts 302–
 303
 – supported proline derivatives 308
 – supported TEMPO 297–298
 polymers, *see* MOCs; organic polymer
 supports
 polystyrene 7–8, 73, 75, 281, 311
 polystyrene-poly(ethylene glycol) (PS-PEG),
 see PS-PEG
 polystyrene-supported dendrimers 175
 polytopic ligands 329–332, 337, 340, 352
 pore sizes, tunable 27
 porphyrin 295–296
 ‘positive’ dendrimer effect 157, 161
 PPI dendrimers 164, 168–169
 process development 414–415
 proline 85–87, 307–312
 – in aldol reaction 168–169
 – in the Michael reaction 89–90
 – L-proline 265–266, 268–270
 prolinols 74–75, 102–104, 147–148
 propanation, *see* cyclopropanation
 propargylamines 81
 PS-PEG 86, 210–217, 226–228
 – supported BINAP 222–224
 PTC, *see* phase-transfer catalysis
 Pybox 81, 116
 2-pyrone derivatives 376–377
 Pyrphos units 138–139, 157–158, 163–164

q

quaternary ammonium salts 82, 388, 390,
 393–394, 396, 405

r

Raney nickel 363–368, 419
 recycling 209, 304, 319, 416
 – dendrimer catalysts 133, 143–145, 176
 – fluorous catalysts 205–206
 – in homogeneous catalysis 5
 – in ionic liquids 249, 252–254, 285–286
 – MOCs 351
 – organocatalysts 73, 264, 298
 – requirements 3
 reduction, *see also* hydrogenation
 – borane reduction of ketones 101–104,
 147–149, 160–161
 – carbon–nitrogen and carbon–carbon
 double bonds 191–193
 – in inorganic supports 27–39
 – in ionic liquids 235–245
 – ketones in fluorous catalysis 189–191
 Reissert-type reaction 120–121
 rhodium 13, 192, 202, 222–224, 229
 – DIOP complex 235–236
 – in hydrogenation of C–C 28
 – in ionic liquids 237–239, 243
 – in supercritical carbon dioxide 280–281
 – MonoPhos catalysts 340–342
 ring opening, epoxides 161–162, 173,
 252–254
 ring-closing metathesis 120
 ruthenium 106–108, 116
 – BINAP analogues 137–138, 142–143,
 239–241, 276–278, 343–346
 – DPEN catalysts 137–138, 224, 226
 – in hydrogenation 145–147, 244–245
 – in ionic liquids 242

s

salen ligands, *see also* manganese–salen
 complexes
 – chromium–salen 252–254
 – cobalt–salen 101, 161–162, 186–187,
 254–255
 – dendrimer-cored 172–173
 – metalated 95–97
 – vanadium–salen 256–257
 SAPC 235
 scanning tunneling microscopy 368
 Schiff bases 402, 408
 – activated peptides 394–396
 – α -alkyl- α -amino acid derived 391–394
 – glycine-derived 384–391
 self-supported chiral catalysts 10–11, 333,
 341–342
 Sharpless dihydroxylation 52, 94–95, 245–
 246, 386

Sharpless epoxidation 49, 99–100
 Shibasaki's catalyst 337–338
 ship-in-a-bottle 25, 47–48
 Si–H insertion 57, 65–66
 SILC 48–49, 63
 SILF 261–262
 silica
 – in inorganic supports 28–29, 41
 – supported dendrimers 174
 – supported DPEN 224–226
 silk-palladium catalyst 358–359
 SILP, *see* supported ionic liquid phase (SILP) catalyst
 silylcyanation 81–2, 255–257
 site isolation 26, 31, 66
 small-scale products 414
 solid supports, *see also* inorganic supports
 – adsorption on 430–431
 – immobilised catalysts 429
 – immobilization with 4
 – organocatalysts 294, 319
 solid-supported dendrimers 133, 170
 – internally functionalized 170–173
 – peripherally functionalized 174–175
 soluble polymers 295
 soluble polymer-supported catalysts 8, 301, 307, 319
 solvent precipitation 133–134, 143, 176
 solvents
 – choice 233, 422–423
 – for MOCPs 332
 – ionic liquids 14
 stability
 – in catalysis 3
 – thermal stability 328, 332
 stereoselectivities, in ionic liquids 250–251
 Strecker reaction 406–408
 structural characterization 347–348, 352
 structure–activity relationship 348, 352
 styrene, *see also* polystyrene
 – copolymerization with 171–172
 – cyclopropanation 200–202, 260–261
 – derivatives 94
 – formylation 279–281
 substitution
 – nucleophilic aromatic 397–398
 – palladium-catalyzed 54–55, 58, 152–153, 256, 258
 sulfides 339–340
 sulfimidation 262
 sulfoxidation 44, 339–340
 supercage 47–48
 supercritical carbon dioxide 15–16, 234, 274, 286

– carbon–carbon bond formation 282–283
 – fluorous catalysis in 191–192
 – hydroformylation in 279–281
 – hydrogenation in 274–279
 – used with ionic liquids 283–385
 supercritical fluids 15
 supported aqueous-phase catalysis (SAPC) 235
 supported ionic liquid catalysis (SILC) 48–49, 63
 supported ionic liquid films (SILF) 261–262
 supported ionic liquid phase (SILP) catalyst 235, 249–250, 253–254, 268–269
 surface metal, *see* metal surface catalysts

t

TADDOL-cored dendrimers 171–173
 tartaric acid 363–368, 418–420
 TEMPO 297–298
 terminal epoxides 100–101, 186–188, 254–255
 thermal stability 328, 332
 thermotropic solubility 13
 thiourea 297, 318
 titanium 87
 – BINOL ligands 333–337, 339
 – in fluorous catalysis 196
 – Ti-TADDOLates 75–76, 92, 171
 titanium dioxide 368–373, 376
 toolbox, modular 431–434
 transfer hydrogenation 104–107, 189–190
 – core-functionalized dendrimers 145–147
 – DPEN catalysts 224, 226
 – in ionic liquids 244–245
 – peripherally modified dendrimers 159–160
 transition-metal catalysis 14–15, 135, *see also* individual metals
 TsDPENs, *see* DPENs
 turnover frequency (TOF) 137
 – immobilised catalysts 429
 – in ionic liquids 237–238
 turnover number (TON) 137, 264
 type I MOCPs 331, 333–343
 type II MOCPs 331, 343–351

u

Uemura-type catalysts 339
 ultrasound irradiation 361
 α,β -unsubstituted carboxylic acids
 – aliphatic 374–376
 – aromatic 369–374

v

vanadium(salen) 256–257
vinylation 169–170
vinylc substitution 397–398

w

Wacker-type cyclization 121
water, *see also* aqueous media
– catalyst immobilization in 12–13, 209
‘wet ionic liquid’ 237

x

X-ray diffraction 348

z

zeolites 5–6, 32, 47
zinc
– alkylation of carbonyl compounds 74–75
– dialkylzinc addition 55, 58–59, 162–163,
262, 336–337, 346–349
– organozinc addition 149–151, 193–195
zirconium phosphanates 343, 345–347