

Subject Index

- α , definition 109
 ϕ , definition 123
- a**
ab initio
– calculations 5ff, 14ff, 386f
– molecular orbital theory 5ff, 37, 68, 71f
– kinetic modelling 19ff, 32
– emulsion polymerization 287, 294
acetoacetoxyethyl methacrylate (AAEMA) 298
acetoxystyrene 298
acrylamide 213f, 245, 263
acrylamido 245, 253, 254, 397
acrylate (RAFT polymerization) 189, 193, 208ff, 220, 394ff
acrylonitrile 212
acryloyl glucosamine 276
N-acryloyl pyrrolidine 272
N-acryloylmorpholine (NAM) 457, 459, 463ff, 479, 486
N-acryloxysuccinimide 486
activated ester 485
aminolysis 243, 245f, 271, 464, 473, 475
– indication by color change 322
anthrax toxin 272
arm-first technique 356
atom transfer radical polymerization (ATRP) 1, 291f, 455, 467ff, 478
azeotropic composition 486
azide RAFT agent 471
azo initiator, water soluble 297, 429ff
- b**
backbiting 89, 126ff
Barton–McCombie deoxygenation
– crossover 185
batch emulsion polymerization 287
benzyl dithiocarbamate 264
betaine momomers 255f
biomolecular termination 107
– of grafted radicals 434, 441
biomolecule-polymer conjugate 466, 489
bisxanthate 164
block copolymer 2, 92f, 221f, 301f, 315ff, 339ff, 403f, 440ff, 466ff, 494ff, 524ff
– amphiphilic 322, 500, 503
– building block 487
– ionic 331
– multi 340
– pH-responsive 331
– Y-shaped 494
bovine serum albumin 466
branched architectures 364
Brij 98, nonionic surfactant 299
butadiene 216f
tert-butyl dithiobenzoate 260, 271
di-tert-butyl peroxide 182
- c**
carbodithioate 241
carbohydrate 153
– chain end 499
– derivative 466
carbon
– disulfides 151, 160
– oxysulfide 154, 184f
carbon nanotube 524
carboxymethyl dithiobenzoate 243, 271
carboxymethyl dithiotridecanoate 243
cellulose fibre 515
chain-end modification 455ff, 478
chain-end removal 412f
chain extension 316, 443f
chain transfer to polymer 111, 125
Chugaev elimination reaction 152f, 180, 185, 413, 474
click chemistry 340, 467, 470ff

538 | Subject Index

- comb polymers 316, 359f, 411, 517
- complex architecture formation
 - macro-RAFT agent precursor 315ff
 - shielding effect 355
- computational chemistry 5ff
- computational methods 7ff
 - G3 9ff
 - ONIOM 9ff, 68
 - RMP2 9ff
 - W1 9ff, 68
- conjugate
 - addition 163
 - biomolecule-polymer 466, 489
- copolymers 424ff, 438, 441ff
 - triblock 464ff, 326ff, 469f
- core-first technique 345
- core-shell morphology 300
- cosurfactant 289
- critical salt concentration 256
- cross-coupling 86, 182f
- crosstermination 86
- CSIRO (Commonwealth Scientific and Industrial Research Organization) 1, 55
- cumyl dithioacetate 161
- curve crossing model 39ff
- cyclitols 153
- cross-linked micelles 356
- cross-linker 356
- cyclodextrin 345

- d**
- degassing technique 307, 310
- degenerative transfer 379
- dendrimer 345, 364
- density functional theory 5ff
- Derjaguin-Landau-Verwey-Overbeek (DLVO) theory 307
- desulfurization 156
- dexanthylation 175
- diagnostic tests 500
- diblock polymer 252f, 267ff, 305f, 315ff, 326, 404f, 487f, 496, 501, 503
- diene monomers 216f
- diffusion control 108f, 141
- N,N*-dimethylacrylamide 252, 263
- 2-(dimethylamino)ethyl methacrylate 275
- N,N*-dimethylbenzylvinylamine 252
- disulfides 152, 161, 165f
- dithiobenzoates 56, 161, 180ff
 - cumyl 56f, 180, 241, 263f, 275f, 293
 - 2-cyano-2-yl 303
 - 2-cyano-2-butyl 250
 - 4-cyanopentanoic acid 241
 - menthonyl 271
 - 1-methyl-1-cyanoethyl 253, 272
 - 1-phenylethyl 250
- dithiocarbamate 151f, 174f, 176, 197f, 217, 235f, 250, 273
 - cumyl 161
- dithiocarbonate 151, 157, 159, 381
 - dibenzyl 250, 253
- dithioester 151, 160ff, 176f, 183, 191ff, 235, 250, 424ff
- DNA biochip 501
- 2-dodecylsulfanylthiocarbonylsulfanyl-2-methyl propionic acid 265
- dodecyltrimethylammonium bromide 303
- droplet nucleation 301
- drug delivery 502

- e**
- efficiency
 - chain transfer 39ff
 - fragmentation 39ff (see also slow fragmentation)
- electrical double layer 307
- β -elimination 163, 177
- syn*-elimination 153
- emulsion 285ff
- emulsion polymerization
 - ab initio 287ff, 399ff, 457
 - compartmentalization 287
 - entry 287f
 - exit 287
 - frustrated entry 300
 - interval I, II & III 288
 - miniemulsion 464
 - seeded 289, 295
 - semibatch or semicontinuous 287
- emulsion stabilization 415
 - creaming experiment 299
- end-functional 403
- end group
 - acetylene 471
 - allyl 465
 - α -amide 460, 464
 - azido 465, 471
 - 1,3-benzodioxole 465
 - biotin 271f, 466, 489
 - carbonyl 457ff, 464
 - disulfide 466, 475
 - α -functional 455
 - hydroxyl 457, 464, 468ff
 - imidazole 489
 - transformation of RAFT group 455ff
- ESR (electron spin resonance) for reaction mechanism probing 74ff

1-ethoxyethyl acrylate 250
 α -ethylacrylic acid 251
2-ethylhexyl methacrylate 250

f

F-RAFT 44f, 235
film for lithography 517
fluoroalcohol 273
fluorescent polymer 508, 465
fluorescent compound 512
fluoropolymer
– property improvement 513
fraction of living chains 62, 224
fragmentation
– rate coefficient 19ff, 60ff, 113ff
 ω -functional 455ff, 478

g

galactopyranose 271
gamma-ray radiation 241
– for radical storage 80
gene delivery 505
glycomonomer 273
glycopolymer 495
gold nanoparticle 523
– air water interface 425
– nanocomposites 446ff
gradient copolymers 219f
graft density 423, 433ff, 441, 447
grafting 423ff, 433ff, 438, 440

h

harmonic oscillator 7ff
heterogeneous polymerization 285ff
hexyl methacrylate 303
high-energy irradiation 428, 431
hindered rotor 7ff
homodimers 181ff
homogenizer 290
homopolymers 257ff, 275f, 324f, 342f,
429f, 438, 441ff, 496f, 520f
honey comb films and membranes 516
Horner-Wadsworth-Emmons reaction
174
hybrid material 518
hydride reducing agents 246
hydrogel 504
hyperbranched polymer 504
hydrolysis 242ff, 253, 271, 274, 321, 473ff
hydrogen bonding 308
hydrophilicity 444f
hydrophobicity 307, 439, 444f
N-(2-hydroxypropyl) methacrylamide 271
hypophosphorus acid 175

i

indolines 161, 170ff, 176
initiation 84, 206, 223ff, 392
– photo 131
– redox 241
– reinitiation 55f, 60, 79ff, 125
– thermal 241
– UV 223, 429, 477f
initiator selection 84f
initialization 57, 76, 238
– period 380
intermediate RAFT radical 5, 25, 38, 40,
44, 77f, 85f, 90f, 191, 381
intermediate radical termination (IRT) 86,
114, 182f, 302
ionic block copolymer 331
ionic monomer 329
isoprene 216f
N-isopropylacrylamide 264

k

ketene monothioacetal 163
kinetic
– modeling 19ff, 32ff, 77f, 118ff, 125ff,
135ff
– simulation 59, 63f, 69f, 292

l

lactams 174
laser induced RAFT polymerization
130ff
latex 285
– cross-linking 298
– stabilization 301
lauroyl peroxide 158, 171, 175f, 180f
Lifshitz-Slyozov-Wagner theory 304
light-harvesting
– macromolecules 175
– polymer 512
lithium triethylborohydride 247
living radical polymerization methods 1
low-molecular-weight tailing
– during block copolymer synthesis 322,
324, 342
– during star polymer formation 354,
356

m

Macromolecular Design by Interchange of
Xanthates (MADIX) 178f, 218, 297f,
373ff, 477ff
– industrial development 417
– invention 1f
– applications of 414

540 | Subject Index

- macromonomers 54, 363, 465ff
 - methyl methacrylate (MMA) macromonomer 54
- magnetic nanoparticle 524
- Markovnikov addition 241
- mass spectrometry (mechanistic investigation into the RAFT process) 74
- membrane and honey comb films 516
- metathesis 340
- methacrylates (choice of appropriate RAFT agent) 205ff, 213, 241
- 3-O-methacryloyl-1,2:3,4-di-O-isopropylidene-D-galactopyranose 274
- 2-methacryloyloxyethyl phosphorylcholine 258
- 2-methacryloyloxyethyl glucoside 243, 274
- methyl methacrylate 179
- methyl-6-O-methacryloyl- α -D-glucoside 275
- methyl radicals 169
- micelles 287
- Michael addition 464, 476
- microfluidizer 290
- microwave radiation 241
- mid-chain radicals 111ff, 126ff
- miktoarm star polymers 359, 467
- miniemulsion 401
 - polymerization 289, 296
 - formation 290
- molecular orbital calculations 67
- molecular weight 62, 191, 215, 224, 292
 - calculation 324, 351
 - distribution 108ff, 285
- multiblock copolymers 340
- multiwalled carbon nanotubes 440
- n**
- nanocomposite 446ff, 525
 - based on clay 520
- nanogel 411
- nanoparticles 424f, 433, 435ff, 445ff
 - silica 521
- nanoprecipitation 304
- near-infrared spectroscopy (NIR) 130ff
- nitroxide mediated polymerization (NMP) 291
- NMR (mechanistic investigations) 76
- norbornenyl 466
- o**
- one-to-one copy of droplets 290
- optoelectronic device 508
- organic-inorganic nanoassemblies 416
- Oswald ripening 289
- p**
- particle morphology 285f
- particle modification 423f, 428, 430, 438, 440ff
- 1-phenylethyl phenyldithioacetate (PEPDTA) 299
- bis(1-phenylethyl)trithiocarbonate 250
- phosphorylcholine 495
- photo-cross-linkable polymer 466
- photo-initiation 131ff
- plasma 428, 430ff, 446, 448
- pleuromutilin 172
- polymer precursor 485
- polyplex 506
- polysaccharide 499
- poly(dimethylsiloxane) substrate 515
- polyampholytes 260
- polybetaines 255, 260
 - antipolyelectrolyte 255
- poly(ethylene oxide) methyl ether acrylate 276
- poly(ethylene oxide) methyl ether methacrylate 250, 276
- poly(vinylamine) 273
- primary radical 237
- α -propyl(acrylic acid) 251
- polymeric leaving group 318
- polyRAFT agent (*see also* complex architecture formation) 335
- poly(AA-STY) star, self-assembled 306
- poly(butyl acrylate) 297
- polycondensate 334
- polydispersity 63, 292, 105ff, 424, 429, 435ff, 441, 444, 447f
- poly(EHMA-b-MMA-MA) 302
- polymer
 - π -shaped 364
 - brush 363f, 429ff, 435f, 443ff, 469f, 513ff
 - diblock 252f, 267ff, 305ff, 315ff, 404f, 487f
 - colloids 285
 - comb 316, 359f, 411, 517
 - functional 424, 441, 455ff
 - H-shaped 364
 - hyperbranched 504
 - nanocomposites 446f
 - photo-cross-linkable 466
 - primary amine 464ff
 - star 74ff, 94ff, 191f, 316f, 343ff, 407
 - telechelic 456ff, 464, 471, 475f

- polymerization
 - batch emulsion 287
 - iodine transfer 53
 - metal catalyzed radical 291
 - nanoparticulation 304
 - ring-opening (ROP) 340, 363, 456, 467ff
 - polymerization techniques
 - pulsed laser 130ff
 - γ -radiation initiated 466ff
 - sequential controlled 469
 - tandem ROMP-RAFT 469
 - polystyrene spheres 297
 - poly(styrene-*b*-butylacrylate) 298
 - poly(vinyl alcohol) 304
 - postpolymerization 456, 471ff
 - primary amine polymer 464ff
 - potassium *O*-ethyl xanthate 151, 159
 - product analysis 74
 - property improvement
 - fluoropolymers
 - pyridyl disulfide-modified 466
- q**
- quantum dot 512
 - quantum mechanical calculations 5ff
- r**
- R group 5f, 42ff, 80ff, 94f, 239ff, 335, 343, 348f, 359, 374, 386f, 440f, 455ff, 489f
 - radical
 - *tert*-butyl 183
 - cyclohexadienyl 170
 - distribution 120, 136, 137
 - exchange 427, 431, 441
 - induced removal 465, 476ff
 - intermediate 237 (*see also* slow fragmentation)
 - methyl 169
 - primary 237
 - primers 237
 - radical interaction 183
 - recombination 181
 - storage 80
 - tributyltin 184
 - tributylstannane 153, 155, 175
 - tributylstannyl 183
 - radiation-induced removal 477f
 - RAFT/MADIX
 - applications of 483
 - RAFT agents 327
 - addition of dithio acid to olefin 241
 - amphiphathic 457
 - biotinylated 494
 - comprehensive list 192ff
 - cyclic trithiocarbonate 469, 479
 - design 44f
 - hydrolytic stability 223
 - penultimate unit effect 205f
 - peptide 495
 - phthalimido 465
 - selection guidelines 97f
 - side reactions 24, 55ff
 - stability (heat, light, UV, solvents) 222, 131f, 321, 456, 471ff
 - structure 192ff
 - substituent effects 205f, 218
 - synthesis 202ff
 - transportation into particles 300
 - RAFT end groups
 - detection by chromatography 78
 - destruction with peroxides 322
 - thiol 469
 - RAFT (polymerization)
 - acrylates 189, 193, 208ff, 220, 394ff
 - chain length effects 19ff
 - citation rate 2
 - definition 51
 - effects of oxygen 207
 - functional groups 456
 - history 51
 - inhibition 24, 56, 300, 383
 - invention (together with MADIX) 1
 - instationary reaction conditions 133ff
 - laser-induced 130ff
 - Lewis acids 207
 - measurements of kinetic data 64f
 - mechanism 19ff, 60ff, 190f
 - monomer to RAFT agent matching 193
 - rate of 55ff, 108
 - rate retardation 3, 56, 81f, 106ff, 209ff, 383
 - reaction conditions 222ff
 - reaction scheme 19ff, 60ff, 190f
 - side reactions 1, 85ff, 324ff
 - statistical copolymerization 91f
 - stereochemical control 207
 - solvent 222
 - tacticity 207
 - trends 57f
 - versatility 3
 - RAFT-CLD-T technique (chain-length-dependent termination)
 - equation 111
 - method 110ff
 - procedure 113
 - propagation 112, 144
 - termination 107
 - random coupling 301

542 | *Subject Index*

- rate coefficients/constants 64f, 71ff
 - initiator efficiency 106ff, 130, 143
 - addition rate coefficient 60ff
 - equilibrium constant 2f, 14f, 19ff, 60ff, 79ff, 139f
 - fragmentation 19ff, 60ff, 113ff
 - influence on CLD k_t termination 114
 - main equilibrium (mechanism and kinetics) 83
 - monomer reaction order 111
 - transfer 64f, 71f
- reaction diffusion 108
- reactive end group 455ff, 488
- redox initiation 241
- reducing agent 242
- regenerative medicine 507
- reversible coupling-dissociation 53
- reversible homolytic substitution 53
- rheology modification 415
- Rhodia 374
- ring-opening polymerization (ROP) 340, 363, 456, 467ff, 479
- siRNA 272

- s**
- scaffold (tissue engineering, cell support) 507
- β -scission 380
- seeded emulsion polymerization 289, 295
- seeded particles 289
- self-assembly 293
- self-organisation 503
- SET-LRP 291
- H-shaped polymers 364
- π -shaped polymers 364
- silane coupling agent 427ff, 435f, 441, 443
- silica
 - wafer 518
 - nanoparticle 521
- slow fragmentation of RAFT intermediate radicals 31, 39ff, 57, 59ff, 69, 76ff, 90, 113, 138, 303f
 - impact on CLD k_t determination 143
- sodium
 - acrylate 260
 - borohydride 246
 - dodecylsulfate (SDS) 297
 - 2-methyl-2-prop-2-enamidopropane-1-sulfonate 242
 - styrenesulfonate 248
- solar radiation 241
- solid-phase synthesis 494
- solvent effects on ab-initio modelling 7ff

- SP-PLP-RAFT technique 129ff
- spinodal cavitations 308
- stannyl radicals 154f, 157
- star polymers 74ff, 94ff, 191f, 316f, 343ff, 407
- stimuli-responsive
 - monomer 327
 - polymer 444f, 502
 - rearrangement 444f
- structure-reactivity trends 39ff, 193ff
- styrene 214ff, 241, 394, 248
- substituent effects (quantum chemical prediction) 39ff
- succinimidyl-activated ester 466
- sulfobetaine 255
- superswelling theory 302
- supramolecular 465
- surface
 - active 300
 - immobilized RAFT agent 435f, 440, 443
 - -initiated RAFT 427f, 430, 433, 435, 438f, 443, 445
 - modification 415, 423f, 441
 - migration 435
- surfactant 289
- surfactant-free polymerization 293, 305

- t**
- telechelic polymer 456ff, 464, 471, 475f
- termination (radical)
 - average termination rate coefficient 111f
 - chain length dependent 107ff, 115, 118ff, 141ff
 - conversion dependence 116f, 140
 - geometric mean 109
 - harmonic mean 123
- terpyridine 462, 465
- tethered PAA loops 306
- time-resolved IR spectroscopy 130f
- tissue engineering 507
- theoretical chemistry 5ff
- thermal initiation 241
- thermolysis 472ff
- thermoreponsive 331
- thin film 513
- bis(thioacyl) disulfide 241
- thioacylation 242
- S-thiobenzoylthioglycolic acid 298
- thiocarbonylthio compounds
 - chemistry of 151
 - diazo approaches to 165f

- history 51
- as MADIX agents 373
- thioketones (polymerization control) 183
- thiol
 - Michael addition to 464
 - reaction with pyridyl disulfide-modified Z group 466
 - access to BSA RAFT agent 466
 - as polymer end group 469
 - oxidation into disulfides 473ff
 - transformation to 474ff
- transfer constants (usual measurement) 64f
- trifluoromethyl ketones 172, 174
- s-trifluoromethyl xanthate 166f
- trithiocarbonate 132, 151, 160ff, 191, 235, 250, 273, 424, 426, 438
- 1,1-thiocarbonyl diimidazole 162

- u**
- ultrasonification 290
- ultraviolet radiation 241
- UV initiation 223, 429, 477
- UV irradiation 477ff
- UV spectroscopy 131ff

- v**
- Van der Waals forces 308, 524
- vector 502, 505
- vinyl 466, 475
 - acetate 217, 272, 396
 - benzoate 217
 - benzyl chloride 253
 - phosphonate 394
- pyridines 251
- pivalate 177
- N-vinyl pyrrolidone 217, 219, 272, 397
- 6-O-vinyladipoyl-D-glucopyranose 275
- N-vinylcarbazole 217
- N-vinylformamide 273
- vulcanization (application of xanthates) 151

- w**
- water contact angle 429, 444f
- waterborne
 - emulsion polymerization 399
 - solution polymerization 397
- wetting behavior 444, 447f

- x**
- xanthate 97f, 151ff, 191ff, 197, 200, 217f, 235, 250, 273, 373ff
 - anhydride 184f
 - radical reduction 413
 - synthesis 190, 390

- y**
- Y-shaped block copolymer 494

- z**
- Z group 82ff, 239ff, 288, 335, 343, 359, 374, 456ff
- zwitterion 255

