

## Index

### a

- acetal 218
  - *N,P*-acetal 224
- acetate
  - substitution 203
- acid
  - Brønsted 217ff.
  - Lewis 181, 198ff., 217ff., 238, 262f.
- acid-base catalyst 39
- acyl chloride 169
- acyl electrophile 168ff.
  - cross-coupling reaction 168
- acyl iron complex 9f.
- acyl sulfonate 169
- acylal 218
- acylation
  - Friedel-Crafts 181f.
- adamantane 55
- addition reaction 211ff.
- addition-ring opening
  - oxanorbornene 207
- alcohol 92
  - aliphatic 203
  - alkylation 184
  - allylic 92
  - oxidation 52, 80
  - substitution 203
- aldehyde oxidation 52
- Alder-ene reaction 245
  - [4+4] 245
  - [6+2] 249
  - diastereoselectivity 247
  - intramolecular 246
  - low valent iron catalysis 246
- aldol reaction
  - Mukaiyama 222
- alkane hydroxylation 78
  - bpmn 81
  - stereoselective 81
  - TPA ligand 78ff.
- alkene
  - [ $\eta^2$ -alkene-Fp]<sup>+</sup> complex 8
  - $\eta^2$ -alkene-tetracarbonyliron complex 7
  - alkylation 186
  - asymmetric epoxidation 82
  - cyclopropanation 253
  - diamination 88
  - dihydroxylation 82f.
  - epoxidation 52, 80ff.
  - hydrosilylation 137ff.
  - iron complex 7
  - terminal aliphatic 80
- alkenyl electrophile 147
- alkenyl-Grignard reagent 165ff.
- alkenyl halide 150
  - cross-coupling reaction 150ff.
- alkenyl sulfonate 152
  - cross-coupling reaction 152f.
- alkenyl triflate 149
  - cross-coupling reaction 149
- alkyl electrophile 161ff.
  - cross-coupling reaction 161ff.
- alkylation
  - alkene 186
  - allylic 210ff.
  - enantioselective 188
  - Friedel-Crafts 183
- alkyllithium 170
- alkyne trimerization 261
- 2,3-allenol derivative 172
- allyl-iron complex 8
- allylic alkylation 210ff.
- allylic amination 105, 211
- allylic hydroperoxide 98
- allylic hydroxylation
  - aerobic 94

- heme iron complex 95
- allylic oxidation 92f.
- chemoselectivity 93
- iron-catalyzed 93
- allylic substitution
- $\pi$ -allyl mechanism 211
- iron-catalyzed 203ff.
- regio- and stereoselective 211
- amination
- allylic 105, 211
- iron-catalyzed 211
- oxidative allylic 103
- amine 92
- allylic 92
- aminochlorination
- intramolecular 86
- *N*-centered radical species 86
- aniline 22
- polymerization 56
- arene
- alkylation 184
- arylation 182
- epoxidation 52
- iron complex 18
- nitration 179
- arenium ion mechanism 177
- aromatic substitution
- electrophilic 178ff.
- iron-catalyzed 177ff.
- nucleophilic 188f.
- aroyl cyanide 169
- aryl electrophile 154
- aryl halide 154, 201
- aryl nonaflate (Nf) 149
- aryl sulfonate 157
- aryl-aryl cross-coupling reaction
- iron-catalyzed 158ff.
- aryl-Grignard
- nucleophile 159
- reagent 171
- arylamine 110
- arylation 182
- iron-catalyzed *N*-arylation 191
- Ullman type 200
- arylcopper reagent 151
- arylmagnesation 170f.
- arylmethylenecyclopropane 86
- aryne mechanism 178
- auto-oxidation 38, 98
- 1-azabutadiene 21
- ( $\eta^4$ -1-azabuta-1,3-diene)tricarbonyliron complex 12f.
- aza-Michael reaction 235
- azetidine derivative 254

- aziridination 87f., 250
- asymmetric 88
- bimetallic complex 250
- hexadentate phenol ligand 88
- aziridine formation 249ff.
- asymmetric 251
- iron-catalyzed 249
- azobenzene 110

## **b**

- Barbier reaction 225
- Baylis-Hillman reaction 204
- benzene 181
- benzofuran 60, 263
- benzopyran 238f.
- benzylation 185
- Bignelli reaction 238
- bioremediation 34
- bipy-*tb* (bis-*tert*-butylbipyridine) 140
- bismuth(III) triflate 182
- [bmim][PF<sub>6</sub>] (1-butyl-3-methylimidazolium hexafluorophosphate) 260
- bpmcn 83
- bpmen (*N,N'*-dimethyl-*N,N'*-bis(2-pyridylmethyl)-1,2-diaminoethane) 78
- Brønsted acid 217ff., 238
- butterfly structure 42

## **c**

- C–C bond cleavage
- oxidative 52
- C–H activation 44
- C–X bond
- allylic 202
- propargylic 202
- camphor 55
- (1*R*)-(+)-camphor 10
- $\sigma$ -carbamoyleiron complex 13
- carbazole 17
- carbene-iron-complex 9
- carbometallation reaction 170ff.
- propargylic alcohol 171
- carbon nucleophile 219ff.
- carbonyl-iron complex
- binary 5
- $\beta$ -carbonyl sulfide 58
- catalase reactivity 58
- catalysis
- heterogeneous 233
- iron complex 20
- phase transfer 127
- catalyst
- benzylation 187
- deactivation 95

- catalytic cycle 32ff., 45, 93
    - catalase 59
    - irradiation 138
    - taurine dioxygenase 32f.
  - catechol dioxygenase 100
  - chalcone 227
  - chelate
    - six-membered ring 217
  - m*-chloroperbenzoic acid 79
  - chloroperoxidase (CPO) 48ff., 60ff.
    - oxidation 60
  - 4-chlorostyrene 187
  - cofactor 31, 45
  - Collman's reagent 3ff.
  - composite photocatalysis 97
  - conjugate addition 207, 217ff.
    - asymmetric 232
  - copper
    - Grignard-derived functionalized reagent 156
    - iron bimetallic catalyst 161, 200
    - PYBOX 251
  - Coprinus peroxidase (CiP) 48
  - corannulene 6
  - CpFe
    - chiral 259
    - $\text{Cp}(\text{CO})_2\text{Fe}^+$  fragment 250ff.
    - $[\text{Cp}(\text{CO})_2\text{Fe}]_2$  7, 84
    - $[\text{Cp}(\text{CO})_2\text{Fe}(\text{THF})]^+[\text{BF}_4]^-$  7, 84
    - $[\text{Cp}(\text{CO})_2\text{FeCl}]$  131
    - derivative 259
    - ferracyclopentadiene 6
    - Criegee rearrangement 36
  - Crixivant 64
  - cross-coupling reaction 147ff., 161ff., 154ff.
    - acyl electrophile 168ff.
    - alkenyl electrophile 147
    - alkyl electrophile 154ff.
    - aryl electrophile 161ff.
    - chemoselectivity profile 163
    - mechanism 148
    - stereospecific 148
  - crotylboration 15
  - cyclization
    - 5-*exo-trig* 167
    - Prins 220
  - [2+1]-cycloaddition 10, 249ff.
  - [2+2]-cycloaddition 254f.
  - [2+2+1]-cycloaddition 6
  - [3+2]-cycloaddition 8, 262
  - [3+3]-cycloaddition 263
  - [4+1]-cycloaddition 256
  - [4+2]-cycloaddition 10, 257
  - [4+4]-cycloaddition 249
  - cyclobutene 255
  - cyclobutenedione 255
  - cyclohexadienylium-tricarbonyliron complex 15
  - cyclohexane 254
    - carbaldehyde derivative 254
  - cycloisomerization 245ff.
    - [4+4] 246
  - cyclopentadiene
    - Fe complex, *see* CpFe
  - cyclopentenone 6, 22
  - cyclopropanation 253
    - diastereo- and enantioselective 253
  - cyclopropane
    - acetal 172
    - formation 252
  - cyclopropylglycine 17
  - cyclotrimerization 260f.
  - cytochrome 48
    - model 95
    - P450 catalysis 49ff.
    - P450 mutant 53f.
    - P450CAM 48ff.
    - P450BM-3 48ff.
- d**
- Davies-Green-Mingos rule 16ff.
  - N*/*S*/*O*-dealkylation 52
  - deamination
    - oxidative 52
  - dechlorination
    - iron-catalyzed 199
  - dehalogenation
    - Heck-type reaction 201f.
  - oxidative 52
  - reductive 52
  - dehydration 52
  - dehydrogenation 52ff.
  - (–)-delobanone 265
  - desaturation 39
  - 1,1-diacetate 218
  - diamination 87
  - diamine
    - N-monosulfonylated 82
  - diarylzinc reagent 166f.
  - diazocompound 204
    - insertion into N–H bond 201f.
  - dibenzopyran 238f.
  - dicarbonyl( $\eta^5$ cyclopentadienyl)iron-alkyl complex 10
  - dicyclopentane 264
    - spiro derivative 264
  - Diels-Alder reaction 257ff.
    - asymmetric 258f.

- inverse electron demand 260
- neutral electron demand 259
- normal electron demand 257f.
- diene
  - $\alpha,\omega$ -diene 255
  - (*R*)-dimethyl-2-methylaziridine-1,2-dicarboxylate 65
- iron complex 11
- monoepoxidation 63
- dinuclear iron center 39
- trans*-diol 83
- dioxygen activation 41
- dioxygenase 30ff., 46
- dioxygenation 36
- 8,8-diphenylheptafulvalene 12
- discorhabdin 16
- disproportionation 104
- disulfide 111
- dithiol 113
- Doyle-Kirmse reaction 204
- iron-catalyzed 204

**e**

- electrophile
  - acyl 168ff.
  - alkenyl 147
  - alkyl 154ff.
  - aryl 161ff.
- enamine 22, 233
- ephedrine 232
- epoxidation 62, 252
- enantioselectivity 62
- indene 64
- Jacobsen's 81
- regioselective 62
- epoxide formation 251
- iron-catalyzed 251
- epoxide reduction 52
- ester
  - alkylation 184
  - $\alpha,\beta$ -unsaturated 133
- esterification 224
- ether
  - alkylation 184
- N*-ethylpyridinium trifluoroacetate  
[EtPy]<sup>+</sup>[CF<sub>3</sub>COO]<sup>–</sup> 183

**f**

- fatty acid 39
- Fe, *see* iron
- ferracyclopentadiene 6
- ferrate catalyst 198
- nucleophilic substitution 205
- ferrate complex 199

- Ferrier transformation 219
- ferrocene 18ff.
- Finkelstein reaction 198
- iron-catalyzed 198
- Friedel-Crafts acylation 181f.
- ionic liquid 182
- microwave-assisted 182
- Friedel-Crafts alkylation 183
- Friedländer quinoline  
synthesis 237

**g**

- (–)-gibboside 247
- Gif chemistry 73ff.
- *tert*-butyl hydroperoxide (TBHP)  
system 73ff.
- hydroperoxide 73
- non-radical Fe<sup>III</sup>/Fe<sup>V</sup> manifold 74
- oxidation of saturated hydrocarbon 73
- oxygenation mechanism 74
- radical Fe<sup>II</sup>/Fe<sup>IV</sup> manifold 75
- Gif oxygenation system 74
- Gif paradox 73
- glucal 219
- O-glycoside 219
- green chemistry 182
- Grevels' reagent 12
- Grignard reagent 23, 147ff.
- alkenyl-Grignard reagent 165ff.
- aryl-Grignard nucleophile 156
- Grignard-derived functionalized copper  
reagent 156
- inorganic 154
- substitution 206
- Grignard species
- inorganic 23

**h**

- hafnium(IV) triflate 182
- halogenation 61, 179
- halohydration 62
- haloperoxidase reactivity 61f.
- Hantzsch synthesis 236
- Heck-type reaction 201ff.
- mechanism 202
- heme iron complex 95
- heme peroxidase 51ff.
- catalysis 56
- heme protein
- catalysis 48ff.
- classification 48
- hetero-ene reaction 104
- heteroarene 190
- radical functionalization 190

- heteroatom
  - oxidation 109ff.
- heterocycle
  - *N*-aryl 191
  - spiro 256
  - synthesis 236ff.
- heterogeneous catalysis 233
- hexadentate phenol ligand 88
- Hieber complex 208
- Hieber-type reaction 4
- 2-His-1-carboxylate facial triad 30ff.
- HIV-1 protease inhibitor 65
- horseradish peroxidase (HRP) 48
  - epoxidation 62
  - mutant 62
- Huisgen reaction 262
- hydrocarbon
  - hydroxylation 52
- hydrocarbon oxidation 77ff.
  - ligand-free system 77
  - *N,N*- and *N,O* ligand system 77
  - non-heme iron catalyst 77
  - pentadentate ligand 78
  - tetradentate ligand 78
  - tridentate ligand 77
- hydrogen abstraction 95
- hydrogenation
  - carbon—carbon double bond 129ff.
  - carbonyl compound 125
  - imine 136
  - mechanism 135
  - phase transfer catalysis 127
- hydroperoxide
  - allylic 98
- hydrosilylation 136ff.
  - asymmetric 140
  - Fe-catalyzed 136ff.
  - vinyltrimethylsilane 137
- hydroxylamine-*O*-sulfonic acid 189
- hydroxylase 30ff.
- hydroxylation 31ff., 53
  - allylic 94f.
  - asymmetric *cis*-hydroxylation 83
  - hydrocarbon 52
  - heme iron complex 95
- i**
- imination
  - allyl sulphide 121
  - benchrotenesulfoximine 120
  - Fe(acac)<sub>3</sub>-catalyzed 121
  - FeCl<sub>2</sub>-catalyzed 120
  - sulfur compound 119
- imine
  - addition 223f.
  - hydrogenation 136
- iminium ion
  - addition 223f.
- indanone 22
- indene
  - epoxidation 64
- indenone 22
- indole 60, 234f.
- indolizidine 248
- iododobenzene 80
- ionic liquid 85, 180ff.
  - *in situ*-generated Fe(NO)<sub>2</sub> 260
  - 1-methyl-3-butylimidazolium chloroferrate (Fe-IL) 183
  - Michael reaction 233f.
- iron, *see also* iron catalyst or iron complex
  - carbonyl 84, 256
  - catalyzed oxidation 73, 93ff.
  - Fe<sup>IV</sup> 33ff.
  - Fe(CO)<sub>5</sub> 22, 84, 126ff., 264
  - Fe<sub>2</sub>(CO)<sub>9</sub> 212f.
  - Fe<sub>3</sub>(CO)<sub>12</sub> 126f., 137
  - FeCl<sub>3</sub> 84
  - FeCl<sub>3</sub>/H<sub>5</sub>IO<sub>6</sub> 115
  - (FeCl<sub>3</sub>)<sub>2</sub>(tmeda)<sub>3</sub> 164
  - Fe(dppe)Cl<sub>2</sub> 204
  - Fe(NO<sub>3</sub>)<sub>3</sub>·9H<sub>2</sub>O–FeBr<sub>3</sub> 115
  - Fe<sub>2</sub>O<sub>3</sub> 112
  - Fe(OAc)<sub>2</sub> 166
  - Fe(OTf)<sub>2</sub>·2MeCN 88
  - ferryl(IV) radical 50
  - ionic liquid 183
  - K10-Fe(III) montmorillonite 182, 204
  - Na[Fe(CO)<sub>3</sub>(NO)] 208
  - non-heme Fe complex with tetra- and pentadentate ligand 100
  - non-radical Fe<sup>III</sup>/Fe<sup>V</sup> manifold 74
  - porphyrin, *see also* porphyrin 133
  - PYBOX SYSTEM 251
  - radical Fe<sup>II</sup>/Fe<sup>IV</sup> manifold 75
  - tetraphenylporphyrin (Fe(TPP)) chloride 250
  - tetraphenylporphyrin (Fe(TPP)) dichloride 201
- iron catalyst
  - bio-inspired 132
  - chiral Fe(salen)Cl 118
  - copper bimetallic catalyst 161, 200
  - cross-coupling reaction 147ff., 154ff., 161ff.
  - Fe<sup>2+</sup> salt 93
  - Fe<sup>3+</sup> salt 93
  - Fe(acac)<sub>3</sub> 121, 163

- Fe(acac)<sub>3</sub>—CuO 200
  - Fe(acac)<sub>3</sub>–Schiff base ligand 117
  - FeCl<sub>2</sub> 120
  - FeCl<sub>3</sub> 181ff.
  - Fe<sup>III</sup>–EDTA 113
  - [Fe(N<sub>2</sub>)(1,2-bis(diethylphosphano)ethane)<sub>2</sub>] 226
  - Fe(salan) 118
  - formal Fe(–II) 154ff.
  - homogeneous 125
  - hydrosilylation 136ff.
  - non-heme 80
  - oxidation 112ff.
  - reduction of unsaturated compound 125ff.
  - iron complex
    - alkene complex 7
    - $\eta^2$ -alkene-tetracarbonyliron complex 7
    - $\sigma$ -allyl Fe species 210
    - $\pi$ -allyl–Fe nitrosyl 209
    - $\pi$ -allyl–Fe(CO)<sub>4</sub> 208
    - aminodiphosphine complex 134
    - biomimetic 102
    - carbon monoxide 5
    - catalytic reaction 20f.
    - catalytically active species 21
    - chiral 140
    - corrole 201f.
    - cyclopentadiene, *see* CpFe
    - dicarbonyl( $\eta^5$ cyclopentadienyl)iron-alkyl complex 10
    - diimine 261
    - electronic configuration 2
    - Fe(III) with bidentate ligand 94
    - fundamental reaction 2
    - heme 95
    - ligand 21
    - low valent 200, 213
    - nitrene 122
    - organic chemistry 1ff.
    - oxidation state 2
    - phthalocyanine 95
    - salen Fe(III) complex 100
    - salen-type 265
    - structure 2
    - tricarbonyl( $\eta^2$ -*cis*-cyclooctene)iron complex 12
    - tricarbonyl( $\eta^4$ -cyclopentadienon)iron complex 4ff.
    - trihydride 133
    - vinylidene 254
  - iron enzyme
    - dinuclear 100
    - mononuclear 100
  - iron protein
    - non-heme 30
    - iron-sulfur protein 29
    - (+)-isoiridomyrmecin 247
    - isomerization 52
    - double bond 22
- k**
- ketone
    - hydrosilylation 141
    - synthesis 169
  - Kharasch reaction 84f.
  - acyl chloride 85
  - intramolecular variant 85
  - ionic liquid 85
  - Knoevenagel condensation 236
- l**
- lactone 227
  - $\gamma$ -lactone 10
  - lactonization 85
  - LDMAN, *see* lithium
  - Lewis acid 181, 198ff., 217ff., 262f.
  - iron catalyst 198ff., 238
  - N<sub>2</sub>Py<sub>2</sub> ligand 81
  - N,N,O-ligand 83
  - N,O-ligand 79
  - ( $\pm$ )-limaspermene 16
  - (S)-limonene 55
  - lithium
    - LDMAN (lithium 1-(dimethylamino)naphthalenide) 205
    - Li<sub>2</sub>[Fe(C<sub>2</sub>H<sub>4</sub>)<sub>4</sub>] 155
    - perchlorate 182
- m**
- macrocyclization 227
  - Mannich reaction 235
  - mass spectrometry 229
  - Me<sub>5</sub>dien 88
  - mechanistic probe 42
  - methane monooxygenase 40, 100
  - 4-methoxyaniline 14
  - methyl linoleate 131
  - $\beta$ -methylamino acid 65
  - 1-methyl-3-butylimidazolium chloroferrate (Fe-IL) 183
  - O-methyljoubertiamine 16
  - N-methylpyrrolidone (NMP) 149
  - trans*- $\beta$ -methylstyrene 62
  - (R)-2-mevalonolactone 65
  - mica
    - Fe(III)-exchanged fluorotetrasilicic 234
  - Michael reaction 226ff.

- asymmetric 232
- aza-Michael reaction 235
- ionic liquid 233f.
- mechanism 229
- vinylogous 230f.
- microperoxidase (MP11) 48
- (–)-mitsugashiwalactone 247
- MMO mimic system 80
- monoepoxidation 63
  - diene 63
- mono(o)xygenase 46ff.
  - activity 62
- montmorillonite
  - Fe<sup>III</sup>-exchanged 112
  - K10-Fe(III) 182, 204
- Mukaiyama aldol reaction 222
- multi-nitrogen-based ligand 140
- myeloperoxidase 48

## **n**

- Na, *see* sodium
- 1,4-naphthoquinone 230
- nitration reaction 179
- nitrene transfer 119
- nitrogen heterocycle
  - aromatic 136
- nitrogen nucleophile 235
- nitrogen transfer reagent 103
- nitroso compound 109
  - oxidation of hydroxylamine 109
- NMP, *see* N-methylpyrrolidone
- non-heme Fe complex with tetra- and pentadentate ligand 100
- nucleophile
  - aryl-Grignard 156
  - carbon 219ff.
  - nitrogen 235
  - oxygen 218ff.

## **o**

- O–O bond cleavage 98
  - homolytic 98
- olefination
  - Peterson-type 204
- organoiron complex 4
- organoiron polymer 19
- orphenadrin 126
- overoxidation 107
- oxanorbornene 207
- oxidant
  - Clayfen-type 112
  - oxo-iron (salen) 116
- oxidase 46
- oxidation 44, 109ff.

- activated methylene 76
- alcohol 80
- allylic 92f.
- asymmetric 115ff.
- binary catalyst 115
- chiral Fe(salen)Cl catalyst 118
- Fe(acac)<sub>3</sub>–Schiff base ligand-catalyzed 117
- Fe<sup>III</sup>-EDTA-catalyzed 113
- Fe<sup>III</sup>-exchanged montmorillonite 112
- Fe<sub>2</sub>O<sub>3</sub>-mediated 112
- Fe(salan)-catalyzed 118
- hydroxylamine 109
- nitrogen compound 109ff.
- non-asymmetric 114
- oxo-bridged diron complex 116
- pyrrolidiny-Fe<sup>II</sup> catalyst 118
- solvent-free 114
- sulphur compound 111ff.
- N-oxide reduction 52
- oxime 111
- oxocarbenium ion 219
- oxygen nucleophile 218f.
- oxygen rebound mechanism 34
- oxygenation 44
  - electrocatalytic 97
  - mechanism 74
  - *N/S* 52
  - oxidative allylic 92ff.

## **p**

- P450, *see* cytochrome
- paddlewheel motif 44
- pentacarbonyliron 22, 84, 126ff., 264
- pentadentate ligand 78ff.
- peroxidase 48ff.
  - reactivity 56f.
- peroxide 36ff.
  - disproportionation 58
- peroxime proliferator activated receptor (PPAR) agonist 21
- Peterson-type olefination 204
- phenoxazoline (Hphox) ligand 79
- $\alpha$ -phenyl-N-thioacetylmorpholine 190
- photosynthesis 29
- phthalocyanine Fe complex 95
- (+)- $\alpha$ -pinene 55
- piperidine derivative 227
- (*E,E*)-piperylperperidide 62
- polyaddition 227
- polymerization 227
- porphyrin ligand 253
- porphyrin Fe complex 95, 201, 249
  - high valent Fe(IV)-oxo 95

- tetraphenylporphyrin (Fe(TPP)) chloride 250
- tetraphenylporphyrin (Fe(TPP)) dichloride 201
- prianosin alkaloid 16
- Prins cyclization 220
- propargylic acetate 185
- propargylic alcohol 171, 184
- nucleophilic substitution 204
- propargylic chloride 207
- propargylic epoxide 207
- protective group 218
- (–)-protometinol analogue 247
- pybox (bis(oxazolonyl) pyridine) 140
- ligand 251
- pyrazine derivative 238
- pyridine 110, 236f.
- pyrimidine 238

**q**

- quinoline derivative 236f.
- quinolizidine 248
- quinonimine 14

**r**

- radical autoxidation pathway 75
- Perkin's 76
- radical cyclization 168
- radical functionalization 190
- rebound mechanism 95
- reduction 39
- homogeneous iron catalyst 125ff.
- unsaturated compound 125ff.
- Reformatsky reaction 221
- regioselectivity 107
- regiospecificity 39
- Rieske dioxygenase 100
- ring cleavage 38
- ring expansion reaction 263ff.
- intramolecular 266
- ring opening reaction 252

**s**

- Sakurai reaction 220
- salen Fe(III) complex 100
- scandium triflate 184
- $\beta$ -scission of alkyl peroxide
- reductive 52
- sigmatropic rearrangement sequence 121
- sodium
- Na[Fe(CO)<sub>3</sub>(NO)] 209
- spectroscopy
- EXAFS 229

- Raman 229
- stereocenter
- quaternary 233
- ( $\pm$ )-sterpurene 11
- styrene 138, 189
- aziridination 250
- substitution
- allylic 202ff.
- aromatic 177ff., 189
- conjugate nucleophilic 204ff.
- electrophilic 178ff.
- ferrate complex 199
- iron-catalyzed 177ff., 197ff.
- non-activated C–X bond 197
- nucleophilic 189, 197ff., 205f.
- S<sub>E</sub>1 mechanism 177
- S<sub>N</sub>1 mechanism 177
- S<sub>N</sub>2 type 203ff.
- S<sub>N</sub>2' type 206
- S<sub>N</sub>Ar mechanism 177, 189
- S<sub>N</sub>t reaction 225
- succinyl succinate 227
- sulfide 113
- oxidation 113
- sulfilimine 119
- sulfonic acid 181
- sulfonylation 180
- sulfoxidation 57
- asymmetric 57
- stereospecific 58
- sulfoximination 120
- sulfoxide 113
- sulfoximine 119
- sulindac 117
- superacidic system 181
- superoxide 33ff.
- synzyme 64

**t**

- TACN ligand 88
- taurine dioxygenase (TauD) 31ff.
- tautomerism 230
- terphenyl carboxylate 43
- tetradentate ligand 78
- tetrahydrofuran 265
- tetrakis(ethylene) ferrate complex 163
- thiadiazole 111
- thiol 111
- thiosemicarbazole 111
- thioxocarbenium ion 219
- tmda (N,N,N',N'-tetra-methylethylenediamine) 140
- TMEDA 166



(R)-*p*-Tol-BINAP 172  
 toluene 181  
 toluene dioxygenase (TDO) 57  
 TPA (tris(2-pyridylmethyl)amine) ligand  
   family 78  
   – 6-Me<sub>3</sub>-TPA ligand 83  
 tpoen ligand 79  
 transfer hydrogenation 127f.  
 1,4,7-triazacyclononane 36ff.  
 tricarbonyl( $\eta^2$ -*cis*-cyclooctene)iron  
   complex 12  
 tricarbonyl( $\eta^4$ -cyclopentadienon)iron  
   complex 4ff.  
 tridentate ligand 77  
 triflate [OTf]<sup>–</sup>  
   – Fe(OTf)<sub>2</sub>·2MeCN 88  
 triflic acid 181f.  
 trimerization 261  
 trimethylenemethane-iron complex 8  
 trimethylenemethanetricarbonyliron 9  
 tripodal ligand 37  
 turnover number (TON) 93

**u**

uncoupled reaction 34

**v**

vinylcyclopropane 264  
 vinyltrimethylsilane 137

**w**

Wagner-Meerwein rearrangement 263  
 Walphos 21  
 windmill motif 44

**x**

xanthenedione 239  
 Xanthphos 166  
*o*-xylene 186ff.

**y**

yohimbane alkaloid 6

**z**

zeolite 181

