

Index

A

- α -chymotrypsin 603
- A β (β -amyloid (1-42)) synthesis 504, 507, 508
- Accurel MP 1000 373
- acetal-protected carbonyls 450
- acetal type-linkers 404, 405, 564, 595, 596
- acetic acid
 - catalytic effect in aminolysis 422
 - 2-(4-hydroxy-3-methoxyphenoxy) 391
- acetylation, enantioselective 158, 376
- acetylcholinesterase inhibitors 67, 634
- acid- and base-catalyzed one-pot reactions 114
- acid and base mixed ion exchange resins 263
- acid chlorides
 - as electrophilic scavengers 188
 - fluorous tagged 197
 - oligomeric bis- 203, 204
 - scavenging of 217, 221, 222
- acid-labile linkers *see* linkers, acid-labile
- acid-labile protecting groups 532
- acid reagents, on silica gel 108–113
- acid stability
 - of linkers 5, 383, 387
 - of PEG resins 9
- acidic and basic scavengers 209–211
- acidic organocatalysts
 - ion exchange resins as 250–256
 - polymers with acidic sites 260, 261
- acidity
 - cleavage of safety-catch linkers 447
 - of leaving groups 418
- acrylamide, from acrylonitrile 368, 377, 378
- acrylic acid, α -hydroxy 422
- activation, safety-catch linkers 438–442
- active esters (activated esters)
 - electrophilicity of 160, 172
 - enzyme coupling with 374
 - on N-hydroxybenzotriazole polymers 168–174
 - on N-hydroxysuccinimide (polymers) 146, 163–167, 422
 - on phenol-derived polymers 159–163
 - on poly-HBTU 148
- active sites, PTC 275
- acyl linkers 546–549
- acylation
 - carboxyl activation for 142
 - catalyzed by perfluorinated sulfonic acid polymers 257, 258
 - enzyme catalyzed 367
- 1-adamantanecarbonyl chloride 538
- ADDP (1,1'-(azodicarbonyl)dipiperidine) 125
- adsorbents, alternatives to functional resins 230, 231
- adsorption, enzyme immobilization by 373, 374
- ADTT (3-amino-1,2,4-dithiazoline-5-thione) 570
- 1,5-I-AEDANS (*N*-(iodoacetamidoethyl)-1-naphthylamine-5-sulfonic acid) 561
- aerobic oxidation 86, 89, 91
- affinity chromatography 9, 374
- aggregation
 - colorimetric studies of 50, 55
 - enzyme cross-linking and 371
 - in molecular catalysis 247
 - silica gel nanoparticles on PEG 544
 - in stepwise SPPS 500
- AIBN (2,2'-azobis(isobutyronitrile)) 30
- aigialomycins 622, 623
- alcohol dehydrogenase 368
- alcohols
 - acid catalyzed reactions 256
 - acid-labile linkers 409, 411

- acidity of, as leaving groups 418
- alkylation by supported reagents 101, 339
- α,ω -amino- 560
- benzylation 286
- as chiral auxiliaries 332–336
- dehydration, catalytic 319
- enantiopreferential effects of lipases 370
- hindered 534
- hydrogenation 322
- immobilization with acid-labile linkers 404
- kinetic resolution of secondary 377
- nucleophile-labile linkers 418, 420
- α,ω -mercapto- 561, 562
- oxidation by supported reagents 84–90
- photolabile linkers 484
- safety-catch linkers 445, 449
- scavenging of, by nucleophiles 193, 203
- aldehydes
 - chiral oxazolidine 348, 349
 - fluorous tagged 197, 198, 207
 - hydrogenation of citral 318
 - acid-labile linkers 409
 - safety-catch linkers 445
 - resin-supported 188, 189
 - scavengers 188, 189, 197, 198
 - scavenging of, by amines 207, 213, 214
 - scavenging of, by hydrazines 209, 210, 214
 - SPS using diol-based linkers 404
- aldol condensations
 - anion exchange resins and 262, 270
 - asymmetric solid-phase 344–348, 347
 - catalyzed by lipase 367
 - catalyzed by peptides 292
 - catalyzed by proline 286–289
 - catalyzed by transition metals 320, 321
 - enantiospecific 423
 - perfluorinated sulfonic resins and 259
 - retro-aldol reaction 557
 - self-aldolization 322
- Aldrich Chemicals (Sigma Aldrich) 232, 233, 366, 367, 374
- *see also* Sigma-Aldrich
- alkaloids
 - amaryllidaceae 213, 624
 - cinchona 270
 - lamellarin and saframycin 621
 - oxomaritidine 91
- alkanes
 - alkyl chains as isolation tags 629
 - traceless linkers 451, 452, 454–456
- alkene functionalized linkers 488
- alkenes
 - E/Z ratio 125, 126
 - epoxidation of 375
 - hydrogenation of dienes 318, 323
 - olefin isomerization 125, 268, 319, 320, 323
 - safety-catch linkers 445
 - traceless linkers 451–454, 456, 457
- p*-alkoxybenzyl linkers 88, 390, 488, 489
- alkylation
 - asymmetric α -alkylation 350–352, 353
 - catalyzed by perfluorinated sulfonic acid polymers 258
 - chiral alcohols and ketones 339
 - cyclohexanones 338
- alkynes
 - hydrogenation to alkenes 319
 - propargyl linkers 449
 - traceless linkers 457
- Alloc (allyloxycarbonyl) group 164, 448, 497, 498
- Altromycin B glycoside 87
- Alzheimer's disease 54, 60
- Amano PS-C 366, 367
- amaryllidaceae alkaloids 624
- amide bonds
 - covalent molecular imprinting 19
 - non-integral linkers/handles 4, 6
- amide-forming coupling processes 142–144, 154, 157
- amides
 - prepared from nucleophile-labile linkers 421
 - safety-catch linkers 443, 447
- aminal type-linkers 404, 405
- amines
 - asymmetric α -alkylation 350, 351
 - chiral auxiliaries derived from 336–341
 - enantiopreferential effects of lipases 369
 - interactions with acid-labile linkers 391, 400, 411
 - linkers for 3'-functionalized oligonucleotides 559–561
 - polymeric, as organocatalysts 260, 261, 263–270
 - quaternary, in anion exchange 127, 128
 - scavenging by electrophiles 186–192, 196–198, 201, 203
 - secondary, as nucleophiles 121, 122, 129
 - supported, as nucleophilic scavengers 186–192, 196–198, 201, 203, 213
- aminium coupling reagents 146–150, 498

amino acids *see also* peptides

- acid cleavage 407
- alkylation 277
- β -homoaarlglycines 335
- catalytic imidazolidinones 289, 290
- choice of C-terminal 500, 502
- epoxidation with 283, 284
- glutamic acid recognition 66
- hydantoins from 427
- hydrogenation of dehydro- 229
- (2*S*, 4*R*)-4-hydroxyornithine 88
- metal affinity of 241
- N-protected 147–149, 159–164, 168–170, 390, 391
- organocatalysts 285–293
- peptide coupling reactions 142
- photocleavage efficiencies 473
- proline derivatives 336, 340
- sarcosine 547
- sterically hindered 150, 151, 500
- tiopronin 53
- unnatural 517, 520

aminopropylsiloxane-grafted CPG 475

ammonium hydroxides, quaternary 105

ammonium salts in PTC 275, 278, 280

amylin 505

amyloid plaques 54, 60

anchors and linkers, oligonucleotide synthesis 545–565

anhydrides as electrophilic scavengers

- fluorous-tagged 196, 197
- resin-supported 188
- ROMP-gel 202–205

anhydrolactols 355

anion exchange resins

- catalysis by 261–263, 276
- enzyme adsorption 373
- nucleophilic reagents 127, 128
- Pd-loaded 325

ANP (3-amino-3-(2-nitrophenyl)propionic acid) linkers 475

Anteunis' racemization test 147–149, 164

anthracenes, polymer-supported 209

antibacterial silver nanoparticles 62

antibiotics

- bleomycins 619
- erythromycin and vancomycin 616
- surface imprinting 21

antibody-conjugated nanoshells 55, 56

antisense research 529, 540, 567

antisickling agents 170

antitumor activity 625

antiviral activity 74

6-APA (6-aminopenicillanic acid) 377, 378

aprotic solvents 30

aptamers; DNA 48, 49, 55, 71

arenes

- alkylation 258
- direct release 403–405
- from traceless linkers 451–454, 456–459

argadin 516–519

ArgoGels 588, 589

arsonic acids 282

arylation reactions 103

arylsulfonate resins 129

aspartame 377

asymmetric synthesis *see* chirality; stereoselectivity

ATRP (atom radical transfer polymerization) 188

aza-Baylis-Hillman reactions 265, 267, 268

aza-Wittig reaction 127

azadirachtin 87

azalactones 188

azides 132

B

backbone linkers 6

Baeyer-Villiger oxidation 282, 283, 367

BAL linkers 393–396, 510, 512, 516, 595, 596

Barton-McCombie deoxygenation 134, 135

Barton's base 126

base-labile linkers 429–432, 546–549, 554–556

base-labile resins 429–432

base reagents, solid supported

- potassium fluoride on alumina (KF/Al₂O₃) 101–104
- silica-gel bound organic bases 104–106

basic organocatalysts

- chiral 270–273
- non-chiral 263–270

bathochromic and hyperchromic shifts 73, 476, 277, 479

BAX-sulfate 221

Baylis-Hillman reactions 106, 265, 267

beads 22

benzaldehydes, nitroso- 471–273

benzaldehydes, polymer-supported 189

benzhydryl linkers 398–400, 474

benzhydrylamine resins 397, 398, 469

benzidine phosphoramidate 553

benzimidazoles 214, 215

benzodiazepines 613

- 1,5-benzodiazepines 254
- 1,4-benzodiazepinones 428, 456, 457

- benzoic acid
 - 4-(3-hydroxy-4,4-dimethyl-2-oxopyrrolidin-1-yl) 332, 334
 - 4-bromomethyl-3-nitro 469, 470
 - *p*-hydroxy- 597
 - benzoin 355, 477, 478
 - benzopyran-4-one, 6-carboxy 422
 - benzopyrans 254, 632, 633
 - benzothiazoles 434
 - benzotriazole, *N*-hydroxy- *see* HOBt
 - benzoyl protecting groups 532
 - benzyl alcohol 3-azidomethyl-4-hydroxy- 558
 - benzyl hydrazide linkers 447, 457, 458
 - benzyl hydroxylamine 586
 - benzyl protecting groups 497
 - benzyl sulfide 485, 486
 - benzylic linkers and resins *see also*
 - nitroaromatic compounds
 - *p*-alkoxybenzyl linkers 488, 489
 - hydroxybenzylic resins 418
 - substituent effects 383, 469
 - benzylidene acetal linkers 595, 596
 - β-amyloid (1-42) synthesis 504, 507, 508
 - BHA (benzhydramine) resins 397, 398, 469
 - *see also* MBHA
 - bifunctional catalysts 115, 319
 - Biginelli reaction 112, 209, 260
 - binding isotherms 32–34
 - binding properties of MIPS 31–34
 - biocatalysts *see also* enzymes
 - chemocatalysts distinguished from 247, 248
 - current status 365, 377
 - biomedical applications of nanoparticles 45, 56, 57, 69, 73
 - biomolecules *see also* oligonucleotides; oligosaccharides; peptides
 - application of solid-supported chemistry 4
 - ChemMatrix resin 9
 - molecular recognition 16
 - nanoparticle size 46
 - biorecognition 56, 59
 - biotin 54, 56, 64, 94, 166
 - biphenyl derivatives 455, 485
 - bipyridyl scavengers 212
 - bis*-glycolyl linker 563
 - bisacetoxybromate 87, 88
 - bleomycins 619, 620
 - blood-brain barrier 74, 603
 - Boc (*tert*-butoxycarbonyl) *see also* peptide synthesis
 - linkers for thioesters 510
 - protecting group for amines 11, 497
 - protecting group for piperazine 121
 - scavenging excess 218, 221
 - BOP (benzotriazol-1-yl-*N*-oxy-tris(dimethylamino)phosphonium hexafluorophosphate) 150
 - borohydrides 95
 - boronate linkers 599, 600, 601
 - boronic acids 18, 93, 94, 588, 589
 - bovine serum albumin 600
 - bradykinin 159, 421, 422
 - bromination, electrophilic 133
 - BSA (*N,O*-bis(trimethylsilyl)acetamide) 547
 - BTC (bischlorotrimethyl carbonate) 167
 - BTC (phosgene equivalent) 175, 176
 - bulk polymerization and surface imprinting 21
 - butenolides 452, 456, 618
 - buyrolactones 340, 452, 456
 - byproducts *see* side reactions
- C**
- C–O coupling reactions 321, 322
 - C-terminal amino acids 500, 502, 506, 508
 - CALA/CALB (*Candida antarctica* A/B-lipase) 375
 - callystatin 632, 635
 - CALNN pentapeptide 54
 - cancer treatment 73, 74, 91
 - capture and release *see* catch-and-release techniques
 - carbamates
 - anticholinesterase activity 67
 - enzyme linkages 374
 - intermediates 105, 106, 427, 444
 - linkers 391, 468, 474, 549, 560, 561
 - nucleophile-labile resins 422, 423
 - synthesis of 167, 392
 - carbazates 391, 392, 471
 - carbazoles 259
 - carbenes 294
 - carbodiimides *see also* DCC; DIC; DIPCDI
 - acid attachment to linkers 390, 546
 - HOSu derived polymers 166, 170
 - supported as coupling reagents 142–146, 174, 498
 - carbohydrates
 - chemoselective esterification 375
 - chiral auxiliaries derived from 330–332
 - covalent molecular imprinting and 18
 - enzyme covalent bonding to 374
 - carbon nanotubes 67, 68
 - carbon tetrahalides 123, 151

- carbonic acid derivatives
 - linkers 549–551
 - nucleophile-labile resins 422
- carbonyl group cleavage, nucleophile-labile resins 412
- carboxy-based linkers and resins 424–426, 563, 564
- carboxylic acids
 - acid-based linkers 425, 548, 549
 - enantiopreferential effects of lipases 370
 - peroxycarboxylic acids 375
 - acid-labile linkers 408
 - photolabile linkers 468, 479, 484
 - safety-catch linkers 443, 447
 - synthesis of chiral α -substituted 331, 334, 344, 345, 357–360
- carpanone derivatives 213, 625, 632, 635
- carriers, enzyme immobilization on 372–374
- catalyst-substrate co-immobilization 292
- catalysts *see also* biocatalysts; enzymes; metal-catalyzed reactions; organocatalysts; PTC
 - effects of attachment to supports 249
 - leaching of 317
 - molecular and surface catalysis 247
 - photocatalysis 294, 295
- catalytic promiscuity 367
- catch-and-release techniques 86, 212, 340, 604–606, 625
- cations
 - acidolysis leaving groups 383, 385, 402, 403
 - aminium coupling reagents 498
- CBS (Corey, Bakshi and Shibata) catalyst 93, 94
- CCTU (*S*-phenyltetramethylisothiuronium chloride) 511
- Cdc42 635
- CDI (carbonyldiimidazole) 341
- CDK (cyclin dependent kinase) inhibitors 623, 631
- cell adhesion 59
- cellular magnetic-linked immunosorbent assay (CMALISA) 59
- cellulose 10, 543
- cellulose acetate 556
- ceruloplasmin 59, 60
- cesium fluoride on alumina 106, 107
- chalcones 277, 283, 284, 290
- chelating agents
 - metal ion mediated molecular imprinting 19, 31
 - metal scavenging resins 207, 237, 240
 - PEG-GNP heterodimers 56
- chemical ligation, SPPS 508–516
- ChemMatrix resin 9, 497, 504–506
- chemocatalysts and biocatalysts 247, 248, 365
- chemometrical approach 30, 31
- ChemRoutes 231
- Chimassorb 944 282
- chiral auxiliaries 329
 - alcohols 332–336
 - amine-derived 336–341
 - enone 352–355
 - carbohydrate-derived 330–332
 - cyclohexanone as 352
 - hydrobenzoin-derived 355, 360, 361
 - oxazolidinones, oxazolidines and oxazolines 341–348
 - stereoinductive potential 358
 - sulfoxides, sulfinamides and sulfoximes as 348–351
- chiral basic catalysts 270–273
- chiral building blocks 616
- chiral column chromatography 230
- chirality *see also* stereoselective synthesis
 - asymmetric dihydroxylation 92
 - asymmetric metal catalysis 228, 229, 240
 - asymmetric synthesis of β -phosphon-malonates 107
 - chiral boranes 92–94
 - chiral oxidation catalysts 283–285
 - chiral PTC 276–279
 - chiral sulfonamides 93, 158
 - chiral sulfonates, alkylation 130
 - chiral titanium complexes 635
 - enantioselective epoxidation 88, 89
 - MIP templates and stationary phases 35
 - prochiral substrates 376
- chitosan composite (CMC) 67, 270
- cholesterol
 - FXR agonists 633
 - imprinting 19, 20, 36
- chromenes 254
- chromic acid, polymer-supported 90
- chromium arene complexes 485
- chromium carbonyl 336, 337, 459
- cinchona alkaloids 270
- citral 318
- CLEA/CLEC (cross-linked enzyme aggregates/crystals) 371
- CLEAR family resins 8, 9

- cleavage mechanisms
 - acid labile linkers 405–408
 - in aigialomycin synthesis 623
 - olefin metathesis 597
 - safety-catch linkers 438–442, 450
- click chemistry 286, 294, 374, 520, 521
- CMALISA (cellular magnetic-linked immunosorbent assay) 59
- co-oxidants, solid supported 86–88
- cobalt carbonyl 449
- cocaine 48
- cofactors 367
- colloids
 - colloidal metals 46, 47, 55, 62, 313, 318
 - PTC 276
 - synthetic use 69, 75, 544
- colorimetry *see also* optical sensors
 - aggregation studies 50, 55
 - detection of lead and mercury ions 50, 51
 - DNA functionalized GNPs 47–52
 - enzyme assay 49, 50
- combinatorial synthesis 545
 - carboxylic acid libraries 126
 - Merrifield resins 425, 426
 - MIP libraries 30
 - natural product libraries 613, 614, 616, 618, 619, 630–635
 - oligosaccharides 471, 598
 - peptides 495, 496
 - solid phase 290, 291
 - techniques applicable 185, 189, 196, 213
- computation in molecular modeling 31
- condensing agents, oligonucleotide synthesis 532, 533, 538, 546
- confocal microscopy 58
- conjugate addition reactions 344, 348
- continuous fixed-bed catalysis 258
- continuous flow synthesis 215, 216, 627
- control polymers (CP) 31, 32
- convergent approaches, SPPS 499, 500, 598
- cooperative catalytic systems 113–115
- coordination complexes, transition metal 310, 311
- core-shell strategies 24, 69, 71, 72
- coupling reagents 142
 - aminium and uronium reagents 146–150
 - carbodiimides and isoureas 142–146, 172
 - DKP suppression 471
 - oligonucleotide synthesis 530, 538, 568
- covalent enzyme immobilization 374
- covalent molecular imprinting 17–19
- covalent supporting, transition metals 310
- m-CPBA (chloroperbenzoic acid) 438, 439, 444, 452, 455
- CPG (controlled pore glass) resin
 - aminopropyl- 553, 561, 562
 - LCAA-CPG 541, 548, 556, 560, 561, 563, 564
 - 3-mercaptopropyl- 556, 586
 - NPE-linked 549–551
 - oligonucleotide synthesis 540–542, 544
 - oligosaccharide synthesis 586, 587
 - safety-catch linkers 440
 - siloxane grafted 475, 552
- CPG (*p*-(5-ethoxycarbonyl)pentyl)oxybenzyl tag 605
- cross-linking
 - Apt-GNP interparticle 55
 - CBS catalysts 94
 - ChemMatrix resin 9
 - chitosan composite (CMC) 67
 - enzyme immobilization 371, 372
 - macroporous and microreticular resins 251
 - molecular imprinting 16, 19
 - polymeric catalysts 267
 - polystyrene (PS) resins 7, 8, 84, 538
 - reactant penetration 315
 - transition metal catalysts supports and 310
- cross-linking monomers 28, 29
- cross-reactivity and selectivity, MIPs 33
- crown ethers 275, 276, 280, 389, 420
- 2-CTC (2-chlorotriyl) resins 500–502, 507, 508, 513, 517, 521
- 2-cyanoethyl protecting group 532, 535, 548
- cyclative cleavage 459, 460
- cyclic alkaloids 624
- cyclic amides 448
- cyclic linkers, acid labile 402, 403
- cyclic oligonucleotides 565
- cyclic peptides 394, 395, 426, 427, 514, 516–519
- cyclization reactions 123, 124, 127, 136, 170
 - *see also* RCM
 - intramolecular nucleophilic displacement 426–428
- cycloaddition reactions *see also* Diels-Alder reactions
 - 1,3-dipolar 344, 346, 520, 521
 - facial selectivity 335, 336
 - MCM reagents 105, 106
 - photocycloadditions 352–355
- cyclohexanone 338, 352
- cyclorelease reactions 617
- cysteine protease inhibitors 186

D

- DBU (diaz(1,3)bicyclo[5.4.0]undecane) 390, 509
- DCC (dicyclohexylcarbodiimide)
- active esters from 170
 - analog 143, 144
 - a coupling agent 159, 163, 164, 532, 549
 - peptide acylation 498, 519
- DCHA (dicyclohexyl amine) salt 509
- DCI (4,5-dicyanoimidazole) 535
- DCT (dichlorotriazine) 193, 194, 195, 198, 200, 201
- DDD (diethyldithiocarbonate disulfide) 536
- Dde 1-(4,4-dimethyl-2,6-dioxocyclohexylidene) ethyl 424
- DDQ (2,3-dichloro-5,6-dicyano-1,4-benzoquinone) 488, 601
- DEAD (diethyl azodicarboxylate) 125
- DEAE (diethylaminoethanol) 373
- decalins 618
- decarboxylation as a traceless method 458, 459
- Degussa 235, 374
- dehydration plus hydrogenation (hydrogenolysis) 323
- Deloxan 235
- dendritic structures 286, 294, 296, 591–593
- deoxygenation of water 323, 325, 326
- depsipeptide methodology 503, 506
- depsipeptides 519, 520, 614
- DHP (dihydropyran) linker 404
- diastereoselective reactions 107, 286, 330, 331, 340
- *see also* enantioselective reactions
- diazenes 425, 447
- diazo transfer reactions 132, 133
- diazomethane, diphenyl- 397
- diazonium compounds 457
- diazonium salts 191
- dibenzocycloheptadienes 402, 403
- DIC (1,3-diisopropylcarbodiimide) 162, 172
- DIEA (*N,N*-diisopropylethylamine) 504, 506, 511, 512, 519, 521
- Diels-Alder reactions
- asymmetric, decalins 618
 - δ -lactone preparation 635
 - diazene preparation 425
 - intramolecular 635
 - scavenging dienophiles 209, 220
 - stereoselective 331, 335, 336, 337, 338, 344, 347
- dienophile scavenging 209, 220
- diglycolyl 548
- dihalocarbenes 102
- diketones as scavengers 189
- dimannosides 591, 592, 593
- dimedone 434
- diminutol 631
- dioxiranes 283
- DIPCDI (*N,N'*-diisopropylcarbodiimide) 498, 503, 504, 508
- diphenyl phosphorochloridate 530, 537
- diphenyldiazomethane resin 397
- DIPHOS (1,2-bis(diphenylphosphino)ethane) 551
- dipteracin 511
- discodermolide 614, 629
- disiloxanediyl linkers 551, 552
- displacement curves, MIP binding 33
- disulfide-based linkers 556, 557, 561, 562
- 1,3-dithiane linkers 487, 488
- DKP (diketopiperazine)
- alkaloid preparation 427
 - avoidance using various coupling agents 470, 471, 500
 - peptide synthesis byproduct 402, 426, 482, 507, 512, 519
- DMAP (4-(dimethylamino)pyridine)
- acid attachment to linkers 390
 - active esters from 146, 172
 - analogs 263–265, 267, 272
 - catalysis by free and immobilized 105, 106, 146
 - polymer-bound reagents 131, 144
 - scavenging 210, 211
- DMB (3',5'-dimethoxybenzoin) 479
- Dmbb (*N*-4,5-dimethoxy-2-mercaptobenzyl) 513
- DMC (2-chloro-1,3-dimethylimidazolium chloride) 149
- DMP (2,5-dimethylphenacyl) 482, 483
- DMTr (4,4'-dimethoxytrityl) group 532, 546
- DNA *see* nucleic acids
- DNA aptamers 48, 49, 55, 71
- Dowex resins 252, 256, 263
- drug delivery with nanoparticles 45, 57, 59–61, 64, 71, 73, 75
- drug discovery *see also* pharmaceuticals
- click chemistry 521
 - library synthesis 214
 - small molecule combinatorial chemistry 3
 - solution-phase multi-step parallel sequences 183
 - use of metal ions 227–230

- DSA (4-(4-methoxyphenyl-aminomethyl)-3-methoxyphenylsulfanyl-6-hexanoic acid) linker 439, 446
- DSB (4-(2,5-dimethyl-4-methylsulfanylphenyl)-4-hydroxybutanoic acid) linker 439, 446
- DSC (differential scanning calorimetry) 320
- DTT (dithiothreitol) 556, 557, 560–563, 570
- duloxetine 93
- dye attachment techniques 266, 292, 561
- disidiolides 618, 619
- E**
- E/Z* ratio (alkenes) 125, 126
- EA[H]Q (2-ethylanthra[hydro]quinone) 324
- EC (Enzyme Commission) system 366
- EC₅₀ values 33
- E1cb reactions 429
- EDAC (ethyl 3-(dimethylamino)propylcarbodiimide) 166
- EDITH (3-ethoxy-1,2,4-dithiazoline-5-one) 536
- EDT (1,2-ethanedithiol) 504
- ee (enantiomeric excess) *see* enantioselective reactions
- EEDQ (2-ethoxy-1-ethoxycarbonyl-1,2-dihydroquinoline) 152, 153
- EGDMA (ethylene glycol dimethacrylate) 28, 261
- electrochemical sensors 36
- electron-withdrawing groups
- base-labile linkers and resins 429, 430
 - nitroaromatic resins 470
 - side reactions 470
- electroorganic synthesis 106
- electrophile scavengers *see* nucleophilic scavengers
- electrophilic reagents, solid supported
- acylating and sulfonylating reagents 131, 132
 - alkylating reagents 129, 130
 - brominating reagents 133
 - nitrogen electrophiles 132, 133
 - silylating reagents 130
- electrophilic scavengers
- fluoros tagged 194–200
 - PEG supported 157, 193, 194, 195
 - PS-resin supported 185–192
 - ROMP and ROMP-gel derived 200–205
 - silica-supported 194, 195
 - tabulated 185
- electrostatic binding of enzymes 373
- elimination reactions
- β -eliminations 554–558, 562, 567
 - PTC 276
 - unimolecular 429
- ELISA (enzyme-linked immunosorbent assay) 59
- emulsion polymerization 22–24
- enantiopreference prediction 369, 370
- enantioselective reactions *see also* chirality; diastereoselective reactions; stereoselective synthesis
- acetylation 158, 376
 - alkylation 278
 - catalysis 248, 270, 271
 - epoxidation 88, 89
 - hydrogenation 229
 - oxidoreductases 367
 - polymer reuse 331
 - reduction 93, 94
 - synthesis of grossamide 216
- endonucleases, colorimetric assay 49, 50
- enfuvirtide 500–502
- enkephalin 422
- enones 352–355, 630
- entrapment immobilization 372
- enzyme-cleavable linkers 603, 604
- enzyme mimetics, MIPs as 36
- enzymes
- colorimetric assay 49
 - targeting purine dependent 631–633
- enzymes, immobilized
- classification and availability 366
 - enantiopreference 369, 370
 - immobilization approaches 371–374
 - popular enzymes in each EC division 366–368
 - solvents 365, 367–369
- ephedrine as an auxiliary 339, 340
- epibatidine 625
- epimerization 147, 149
- *see also* racemization
- epothilones
- anticancer potential 614, 616
 - historic solid-phase syntheses 125, 613, 614, 617, 618
 - total synthesis of epothilone C 86, 91, 625, 626
- epoxides 105, 111, 260, 375, 623
- fluoros tagged 197
- erythromycins 615, 616
- ESR (electron spin resonance) spectroscopy 315
- esterification
- alcohol-polymer attachment through 332

- chemoselective, of carbohydrates 375
- hindered components 149
- interesterification 377
- involving organocatalysis 252, 256, 261, 271
- nucleoside-polymer attachment through 546
- transesterification 269, 367, 420, 421
- esters *see also* active esters
 - acid-labile linkers 390
 - linkers for oligonucleotide synthesis 532
 - nucleophile-labile resin attachment 417, 418, 420
 - phenacyl 479–481
 - stereopreferential enzymatic hydrolysis 369
- ethanol
 - 2-(4-carboxyphenylthio)- 554
 - 2,2'-dithiodi- 556, 560
 - β -sulfonyl- 562
- ethers
 - linkages, acid-labile linkers 384, 386
 - preparation by organocatalysis 252, 258, 259
- Eupergit C 374
- expressed protein ligation 514

F

- ferrofluids 57
- fexaramine 633
- films 24
- FITC (fluorescein isothiocyanate) 58, 61
- flow-through *see* continuous flow synthesis
- 9H-fluorene, 9-methylene- 207, 208
- fluorene-based linkers 429
- fluorescence imaging 58, 63, 73
- fluorescent labels 166
- fluoroboric acid on silica gel 111
- α -fluorotropinone 285
- fluorous isolation tags 613, 628, 630
- fluorous tagged electrophilic scavengers 194–200
- fluorous tagged nucleophilic scavengers 219, 220
- fluoxetine 93, 95
- Fmoc (9-fluorenylmethoxycarbonyl)-protected amines
 - in SPPS 497, 498, 510
 - product removal 207
- FMPB (4-(4-formyl-2-methoxyphenoxy)butyric acid) resin 396
- formyl (indole) linkers 396
- fostriecin 632, 635
- free-radical initiators 30
- Friedel-Crafts reactions 588
 - acylation 160, 174, 257, 261, 474, 480
 - alkylation 159, 168, 258
 - asymmetric 290
 - benzoylation 112, 113
 - intramolecular 258
- frontal chromatography 33
- frontalin 358, 359
- functional groups, acid-labile linkers 408–412
- functional monomers in MIP 25–27, 30
- functional sites
 - distribution in gel-type supports 10
 - effects of attachment to supports 249
 - number of, and catalytic activity 255, 256
- furanopyrazines 396
- FXR agonists 633

G

- GA (glutaraldehyde) 67, 371, 372, 374
- gadolinium 228
- galactosides 598, 599
- galactosylamines 330, 331
- galanthamine derivatives 632, 634, 635
- gel matrices 372
- gel-type supports 7–10, 238, 251, 539, 540
 - *see also* microporous resins; silica gel
- gene expression detection 51–53
- gene therapy 74
- germanium compounds 135, 457
- Globo-H antigen 597
- GLUT-1 protein 603
- glutamic acid recognition 66
- glutaraldehyde (GA) 67, 371, 372, 374
- glycosylation 592
- gold nanoparticles (GNPs)
 - functionalization 47–53
 - in H_2O_2 biosensors 67
 - synthesis and properties 46, 47
- gold nanoshells 55
- Golgi apparatus 635
- graft copolymers 588
- grafted linkers 586
- grossamide 216
- glycerol 323

H

- H-phosphonate method 530, 531, 534–538
 - oligonucleotide synthesis 540, 542, 548, 549, 567, 569, 570
- HAL linker 393
- halide electrophilic scavengers 192

- handles *see* linkers
- HATU (1-[bis(dimethylamino)methylene]-1*H*-1,2,3-triazolo-[4,5-*b*]pyridinium hexafluorophosphate 3-oxide) 498, 505, 506, 512
- HBTU (2-(1*H*-Benzotriazole-1-yl)-1,1,3,3-tetramethyluronium hexafluorophosphate) 147, 148, 498, 501, 504, 505
- HCTU (1-[bis(dimethylamino)methylene]-6-chloro-1*H*-benzotriazolium hexafluorophosphate 3-oxide) 498
- HDAC (histone deacetylase) inhibitors 634
- hemoglobin 67, 75
- heparin-like compounds 596
- heterocyclic structures
 - combinatorial synthesis 631
 - intramolecular nucleophilic attack 418, 428
 - polymer catalyzed synthesis 254, 263
- heterodimers, metal 55–57
- heterogeneous catalysts 101, 113
- heterogeneous polymerization 22, 23
- heterolytic cleavage 451
- heteropoly acid 112
- high loading resins 90
- high-throughput synthesis 613
- highly cross-linked PS *see* macroporous resins
- hindered acids 149–151, 500
- hindered alcohols 534
- hirudin 502, 503
- histacin 634
- HIV (human immunodeficiency virus) 74, 144
 - HIV-1 protease 515, 516
- HMB/HMBA (4-hydroxymethylbenzoic) linkers/resins 421, 511, 521
- HMFS (*N*-[9-(hydroxymethyl)-2-fluorenyl]succinamic acid) linker 429, 430
- HMPA (4-hydroxymethylphenoxyacetic acid) 386, 390
- HMPB (4-(4-hydroxymethylphenoxy)butyric acid) linker 500
- HMPPA (3-(4-hydroxymethylphenylsulfanyl)propanoic acid) linker 439, 446
- HOAt (1-hydroxy-7-azabenzotriazole) 144, 145, 498, 504
- HOBt (*N*-hydroxybenzotriazole)
 - active ester formation 143–145, 158, 162, 168–174
 - aminium and iminium salts 147, 148
 - as an additive 144, 162, 519
 - as coupling reagent 487, 498, 501, 503, 504, 508, 509
 - polymers 150, 153, 168–174
 - polymers, active ester formation 168–174
- homogeneous polymerization 22
- HOSu (*N*-hydroxysuccinimide) 148, 158, 163–168, 170, 422
- HSTU (2-succinimido-1,1,3,3-tetramethyluronium hexafluorophosphate) 148
- Human IAPP (islet amyloid polypeptide) 505
- Hünig's base 153, 155, 172
- Hunsdiecker reaction 135
- HWE (Horner-Wadsworth-Emmons) reaction 126
- hyaluronic acid (HA) 61
- hybrid approaches, SPPS 499–502
- hydantoins 427, 428, 449
- hydrazine hydrate 95
- hydrazines
 - aldehyde scavenging 209, 210
 - chiral 340, 342
 - immobilization to acid-labile linkers 391
 - nucleophilic cleavage of linkers 424, 425
 - polymer-supported 122
 - safety-catch linkers 512
- m*-hydrobenzoin auxiliaries 355–360, 361
- hydrocyanation of imines 290, 291
- hydrogen peroxide (H₂O₂)
 - biosensors 67
 - epoxidation 277
 - oxidizing resin regeneration 281
 - peroxy acids 375
 - supported catalysis 282–284
 - synthesis 324
 - thioether activation 444, 445, 554
- hydrogenation reactions
 - of alkenes and alkynes 95
 - using transition metal catalysts 316–319, 324, 325
- hydrogenolysis 323, 602, 603
- hydrolase enantipreference 369, 370
- hydrophilic PEG-based resins 8–10
- hydroquinone-*O*,*O'*-diacetic acid 548
- hydrosilylation reactions 320
- hydrosols 69
- hydroxamic acids, supported 176
- α -hydroxyacetone oxime 558
- N*-hydroxybenzotriazole *see* HOBt
- hydroxyl groups
 - attachment 330, 332
 - chemoselective esterification 375
 - covalent molecular imprinting 18

- functionalization of resins and linkers 420–422
- 4-hydroxyproline 286, 287
- hyperbranched soluble resins 591–593
- hyperchromic shifts 476–479
- hypervalent iodine reagents 84, 85

I

- IBX (*o*-iodoxybenzoic acid) 84, 85
- ICP-MS (inductive coupled plasma mass spectrometry) 230
- IIDQ (2-isobutoxy-1-isobutoxycarbonyl-1,2-dihydroquinoline) 153
- imatinib 633
- imidazole
 - 1,1'-carbonyldi- 550
 - imidazole-based liquids 221
 - 1,1'-oxalyldi- 548
- imidazolidinones 289, 290
- imidazolium organocatalysts 293, 294
- imines, diastereoselective allylation 340, 343
- iminium ions 622
- iminophosphoranes 269
- immobilized reagents *see* solid-supported reagents
- immunofluorescence detection 62, 63
- immunoglobulins 56
- imprinting *see* binding; MIP; molecular imprinting
- imprinting factors 32
- incarceration of catalysts 89
- indolactams 615, 616
- inductively coupled plasma optical emission spectrometry (ICP-OES) 58
- iniferter (initiator-transfer agent-terminator) approach 24
- inorganic chemistry, medicinal 228
- integral linkers 4, 5, 384, 586
- internal reference amino acids (IRaas) 6, 7
- intramolecular processes
 - cyclization 449, 482, 516
 - Diels-Alder reactions 635
 - N to S acyl shift 513
 - nucleophilic 418, 426–428
- iodobenzene derivatives 103, 104
- ion exchange resins *see also* anion exchange
 - acidic organocatalysts 250–256
 - enzyme immobilization using 373
 - mixed acid and basic 263
 - perfluorinated 311
- ionic gels 238, 239
- ionic liquids 220–222, 594
- IRaas (internal reference amino acids) 6, 7
- iron oxide nanoparticles (IONPs) 57–61
- irregular shaped particles
 - molecular imprinting 21
 - organic nanoparticles 69, 70, 71
 - silica scavenger supports 237
- ISEC (inverse steric exclusion chromatography) 315, 320
- isobutryl protecting groups 532
- isocyanate electrophilic scavengers
 - fluorous-tagged 196, 197
 - resin-supported 185–188, 204
 - silica-supported 194
- isocyanates, scavenging of 212, 217
- isolation tags 605, 613, 627–630
 - *see also* fluorous isolation tags; magnetic labeling; SPOT
- isonitrile-functionalized polymer supports 317
- isotherm models 32–34
- isourea coupling reagents 142–146
- isoxazole and isoxazolines 425
- isoxazolinoisoquinolines 432

J

Johnson Matthey Chemicals 236

K

- Kaiser resin 174, 175
- Kazlauskas' rule 369, 370, 376
- KCL (kinetically controlled ligation) 514
- ketones
 - α -alkylation 339
 - diketones as scavengers 189
 - enantioselective reduction 367
 - methyl isobutyl (MIBK) 322, 323
 - released from acid-labile linkers 411
 - SPS using diol-based linkers 404
 - traceless linkers 453
- kinase inhibitors 623, 631–633
- kinetic resolution 367, 369, 376, 677
 - *see also* enantioselective reactions
- Knoevenagel reactions 104, 105, 107, 263, 269, 270
- Knorr linkers 398

L

- lactams
 - β -lactams 271, 348, 349
 - ϵ -lactams 460
 - medium ring 170, 171
- lactoferrin 59, 60
- δ -lactones 632, 635
- lagunapyrone 629
- lamellarin family 621

- Langmuir binding isotherms 32
 - lanthanide catalysis 320, 321
 - laser ablation 69
 - LCAA (long-chain alkyl amide)-CPG 541, 548, 556, 560, 561, 563, 564
 - leaching of catalysts 317, 321, 374
 - lead (Pb^{2+}), colorimetric detection 50, 51
 - leukemia 633
 - library syntheses
 - amide and sulfonamide 162, 172, 186, 194, 197, 422
 - amino acids and ureas 196, 197
 - application of scavengers 184, 187–190, 199, 203, 214–216
 - benzodiazepines 456, 457
 - carbodiimides 145, 146
 - DCC resins 144, 186
 - enzymes and other natural product families 616, 618, 619, 625, 627, 630–635
 - MIP libraries 30
 - nucleotides 558
 - oligosaccharides 594, 598
 - peptides and related substances 85, 291, 427, 450, 489
 - Taxol analogs 614–616
 - the Wittig reaction 126, 614
 - ligand exchange reactions 311
 - linalool 319
 - linderol A 92
 - linker combinations 560
 - linkers 4–7
 - *see also* chiral auxiliaries; cross-linking
 - 1,3-dithiane 487, 488
 - alkene functionalized 488
 - cleavage mechanisms 597, 602–604
 - distinguished from supports/resins 4, 585
 - disulfide-based reduction 556, 557
 - GNP functionalization 47, 48
 - integral and grafted 586
 - MNP functionalization 55, 56
 - oligonucleotides 559–564, 566
 - *p*-alkoxybenzyl 88, 488
 - preformed 384
 - protecting groups or reagents 387
 - sub-linkers 356, 360
 - linkers, acid-labile 501
 - benzyl and alkoxybenzyl 383–387, 390, 391, 394
 - cleavage mechanisms 405–408
 - cyclic 402, 403, 511
 - design 383–387
 - integral vs preformed linkers 384
 - leaving group stability 384–386, 418
 - oligonucleotides 545, 546, 553–558
 - oligosaccharide synthesis 594–596
 - peptide thioester formation 512
 - RNA synthesis 564
 - safety-catch (SCAL) 439, 446
 - types of linker 387–405
 - use for common functional groups 408–412
 - linkers, base-labile 429–432, 546–549, 554–556, 596, 597
 - linkers, nucleophile-labile 418
 - linkers, oxidatively cleaved 601, 602
 - linkers, photolabile *see also* nitroveratryl linkers; photocleavage
 - 3'-carboxylalkyl nucleosides 564
 - functionalized phenacyl linkers 477–483
 - miscellaneous 485–487
 - nitrobenzyl-derived linkers 467–477
 - nucleoside 3'-carbonates 551
 - oligosaccharide synthesis 597, 598
 - pivaloyl linkers 484, 485
 - linkers, reductively cleaved 602
 - linkers, safety-catch 437–450
 - *see also* safety-catch principle
 - overview of linker types 438–442
 - PEG-supported oligonucleotide synthesis 567
 - peptide thioester preparation 510, 511
 - photolabile safety-catch 482, 483
 - linkers, traceless 450–460
 - lipases 366, 367
 - liquid chromatography and MIPs 34, 35
 - liquid-phase synthesis *see* soluble polymer supports
 - LNT (N-tetrose) 586, 587
 - loading and enzyme activity 372, 373
 - low cross-linked polystyrene 538, 539
 - lyophilized enzyme powder 370
- ## M
- macrolactonization reactions 144
 - macroporous (maroreticular) resins
 - catalytic application 253, 254, 315, 316
 - distinguished from microreticular 251
 - macroporous silica 541
 - metal scavenging 238
 - oligonucleotide synthesis 540
 - macrosphelides 618, 620
 - magnetism *see also* MRI; NMR spectroscopy
 - magnetic labeling 57
 - magnetic particles 588, 589
 - nanoparticles 61, 211, 212
 - superparamagnetic behavior 57
 - maleimide, poly(ethylene-co-N-hydroxy- 163

- maleimide electrophilic scavengers
 - 189–191
- malonyl anchors and linkers 548, 557
- MAMP (Merrifield alpha methoxy phenyl) linker 398, 400
- mandelic acids 356, 358, 520
- Mannich-Michael reactions 331
- Maraviroc 144
- mass sensitive sensors 36
- mass spectroscopy 230, 635
- MBHA (*p*-methylbenzhydramine) resins 4, 5, 397, 419, 508, 509
- MCM-41 (Mobil's Composition of Matter-41) 105, 266
- medicinal inorganic chemistry 228
- membranes *see also* cellulose
 - molecular imprinting 24
 - polyolefinic 11
- α -mercaptobenzhydryl linker 400
- mercaptopropionic linker 508
- mercury (Hg^{2+}) colorimetric detection 50, 51
- Merrifield resin (chloromethyl polystyrene) 389–391, 393, 394, 586
- “meso trick,” 376
- mesofluidic flow reactors 627
- metal-based therapies 227, 228
- metal-catalyzed reactions *see also* transition metal catalysts
 - $\text{KF}/\text{Al}_2\text{O}_3$, 102, 103
 - pharmaceutical use 228, 229
 - removal of residues 206–209
- metal colloids 313
- metal heterodimers 55–57
- metal ion mediated molecular imprinting 19, 20
- metal nanoparticles *see* MNPs
- metal scavengers
 - producers and products 231–236
 - resin type 237–239
- metal sensors containing DNAzymes 51
- metalloproteinase inhibitors 215
- methacrylic acid monomer 17, 25
- methoxylation reactions 106
- MIA (molecularly imprinted sorbent assays) 35
- MIBK (methyl isobutyl ketone) 322, 323
- Michael acceptors 189, 265
- Michael additions
 - anion exchange catalyzed 263
 - enantioselectivity 270
 - iminophosphoranes 269, 270
 - lipase catalyzed 367
 - pyrroles with ketones 253
- Michael reactions
 - aza-Michael-Knoevenagel 105
 - phospho-Michael reaction 107
 - thia-Michael reaction 108, 110
- “microgels,” 212, 313
- microporous (microreticular) resins
 - distinguished from macroporous 251, 315
 - as transition metal catalyst supports 313, 314
- milling 69
- MIP-QCM sensors 36
- MIPs (molecularly imprinted polymers)
 - applications 34–37
 - characterization 31–34
 - chemical and physical properties 34
 - design 25–31
 - films and membranes 24, 66
 - formats 19–24
 - homogeneous and heterogeneous polymerization 22, 23
 - imprinting factor 32
- MISPE (molecularly imprinted polymer solid-phase extraction) 35
- Mitsunobu reactions 125, 131, 132, 444, 513
- MNPs (metal nanoparticles)
 - gold nanoparticles 46–55, 67
 - iron oxide NPs 57–61
 - nanoshells and metal heterodimers 55–57
 - nanowires 65–67
 - oxidizing agents 89
 - quantum dots 62–65
 - reducing agents 95
 - silver nanoparticles 61, 62
 - transition metal catalysts based 311, 314, 318, 325
- modified surface type supports 10–12
- molecular catalysts 247
- molecular imprinting 15–19
 - *see also* MIPs
 - films and membranes 24
 - nanowires 66
 - optimization of conditions 30, 31
 - organocatalysis using 294–296
 - sensors based on 35, 36
- molecular modeling and MIP design 31
- molecular recognition 15, 46, 54
- molecularly imprinted polymer solid-phase extraction (MISPE) 35
- molecularly imprinted polymers *see* MIPs
- molecularly imprinted sorbent assays (MIA) 35

monomers in MIP design 25–28
 Morita-Baylis-Hillman reaction 265
 morpholine and its derivatives 430, 535, 541
 Mosher acids/amides 145, 165
 MPA (3-mercaptopropionic acid) 514
 MPEG (monomethyl polyethyleneglycol) resins 590
 MRI (magnetic resonance imaging) 45, 46, 56–60, 227
 mRNA 52, 53
 MS-Cl (mesitylenesulfonyl chloride) 532
 MSNT (1-(mesitylene-2-sulfonyl)-3-nitro-1*H*-1,2,4-triazole) 390, 532, 565
 Mukaiyama reagent 154, 155
 multi-step total syntheses 115, 183
 multi-supported reagents 88, 89
 “Multipin concept,” 11
 murisolsins 629
 muscone 617
 myoseverin 631

N

N–O bonds, hydrogenation 324, 325
 $n \rightarrow \pi^*$ absorbances 476, 477
 N-terminal amino acids 506, 508
 N to S acyl shift 510, 513, 314
 NAD (nicotinamide adenine dinucleotide) 367
 Nafion resins 256–261, 311, 321, 322
 nanoparticles (NPs) *see also* MNPs
 – biomedical applications 45
 – carbon nanoparticles 67, 68
 – magnetically tagged 211, 212
 – organic nanoparticles 68–75
 – silica nanospheres 113, 231, 544
 nanoshells and metal heterodimers 55–57
 nanowires 65–67
 native chemical ligation (NCL), SPPS 508–516
 natural products
 – combinatorial synthesis 630–635
 – immobilizing core structures 614–616
 – immobilizing reagents 623–627
 – solid-phase synthesis 616–623
 – using isolation tags 627–630
 NBB (3-nitrobenzamido benzyl) resins 418–421, 469
 NBH (2-nitrobenzhydryl) resins 474
 NBOC (2-nitrobenzyloxycarbonyl) group 468
 NBS (*N*-bromosuccinimide) 511
 NCL (native chemical ligation), SPPS 508–516
 NCPS (noncross-linked polystyrene) 628
Neisseria meningitidis 590, 591
 nickel nanoparticles 95
 NIPA (*N*-(2-iodylphenyl)-acrylamide) resin 85
 NIS (*N*-iodosuccinimide) 605
 nitrile-converting enzymes 368, 377
 nitrite, polymer-bound 132, 133
 nitroalkenes 104, 106, 125
 nitroaromatic compounds 112, 168, 169, 324
 – 3-nitro-4-chlorobenzyl alcohol 169
 – *p*-nitrophenyl hydrogenation 324
 – photolabile 467–477, 551, 597
o-nitrobenzyl linkers 468, 476, 477
 – 1-(2-nitrophenyl)-1,3-propanediol 558
 – 5-hydroxy-2-nitrobenzyl 471, 474
 – 2-hydroxymethyl-6-nitrobenzyl 561
 – α -substituted 474, 475
 nitrogen BET adsorption 320
 nitrogen electrophiles 132, 133
 nitrogen oxidation 447
 nitroveratryl linkers 471–474, 484, 485, 551, 558, 560
 – NVOC 468, 484, 485
 NMM (*N*-methyl morpholine) 151, 155–157
 NMO (*N*-methylmorpholine *N*-oxide) 86, 87
 NMP (*N*-methylpyrrolidone) 511
 NMR spectroscopy 315, 540
N,N-dimethylacrylamide 311
 non-chiral oxidation catalysts 280–283
 non-covalent molecular imprinting 16, 17, 25–27
 non-integral linkers 4–6
 non-specific binding 31
 norbornenes 200, 202, 222, 347
 norzooanemonin 89
 Novozym 435, 366, 367, 373, 375–377
 NPE (2-(4-nitrophenyl)ethyl) linker 429, 430, 547, 549–551, 556
 NPEOC (2-(4-nitrophenyl)ethoxycarbonyl) 547, 549, 560
 nuclear localization sequences 54
 nucleic acids *see also* oligonucleotides
 – GNP functionalization 47–53
 – mRNA 52, 53
 – RNA interference 570
 – synthesis involving safety-catch linkers 448
 nucleophile-labile resins and linkers 417–428

- intermolecular nucleophilic displacement 420–425
- intramolecular nucleophilic displacement 426–428
- nucleophile scavengers *see* electrophilic scavengers
- nucleophilic organocatalysts 293
- nucleophilic reagents, solid supported 121–128
 - anchored to anion exchange resins 127, 128
 - phosphanes 123–125
 - secondary amines 121, 122
 - Wittig reagents 126, 127
- nucleophilic scavengers 206–216
 - ionic liquids 220–222
 - silica-supported 217–219
- nucleoside 3'-(hemi)succinates 541, 543, 544, 546
- NVOC (6-nitroveratryloxycarbonyl) group 468, 484, 485, 497, 498

O

- O-acyl isopeptide method 506–508
- O to S acyl shift 510, 512, 513
- OBAC (oligomeric bis-acid chloride) 203, 204
- obliquine 213
- OCMC (O-carboxymethylchitosan) polymer 60
- O'Donnell-Corey-Lygo methodology 277, 279
- olefin isomerization 125, 268, 319, 320, 323
- olefin metathesis 597
 - *see also* RCM
- olefins *see* alkenes
- oligomannosides 600
- oligonucleotides *see also* biomolecules; nucleic acids
 - H-phosphonate method 534–538
 - linkers for 3'-functionalized 557–564
 - phosphite triester and phosphoramidite methods 534–536
 - phosphodiester and phosphotriester methods 530–533
 - photorelease 482
 - polymer-supported reagents 568–570
 - quantum dots and 63
 - soluble polymer supports 565–568
 - suitable linkers and anchor groups 545–565
 - suitable solid supports for synthesis 538–544
 - synthesis 430, 450, 531, 559–564
- oligosaccharide synthesis
 - capture and release techniques 604–606
 - linkers 594–604
 - magnetic particle isolation 588
 - using DMAP 425
 - using insoluble resins 586–589
 - using nitroveratryl linkers 471, 472
 - using *p*-acylaminobenzyl linkers 489
 - using soluble resins 590–594
- olomoucine 631, 632
- one-pot reactions
 - Bayliss-Hillman reaction 267
 - using catalytic resins 254, 263
 - using mixed acid and base 114–116
 - yielding imides 108
 - yielding ONPs 70
 - yielding opioids 319
- OPC (oligomeric phosphonyl chloride) 205, 206
- opsomization 74
- optical encoding 633
 - *see also* radiofrequency encoding
- optical properties of nanoparticles 47, 73
- optical sensors 35, 36
 - *see also* colorimetry
- optically active compounds *see* chirality
- optimization studies, molecular imprinting 30, 31
- organic bases, silica-gel bound 104–106
- organic nanoparticles (ONPs)
 - functionalization 70–72
 - synthesis and properties 68–70
 - types and applications 73–75
- organocatalysts
 - amino acids as multifunctional 285
 - attempted definition of 248
 - imidazolium, thiazolium and related structures 293–294
 - phase transfer catalysis 273–280
 - polymer supported acidic 250–261
 - polymer supported amino acids and peptides 285–293
 - polymer supported basic 261–273
 - polymer supported oxidation 280–285
- organometallic catalysts *see* transition metal catalysts
- OSC (oligomeric sulfonyl chloride) 204
- osmium tetroxide 86, 91, 92
- oxalyl anchors 548
- oxazolidines 341–348, 504
- oxazolidinones 341–348, 404, 406, 423, 425, 513
- oxazolines 214, 215, 341–348

oxidatively cleaved linkers 601, 602
 oxidizing agents, solid supported
 – aerobic oxidation 86, 89, 91
 – functional resin applications 90–92
 – multi-supported reagents 88, 89
 – newly-developed 84–90
 oxidoreductase biocatalysts 367, 368
 oxime, α -hydroxyacetone 558
 oxime (*p*-nitrobenzophenone oxime) resin
 422, 423, 426, 427
 oxomaritidine 91
 Oxone 281, 283, 285
 oxyacyl resins 420
 oxytocin 421
 ozonolysis 125, 488

P

P- see *abbreviation for monomer*

p-nitromandelic acid 520
 PACM (poly-*N*-acryloylmorpholine) 567
 PADS (bis(phenylacetyl) disulfide) 536
 PAL-PEG-PS resin 505, 521
 PAL (peptide amide linker) linker 393
 palladium catalysis
 – allylation 443
 – cleavage 458
 – commercial applications 322–325
 – cyclizations 425
 – incorporation in a resin matrix 311–313, 325
 – resin-supported 315–319
 – Suzuki reaction 618
 palladium scavengers 206–208, 211, 212, 218, 231, 239, 240
 PAM (4-(hydroxymethyl)phenylacetamidomethyl) resins 420, 421, 508, 509, 511, 519
 PAM linker 390, 419
 PAMAMs (poly(amidoamine) dendrimers) 592, 593
 PAN (polyaniline) 324
 paroxetine 376
 particle shape and size
 – molecular imprinting 21
 – optical properties 73
 – size distribution 34, 69, 70, 237
 passifloricins 629
 patents 496
 pathogen detection 63
 PDI (para-diisocyanate) 186
 PDT (photodynamic therapy) 227, 228
 PEG (polyethylene glycol) resins *see also*
 ChemMatrix; SPOCC
 PEG-bound triphenylphosphane 124
 PEG-HOBt polymer 173

PEG isolation tags 613, 627, 628
 PEG-NP conjugates 54, 56, 73, 74
 PEG-PS (poly(ethylene glycol)-polystyrene) resins 8
 – *see also* TentaGel
 – hydrophilic PEG-based resins 8–10
 – oligonucleotide synthesis 540, 544
 – oligosaccharide synthesis 588
 – peptide synthesis 497
 PEG-supported chlorotriazines 156, 157
 PEG-supported electrophilic scavengers 193, 194
 PEG-supported nucleophilic scavengers 212
 PEG-supported oligonucleotide synthesis 565
 PEG-supported proline 288
 PEG-supported PTC catalysts 278
 PEGA resin 9, 588
 PEI (polyethyleneimine) 373
 pellicular solid supports 11, 12
 penicillins 377, 378
 pentaerythritol 2-mercaptoalkyl sulfides 241
 peptide aldehydes 85, 488, 489
 peptide coupling reactions
 – carbodiimide reagents for 142, 145
 – chlorinated triazines 156
 – DCC 163, 164
 – DMC 149
 – EEDQ 153
 – HOBt 169, 173
 – HOSu 163
 – P-BOP 150, 151
 – suppressing DKP formation 471
 – using active esters 158, 159
 peptide homodimers 515, 516
 peptide-oligonucleotide conjugates 540, 562
 peptide synthesizer use 285, 504, 541
 peptides *see also* biomolecules; SPPS
 – acid-labile linkers 387, 389–391, 393–398, 400, 402, 404–407
 – nanoparticle functionalization 53–55, 57–61
 – nucleophile-labile resins 420–422, 424–427, 430, 431
 – pharmaceutical significance 495
 – photolabile linkers 467–471, 475, 479–481, 483–485
 – safety-catch resins 444, 446, 447, 449, 450
 – scavenger, in synthesis 407, 408
 – supported, as organocatalysts 285, 290–293

- peptidotriazoles 521
- perbenzoic acid, *m*-chloro 438, 439, 444, 452, 455, 535
- perchloric acid on silica-gel 110, 111
- perfluorinated ion exchange polymers 311
 - *see also* Nafion resins
- perfluorinated sulfonic acid polymers 256–260
- periodate resins 84, 90
- PGA (poly(γ -glutamic acid)) 62
- “pH memory” 369
- pharmaceuticals *see also* drug delivery; drug discovery
 - MISPE analysis 35
 - nanoparticle use 46
 - peptides as 495
- phase-switch purification 212
- phase transfer catalysts 389
- phenacyl linkers 477, 479–483
- phenols
 - deprotecting phenolic linkers 448
 - released from acid-labile linkers 409
- phenylseleninic acid 283
- phosgenes 124, 131, 175, 176, 423, 428
- phosphatase inhibitors 618
- phosphines (phosphanes) *see also* triphenylphosphines
 - Mitsunobu reaction 131, 132
 - supported, as nucleophilic reagents 123–127
 - supported, as nucleophilic scavengers 207, 208
 - supported, as organocatalysts 263–270
- phosphite triester method 534–536
- phosphitilation 537, 569
- phosphodiester method 530–533, 541
- phosphodiesterase inhibitors 173
- phosphonium ions, acetonyl 261
- phosphonium salts
 - PTC 275, 278, 280
 - SPPS coupling reagents 498
 - traceless linkers 458
- phosphoramidate and phosphorothiolate linkers 553, 554
- phosphoramidite method, oligonucleotides 534–536
 - applications 549, 551, 556, 558, 560, 564, 567
 - compared to alternatives 533, 538, 569, 570
 - suitable supports for 540–544
 - trityl linkers 544–546
- phosphorochloridates 530, 537, 569
- phosphorothioates 570
- phosphorus derivatives, as coupling reagents 150, 152
- phosphotriester method 532, 533
- photocatalysis 294, 295
- photocleavage 450, 455, 459, 592, 593
 - *see also* linkers, photolabile
- photocyclizations/photocycloadditions 352–355, 483
- photoenolization 482, 483
- “phoxime” resin 423, 428
- phthalimide linkers 560, 561
- phthaloyl linkers 549
- physical properties of MIPs 34
- physicochemical methods, pore structure analysis 315, 316
- Pictet-Spengler reactions 421, 427, 621, 622
- Pinnick type oxidations 89
- piperazines *see also* DKP
 - piperazine-2-carboxamides 422
 - polymer bound 121, 569
- piperidines
 - stereoselective synthesis 330, 333
 - thioester lability 509–514
- $\pi \rightarrow \pi^*$ absorbances 476, 477
- pironetin 635
- π -shielding 335
- pivaloyl chloride 537, 538
- pivaloyl linkers 484, 485
- pK_{aH} values 418
- plasmons *see* SPR detection
- platelet-derived growth factors (PDGFs) 55
- platinum 228, 240, 318
- plicamine 624
- PMMA (poly(methyl methacrylate)) 176
- Pnm (*p*-nitromandelic acid) 520
- pochonin D 625, 627
- POEPS (polyoxyethylene-polystyrene) and POEPOP (polyoxyethylene-polyoxypropylene) resins 9, 588
- poly(4-iodostyrene) 283
- poly-L-lysine 543
- polyacrylamide resins 541, 542, 554
- polycationic ultra-borohydride 95, 96
- polyesters, hyperbranched 591, 592
- polyethylene, macroporous 544
- poly(ethylene-*co*-*N*-hydroxymaleimide) 163
- poly(ethyleneglycol) *see* PEG
- polylactamines 596
- polymer beads 22, 23
- polymer functionalization with IONP 61
- polymer incarcerated metals 89, 95
- Polymer Laboratories 233–235
- polymer-supported organocatalysts
 - acidic 250–261

- amino acid 285–293
- basic 261–273
- polymer-supported oxidation catalysts
 - chiral 283–285
 - non-chiral 280–283
- polymer-supported reagents *see* solid supported
- polymerization
 - initiation 30
 - outcome 34
 - pre-polymerization mixtures 21, 22
- poly(*N*-isopropylacrylamide) 256, 318
- poly(*N*-vinyl pyrrolidone) 325
- polyolefinic membranes 11
- polyoxyethylene *see* POEPS
- polypeptides *see* peptides, proteins
- polypropylene, surface modified 544
- polypyrrole 66
- polysaccharides 543
 - *see also* oligosaccharide synthesis
 - disaccharide libraries 594
 - dodecasaccharides 597
 - tetrasaccharides 590, 591, 596
 - trisaccharides 590, 591, 603, 604
- polysialic acids (PSAs) 56, 57
- polysphorin 96
- polystyrene (PS) resins 7, 8
 - *see also* PEG-PS
 - aminomethyl- 540, 564
 - chloromethyl- 165, 384, 387, 569
 - conventional sulfonated resins 250–254
 - grafted onto PTFE 540, 541, 545
 - hydroxyethyl- 386
 - low cross-linked polystyrene 538, 539
 - microporous, as redox reagent support 84
 - modified sulfonated resins 254–260
 - noncross-linked (NCPS) 628
 - oligonucleotide synthesis 538–541
 - oligosaccharide synthesis 586–588
 - polystyrene-thiophenol 166
 - “popcorn” polystyrene 532, 538, 545
 - sulfonated, *s* acid catalysts 250–260
 - thermal stability 326
- polystyrene supported reagents
 - carbodiimide coupling reagents 142, 143
- polystyrene supported scavengers
 - electrophilic 185–192
 - metal 237–239
 - nucleophilic 206–216
- poly(vinyl acetate) 543, 567
- poly(vinyl alcohol) 189, 190, 543, 567
- polyvinyl pyridinium sulfonate 569
- polyvinyl pyrrolidone 567
- “popcorn” polystyrene 532, 538, 545
- pore structure in microporous resins 315, 316
- porogens
 - macroporous and microreticular resins 251, 315
 - MIP design 28–30
 - pre-polymerization mixtures 21
- potassium fluoride on alumina (KF/Al₂O₃) 101–104
- potassium hydroxide 107
- PPA/SiO₂ (polyphosphoric acid on silica) 108, 113, 114
- PPOA ((4-(2-bromopropionyl)phenoxy)acetic acid) 481
- PPTS (pyridinium *p*-toluenesulfonate) 404
- pre-polymerization mixture 21, 22
- precipitation of metals within a polymer 311–313, 314
- preformed linkers 384
- pregalbin 229
- prochiral substrates 376
- progesterone derivatives 166
- proline and its derivatives *see also* pseudoprolines
 - CBS catalyst 93, 94
 - DMAP analog 272
 - organocatalysts 286–290
 - prolinol-derived chiral auxiliaries 336, 340
- 1,2-propanediol 323
- 1,3-propanediol 376
 - 1-(2-nitrophenyl)- 558
- propargyl alcohol 449
- 2-propene-2-ol hydrogenation 317
- propionic acid
 - 3-(4-hydroxymethylphenoxy)- 501
 - 3-(propyl)mercapto- 592, 593
- prostaglandins 617, 618, 628
- protecting groups
 - linker activation by removal 448
 - nucleosides 532
 - peptide synthesis 497, 498
- protective group strategies 437
- protein microarray technologies 64
- protein trafficking 635
- proteins *see also* peptides
 - GNP functionalization with 53–55
- prot(i)odesilylation 403, 456
- proton acceptors 498
- PS-EDC (1-ethyl-3-(3-dimethylamino-propyl)carbodiimide hydrochloride 145, 146

PSDIB (polymer-supported diacetoxiodosobenzene) 88
 pseudoephedrine 339
 pseudolatexes 69
 pseudoprolines (PPro) 503–506, 508
 PSP (polymer-supported perruthenate) 90, 91
 PTC (phase transfer catalysis) 270
 – chiral PTC 276–278
 – non-chiral PTC 273–276
 – oxidation catalysis 281
 – soluble supports 278–280
 purification *see also* scavengers
 – adsorbents 230, 231
 – application of solid-supported chemistry 4
 purvalanol 631
 PVP (poly(vinyl pyridine)) 260
 – poly(2-vinylpyridine) 316
 – poly(4-vinylpyridine) 324
 PyAOP (7-azabenzotriazol-1-yl-oxytris(pyrrolidino)phosphonium hexafluorophosphate) 498
 PyBOP (benzotriazol-1-yl-oxytris(pyrrolidino)phosphonium hexafluorophosphate) 498, 511, 517
 pycnometry 320
 pyrazolo-pyrimidine carboxamides 186, 187
 pyrazolo-pyrimidines, 4-amino 216
 pyridinium salts 154, 260
 pyridyl N-oxide 272
 pyrimidines 175, 444, 453
 pyrrolidines, cycloaddition 190
 pyrrolo[2,1-c][1,4]benzodiazepines (PDBs) 91

Q
 Q linker 548, 549
 QCM (quartz crystal microbalance) sensors 36
 quantum dots 62–65
 QuardaPure 233
 quaternary amine functionality
 – anion exchange resins 127, 128
 – cinchona alkaloids 276, 278
 quaternary ammonium salts 211, 220, 221, 262, 351
 quinine 270, 272
 quinoline
 – 2-isobutoxy-1-isobutoxycarbonyl-1,2-dihydro-153
 quinolines
 – isoquinolines and 431
 – N-acyl-dihydro 447

R
 racemization *see also* epimerization;
 stereoselective synthesis
 – avoiding 500, 502, 507, 511
 – tests 147–150, 164
 radical-mediated reactions 134–136, 479, 484
 radicicols 625, 630
 radiofrequency encoding 616, 619
 RANTES synthesis 505, 506
 RCM (ring closure metathesis) 460, 617, 618, 623
 reagents, excess 4, 184
 Reaxa 233
 recognition *see* biorecognition; molecular recognition
 reducing agents, solid supported 92–96
 – *see also* oxidizing agents
 – metal nanoparticle precipitation 312, 313
 reductively cleaved linkers 602
 regioselective phosphitilation 569
 REM (regenerative Michael acceptors) resin 430, 431, 439, 445
 reporter molecules 35, 64, 65, 633
 resins *see* solid supports
 resorcylic macrolides 622, 630
 reversed micelles 370
 rhodium catalysis 229, 231, 320, 336
 ring closure *see* cyclization reactions; RCM
 Rink acid resin 398, 399, 594, 596
 Rink amide 387, 388, 393, 398
 Rink amino methyl resin 507
 RNA interference 570
 ROMP (ring-opening metathesis polymerization) 126, 146, 149, 164, 165
 – electrophilic scavengers 200–205
 – nucleophilic scavengers 222
 Rose Bengal 295
 rosiglitazone 90
 RPMA (reverse-phase protein microarrays) 64, 65
 Ru-TsDPEN 94, 95
 ruthenium catalysis 229, 323, 377, 460
 ruthenium derivatives (PSP) 90, 91
 ruthenium scavenging 208, 209, 218, 240, 241

S
 sacrificial spacer approach 19, 20
 safety-catch principle 431, 455, 479, 554
 – *see also* linkers, safety-catch
 saframycin 621, 622
 sarcodictyins 614–616

- sarcosine 547
- Sasrin linkers 384, 386, 393, 500
- Sasrin resin 419, 421
- sawfly sex pheromones 629
- SAXS (small angle x-ray scattering) 320, 568
- SCAL (safety-catch acid-labile) linkers 439, 446
- scavengers *see also* purification
 - current status 183–185
 - dienophiles 209
 - electrophilic scavengers 157, 185–205
 - excess reagent 625–627
 - metal scavengers 231–236
 - natural product synthesis 624
 - nitrosobenzaldehyde side products 471
 - nucleophilic scavengers 205–222
 - osmium tetroxide 86
 - peptide synthesis 407, 408
 - phase-switch purification 212
 - reactive cations 406
 - tagged scavengers 184
 - water 407
- scavengers of electrophiles *see* nucleophilic scavengers
- scavengers of nucleophiles *see* electrophilic scavengers
- SEC (size-exclusion chromatography) 55, 591, 592
- secondary metabolites 614, 616
- secramine 634, 635
- seed particle polymerization 24
- selectivity, hydrogenation over Pd 317
- selectivity, MIPs 33, 35
- selenilic acid, phenyl- 283
- selenium-based resins 633
- selenium linkers 445, 456
- selenization 570
- SEM (scanning electron microscopy) 21, 23, 66
- semi-covalent molecular imprinting 19, 20
- semiconducting nanomaterials 62, 63, 65–57
- semiconductors
 - quantum dots 62, 63
- sensors
 - CNTs 67
 - DNAzymes 51
 - MIPs 35, 36
- sequestration *see* scavengers
- side-chain anchoring 512, 516–519
- side reactions
 - silane-based scavengers 407
 - trityl-based linkers 400
 - nitroaromatic resins 470–474
 - oligonucleotide synthesis 531, 533, 546, 547
 - SPPS 507
 - trimannoside synthesis 605
 - Wang resins 5, 6
- Sieber amide 402, 500
- Sigma-Aldrich (Aldrich Chemicals) 232, 233, 366, 367, 374
- silanes
 - cation scavengers 407
- sildenafil 173, 174, 625
- silica composite beads 24
- silica gel-bound organic bases 104–106
- silica gel-supported reagents 109
 - fluoroboric acid 111
 - heteropoly acid 108, 112
 - metal scavengers 231–233, 236, 237
 - oligonucleotide synthesis 540, 541, 544, 545, 569
 - perchloric acid 110, 111
 - polyphosphoric acid 108, 113, 114
- silica nanoparticles 55
- “silica sulfuric acid” (SSA) 108–110
- silica-supported reagents
 - electrophilic scavengers 194, 195
 - nucleophilic scavengers 217–219
 - *p*-toluenesulfonic acid 210
 - P₂O₅ 112
 - polytrifluoromethanesulfosiloxane 112
- Silicycle 231, 232, 236
- siloxane derivatives 112, 475, 551, 552
- silver nanoparticles 61, 62
- silyl-based linkers 403, 404, 456, 457, 551–553
- silyl ether linkers 598, 599
- silyl ether protecting groups 586
- silylation of succinyl anchors 547
- size-exclusion chromatography (SEC) 55, 591, 592
- Smopex 236
- S_N1-type mechanisms 383, 400, 405
- S_N2-type mechanisms 407
- sodium carbonate 107, 114
- sol-gel process 372
- solid-phase binding assays 35
- solid-phase chemistry *see* solid supports
- solid-phase extraction (SPE) 35
- solid-supported reagents
 - acid reagents 108–113
 - base reagents 101–107
 - co-oxidants 86–88
 - coupling reagents 141–176
 - electrophilic reagents 129–133
 - natural product synthesis using 623–627

- nucleophilic reagents 121–128
- oxidizing agents 84–92
- radical-mediated reactions 134–136
- reducing agents 92–96
- solid-supported transition metals *see* transition metal catalysts
- solid supports
 - base-labile resins 429–432
 - distinguished from linkers 4, 585
 - effect on organocatalysts 249, 250
 - effect on transition metal catalysts 313–316, 326
 - history of solid supports 3, 4
 - hydrophilicity/lipophilicity 324
 - nature of, for redox reagents 84
 - nucleophile-labile resins 417–428
 - oligonucleotide synthesis 538–544
 - peptide synthesis 497
 - requirements, source and classification of 7
 - temperature stability 317, 326
- soluble polymer supports 313, 565–568, 590–594
- solution phase syntheses 183, 569, 570
 - *see also* soluble polymer supports
- solvent effects 104, 255, 274, 312
- solvent polarity 7, 30
- solvents *see also* porogens
 - for immobilized enzymes 365, 367–369
- Sonogashira reactions 102, 103
- spacers
 - acid-labile linkers 386, 387, 389
 - photocleavable linkers 597, 598
- spectroscopy *see also* ESR; NMR; XPS
 - MIP complex formation 30
- SPIONs (superparamagnetic iron oxide nanoparticles) 58, 60
- split-pool synthesis 631, 633, 635, 636
- SPOCC (polyoxyethylene-polyoxetane) resin 9, 497, 504, 588, 589
- SPOT (solid phase oligosaccharide tagging) procedure 10, 11, 586, 587
- SPOT synthesis 616
- SPPS (solid-phase peptide synthesis) *see also* peptides
 - acid-labile resins 390, 397–400, 407, 408
 - base-labile resins 421
 - click chemistry 520, 521
 - coupling reagents 498
 - cyclic peptides 516–519
 - depsipeptides 519, 520
 - early work 8, 407, 408
 - methodological tools 496–498
 - native chemical ligation 508–516
 - publications and patents 496
 - stepwise approaches 499, 503–508
 - synthesis of long peptides 499–508
- SPR (surface plasmon resonance) detection 35, 47, 50, 600
 - plasmon resonance extinction 55
- SSA (“silica sulfuric acid”) 108–110
- stannanes 134, 135
- star polymers 267
- statistical (chemometrical) techniques 30, 31
- Staudinger reaction 124, 127, 271
- stereoinductive potential 358
- stereoselective syntheses 88, 92, 108, 110, 111, 115, 351–353, 355–361
 - acid reagents 108, 110, 111
 - chiral auxiliaries 351–353, 355–361
 - thiochromans 115
- stereoselectivity *see also* chirality; enantioselective reactions
 - alkene epoxidation 88
 - carbonyl reduction by enzymes 367
 - dihydroxylation 92
 - esterification 294
 - hydrogenation 318
 - hydrosilylation 320
 - isomerization 268
- StratoSpheres 233
- Strecker reaction 290, 291
- streptavidin 64
- styrene oxide 111
- sub-linkers 356, 360
- substituent effects
 - benzoin linkers 478
 - benzylic linkers and resins 383, 469
 - HOBt (*N*-hydroxybenzotriazole) 171
- substitution reactions, with PTC 276
- succinoyl linkers/tags 596, 605
- succinyl anchors and linkers 546–548, 558, 567
- sugars *see* carbohydrates; oligosaccharides; polysaccharides
- sulfides, oxidation of 89, 90, 443–445
- sulfinamide chiral auxiliaries 348–351
- sulfonamide linkers 438, 443
- sulfonamide substituted HOBt 171, 172
- sulfonamides
 - chiral 93
 - *N*-acyl 443
 - released from acid-labile linkers 411
- sulfonate scavengers 210, 211
- sulfonated polystyrene resins 250–260
- sulfone traceless linkers 456
- sulfones, hydroxy 351, 352

- sulfonic acid scavengers 210
 - sulfonic-based linkers and resins 424–426
 - sulfonyl chlorides
 - fluorous tagged 197
 - oligomeric 204, 205
 - polymer supported 131, 568
 - scavengers 217
 - β-sulfonylethyl groups 554, 556, 560
 - sulfotransferase inhibitors 631
 - sulfoxides 348–351, 446
 - sulfoxime chiral auxiliaries 348–351
 - sulfur-based traceless linkers 455
 - sulfurization reagents 536, 569
 - super acids 255
 - superparamagnetic behavior 57
 - supported reagents *see* polymer-supported; solid supported
 - supramolecular assemblies 16
 - surface area, pellicular supports 11
 - surface catalysis 247
 - surface imprinting and bulk polymerization 21
 - suspension polymerization 23
 - Sweetzyme IT 371
 - swelling efficiency 469
 - “switch” peptide transitions 506
 - “synthesis machines” 215
 - synthetic enzyme development 36
- T**
- T-20 (enfuvirtide) 500–502
 - T-antigen 592, 593
 - tablets, scavengers in 211
 - tagging *see* isolation tags
 - TAMA-Cl 221
 - TAME (*tert*-amyl methyl ether) 322, 323
 - TAMPAL (trityl-associated mercaptopropionic acid leucine) resin 509
 - TAMRA (tetramethylrhodamine) 548
 - tandem ligation 514
 - targeted drug delivery 59–61
 - Tat peptides 53, 57, 58, 60
 - taxoids 614–616
 - TBAB (tetrabutylammonium bromide) 351
 - TBD (1,5,7-triazabicyclo[4.4.0]dec-5-ene) 105, 106
 - TBHP (*tert*-butylhydroperoxide) 536
 - TBTU (*N*-[(1*H*-benzotriazol-1-yl)(dimethylamino) methylene]-*N*-methylmethanaminium tetrafluoroborate 146, 147, 498
 - TCCP (trichickenfootphos) 229
 - telocydins 616
 - TEM (transmission electron microscopy)
 - GNP-peptide conjugates 53, 54
 - nanowires 66
 - oligonucleotides 568
 - temperature stability *see* thermal stability
 - templates
 - molecular imprinting 15, 17, 18, 21, 25, 33, 35
 - transition states in catalysis 296
 - TEMPO (2,2,6,6-tetramethyl-1-piperidinyloxy) radical 85–89, 281, 282, 367
 - TentaGel resins 10, 540, 557, 558, 564, 588
 - TETD (tetraethylthiuram disulfide) 536
 - tetrabutylammonium salts 211, 351
 - tetrazole and tetrazolides 534, 535, 569
 - TFA cleavage 5
 - TFFH (tetramethylfluorochloroformamidinium hexafluorophosphate) 149, 498
 - TFMSA (trifluoromethanesulfonic acid) 397, 405
 - thermal stability
 - gel-type resins 251
 - polymer supports 317, 318
 - thermoreponsive solubility 280
 - thiazolium organocatalysts 293, 294
 - thioacetals 487, 488
 - thioacids 400
 - thiocholine 67
 - thiochromans 114, 115
 - thioesters 395, 422, 443, 508–514
 - thioethers 444, 454, 554–556
 - thiohydroxamic acid/esters 459, 485, 486
 - thiols
 - acid-labile linkers 412
 - linkers for oligonucleotide synthesis 561–563
 - linkers for oligosaccharide synthesis 600
 - NP functionalization 47, 56
 - scavengers of cations 406
 - scavenging of, by nucleophiles 190, 191, 198, 201, 203
 - supported, as metal scavengers 241
 - supported, as nucleophilic scavengers 207, 218, 219
 - thiophene derivatives 423
 - thrombin colorimetric detection 49
 - thymosin 170
 - tin compounds 134, 135, 240, 241, 310
 - tiopronin 53
 - titanium, chiral complexes 635

TMEDA (N,N,N',N'-tetramethylethylenediamine) 604
 TMT (trimercaptotriazine) 240
 TPAP oxidations 86, 90, 91
 TPS-Cl (2,4,6-triisopropylbenzenesulfonyl chloride) 532
 traceless linkers 450–460
 – cleavage mechanism and product 451–454
 – definition 450, 451
 TRAM (traceless release of acrylamides) linker 439, 445
 transesterification 269, 367, 420, 421
 transition metal catalysts 239, 309
 – *see also individual metals*
 – based on MNPs 311–314, 318, 325
 – commercial and industrial uses 322–326
 – reactions using polymer-supported 316–322
 – synthesis of polymer-supported 309–315
 transition metal photolabile complexes 485, 486
 transition states, templating 296
 transketalization 616
 triazenes 129, 130, 457, 487
 triazines
 – chlorinated-, as coupling reagents 155–157 (*see also* DCT)
 – trimercapto- (TMT) as scavengers 240
 triazolides 548
 triazolo-pyrimidines 186, 187
 trichostatin derivatives 632, 634
 triglucans 594
 triglycerides 377
 trimannosides 586, 605
 triphase catalysis *see* PTC
 triphenylphosphines 123–125, 267
 – ditriflate 151
 – oxide 192, 194
 – ROMP-derived 222
 trityl-based linkers 400–402, 511, 540, 541, 545, 546
 – *see also* 2-CTC
 trityl protecting groups 532
 TsDPEN ((1*R*, 2*R*)-*N*-(*p*-tolylsulfonyl)-1,2-diphenylethylenediamine) 94, 95
 TSTU (2-succinimido-1,1,3,3-tetramethyluronium tetrafluoroborate) 148
 tubulin and tubacin 634
 12-tungstophosphoric acid 112
 two-step swelling polymerization 24
 2-CTC (2-chlorotriyl) resins 500–502, 507, 508, 513, 517, 521

U

Ugi condensations 331, 332
 ultraresins 84, 90
 unnatural amino acids 517, 520
 uronium coupling reagents 146–150
 USPIOs (ultrasmall superparamagnetic iron oxide NPs) 57–59

V

vancomycin 445, 616, 633
 Varian Inc. 233–235
 VAZ (2-vinyl-4,4-dimethyl-5-oxazolone) 188
 vinyl esters
 – enzyme catalyzed acylation with 367
 – enzyme kinetic resolution with 376
 vinyl ethers 336
 vinyl functionalized cross-linkers 30
 vinyl halides 618, 619
 vinyl sulfones 430

W

Wang aldehyde resin 595, 596
 Wang linkers 384, 386, 390–392, 402
 Wang resins
 – non-integral linkers/handles 4–6
 – nucleophile-labile resins 419, 421–423, 428
 – *p*-alkoxybenzyl linkers 488
 – radical reagents on 135
 water
 – deoxygenation 323, 325, 326
 – enzyme stability and activity 369
 – scavenger 407
 WAXS (wide angle x-ray scattering) 320
 Wittig olefinations 126, 127, 134, 432, 614, 617, 618, 625

X

XAL (3-methoxyxanthine) linkers 387, 402
 XPS (X-ray photoelectron spectroscopy) 324
 XRD (X-ray diffraction) 324
 XRMA (X-ray microprobe analysis) 315
 xylyl linkers (α,α' -dioxxylyl diether) 602

Y

Young's racemization test 147–149
 ytterbium 209

Z

zearalenone 617

