

Index

a

- acetanilide 388
- acetonitrile, as reactant 418
- acyl radicals 482, 483
- N*-acylanilines 342
- aldehydes 327
 - arylation 284, 285
 - zinc-mediated arylation 271–274, 272, 276
- aldimine rhodium-catalyzed arylation 274, 275, 314
- alkene arylation
 - conjugate arylation 281–303
 - intermolecular arylations 225–238
 - intramolecular arylations 239–248
 - mechanism 222–225, 222
 - overview 221, 222
 - oxidative arylations 254–264
 - radical arylations 496–498
 - reductive arylations 248–253, 251
 - ruthenium-catalyzed 322–325
- alkyl halides
 - cobalt-catalyzed arylations 174–178, 178
 - copper-catalyzed arylations 174–178, 178
 - iron-catalyzed arylations 168–174, 169, 174
 - nickel-catalyzed arylations 163–168
 - overview 155, 156
 - palladium-catalyzed arylations 156–163, 162
- N*-alkylacridiniumion 523
- alkyl-aryl ketone arylation 276, 277
- alkylboronic acids 32
- alkyne arylation 183–215
 - carbopalladation of arynes 461
 - palladium-catalyzed, mechanism 208–210
 - copper-free, mechanism 210–214
 - *N*-heterocyclic carbenes 192–197
 - indium-based catalyzed reactions 207
- nickel-catalyzed reactions 205, 206
- overview 183–185, 214, 215
- palladium-catalyzed reactions 185–205
- ruthenium-catalyzed reactions 206, 207
- allyl acetate 327
- 1-allyloxy-2-iodobenzene 526
- allylstannane 466
- allyltrimethylsilane 518
- Amaryllidaceae* alkaloids 482
- amine arylation *see* palladium-catalyzed amine arylation and copper-catalyzed arylation
- arylation via arynes 405, 406
- photochemical arylation 524
- amino alcohols 164, 168
- 2-aminoarenecarboxamides 411
- ammonia 89, 524
- anilides 91, 133, 388
- anthracenols, polysubstituted 429, 430
- anthranilic acid 422, 447, 448
- anthraquinone 424, 461
- aporphine alkaloids 479, 480, 530
- arenediazonium salts 480, 497, 498
- arenes
 - aromaticity 3
 - haloaryl-linked 346–348
 - Mizoroki–Heck reaction 259–261
 - monosubstituted, proton abstraction 405–410
 - nitroso arenes 147–149
 - nucleophiles 255, 256
 - palladium-catalyzed arylations 337–346
 - photocyanation 525, 526
 - radical amination 494, 495
- aromaticity 2, 3, 27–42
- aryl boronic acids 126, 127, 128, 313–315, 319, 320
- aryl cations 518, 519
- aryl chlorides 26–53

- amination 6, 85
 - direct arylation 16, 323–325, 340, 341, 345–350, 357
 - radical arylation 478, 479
 - photochemical arylation 518, 519
 - aryne formation 405, 409, 410, 413, 414, 415, 428, 429, 431, 432, 436
 - Hiyama coupling 45–49
 - Kumada coupling 10, 11, 51–53
 - Mizoroki–Heck reaction 225, 226
 - Negishi coupling 49–51
 - nickel-catalyzed reactions 27–29
 - overview 26, 27, 59, 60
 - Sonogashira reaction 187, 194–197
 - Stille reaction 42–45
 - Suzuki reaction 29–42
 - aryl fluorides
 - coupling reactions 53–56
 - aryne formation 8, 410, 430, 436, 444, 462, 463
 - aryl migration 481–487, 486–489
 - aryl tosylates
 - aminations 86, 87
 - aryne formation 420, 428, 463
 - coupling reactions 56–59
 - direct arylations 323, 324
 - Sonogashira 187
 - aryl-alkyl bond formation 517–525
 - aryllenes 446, 447, 466
 - arylamines
 - photochemical 530, 531
 - copper-catalyzed 121–151
 - palladium-catalyzed 69–111
 - via aryne formation 405, 407, 411, 420, 423, 424
 - α -arylation
 - amides 104–106
 - esters 98–102
 - ketones 103, 104, 341
 - malonates and α -cyano esters 102, 103
 - nitriles 106–109
 - arylation reactions 1–18
 - *see also* aryne arylation; carbonyl compound arylation; copper-catalyzed arylations; Mizoroki–Heck reaction; photochemical arylation; radical-based arylation; Sonogashira reaction
 - alkyl halides palladium-catalyzed 156–163
 - alkyl halides, cobalt-catalyzed 174–178, 178
 - alkyl halides, iron-catalyzed 168–174, 169, 174
 - alkyl halides, nickel-catalyzed 163–168
 - arylpyrazole-based phosphine ligands 78, 79
 - arylpyrrole-based phosphine ligands 78, 79
 - aryne arylation 401–468
 - aryl carbanion trapping 417–422
 - cycloadditions 441–446, 442
 - Diels–Alder reaction 427–441
 - ene reactions 446, 447
 - overview 401, 468
 - transition metal-catalyzed coupling reactions 462–468
 - transition metal-catalyzed cyclizations 449–462
 - asymmetric catalysis
 - carbonyl compound arylation 271–303
 - Mizoroki–Heck reaction 232–235, 237–248, 250–253, 256
 - azaferrocene-based ligand 271, 272
 - azanborbornenes 252
 - azoles, arylation 5, 317–320, 328, 374–380
- b**
- Barton–Dodonov reaction 122
 - Batey protocol 122, 131, 132
 - benzene
 - origin 3–4
 - structure and bonding 1–3
 - benzimidazole 144, 318
 - benzocyclobutenones 441, 442
 - benzodioxole 345
 - benzopyranones 477
 - benzoxazoles 355, 375
 - benzylalcohols 339
 - benzylamines 89–90, 343
 - benzyne 401
 - development 402–404
 - Diels–Alder reaction 427–441
 - biaryls 25, 26, 311, 312, 335, 336
 - *see also* direct arylation, cross-coupling reaction
 - bidentate ligand 74, 75, 167, 173, 174, 177, 185–188, 193, 197–205, 224, 256, 275, 283–298, 317, 370–372, 464
 - biphenyl-based monodentate phosphine ligands 34, 35, 47, 51, 57, 75, 87, 90, 101, 103, 187, 345, 348, 353, 366, 369, 373, 375
 - bipyridines 164, 165, 200, 201, 207, 208, 329, 330, 343, 372
 - bisdehydrobenzene 401
 - borabenzene 434
 - boronate 313, 344
 - boronic acids
 - cross-coupling reaction 27–45, 53, 56–59

- carbonyl compound arylation 273, 298
- carbopalladation 466, 467
- copper-catalyzed arylations 123–125, 128, 133, 143, 144
- direct arylation, metal-catalyzed 313–315, 319, 320, 377
- bromocinnolines 346
- Buchwald–Hartwig procedure 69, 71, 109, 405
- Buchwald’s reaction conditions copper-catalyzed 142, 145

- c**
- Cadogen’s method 403
- caffeine 328, 354
- carbene *see N*-heterocyclic carbenes (NHCs)
- carbonyl compound arylation 271–303
 - α -arylation, palladium-catalyzed 96–105
 - aldehyde enantioselective 271–275, 272, 275
 - conjugate asymmetric arylation 271, 281–293, 283
 - direct arylation, palladium-catalyzed 341–344
 - Friedel–Crafts reaction 298–303
 - imine enantioselective 278–281
 - overview 271, 303
 - tandem reactions 293–298
- carbopalladation 222–225, 233, 242, 249, 250, 254, 255, 257–264, 463, 465–468, 467
- carboxylic acid 326, 344, 372–374, 402
- carboxylic esters, Mizoroki–Heck 228
- Cassar protocol 184
- Castro–Stephens protocol 184
- α -C–H acidic compounds, palladium-catalyzed arylation 96–109
 - α -arylations of amides 104–106
 - α -arylations of esters 98–102
 - α -arylations of ketones 103, 104, 341
 - α -arylations of nitriles 106–109
 - catalytic systems 98
 - history and development 96–98
 - malonates and α -cyano esters 102, 103
- C–H bond functionalization 9, 15–17, 463
 - direct arylation, metal-catalyzed 311, 330
 - palladium-catalyzed 335–356
 - haloaryl-linked arenes 347
 - mechanism 363–391
 - oxidative Mizoroki–Heck reaction 254–262
- Chan–Lam arylation of N–H bonds 122, 132–151
- Chan–Lam–Evans reaction 122, 123–125, 128
- chloroarenes *see* aryl chlorides
- chlorophosphine 38, 80, 108, 316
- cinchona alkaloids 301
- clavilactone B 421
- C–N bond formation 5–7, 15, 69–109, 121–149, 203, 405, 406, 418, 419, 423, 444, 445, 477, 497, 498, 530, 531
- cobalt-catalyzed arylations 174–178, 178
- conjugate addition 281–293, 283, 293–303
- conjugate addition–aldol reaction 295, 296
- copper-catalyzed arylations amines &
 - alcohols 5–7, 121–152
 - alkyl halides 174–178, 178
 - alkynes 207, 208
 - direct arylation 328–330, 377–379
 - N–H bond arylations 132–138, 134, 146
 - O–H bond arylations 122, 123–125, 124
- copper(I) thiophene-2-carboxylate (CuTC) 137
- corannulyne 430
- coronene 437
- coumarins, arylation 290
- cross-coupling reactions 5, 7–14, 11
 - alkyl halides, cobalt-catalyzed 174–178, 178
 - alkyl halides, iron-catalyzed 168–174, 169, 174
 - alkyl halides, nickel-catalyzed 163–168
 - alkyl halides, palladium-catalyzed 156–163, 162
 - aryl chlorides 26–53
 - aryl fluorides 53–56
 - aryl tosylates 56–59
 - aryne, formation 463
- cross-dehydrogenative couplings 254–259, 350, 388–391
- CuTC (copper(I) thiophene-2-carboxylate) 137
- cyanations 525, 526
- α -cyanocarbonyl compounds 102, 103, 416
- 4-cyanopyridinium salts 492
- cycloadditions 427–446
 - palladium/nickel-catalyzed 449–457
- cyclohexadienyl radical 490
- cyclohexyl chloride 172

- d**
- DAIB (dimethylamino isoborneol) ligand 276
- dienes
 - Danishefsky diene 519
 - ligands 282–284, 286–288, 296–298

decarboxylative arylation 228, 229, 344
 decarbonylation 227–230
 decanoic acid 142
 density functional theory (DFT) 32
 DFT (density functional theory) 32
 dialkylchlorophosphines 138, 419
 diamagnetic susceptibility exaltation 3
 1,4-dicyanobenzene 524
 Diels–Alder reaction see also cycloaddition
 287, 427–441
 2,3-dihydro-4-pyridones 289, 290
 dihydrobenzofuran 527
 dimethyl itaconate 294
 1,3-dimethyl-2-phenylbenzimidazoline
 (DMPBI) 526
 dimethylamino isoborneol (DAIB) ligand
 276
 direct arylation, metal-catalyzed 17–18,
 311–330
 – iridium-catalyzed 328–330
 – copper-catalyzed 317–319, 328, 329
 – overview 311, 312
 – rhodium-catalyzed 312–320
 – ruthenium-catalyzed 320–327, 386–388
 – mechanism 372–389
 direct arylation, palladium-catalyzed 15, 16,
 335–357
 – arenes, intermolecular 337–346
 – haloaryl-linked arenes 346–348
 – heteroaromatic compounds 348–357
 – overview 335, 336, 357, 391
 – mechanism 363–391
 – cross-dehydrogenative couplings
 388–391, 350
 – metallacycles 380–388
 distannane 465
 DMPBI (1,3-dimethyl-2-phenylbenzimidazoline) 526

e

electron transfer (ET)
 – *see also* photochemical arylation
 – photoinduced 513–517, 520
 – radical-based arylation 475, 476
 Electrophile Olefin Combination Aromatic
 Substitution (EOCAS) process 516, 524
 electrophilic C-radicals 485, 486, 493–495
 β -enamino esters 408
 ene reactions 446, 447
 EOCAS (Electrophile Olefin Combination
 Aromatic Substitution) process 516, 524
 epibatidine 252
 ET *see* electron transfer (ET)
 eupolauramine 409, 410

f

ferrocene-based ligands 27, 37, 51, 52, 58,
 76, 77, 156, 157, 163, 185–188, 234, 247,
 271–273, 284, 346, 374, 465
 flurbiprofen 521
 FMO (frontier molecular orbital) theory
 432, 493
 fredericamycin A 414, 415
 Friedel–Crafts reaction 155, 298–303
 frontier molecular orbital (FMO) theory
 492, 493
 Fujiwara–Moritani reaction 9, 221, 254–264
 furans
 – arylations 348–353
 – Diels–Alder 427, 428

g

galtamycinone 431
 Goldberg, Irma 6
 Guram's P–O ligands 79

h

haloalkane *see* alkyl halides
 HASPO (heteroatom-substituted secondary
 phosphine oxides) 38, 48, 55, 58, 80, 108,
 323, 324
 Heck protocol, alkyne arylation 184
 heteroarenes
 – Mizoroki–Heck reaction 256–259, 261–264
 – photochemical arylation 523
 – radical-based arylation 476, 477, 481, 482,
 485, 491–493, 495
 – direct arylation 317–320, 335, 348–357,
 374–380
 heteroatom-substituted secondary phosphine
 oxides (HASPO) 38, 48, 55, 58, 80, 108,
 323, 324
 N-heterocyclic carbenes (NHCs) 29, 39–41,
 44, 47, 52, 53, 55, 56, 77, 78, 110, 158, 172,
 283, 292, 356, 379, 388
 – Mizoroki–Heck reaction 230, 231
 – Sonogashira reaction 192–197
 heterolysis 514
 Hiyama coupling 14, 45–49
 Hofmann, August Wilhelm von 2, 3
 ‘homeopathic’ phosphine ligand-free
 – Mizoroki–Heck arylation 227
 homoaporphine alkaloids 479
 homobimetallic rhodium catalyst 317
 homolysis 480–496, 513, 514
 homolytic aromatic substitutions 475,
 480–496
 hydroxylimine, paracyclophe-based 278,
 279

i

- imidato ligands 199
- imidazole, arylation 140, 353–356
- imine enantioselective arylation 278–281
- iminyl radicals 484
- indium-based catalyzed reactions 207
- indoles, arylation
 - cross-dehydrogenative couplings 389–391, 350
 - direct arylations 15, 16, 319, 348–350, 375–378
 - Mizoroki–Heck reaction 261–263
- intermolecular direct arylations, arenes 312–317, 320–328, 337–346
- intermolecular arylations, Mizoroki–Heck 225–238
 - asymmetrical 232–235
 - directed 235–238
 - overview 225
- intermolecular arylations, radical-based
 - homolytic aromatic substitution 489–496
- S_{RN1} reactions 476–479
- intermolecular homolytic *ipso* substitution 495, 496
- intramolecular arylation, photochemical 526, 527
- intramolecular arylations, Mizoroki–Heck 239–248
 - asymmetrical 239–245
 - desymmetrization 245–248
 - overview 239
- intramolecular arylations, radical-based
 - homolytic aromatic substitution 480–489
- S_{RN1} reactions 479, 480
- intramolecular arylations, direct arylations 15, 16, 346–348, 363–372
- intramolecular arylations,
 - palladium-catalyzed
 - amination 92–94
 - α -arylation 107, 110
- ionic liquids 190
- iron-catalyzed arylations 168–174, 169, 174, 328–330
- isatins, arylation 277
- isocoumarin NM-3 415

k

- Kekulé von Stradonitz, August Friedrich 1, 2, 3
- ketene silyl acetals 442
- ketones
 - α -arylation 103, 104

- arylation enantioselective 276–278
- photochemical arylation 519, 520
- Kitamura's methods 403
- Kondo's hemilabile ligand 275
- Kumada coupling 10, 11, 51–53

l

- lithium 2,3-didehydrophenoxide 412
- Loschmidt, Johann Josef 1, 2
- luminescence 460, 461

m

- maleimides 286–288
- Meerwein arylation 496–498, 517, 519
- metal-catalyzed coupling reactions 5, 7–14, 11, 25–60, 155–179
- metal-bisoxazoline complexes 299, 300
- metallacycles, direct arylation 380–388
- methyl-2-acetamidoacrylate 294
- N-methylcrinasiadine 426
- Michael addition 281–304, 421
- microwave irradiation 189, 190, 201, 316, 486
- Minisci reaction 492, 493
- Mizoroki–Heck reaction 9, 10, 183
 - intermolecular arylations 225–238
 - intramolecular arylations 239–248
 - mechanism 222, 222–225, 249
 - overview 221, 222
 - oxidative arylations 254–264
 - reductive arylations 248–253, 251
 - waste, minimizing 228, 229
- monoligated oxazolines 200
- monosulfonated triphenyl phosphine (TPPMS) 190, 191
- multicomponent couplings 417–422
- mumbaistatin 424
- myristic acid 142

n

- Negishi coupling 12, 13, 49–51
- O-neophyl rearrangement 487
- NHCs (*N*-heterocyclic carbenes) 29, 39–41, 44, 47, 52, 53, 55, 56, 77, 78, 110, 158, 172, 283, 292, 356, 379, 388
 - Mizoroki–Heck reaction 230, 231
 - Sonogashira reaction 192–197
- nickel-catalyzed reactions
 - alkyl halides 163–168
 - aryl chlorides 27–29
 - aryl fluorides 54, 55
 - overview 25, 26
 - Sonogashira alkynes 205, 206

- NICS (nucleus-independent chemical shift)
3
- nitriles
- α -arylation 106–109
 - photoalkylation 522
 - arylation via aryne formation 410–416
 - nitroso arenes 147–149
- N*-nitrosoacetanilide 403
- NOCAS (Nucleophile Olefin Combination Aromatic Substitution) process 515, 524
- norbornene 250, 251, 364, 365, 382
- Noyori's dimethylaminoisoborneol (DAIB) ligand 276
- nucleus-independent chemical shift (NICS) 3
- nuevamine 409, 410
- o**
- O-H bond arylations 122, 123–132
- olefin–phosphine hybrid ligands 284, 287
- Oppolzer's sultam 439
- oxazoles, arylation 353–356, 376, 377
- oxazoline 322, 326, 327
- oxidative Mizoroki–Heck process *see* Fujiwara–Moritani reaction; Mizoroki–Heck reaction
- oxime-based palladacycles 197–199
- p**
- palladacycles 82, 83, 197–199, 230–232, 363–372, 380–390
- palladium-catalyzed amine arylation 70–96
- amine nucleophiles 89–92
 - applications 92–94
 - aryl halides 85, 86
 - bases 83, 84
 - catalytic systems 72
 - chirality 95, 96
 - history and development 14, 15, 70–72
 - ligands 73–83
 - palladium sources 73
 - solvents 84, 85
- palladium-catalyzed arylations, α -C–H acidic compounds 96–109
- α -arylations of amides 104–106
 - α -arylations of esters 98–102
 - α -arylations of ketones 103, 104
 - α -arylations of nitriles 106–109
 - catalytic systems 98
 - history and development 96–98
 - malonates and α -cyano esters 102, 103
- palladium-catalyzed cross-coupling reactions 12–14, 25, 26
- alkyl halides 156–163, 162
 - carbopalladation of arynes 457–461
 - Hiyama coupling 45–49
 - Kumada coupling 51–53
 - Negishi coupling 49–51
 - overview 25, 26
 - Stille reaction 42–45
 - Suzuki reaction 29–42
- palladium-catalyzed Mizoroki–Heck reaction
- intermolecular arylations 225–238
 - intramolecular arylations 239–248
 - mechanism 222, 222–225
 - overview 221, 222
 - oxidative arylations 254–264
 - reductive arylations 248–253, 251
- PET (photoinduced electron transfer) 515, 520
- phenanthridine alkaloids 426
- phenols
- metal-catalyzed direct arylations 315, 316, 387–389
 - copper-catalyzed arylations 125, 126
 - palladium-catalyzed arylations 337–341
- phenyl cation 518, 519
- phosphabarrelenes 434
- phosphine–olefin hybrid ligand 284, 287
- phosphinous acids 37, 38, 45, 80, 350
- phosphonylation, aryl radicals 502
- photoinduced electron transfer (PET) 515, 520
- photosubstitution 514
- photochemical arylation 513–532
- aryl–alkyl bond formation 517–525
 - aryl–aryl bonds 527–530
 - aryl–N bonds 530, 531
 - cyanations 525, 526
 - overview 513–517, 532
- podophyllotoxin 487
- polysubstituted anthracenols 429, 430
- potassium aryltrifluoroborate salts 130, 144, 145
- Pschorr reactions 480
- pseudohalides *see* alkyl halides
- pyridines arylation 313–315, 320–325, 327, 386–388, 341–344
- pyrroles, arylation 319, 348–353
- q**
- quinoline, arylation 330
- r**
- radical anions 475, 476
- radical aryl migrations 486–489
- radical cyclizations 479–489, 498–502
- radical-based arylation 475–503
- homolytic aromatic substitutions 480–496

– overview 475, 502, 503
 – phosphonylation, aryl radicals 502
 – radical nucleophilic substitution 475–480
 radicals
 – cyclizations 479–489, 498–502
 – cyclohexadienyl radical 490
 – electrophilic C-centered 485–486, 493–495
 – homolytic aromatic substitutions 480–496
 – phosphonylation 502
 rearrangements, radical-based 486
 reductive Heck reaction 221, 222, 248–253
 rhodium
 – ketone arylation 277, 278
 – conjugate arylation 281–284, 285–298
 – aldehyde arylation 274, 275, 275
 – direct arylation 312–320
 – mechanism 379, 380, 388, 389
 – imine arylation 279–281
 ring-opening metathesis polymerization (ROMP) 192, 203
 ROMP (ring-opening metathesis polymerization) 192, 203
 Rosenmund–von Braun reactions 525
 rubromycins 430
 ruthenium-catalyzed arylations 17, 206, 207, 320–327, 386–388

s

Sandmeyer reaction 525
 σ -bond, aryne insertion 410–416, 462–468
 single electron transfer (SET) 514
 secondary phosphine oxide 38, 45, 51, 323–326
 Sonogashira reaction 183–215
 – *N*-heterocyclic carbenes 192–197
 – indium-based catalyzed reactions 207
 – mechanism, with copper 208–210
 – mechanism, copper-free 210–214
 – nickel-catalyzed reactions 205, 206
 – overview 183–185, 214, 215
 – palladium-catalyzed reactions 185–205
 – ruthenium-catalyzed reactions 206, 207
 Stille reaction 13, 42–45, 466
 Suzuki–Miyaura reaction 13, 14, 29–42, 206, 207, 273, 274, 466

t

Tamao–Fleming oxidation 288
 tandem processes, carbonyl arylation 293–298

TAP (tri-amino-phosphine) ligands 45, 78
 TCB (1,2,4,5-tetracyanobenzene) 522
 1,2,4,5-tetracyanobenzene (TCB) 522
 tetraene ligand 164, 165
 thiazoles, arylation 353–356, 376, 379
 thiophenes, arylation 319, 320, 328, 348–353
 thiophenolates 478
 tin hydride-mediated C–C bond formation 480–489
 TPPMS (monosulfonated triphenyl phosphine) 109, 191
 transition metal-catalyzed reactions, arynes 449–468
 transition metal-catalyzed arylations, direct 311–330, 335–357, 363–391
 – cross-dehydrogenative couplings 350, 388–391
 – overview 311, 330, 335, 357, 363, 391
 tri-amino-phosphine (TAP) ligands 45, 78
 triarylaluminum 277
 triazole, arylation 326, 329
 trifluoromethyl-substituted ketone arylation 277, 278
 triones 296
 trisphaeridine 426

u

Ullmann reaction 5–7, 121, 122, 128, 150
 Ullmann, Fritz 5, 5, 6
 α,β -unsaturated aldehyde 284, 285, 302
 $\alpha,\beta,\gamma,\delta$ -unsaturated carbonyl compounds 291–293
 α,β -unsaturated Weinreb amides 288

v

vineomycinone 431
 vinyl radicals 483

w

web sites 185

z

Zhou's spirocyclic phosphite 275
 Zimmerman–Traxler-type transition state 295, 296
 zinc, arylations
 – aldehyde arylation 271–274, 276
 – imine phenylation 278, 279
 zwitterion 410, 417, 418, 444

