

Index

a

AAC, *see* acyl halide-aldehyde
 cyclocondensation
 acceleration 241f
 ACOMP, *see* automatic, continuous on-line
 monitoring of polymerization
 activated monomer mechanism 55ff, 289
 activation energy 99f, 144, 173, 179f, 314,
 320
 activator 168f, 172ff, 187ff
 active centers 3, 17f, 23f, 26, 28ff, 69, 143,
 147, 234, 236f
 active sites 309, 312, 314, 317, 320, 322f,
 380
 acyl halide-aldehyde cyclocondensation 229
 O-acyl scission 237, 239, 244
 acyl-oxygen cleavage 290, 292, 309, 374
 acylation 167, 169, 178f, 186, 296, 383,
 386
 N-acyllactams 168, 170, 173, 176ff, 183,
 185, 187
 adipic acid 297
 Al(Oi-Pr)₃, *see* aluminum isopropoxide
 aliphatic polyesters 287, 289, 292, 297f, 302
 alkoxides 22, 24, 30f, 33, 35, 37f, 41ff, 53f,
 128, 143, 151, 172, 180, 187, 200, 205f,
 233, 236f, 239ff, 247, 289ff, 361, 372
 O-alkyl scission 237, 239, 247
 alternating copolymerization 214
 aluminium isopropoxide 256f, 269, 271
 aluminum alkoxides 239, 242
 amido coligands 260
 amines
 – primary 117, 148f, 158, 289, 366
 – secondary 149, 158, 117, 317, 361
 – tertiary 149f, 231, 266, 324, 357, 359f,
 369f, 372
 amino acids 25, 123ff, 128f, 131, 137, 165,
 210, 228, 374

amino groups 117
 ancillary ligands 256, 258f, 270, 272
 angular strain 287, 289
 arm-first strategy 278
 atactic polymers 239f
 atom transfer radical polymerization
 (ATRP) 277, 351, 392
 automatic, continuous on-line monitoring of
 polymerization 214

b

back-biting 15f, 40, 54, 58, 65ff, 71, 74f,
 77f, 82, 84f, 142, 182, 198, 227, 257, 290,
 308f, 311f, 314, 374
 backbone 72, 87, 112, 114f, 117, 198, 255,
 274, 316f, 353, 360, 392
 Bayer's strain 289
 BEMP, *see* 2-tert-butylimino-2-diethylamino-
 1,3-dimethylperhydro-1,3,
 2-diazaphosphorine
 benzoic acid 99f, 105
 β , *see* selectivity parameter
 betains 231
 bicyclobutanes 330f, 340, 343, 351
 biocompatibility 158, 160, 277, 287, 388,
 390
 biodegradability 45, 123, 255, 278f, 287,
 295, 302f, 307, 388, 390
 biomedical polymers 45
 biphenolates 258f, 262
 bisphenol-A 307f, 312, 319f
 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-
 ylidene 202f, 208ff, 214f, 218f, 243, 263ff,
 271, 273, 360f
 BL, *see* γ -butyrolactone
 borazine 97f
 Bredericks reagent 375
 Brønstedt acid 56f, 87, 202

- bulkiness 137, 316
- γ -butyrolactame 7
- β -butyrolactone 231, 233, 237, 268, 300, 360, 362, 366f, 374, 384f
- γ -butyrolactone 6, 13f, 20, 24, 41f, 135, 231, 233f, 240f, 243ff, 287f
- c**
- cage effect 214
- candida antarctica* lipase B (CALB) 379, 383ff, 388
- ϵ -caprolactam 8, 55, 133, 165ff
- ϵ -caprolactam magnesium bromide 172f, 177, 180f, 183, 185f
- ϵ -caprolactone 8, 15, 17, 20f, 24, 30f, 34f, 37, 42f, 44f, 54, 127f, 180f, 186f, 217, 231, 266, 268, 279, 287ff, 314, 321f, 358, 360, 366ff, 380ff
- N-carbamoyllactams 177f, 183
- carbonic acid 307
- N-carboxyanhydride 55f, 359
- O-carboxyanhydride 274f, 359
- Carothers, Wallace 255
- catalysis
 - base 186f
 - enzyme 24, 248, 263
 - heterogeneous 216
 - metal-based 87, 243, 392
 - metal-free 357ff
- catalyst
 - acidic 70f, 83
 - alkoxide 128, 241
 - basic 87
 - bifunctional 266f
 - Grubbs 202, 207, 210
 - Grubbs-Hoveyda 203
 - guanidine 267, 371f
 - Inoue 311
 - lanthanide 128
 - metallic 135, 256ff, 269
 - organo 45, 99, 243, 256, 263f, 267, 270, 274, 280, 366, 375
 - Schrock 199, 201, 205, 207, 215
 - second-generation 202f, 209f
 - single-site 258, 269
 - stannous octonate 129, 131
 - yttrium-based 240
- catalyst-to-initiator ratio 263f
- cation trapping 238
- CD, *see* cyclodextrin
- ceiling temperature 5, 13, 15, 21, 24, 144, 190, 311
- ceramics 89
- chain
 - cleavage reaction 79
 - controller 72
 - end 2, 69, 72, 74, 83f, 142f, 146f, 150, 158, 230, 244, 256f, 269ff, 358
 - end control mechanism 269f
 - extension 56, 58, 144, 248, 266
 - growth 1, 23, 34, 56, 74, 81, 143, 167, 197, 307
 - randomization 66, 68, 82
 - redistribution 257
 - rupture 15f, 26, 42, 227
 - to-chain transfer 77
 - transfer 15f, 39, 41f, 66, 74, 77, 82, 227, 232, 243
 - transfer agent 40, 215, 218
 - transfer reaction 143f, 152, 198, 204
- chiral center 383, 385, 388
- chirality 128, 206f, 214, 217, 240, 269ff
- cisoid conformation 300, 386f
- Claisen condensation 168, 173, 176
- Clausius-Clapeyron equation 15
- cleavage 24, 58, 99, 103, 137, 160, 228, 230f, 235f, 238ff, 330, 351
- CLMgBr, *see* ϵ -caprolactam magnesium bromide
- cocatalyst 168
- complex architecture 65
- complexes
 - acyl-enzyme 295
 - alkali metal naphthalenide 290
 - alkoxide 128, 257
 - aluminum 143, 261, 270
 - amido 261
 - calcium 260
 - chiral 270, 272
 - homoleptic 257
 - lactone-enzyme 25
 - Lewis acid 229
 - lithium 259
 - magnesium 260
 - metal 128, 156, 229, 237, 243, 256, 262f, 270
 - ruthenium 203, 212
 - tin 260
 - yttrium 259
 - zinc 240, 259f
- computational studies 218f
- conformation 5, 9, 17, 67, 83, 109, 127, 183, 256
- coordination-insertion mechanism 239, 257f, 269, 289f, 293, 311, 361
- copolyamides 165

- copolyesters 297, 299, 301
- copolymerization 15, 18ff, 44, 53, 61, 127, 129f, 133, 135f, 288, 292, 297f, 300, 321, 382
- copolymers
 - block 65, 66, 69, 72, 82f, 127, 129, 136, 173, 176, 183ff, 204, 215, 256, 266, 308ff, 309f, 313, 309ff, 358, 360, 391f
 - diblock 154, 215, 276, 291, 297, 391
 - graft 65, 141, 151, 156, 277, 391f
 - miniblock 297f
 - multiblock 83f
 - tetrablock 154
 - triblock- 154, 156, 205, 244, 276, 297, 391
- core-first strategy 278
- core-shell 75f, 85f
- cosmetics 188
- Coulombic attractions 32
- counterion 29ff, 40f, 67f, 144, 149, 153f, 173, 190, 230, 234, 290, 309f, 312f, 320f, 375
- creaming 85
- critical DP limit 74f
- cross-propagation 18f, 44f
- crosslinking 75f, 85f, 104f, 115, 142, 150, 159, 184, 216, 274, 299, 317, 340, 352, 380, 391, 393
- crotonate species 231, 233f, 240, 245
- crown ether 29, 31, 67f, 78, 190, 230, 232, 234ff, 249f, 290
- cryptand 29, 31, 67f, 230, 232
- crystallization 10f, 79, 107, 165, 170, 188, 190, 301
- cyclic
 - esters 357, 360, 362, 371f, 375
 - ethers 141f, 144, 151
 - iminoethers 141
 - monomers 1f, 5f, 9f, 12, 15, 25, 33, 53f, 61, 71, 83, 87, 123, 227, 237, 324, 380, 393
 - olefins 9, 197f, 200, 202, 211
 - oligomers 15, 17f, 40, 42, 65, 119, 128, 142, 174, 181f, 290, 308
- cycloalkanes 5, 329ff
- cyclobutane 6
- cyclocondensation 115
- cyclodextrin 367f
- cycloheptane 8
- cyclohexane 7
- cyclo-octasulfur 5, 8f, 15, 21
- cyclopentane 6, 9
- cyclopropane 6, 329ff, 335, 338, 349f, 352
- cyclotriphosphazenes, halogenated 98f, 101, 103, 105
- d**
 - D₃, *see* hexamethylcyclotrisiloxane
 - D₄, *see* octamethylcyclotetrasiloxane
 - DBC, *see* dibenzo-18-crown-6 ether
 - DBU, *see* 1,8-diazabicyclo[5.4.0]undec-7-ene
 - DCM, *see* dichloromethane
 - DDL, *see* 12-dodecanolide
 - deacetylation 160, 297
 - deactivating agent 26
 - deacylation 383, 386
 - decarboxylation 307, 315, 374
 - decomposition 108, 111, 114
 - dehydroadamantanes 346
 - dendrimers 65, 150, 158, 374
 - dendritic polymers 256, 276, 278, 280, 358
 - depolymerization 70, 83, 125, 132, 144, 257, 307, 358
 - depsipeptides 123ff, 388f
 - desilylation 313
 - Dexon 279
 - diads 321f
 - 1,8-diazabicyclo[5.4.0]undec-7-ene 369ff
 - dibenzo-18-crown-6 ether 232
 - dicarboxylic acid 227
 - dichloromethane 357f, 369
 - dielectric constant 35f, 185
 - diesters 248, 358, 388f
 - dilactones 255, 280
 - dimethoxymethane 200
 - dimethyl benzyl β -malolactonate 244
 - 4-(dimethylamino)pyridine 357f
 - 2,2-dimethyltrimethylene carbonate 309f, 312f, 320ff, 360, 374
 - 1,4-dioxane-2-one 4, 7, 9, 11, 13f, 17
 - 1,5-dioxepan-2-one 287, 289ff, 295, 297f, 300, 391f
 - 1,1-diphenylethylene 10
 - dipole moments 292, 295
 - DMAP, *see* 4-(dimethylamino)pyridine
 - DME, *see* dimethoxyethane
 - dMMLABz, *see* dimethyl benzyl β -malolactonate
 - 12-dodecanolide 288, 294f, 297ff, 382
 - N-donor ligands 258f
 - N,O-donor ligands 258, 261
 - O-donor ligands 258, 261
 - dormant centers 33f
 - dormant species 33, 37f
 - DP, *see* polymerization degree
 - drug-delivery systems 279f, 287, 302
 - drug-polymer conjugates 160
 - DRX, *see* X-ray diffractometry
 - DTC, *see* 2,2-dimethyltrimethylene carbonate

ductility 308
 DX, *see* 1,4-dioxane-2-one
 DXO, *see* 1,5-dioxepan-2-one

e

EAM, *see* enzyme-activated monomer
 elastomers 115, 117, 151, 160
 electron spin resonance 103, 237
 16-electron transition state 208
 18-electron transition state 208
 electronic delocalization 57
 electrophilicity 146f, 154, 174, 320
 electrospray ionization 257, 365
 electrostatic coating 188
 β -elimination 228
 EMC, *see* enzyme monomer complex
 enantioselectivity 379, 383f, 386f
 end-biting 182, 227
 end-capping 143, 148ff, 157, 267, 289, 365f, 382, 392
 end-group 13, 68f, 71f, 169, 176, 178, 182f, 227, 230, 232, 235, 237f, 241, 244ff, 321, 359f, 365ff, 371f, 392
 end-group fidelity 359f, 366, 368, 371f
 end-to-end closure 15f
 entropy 3, 5, 9f, 14, 23, 68, 198, 233, 289, 292, 311
 enzyme-activated monomer 248, 295, 380
 enzyme-monomer complex 295
 EO, *see* ethylene oxide
 epimerization 266f
 equilibrium constant 13, 15, 16, 29f, 36, 227, 311f
 ESI, *see* electrospray ionization
 ESR, *see* electron spin resonance
 esterification 248, 359, 361, 372, 386
 ethylene oxide 6, 18, 24f, 30, 34, 37, 40, 141f, 145f, 158, 185, 321, 329
 ethylene phosphate 6
 exfoliation-adsorption 189
 experiments
 – anionic ROP of benzyl β -malolactonate 249
 – synthesis of poly([R,S]- β butyrolactone) 250

f

fatty acids 75, 85, 159, 379, 388
 fermentation 255
 fiber 165f, 255, 278, 280
 flame spraying 188
 floor temperature 5, 9, 13, 15, 21
 Flory's assumption 3f

Flory-Huggins theory 12
 Flory-Schultz function 21, 312
 fluorinated monomer 154
 free enthalpy 3, 10, 18, 23, 198, 256, 289, 292, 301, 311, 331
 functional groups 18, 53f, 57ff, 76f, 80f, 84, 124, 128ff, 137, 152, 155, 159, 160
 functional silicones 76ff

g

ΔG , *see* free enthalpy
 GA, *see* glycolide
 gallium chloride (GaCl_3) 106f, 118f
 gauche interaction 9
 gel formation 100
 gel permeation chromatography 265, 310, 372
 gelation 100f, 105, 169
 Gibbs energy, *see* free enthalpy
 glass transition temperature 89, 117, 151, 274, 301
 glycerol 292, 316f
 glycolic acid 179, 255f, 274
 glycolide 123, 127, 129, 137, 255f, 273, 276, 280, 287f, 388f
 GPC, *see* gel permeation chromatography
 Grignard reagents 200
 group transfer polymerization 313, 321
 growth center 167f, 172, 174, 176ff, 190f
 Grubbs-Hoveyda-type initiators 212
 Grubbs-type initiators 199ff, 207, 209, 210, 214, 218
 GTP, *see* group transfer polymerization

h

ΔH , *see* standard enthalpy
 halides 11, 99, 105, 119, 143, 145f, 152
 HDICL 171, 173, 178
 HDL, *see* 16-hexadecanolide
 head-to-head connectivity 212
 head-to-tail connectivity 212
 α -helix 293
 HEMA, *see* 2-hydroxyethyl methacrylate
 N-heterocyclic carbenes 243, 246f, 262ff, 360ff, 366f, 370, 373, 375
 heterocyclic monomer 5f
 heterogeneous systems 11
 heterolytic dissociation 60
 heteropolycondensation 227f
 16-hexadecanolide 288
 hexamethylcyclotrisiloxane 66ff, 76, 78, 80, 82f

hexamethylenecyclosiloxane 8
 hexamethylphosphorous triamide 67f
 high-molecular-weight 15, 41, 45, 65, 79,
 97, 102, 180, 227, 234, 238, 240, 246, 265,
 279f, 289f, 293, 295, 314
 HMPT, *see* hexamethylphosphorous triamide
 homolytic dissociation 60
 homopolycondensation 227f
 homopolymer 21, 45, 133, 186, 189, 256,
 308ff, 390f
 homopolymerization 10, 18f, 21, 44, 73,
 76f, 79, 83f, 124, 127, 129, 133, 135, 267,
 273f, 275, 310, 321, 382
 homo-propagation 18
 hybrid silicones 87
 Hycar 184
 hydridosilane 87
 hydroxycarboxylic acid 227, 236, 296
 2-hydroxyethyl methacrylate 298, 392f

i

IL, *see* ionic liquid
 IMes, *see*
 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene
 imidazolium 361f, 364, 375
 induction period 70, 72, 173, 181, 183, 188,
 257
 inflammation 279
 infrared spectroscopy 175, 187, 367
 Ingeo fibers 280
 initiator 2, 28f, 34f, 37f, 41, 44f, 53ff, 62,
 66, 68f, 71f, 74f, 78f, 82, 86f, 127ff, 132f,
 227, 230ff, 307ff, 336ff, 358ff, 382, 391f
 interchange reaction 127f
 ion pairs 29ff, 39, 67, 147, 173, 230, 232,
 234
 ionic liquid 218, 364, 382
 IR spectroscopy, *see* infrared spectroscopy
 isocyanates 135, 169, 176, 178, 183f, 187f
 isomerization polymerization 58f

j

Jacobson-Stockmayer theory 16f

k

K_C , *see* equilibrium constant
 k_d , *see* rate constant of depropagation
 ketoamides 169
 ketoimides 169
 k_i , *see* rate constant of initiation
 kinetic enhancement 18
 Knoevenagel reaction 228
 k_p , *see* rate constant of propagation

Krebs cycle 255
 k_{tr} , *see* rate constant of transfer

l

LA, *see* lactides
 lactams 25, 55, 123, 131f, 165, 167, 169ff
 lactic acid 255f, 179f, 374, 388f
 lactides 7, 9, 11, 21f, 27f, 37f, 43f, 123,
 127ff, 137, 231, 239, 244, 255ff, 287f, 293,
 299, 321f, 357ff, 388f
 α -lactone 9
 β -lactone 227ff
 lactones 1, 10, 24f, 41, 54f, 123, 127f, 135,
 137, 180, 186f, 287ff, 321, 324, 383ff
 lactones polymerization 9f
 lanthanides 259, 262
 ω -laurolactam 176, 185f
 Lewis acid 56, 72, 105f, 112, 118, 119, 214,
 229, 238, 241f
 Lewis base 56, 58, 105
 ligand-exchange 270
 light transmission 307
 linear polymers 15, 18, 108, 111, 115, 119
 linkage 54, 58, 61, 266, 269, 276, 300, 312,
 317, 368
 lipase 248f, 293f, 379f, 383f, 389f, 392f
 living ring-opening metathesis
 polymerization 204f, 207, 210, 215
 LL, *see* ω -laurolactam
 low-molecular-weight 40, 84, 151, 166, 169,
 182, 190, 243, 277, 279, 289, 314, 383
 Lupron Depot 279

m

macrocycles 16f, 70f
 macrocyclization 15ff
 macroinitiator 309, 312f, 321, 364
 macroions 31f
 macrolides 287, 289, 293f, 297, 299
 macromolecular architectures 276f
 macromonomers 298
 MALDI-ToF mass spectrometry 62, 68,
 128, 257, 265, 361f, 367, 381
 MALS, *see* multi-angle light scattering
 mass spectrometry 14, 62, 257
 melt 3, 8, 10f, 45, 104, 149, 167, 171, 183,
 189, 307, 319f, 357f
 melting point, *see* melting temperature
 melting temperature 11, 89, 126f, 132, 166,
 170f, 177f, 183, 187f, 191, 269, 300f, 360
 meso-lactide 268f, 272f
 methyl acrylate 10
 N-methylpyrrolidone 67f

- 7-methyl-1,5,7-triazabicyclo[4.4.0]dec-5-ene 369f
micelles 159, 276, 293
Michaelis-Menten constants 295
miniemulsion 74f, 295
MIP, *see* molecularly imprinted polymer
MMT, *see* montmorillonite
molecular weight distribution 15, 21f, 25, 28, 43, 68f, 73, 128f, 131, 146, 154, 205, 227, 232, 244, 257ff, 264, 266, 307, 309, 314, 320, 324, 351
molecularly imprinted polymer 217
molybdenum alkylidenes 199, 205
monomer conversion 1, 21f, 27f, 38, 41, 43, 68, 127, 144, 171, 232, 234, 249, 263f, 266f, 294f, 358f, 362, 366, 369f, 372f, 375
monomer molecule 1f, 30f, 40f
monomer-polymer-solvent interactions 5, 11f
monomer-to-initiator ratio 239f, 244, 360, 362, 366, 369, 372ff
montmorillonite 189
2,5-morpholinediones 123ff
MS, *see* mass spectrometry
MTBD, *see* 7-methyl-1,5,7-triazabicyclo[4.4.0]dec-5-ene
multidentate interaction 67
multi-angle light scattering 214
 M_w/M_n , *see* polydispersity index
- n**
NAL, *see* N-acyllactams
nanotubes 215
nanocomposites 76, 189, 320
NBE, *see* norbornene
NCA, *see* N-carboxyanhydride
NCL, *see* N-carbamoyllactams
NHC, *see* N-heterocyclic carbenes
nitrogen 1, 54, 58, 97ff, 107, 112ff, 249f, 259f, 278, 290, 372
nitroxide-mediated polymerization 392
NMP, *see* N-methylpyrrolidone
NMR, *see* nuclear magnetic resonance spectroscopy
norbornadiene 202, 205f, 209
norbornene 200, 205f, 215
Novozyme 435 249, 294f, 297, 300f, 380, 382f, 385ff
NPM, *see* number of polymer molecules
nuclear magnetic resonance spectroscopy 20, 60, 62, 84, 106f, 114f, 117f, 132, 147f, 186f, 200, 206, 237, 244, 250, 257, 269f, 274, 321f, 366f, 370, 372, 374f
- nucleophilic attack 54ff, 101, 131, 152, 167, 230f, 236, 241, 247f, 291, 309, 358ff, 372, 380
nucleophilicity 132, 142f, 150ff, 159, 175f, 231, 308ff, 320f, 389
number of polymer molecules 177
Nyrim process 172, 183f
- o**
OCA, *see* O-carboxyanhydride
octamethylcyclotetrasiloxane 8f, 66ff, 75f, 78, 84f, 89
8-octanolide (OL) 288
oligodiols 18
oligomeric chains 4
oligomerization 4, 12f, 19, 233, 338, 343ff
oligomers 15ff, 40, 42, 65, 71, 72, 83, 290, 308, 310f, 314, 333, 335f, 340, 342f, 358, 384, 388
orthopedic devices 278f
2-oxazoline 141f, 151ff
oxetane 141ff
2-oxetanone-type monomers, *see* β -lactones
- p**
PA, *see* polyamides
packaging 255, 278, 280, 287
Pauling electronegativity 260
PBD, *see* polybutadiene
PBL, *see* poly(β -butyrolactone)
PCL, *see* poly(ϵ -caprolactam)
PCl₅, *see* phosphorus pentachloride
PD, *see* 2-pyrrolidone
PDI, *see* polydispersity index
PDL, *see* 15-pentadecanolide
PDMS, *see* polydimethylsiloxane
PEG, *see* polyethyleneglycol
 ω -pentadecalactone 290, 292
pentadecanolactone 10, 390f
pentadecanolide 8
15-pentadecanolide 288, 290, 292, 294f, 297, 301
pentaerythritol 278
PEO, *see* poly(ethylene oxide)
permittivity 172, 176, 178, 186
PET, *see* poly(ethylene terephthalate) 280
PGA, *see* polyglycolide
pharmaceutics 278, 287
pharmacology 227, 255, 279
phase transitions 10
N-phenylpyrrolidine 151
phosgene 133, 135
phosphanes 201f, 205, 208f

- phosphazene rings, nonhalogenated 98, 107ff
 phosphazenes 97ff, 103ff, 262, 265f
 phosphazanium ion 68
 phosphines 1, 29, 53, 105, 231, 238, 357f
 phosphorus 97ff, 104f, 113f
 phosphorus pentachloride 102f, 115f
 phosphorus ylide 69
 PIB, *see* polyisobutylene
 pivalolactone 321f
 PL, *see* β -propiolactone
 PLA, *see* polylactide
 plastics 165, 191, 307
 PLGAs (GA/LA copolymers) 255f, 273, 276, 279f
 PLL, *see* poly(ω -laurolactam)
 PMMA, *see* poly(methyl methacrylate)
 PMTS, *see* propylmethacrylate triethoxysilane
 PO, *see* propylene oxide
 Poisson distribution 22, 205, 312
 polarity 31, 33f, 37
 polyamides 54, 150, 165ff, 276
 polybutadiene 184f, 297, 320, 391
 poly(β -butyrolactone) 240, 243f, 246
 poly(ϵ -caprolactam) 166, 181, 183, 187, 287, 291, 293, 299ff
 polycarbonate 54, 58, 133f
 polycarbonates 307ff, 390
 polycarbosiloxanes 85ff
 polycondensation 65, 71, 74f, 123, 132, 135f, 165, 227, 255, 297, 307, 379, 382
 polycycloalkanes 34
 polydepsipeptides 123f, 128f
 polydimethylsiloxane 66ff, 71f, 76, 82ff, 89, 310, 312f, 321
 polydispersity 65, 73, 76, 79, 83, 87f, 144, 239f, 243f, 249, 255, 260, 262f, 299
 polydispersity index 21f, 37f, 43, 68f, 73, 78f, 81, 105, 135, 205, 209f, 215, 218, 250, 257f, 262, 264, 291f, 295, 301, 358, 360f, 366, 371ff, 383, 389
 polyester 45, 54, 59, 123, 127, 180, 187, 189, 217, 227ff, 255ff, 287ff, 320, 324, 379, 388f
 polyesterification 227f
 polyethers 141ff
 polyethylene 301
 poly(ethylene oxide) 215, 310, 312f, 321, 358
 polyethyleneglycol 217f, 276, 360, 391
 polyglycolide 255f, 279
 polyisobutylene 188f
 poly(lactic acid) 287, 358ff, 364f, 371f, 375
 polylactide 255f, 263ff, 287
 poly(ω -laurolactam) 166, 171
 polymerizability 5, 295, 316, 329, 351, 384f
 polymerization
 – anionic 2, 15, 17f, 24f, 29ff, 37, 41f, 65f, 69, 71, 75f, 84, 141f, 165ff, 185, 189f, 204, 215f, 230, 232, 234, 238, 290, 333ff
 – carbene-based 243ff
 – cationic 2, 12, 15, 18, 24f, 29ff, 39f, 99, 101, 105f, 118, 141, 238, 266f, 335ff
 – conditions 1, 13, 22, 35, 43, 45
 – degree 3f, 12, 100f, 105, 173, 177, 191, 205, 234, 237, 243ff, 289, 295, 312, 352, 358, 360, 364f, 369ff, 393
 – emulsion 73ff
 – enantioasymmetric 240
 – enzymatic 25, 130f, 248f, 293f
 – equilibrium 65, 83
 – feed 14, 20, 41, 171, 173, 176, 179, 187
 – free-radical 330, 332, 339ff, 347f, 351, 392
 – group transfer 313, 321
 – heterogeneous 70, 72, 78
 – living 2, 11, 17, 21f, 25ff, 60, 62, 87f, 149, 151, 157f, 204, 232, 244, 329, 333, 350, 357f, 360, 364
 – mixture 11, 17, 29
 – nonactivated 181f
 – nonenzymatic 288, 290, 293, 295, 301
 – nonequilibrium 65, 68f, 89
 – photoinduced 144f
 – radical 69, 71, 76, 141, 146f, 185, 299
 – rate 24f, 28, 36, 66f, 70, 72, 76, 78, 100f, 103, 147, 176, 191, 239, 294f, 313, 321, 360, 389
 – spontaneous 340, 342, 347, 351f
 – temperature 4f, 132, 170f, 177, 182, 188, 190
 – time 1, 26f, 29, 39, 187, 239, 313
 – Ziegler-Natta-type 197
 poly(methyl methacrylate) 313, 321, 380, 392f
 polymethylene 9
 polyoxazolines 141f, 144, 146, 148, 150, 151ff
 polyphosphate 54
 polysaccharides 277
 polysiloxanes 9, 65f, 69, 76, 97
 polystyrene 71f, 146, 215, 250, 280, 320, 386, 392
 polystyrene lithium 309f
 polysulfur 9

- polytetrahydrofuran 142, 144ff, 154, 160, 310, 312f, 321
 polyurethane 54, 133ff
 porcine pancreatic lipase 249, 294, 383f, 389f
 porphyrazines 216f
 powdered polyamide 176, 188f
 PP, *see* propylene phosphite
 PPL, *see* porcine pancreatic lipase
 PPY, *see* 4-pyrrolidinopyridine
 precipitation 88, 104f, 118, 188
 precursor 65, 69, 71, 86, 97f, 109, 127f, 146f, 151, 158, 160, 168, 170, 176f, 247, 362
 propagating species 24, 37, 142, 147f, 152f, 156, 230, 245, 360
 propellanes 330f, 346f, 351f
 β -propiolactone 6, 24, 230ff, 237, 288
 propylene oxide 41, 185
 propylene phosphite 7, 12
 propylmethacrylate triethoxysilane 85f
 protein-repellant coatings 160
 proton scavenger 157
 proton trap 72, 83, 147ff
 PS, *see* polystyrene
 PTHF, *see* polytetrahydrofuran
 PTOL, *see* pentaerythritol
 PVL, *see* pivalolactone
 Pyrex tube 114f
 4-pyrrolidinopyridine 357f
 2-pyrrolidone 179, 189f
- r**
 racemization 125ff, 131, 264
 rac-lactide 268ff, 280
 radical addition fragmentation transfer (RAFT) 60, 215, 392
 rate constant of depropagation 1f, 26, 41f
 rate constant of initiation 200, 204, 208, 257, 362
 rate constant of propagation 1f, 13, 16, 21, 23, 67, 69, 71, 178, 204, 232, 257, 290, 309, 314, 320
 rate constant of transfer 2, 21
 rate of propagation 67, 71, 168, 188, 190, 265, 362
 RCM, *see* ring-closing metathesis
 reaction injection molding 172, 183, 300
 regioselectivity 79f, 88, 212f, 379, 382
 renewable resources 255, 280
 resin 69, 72f, 76, 78, 84, 88, 166, 385
 RIM, *see* reaction injection molding
 ring expansion 110f, 117f, 362
 ring size
 – large 21, 25, 131, 287ff
 – medium 287f, 292f, 301
 – small 98, 287, 289f, 293, 300
 ring strain 5, 9, 11f, 24, 67f, 71, 109, 111f, 141, 197, 204, 210f, 256, 289, 292
 ring-closing metathesis 197f, 208
 ring-closure 101, 125f, 132
 ring-opening metathesis polymerization 9f, 53, 197ff, 329
 ring-opening polymerization
 – anionic 53ff, 230, 249, 317, 321, 375
 – carbocationic 238f
 – cationic 56ff, 113, 119f, 136, 141f, 144ff, 152f, 156, 159, 238, 373f
 – dilactones 255, 280
 – enzymatic 229, 293ff, 379ff
 – kinetics 23ff
 – radical 60f
 – stereocontrolled 268f
 – thermodynamics 3ff
 ROMP, *see* ring-opening metathesis polymerization
 rubber 98, 104
 ruthenium alkylidenes 200f, 208
- s**
 ΔS , *see* entropy
 S_8 , *see* cyclo-octasulfur
 SALAN ligands 261
 salcenato group 239
 SALEN ligands 261, 270f
 scCO₂, *see* supercritical carbon dioxide
 SCF, *see* supercritical fluid
 Schiff base 43, 209f, 239, 261
 Schlenk equilibrium 174
 Schrock-type initiators 199, 205, 207, 219
 scrambling, *see* segmental exchange
 sebacic acid 297
 SEC, *see* size-exclusion chromatography
 segmental exchange 15f, 22f, 26, 37
 selectivity parameter 312
 β -sheet 293
 side reaction
 – bimolecular 15
 – chain-transfer 22, 40
 – proton abstraction 41
 – unimolecular 15
 side reactions 2, 25f, 28, 39, 42, 54, 68, 78, 80, 127f, 142, 169, 173f, 176f, 180, 184, 186, 188, 190f, 227f, 231, 257f, 263f, 309f, 349, 369
 silanolate 66ff, 75, 78, 81, 83

- silicone polymers 66, 72, 85
 siloxane-containing polymers 65ff
 site control mechanism 269f
 site transformation 309f, 313f, 320f, 324
 size-exclusion chromatography 17, 250
 S_N1 mechanism 57
 S_N2 mechanism 57
 Sn(II) octoate 4, 38f
 Sn(Oct)₂, *see* tin octononate
 solvent
 – anhydrous 104
 – aromatic 118
 – basic 68
 – dipolar 37
 – monomer 5, 11f
 – nonpolar 67, 188
 – nucleophilic 143
 – polar 29, 31, 36, 154
 – polarity 31, 147, 230
 – polymer 5, 11f
 – stabilization effect 154
 – use 147, 153f
 – wet 114
 solvent-free 87
 solvolysis 183
 sparteine 267, 369f
 spirocycles 247, 292
 standard enthalpy 3, 10, 198, 232f, 311, 316
 stannous octanoate 127, 129, 131
 star polymers 256, 276, 278, 280
 star-shape 141, 145, 149f, 155f, 256, 358, 360, 365, 373f, 392
 step-growth mechanism 301, 339
 stereoblocks 268f
 stereocomplexes 268f
 stereoerrors 266f
 stereoselectivity 88, 205, 212f, 240, 243, 269f, 294, 361, 369, 383
 steric hindrance 10, 25, 42f, 129, 143, 150, 231, 243, 297, 361, 386, 389
 steroids 279, 330
 strain energy 332, 350
 styrene 10, 146, 158, 341, 343, 392
 sulfanuric chloride 97f
 sulfur 1, 9, 21, 54, 60, 97f, 113ff, 120
 sulfur-nitrogen-phosphorus-containing polymers 97ff
 supercritical carbon dioxide 382, 392f
 supercritical fluid 382
 supramolecular activation 367f
 surfactant 74f, 85f, 277, 295
 surgery 255, 278f
 syndiotacticity 239, 243, 268f, 272f
 Synhydride 174f, 188
t
 tacticity 209, 256, 268f
 TBD, *see* 1,5,7-triazabicyclo[4.4.0]dec-5-ene
 T_c , *see* ceiling temperature
 telechelic 69, 71f, 129, 184, 215, 310, 312f, 321, 393
 tensile strength 279f
 terminating agent 2, 69, 72f, 87, 149ff, 156, 158
 terpolymers 135, 187
 2-tert-butylimino-2-diethylamino-1,3-dimethylperhydro-1,3,2-diazaphosphorine 371
 tetrahydrothiophene 6
 2,2,5,5-tetramethyl-1-oxa-2,5-disilacyclopentane 366f, 373
 T_f , *see* floor temperature
 thermogravimetric analysis (TGA) 187, 301
 thermolysis 98, 112, 115
 thionylphosphazenes 115ff
 thiophosphazenes 97, 113f, 120
 thiourea 266f, 324, 369f
 tin octononate 256f, 269, 273f, 276f, 291, 311, 390
 TMC, *see* trimethylene carbonate
 TMOSC, *see* 2,2,5,5-tetramethyl-1-oxa-2,5-disilacyclopentane
 TMP, *see* trimethylolpropane
 tooth implants 217
 toxicity 135, 137, 142, 255
 transacylation 180f, 187, 307, 390
 transamidation 180, 183, 186f
 transannular strain 287, 289
 transesterification 124, 126, 128, 132, 180, 227, 238, 240, 243, 257f, 263, 265f, 269, 290f, 297, 302, 307f, 312, 320ff, 358f, 362, 365, 369, 372, 381f, 390
 transesterification 142
 transition metal alkylidenes 197, 199
 transoid conformation 300, 386f
 transparency 307
 triads 323, 380
 1,5,7-triazabicyclo[4.4.0]dec-5-ene 369, 372f, 375
 triazole 365f
 tridecanolide 8
 triflic acid 70f, 76, 83f, 87f, 200, 373
 1,3,3-trimethylazetidene 150f
 trimethylene carbonate 7, 359f, 370, 372, 374, 390

trimethylolpropane 278
1,3,5-trioxane 11

u

11-undecanolide (UDL) 288, 294f, 382
urea 105, 132ff, 178

v

δ -valerolactame 7
 δ -valerolactone 7, 9, 180, 266, 268, 287f,
367ff, 384f
Vicryl 279
viscosity 100, 104f, 114f, 144, 149, 320,
362

w

wide-angle X-ray scattering (WAXS) 186
Wittig-type reaction 201, 215

x

X-ray analysis 107, 186f, 189, 217
X-ray diffractometry 189, 301

z

zero-order kinetic 177, 180f, 190f
zinc alkoxides 239f
zinc lactate ($\text{Zn}(\text{Lact})_2$) 256f, 260, 269
zwitterions 247, 264f, 331, 339, 358, 361f,
365