

Index

a

Abbott laboratories robotic microwave facility 117
ab initio calculations 38
 absorbing solvents, *see* toluene
 acetylsalicylic acid 260
 acid-labile Wang-type linker 130
 ACS guidelines 176
 activation energy 21, 37, 38
 Advancer kilobatch 67
 aldol condensation 182
 alkyl halides 111, 114, 107, 208
 – alkylation 111, 114
 allylic imidates 113
 aluminum crimp 52
 AMEBA solid support 108
 aminocarbonylation 278
 ammonium formate 101
 antenna groups 35
 anthranilic acid 91
 – sublimation 91
 Anton Paar Synthos 3000 62, 63, 276, 277, 282, 283
 – features 63
 – 8-vessel rotor 64
 – 16-vessel rotor 65
 – 48-vessel rotor 65
 – 64-vial rotor 66
 – 96-vial rotor 66
 – Combichem rotor 66
 – features of rotor systems 65
 aqueous one-pot synthesis 105
 Arrhenius behavior 32
 Arrhenius equation 21, 31, 37, 168, 195
 Arrhenius law 30
 aryl bromides 109, 135
 aryl iodides 109, 135
 aspirin 258

– synthesis of 258
 athermal effects 20, 37
 atmospheric pressure 2, 32
 autoclave technology 3
 automated microwave peptide synthesizer 59, 61
 automated sequential library generation 245
 – Hantzsch synthesis 245
 – Biginelli synthesis 249
 automated sequential processing technique 116
 automated sequential *vs.* parallel processing 116
 azide-compounds 190

b

β -keto esters 21, 95, 253
 – cyclocondensation 253
 – transesterification of 95
 β , β -diarylated aldehydes 36
 back-pressure regulators 148
 band-gap shift principle 26
 base-catalyzed ester formation 206
 BatchSYNTH 81, 182
 benzamide hydrolysis 238
 benzofuran-2-carboxylic acid ethyl ester 93
 – synthesis of 93
 benzo-trifluoride (BTF) 140, 198
 bicyclic imidazothiazoles 120
 bidentate nucleophile 105
 Biginelli library generation 204, 249, 253, 254, 257
 Biginelli reaction 108, 116, 118, 119, 142, 143, 144, 204, 244, 266
 – direct scalability 142
 Biotage AB 51, 67
 – Initiator platform 51–54
 – Emrys platform 54, 55

- Emrys Advancer 67
 - Biotage Initiator vs. CEM discover instruments 61
 - Biotage Pathfinder 190
 - database 163, 166, 185
 - biphasic mixtures 24
 - biphasic reaction systems 26
 - Bohlmann–Rahtz synthesis 144
 - borneol 220
 - oxidation 220
 - boronic acids 135
 - Brownian motion 12
 - Buchwald–Hartwig reaction 140
 - built-in magnetic stirrers 4, 45, 53
 - built-in ventilation system 184
- c**
- carbon-doped Teflon (Weflon) 124
 - carbon monoxide 101, 275
 - carboxylic acids 92, 146
 - *o*-alkylation 92
 - catalyst-free transesterifications 105
 - catalyst/ligand systems 181
 - catalysts 181
 - decomposition of 181
 - solvent system 176
 - catalytic transfer hydrogenation conditions 101, 102
 - catalytic transfer hydrogenations 190
 - cation-complexing agents 91
 - CCD camera 57
 - CEM corporation 56, 68
 - Discover systems 56–58, 61
 - Explorer systems 58
 - Voyager systems 58–60
 - Liberty peptide synthesizer 59, 60
 - MARS S 68
 - CF organic microwave synthesis 143
 - CF techniques 143
 - Chemspeed SWAVE 55
 - chiral ionic liquids 108
 - chloroacetic ethyl ester reaction 92
 - p*-chloroaniline 228
 - *N*-acetylation 228
 - circular wave guide 50
 - Claisen–Schmidt condensation 130
 - Claisen rearrangements 41, 111, 114
 - closed-vessel conditions 96, 107
 - closed-vessel microwave system 97
 - cold spots 46
 - Combichem rotor 64, 66
 - CombiCHEM system 77
 - computer-aided method programming 48
 - continuous-flow conditions 184
 - continuous-flow protocol 152, 271
 - copper-catalyzed *N*-arylation 169
 - corrosive reactions 190
 - corrosive reagents 190
 - custom-built microreactor device 145, 150
 - custom-built parallel reactor 120
 - construction of 120
 - cyanuric acid 33
 - cycloaddition process 38
 - cycloaddition product 99
- d**
- design of experiment (DoE) 175, 241
 - DHPM 116, 118, 136
 - *N*3-acylation 136
 - DHPM derivative 117, 268
 - DHPM library 268
 - DHPM scaffolds 136, 253
 - dielectric constant 15, 16
 - dielectric heating 14, 88
 - mechanisms 16
 - dielectric loss 14, 17
 - dielectric materials 18
 - dielectric properties 15
 - Diels–Alder cycloaddition reactions 38, 98, 104, 108, 142, 203, 223
 - Diels–Alder fragmentation process 99
 - diethyl malonate 96
 - differential heating phenomena 36
 - digital microwave leak detectors 188
 - dihydroindazolone synthesis 231
 - dimethylformamide dimethylacetal (DMFDMA) 233
 - dipolar polarization 13
 - graphical presentation 13
 - dipole moment 15, 38
 - Discover BenchMate 58
 - Discover CoolMate 40, 41, 57
 - Discover LabMate 56, 58
 - Discover S-Class 56, 182, 198
 - Discover SPS 61, 129, 287
 - dissociation constant 103
 - domestic microwave ovens 46–47, 87, 118, 194
 - doping agents 110
 - double bond reductions 101
 - drug discovery 115, 193
 - drug discovery high-throughput synthesis 115
 - processing techniques 115
 - drum-shaped TFM reactor 80
 - dry-media reactions 2, 88, 92, 196
 - advantages 88
 - characteristics 88

- disadvantages 88
 - dynamic evaporation method 98
 - dynamic field tuning 52
- e**
- electric arcs 46
 - electromagnetic field 39
 - electromagnetic irradiation, *see* microwave radiation
 - electromagnetic spectrum 11, 12
 - bar graph 12
 - electron bunches 49
 - electronic solvent sensors 190
 - electrophilic agents 91–92
 - electrostatic etching 35
 - electrostatic interactions 38
 - elemental metal precipitates 191
 - Emrys Advancer batch-reactor 67, 143, 150, 182
 - Emrys Creator 54
 - Emrys Liberator 54, 225
 - Emrys Optimizer 54, 125
 - energy pockets 49
 - energy transfer 35, 58
 - enhanced microwave synthesis (EMS) 39, 57
 - epoxide ring-opening reactions 106
 - esterification reactions 97
 - ETHOS-CFR reactor 147
 - ETHOS series 75
 - ethoxycarbonylation 275
 - ethyl acetate 101
 - external heat source 19
 - heating mantle 19
 - oil-bath 19
- f**
- FibreCats 134
 - fiber-optic probe 23, 25, 26, 27, 28, 34, 35, 40, 92, 94, 121, 177, 178, 199
 - filter-bottom polypropylene plates 122
 - Fischer indole synthesis 144, 269
 - FlowSYNTH 81, 147, 149
 - flow-through micro-scale reaction systems 150
 - flow-through techniques 150
 - fluorous-phase organic synthesis 133, 134
 - fluorous-tagged substrates 133
 - fluorous aryl sulfonates 133
 - fluorous Suzuki coupling 133
 - focused microwaves 51
 - fractional product distillation 272
 - frequency irradiation 14
 - Friedel–Crafts sulfonylations 110
- g**
- gas balloon thermometer 23, 45, 48, 64
 - gaseous carbon monoxide 100
 - gaseous components 275
 - gas-loading accessory 98
 - glass reactor surface 31
 - glass vessels 2
 - green chemistry philosophy 87
 - Grignard reaction 213–215
 - Grignard reagents 35, 203
- h**
- halide-based ionic liquids 109
 - Hantzsch dihydropyridines 219
 - Hantzsch library synthesis 245
 - Hantzsch pyridine synthesis 122
 - heat-conductive material 33
 - heat transfer 19, 33
 - Heck reaction 109, 136, 142, 216
 - heterogeneous catalyst 40, 216
 - heterogeneous encapsulated palladium catalyst (PdEnCat) 34
 - heterogeneous gas-phase catalytic reactions 98
 - heterogeneous gas phase catalysis 33
 - heterogeneous liquid/liquid systems 36
 - heterogeneous metal catalysts, *see* palladium
 - heterogeneous reactions 24
 - dry-media systems 24
 - solvent free systems 24
 - high-boiling microwave-absorbing solvents 95
 - high-boiling solvents 126, 166
 - high-density single-mode microwave cavities 24
 - high temperature compound (HTC) 82
 - high-temperature polyethylene (HTPE) 122
 - high-temperature microwave-heated processes 30
 - high-throughput synthesis methods 127
 - high-throughput techniques 116
 - Hofmann elimination reaction 35–36
 - homogeneous metal catalysts 191
 - homogeneous microwave field 161
 - homogeneous organic reactions kinetics 32
 - homogeneous reaction mixture 24
 - hot ionic liquid phase 111
 - hot spots 46
 - household microwave 2
 - HPLC pumps 59, 144, 145
 - hybrid instrument, *see* MultiSYNTH instrument

hydraulic system 64
hydrofluoric acid 190
hydrogenation reactions 34, 101
– microwave-assisted hydrogenation reactions 34
hydrophobic effects 102
4-hydroxyquinolinone 90, 96
– synthesis of 96

i

imidazolium-based ionic liquids 110
imine formation 137
imine synthesis 234
imino diacetate-functionalized QuadraPure cartridge 137
immersion wells 26
infrared (IR) sensor 22
Initiator 51
Initiator systems 51
– Initiator 52
– Initiator Eight 52
– Initiator Sixty 52
inorganic/polymeric materials 18
in situ reaction monitoring 182
IntelliVent pressure control system 57, 180
IntelliVent sensor 57
– S-Class 57
invasive methods 112
ionic conduction 13, 14, 103
– effects 14
– graphical presentation 13
– mechanism 14
ionic liquid/hexane mixture 36
ionic liquids 24, 29, 53, 102, 106, 107, 108, 110, 181
– characteristics 106
ionic product 103
IR camera 46
IR probes 24, 177
IR pyrometer 35, 39
IR sensor 24, 25, 26, 45, 48, 53, 55, 62, 64, 69, 77, 85, 111, 121, 177, 178, 184, 199
IR thermography 34
IR thermovision camera 34
iron oxide magnetite crystallites (Fe₃O₄) 91
irradiation frequency 16
irradiation period 46
ISM microwave frequencies 12

k

Kindler thioamide synthesis 142
kinetic energy 14
kitchen microwave ovens 2, 11
Knoevenagel condensation 96, 209

l

large-scale continuous-flow microwave reactors 152
large-scale microwave instruments 141, 149
Latent heat 39
Liberty system 61
library synthesis 116
liquid-gas interfaces 31
liquid-liquid extraction 55
liquid by-products 97
living free radical polymerization (LFRP) 143
low-absorbing materials 18, 188
– loss tangents 18
low-absorbing organic medium, *see* passive heating elements
low absorbing solvents 166
– dichloromethane 166, 227
– dioxane 166
– tetrahydrofuran 166
– toluene 166, 227
low-boiling solvents 166

m

macroscopic temperature effect 20
magnesium turnings 35
magnetic field interactions 13
magnetic stirring 74
magnetron 45
– on-off cycles 45
– output power modulation 22
maleic anhydride 224
Mannich reactions 143
mapping experiments 46
MARS scale-up system accessories 69
– Reflux Accessory Kit 69–70
– Flow Cell Accessory Kit 70–71
MARS parallel system accessories 70
– Microplate rotor 70
– GlassChem rotor 71
– MARSXpress rotor 71
– XP-1500 Plus rotor 72
– HP-500 Plus rotor 72
– features of 72
Maxwell–Wagner interfacial microwave polarization 35
mechanical stirrers, *see* reflux condensers
Mesitoic acid 208
metal/ligand complexes 191
micro-channels 150
– lab-on-a-chip 150
– microreactors 150
MicroKan reactor 129

- Microplate rotor 70
- microreactor 150
 - device 151
- MicroSYNTH multimode instrument, *see* ETHOS series
- MicroSYNTH systems 75, 76, 80, 81, 96, 118, 124, 149, 264
 - features 76
 - microtiter plates 63, 66, 70, 77, 121, 122
- microwave-absorbing materials 25, 41, 110, 112, 113, 120
 - heterogeneous catalysts 37, 191
 - silicon carbide 126
 - solvents 28
- microwave acid digestion/solvent extraction systems 62
- microwave-assisted catalytic transfer hydrogenation reactions 101
- microwave-assisted reactions 3, 22, 31, 81, 95, 109, 137, 141, 152, 190
 - parallel synthesis 122
 - PASP syntheses 137
 - resin capture 137
 - scale-up of 81, 141
 - transformations 31, 34
 - transition metal-catalyzed reactions 191
- microwave attenuator 189
- microwave cavity 19, 26, 28, 49, 52, 198
- microwave chemistry 12, 22, 23, 164, 176, 185
 - ACS guidelines 178
 - flow-chart 166
 - temperature monitoring 22
 - temperature sensors 23
- microwave dielectric heating 12, 19, 25, 33, 103
- microwave effects 3, 20, 21, 22, 27
 - non-thermal 3, 20, 37
 - Specific 20, 31
- microwave energy 1, 13, 49, 50, 53, 58, 88
- microwave flash heating 28
- microwave flow device 146
- microwave heating 11, 17, 26, 27, 31, 32, 33, 34, 93, 104, 162, 185, 190, 192
 - advantages 192
 - application 104
 - industrial, scientific and medical (ISM) frequencies 11
 - limitations 192
- microwave heating-simultaneous cooling approach 40
 - applications 40
- microwave instrument 4, 51, 129, 184, 193, 197
 - software 172
- microwave interaction *vs.* conventional thermal heating 19–20
- microwave interactions 11
- microwave irradiation 2, 14, 15, 17, 18, 19, 22, 25, 31, 34, 36, 38, 40, 41, 46, 49, 88, 89, 104, 150, 176, 189, 237, 280
 - interaction 18
 - power 41
 - process 22
 - use 11
- microwave magnetron power 30, 53
- microwave-matter interaction 11, 20
 - characteristics 20
 - principles 11
- microwave-mediated reaction 168, 169
 - Suzuki reaction 174
 - Suzuki coupling protocol 265
 - transformations 167
- microwave oscillation 49
- microwave ovens 16, 45, 122, 162
- microwave power 39, 167
 - source 48
- microwave processing techniques 87
- microwave protocols 203
- microwave radiation 11, 16–18, 103
 - absorption 16
- microwave reaction 89
 - vessels 186
- microwaves interaction 18
- microwave superheating effect 32
- microwaves volumetric heating 33
- microwave synthesis 1, 2, 25, 41, 87, 110, 139, 192, 228
 - scale-up of 139
- microwave technology 2, 46, 151, 185
 - use of 185
- microwave theory 11
- microwave-transparent cooling media 40
- microwave-transparent materials 19
 - borosilicate glass 19
 - quartz 19
 - teflon 19
- microwave-transparent reaction mixtures 25, 166
- microwave-transparent solvent 25, 35
- microwave vessels 166
- Milestone MicroSYNTH system 76, 255, 259, 273
 - CombiChem system 77
 - QV50 module 77
 - MedCHEM Kit 77
 - PRO-16/24 rotor 77
 - Q20 rotor 78

- High-Pressure rotor 78
 - Large-Volume rotor 79
 - features of parallel rotors 79
 - Batch Scale-Up Pressure reactor 79
 - scale-up at normal pressure 79
 - Milestone Multi-SYNTH 120
 - accessories 75
 - features 74
 - system 62, 73, 74
 - molecular radiators 35
 - molecular sieves 197
 - molybdenum hexacarbonyl 278, 280
 - monastrol 241
 - synthesis of 241
 - MonoPREP module 259
 - Montmorillonite K10 clay 89, 90, 94
 - pyrrole derivatives synthesis 89
 - multicapillary reactor device 151
 - multimode aspirin synthesis 260
 - multimode instruments 23, 45, 46, 49, 51, 62, 120, 121, 139, 141, 142, 143, 183, 190, 203
 - multimode microwave heating 29
 - multiple heating steps 181
 - multistep benzimidazole synthesis 132
 - MultiSYNTH instrument 73
 - multi-vessel rotors 45, 49
- n**
- near-critical water 103–105
 - conditions 104
 - Diels-Alder synthesis 105
 - hydrolysis 105, 281
 - phenol synthesis 105
 - neat reaction medium 184, 234
 - Niementowski-type reaction 91
 - 2-nitroaniline 236
 - *N*-formylation 236
 - non-absorbing components 33
 - nonapeptide 284
 - synthesis of 284
 - non-equilibrium conditions 39
 - non-homogeneous reaction mixtures 36
 - non-polar microwave transparent materials 18
 - nonpolar organic solvents 24, 110
 - dioxane 110
 - hexane 110
 - tetrahydrofuran 110
 - toluene 110
 - non-thermal microwave effects 20–22, 38, 39, 42, 94
 - athermal effects 37

- Novartis high-throughput microwave synthesis factory 117
- nucleation points 31
 - cavities 31
 - pits 31
 - scratches 31

o

- oil-bath chemistry 195
- oil-bath experiment(s) 3, 28, 32, 163
 - reflux experiment 31, 163
- oil-bath open-vessel conditions 200
- one-pot protocol 89, 105, 108, 116
- one variable at a time (OVAT) 204
 - strategies 238
- online chromatographic analysis 55
- open vs. closed-vessel conditions 94–98
- open-vessel microwave conditions 2, 87, 95, 97, 131, 141, 142, 167, 189, 203
- open-vessel Suzuki reaction 263
- organic solvents 2, 103, 190
- oxidative aromatization 218

p

- palladium 191
- palladium catalyst/ligand system 149
- palladium catalysts 134, 135
 - immobilized 134, 135
- palladium-catalyzed reactions 197
 - aminocarbonylations 101
 - Buchwald–Hartwig aminations 148
 - carbon-carbon cross-coupling reactions 92
 - carbonylation reactions 99
 - deoxygenations 133
 - Heck coupling reaction 217
 - hydrogenation 34
 - Suzuki couplings 141, 149, 261
- palladium-doped alumina 90
- palladium-on-carbon (Pd/C) 34, 101
- parallel library generation 254
 - Biginelli synthesis 254
- parallel vs. sequential processing 127
 - advantages 127
 - disadvantages 127
- passive heating elements (PHEs) 112, 113, 166, 225
- PathFinder database 54
- penetration depth 16
 - definition 16
 - values 18
- pentacyclic heterocycle 91
 - solvent-free synthesis 91
- peptide synthesizers 59

- perfluorinated (fluorous) chains 133
 – C₆F₁₃ 133
 – C₈F₁₇ 133
 phase boundaries 36
 phase reactions 89
 phase-transfer catalysis 91, 92
 – conditions 92
 phase-transfer catalyst 92
 – tetra butylammonium bromide (TBAB) 92
 photochemistry 12
 pneumatic sensor 76
 polar additives
 – alcohols 15
 – ionic liquids 15
 polar functional groups, *see* antenna groups
 polar organic solvents 18, 88
 – *N,N*-dimethylformamide 88
 – water 88
 polar reaction mechanisms 21, 37
 polar reaction medium 33
 polar reaction mixtures 53
 polycyclic derivatives 90
 – synthesis 90
 polydispersity indices (PDI) 147
 polyethylene glycol (PEG) 131
 – bound products 131
 – ionic liquid matrices 108
 polymerase chain reaction (PCR) 33
 – transformations 33
 polymer-assisted solution phase synthesis (PASP) 137, 197
 – technique 134
 polymer-bound substrates 133
 polymerization reactions 147
 polymer-supported reagents 134, 145
 – Mukaiyama reagent 134
 polymer-supported scavengers 136
 polypropylene deep well plates 123
 polypropylene vessel 61
 polystyrene-based resins 137
 power-controlled option 172
 power-density single-mode instrument 170
 – microwave reactors 179
 PowerMax 39, 57
 pre-pressurized reaction vessels 98
 pressure-controlled method 172
 pressure-management device 57
 pre-stirring period 179
 primary alkyl halides 109
 – synthesis of 109
 PTFE (Teflon) 122
 – microtiter plates 122
 – TFM liners 63, 64
 – TFM vessel 78, 83
 pulsed irradiation 46
 pyranoquinoline synthesis 272
 pyrazole 111, 114, 204, 225, 227
 – *N*-alkylation 111, 114, 204, 225, 227
 pyrex microwave vials 199
 pyrex vessel 114
- q**
 QuadraPure scavengers 137
 quantum mechanical methods 39
 quantum mechanical resonance phenomenon 14
- r**
 RADAR transmissions 11
 Raman spectroscopy 182
 Rasta resins 143
 reaction control 53
 reaction parameters 173
 reaction temperature 22, 24, 27, 28, 31, 40, 45, 46, 92, 186
 reaction vessels 95
 reaction volumes 62
 reactive gases 181
 – carbon monoxide 181
 – hydrogen 181
 reactor wall 22
 real time spectroscopy 67
 rectangular wave guide 50, 51
 – applicator 50
 – tube 52
 reflux condenser 47, 98
 reflux conditions 30
 reflux temperature 21
 Reseal™ design 52
 ring-closing metathesis (RCM) 97
 Rosemund-von Braun cyanation 137
 rotational relaxation process 14
 RotoSYNTH 84, 85, 97
- s**
 sand-filled flow cell 145
 – schematic diagram of 145
 scale-up 138–141
 – batch and parallel 141–143
 – continuous flow 143–148
 – stop-flow 148–150
 sealed-vessel conditions 46, 138, 164, 169, 182
 self-tuning circular wave guide 50
 – technique 56
 semiconductor band-gap technology 26
 sensor crystal 23

- silicon carbide (SiC) 14, 63, 113
 - cylinders 197
 - microtiter plate 66, 126
 - simultaneous cooling 24, 25, 39, 40, 177, 178, 199
 - single-mode continuous flow microwave reactors 146
 - single-mode instrument(s) 22, 39, 50, 51, 87, 98, 99, 104, 116, 120, 138, 143, 145, 147, 169, 173, 175, 196, 198
 - Biotage Initiator 51, 173
 - CEM Discover 56, 142, 173
 - six-member Hantzsch library 204
 - small-scale sealed-vessel microwave processing 206
 - solid carbon monoxide source 102
 - solid hydrogen donor 102
 - solid-phase amination 142
 - solid-phase extraction (SPE) 55
 - solid-phase organic synthesis (SPOS) 63, 95, 106, 128, 131, 197
 - solid-phase peptide synthesis (SPPS) 51, 59, 128, 284
 - approach 130
 - cycle 129
 - solid-phase Sonogashira couplings 128
 - solid-state reactions 88
 - solid reagent, *see* molybdenum hexacarbonyl
 - soluble polymer-supported synthesis 131
 - solution-phase chemistry 59, 134
 - solvent-free/dry-media processing 39, 87, 88, 90, 92, 167, 234
 - solvent-free/solid reaction mixtures 167
 - solvent-reagent system 109
 - solvents/reaction mixtures 166
 - Sonogashira coupling 90
 - specific microwave effects 3, 19, 20, 22, 31, 33, 37, 94
 - definition 31
 - SPOT-synthesis 130
 - Start SYNTH 80
 - Teaching Lab Kit 81
 - Research Lab Kit 81
 - state-of-the-art microwave reactor design 49
 - statistical methods (DoE) 241
 - reaction optimization 175
 - monastrol synthesis 241
 - stop flow techniques 148
 - scale-up 148
 - sub-ambient temperatures 41
 - sub-zero cooling module 57
 - sulfuric acid 190
 - supercritical conditions 104
 - supercritical water 17
 - superheating effect 32, 37
 - surface temperature 25
 - Suzuki couplings 34, 134, 135, 136, 141, 142, 149, 170, 261, 263
 - Sweet-spot prediction plots 243
 - synergy software 57, 195
 - Synthos 3000 multimode instrument 23, 104
- t**
- task-specific ionic liquids (TSILs) 108
 - synthesis of 108
 - teflon-coated silicon 53
 - teflon septum 52
 - teflon vessel 70
 - temperature control algorithm 30
 - temperature-controlled program 172
 - temperature-dependent kinetic profiles 31
 - temperature gradient 19
 - temperature-sensitive species 32
 - temperature sensors 22–23
 - thermocouples 23
 - IR sensors 23
 - fiber-optic probes 23
 - gas-balloon thermometers 23
 - tetrabutylammonium bromide (TBAB) 91, 92, 121
 - TFM reactor(s) 78, 81
 - thermal conductivity 19
 - thermal energy 14
 - thermal heating 20, 29
 - thermal/kinetic effects 20, 22, 28
 - thermocouples 26
 - thermovision camera 23, 93
 - toluene 141
 - toluene/aqueous hydrochloric acid system 36
 - transition metal-catalyzed reaction 41, 105, 186
 - transition state geometries 38
- u**
- Ugi-type multicomponent reactions 118
 - UltraCLAVE 83
 - batch reactor 83
 - ultra-low palladium catalyst 149, 217
 - urea decomposition 33
- v**
- vaporization enthalpy 31
 - vapor-pressure calculator 166
 - Vigreux column 96
 - volatile reagents/products/solvents 178
 - volumetric *in situ* heating 16, 19, 33
 - volumetric microwave 33

Voyager_{CF} reactor 59, 60, 143, 144, 147,
260
Voyager_{SF} system 58, 59, 148, 149

w

Wang resin 95
water/chloroform mixtures 36

water scavengers 197
wave-material interactions 13
web-based tool 54
weflon-based microtiter plate system
125
weflon-made wellplates 77
Williamson ether synthesis 211–212

