

## Contents

### List of Contributors XVII

#### Part One Amino Acids as Building Blocks 1

|          |                                                                                                                             |
|----------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>1</b> | <b>Amino Acid Biosynthesis 3</b>                                                                                            |
|          | <i>Emily J. Parker and Andrew J. Pratt</i>                                                                                  |
| 1.1      | Introduction 3                                                                                                              |
| 1.2      | Glutamate and Glutamine: Gateways to Amino Acid Biosynthesis 5                                                              |
| 1.2.1    | Case Study: GOGAT: GATs and Multifunctional Enzymes<br>in Amino Acid Biosynthesis 6                                         |
| 1.3      | Other Amino Acids from Ubiquitous Metabolites: Pyridoxal<br>Phosphate-Dependent Routes to Aspartate, Alanine, and Glycine 8 |
| 1.3.1    | Pyridoxal Phosphate: A Critical Cofactor of Amino Acid Metabolism 8                                                         |
| 1.3.2    | Case Study: Dual Substrate Specificity of Families<br>of Aminotransferase Enzymes 10                                        |
| 1.3.3    | PLP and the Biosynthesis of Alanine and Glycine 15                                                                          |
| 1.4      | Routes to Functionalized Three-Carbon Amino Acids: Serine,<br>Cysteine, and Selenocysteine 16                               |
| 1.4.1    | Serine Biosynthesis 16                                                                                                      |
| 1.4.2    | Cysteine Biosynthesis 18                                                                                                    |
| 1.4.3    | Case Study: Genome Information as a Starting Point for Uncovering<br>New Biosynthetic Pathways 19                           |
| 1.4.3.1  | Cysteine Biosynthesis in <i>Mycobacterium Tuberculosis</i> 19                                                               |
| 1.4.3.2  | Cysteine Biosynthesis in Archaea 20                                                                                         |
| 1.4.3.3  | RNA-Dependent Biosynthesis of Selenocysteine and Other<br>Amino Acids 21                                                    |
| 1.5      | Other Amino Acids from Aspartate and Glutamate: Asparagine<br>and Side Chain Functional Group Manipulation 22               |
| 1.5.1    | Asparagine Biosynthesis 23                                                                                                  |

|          |                                                                                                                           |           |
|----------|---------------------------------------------------------------------------------------------------------------------------|-----------|
| 1.6      | Aspartate and Glutamate Families of Amino Acids                                                                           | 25        |
| 1.6.1    | Overview                                                                                                                  | 25        |
| 1.6.2    | Aspartate Family Amino Acids: Threonine and Methionine                                                                    | 25        |
| 1.6.2.1  | Case Study: Evolution of Leaving Group Specificity in Methionine Biosynthesis                                             | 28        |
| 1.6.2.2  | Threonine, Homocysteine, and PLP                                                                                          | 30        |
| 1.6.2.3  | Threonine Synthase                                                                                                        | 30        |
| 1.6.2.4  | Methionine, Cysteine, and Cystathionine                                                                                   | 32        |
| 1.6.2.5  | Methionine Synthase                                                                                                       | 33        |
| 1.6.3    | Glutamate Family Amino Acids: Proline and Arginine                                                                        | 33        |
| 1.7      | Biosynthesis of Aliphatic Amino Acids with Modified Carbon Skeletons: Branched-Chain Amino Acids, Lysine, and Pyrrolysine | 37        |
| 1.7.1    | Overview                                                                                                                  | 37        |
| 1.7.2    | Valine and Isoleucine                                                                                                     | 37        |
| 1.7.3    | Homologation of $\alpha$ -Keto Acids, and the Biosynthesis of Leucine and $\alpha$ -Aminoadipic Acid                      | 41        |
| 1.7.4    | Biosynthesis of Lysine: A Special Case                                                                                    | 44        |
| 1.7.4.1  | Diaminopimelate Pathway to Lysine                                                                                         | 44        |
| 1.7.4.2  | $\alpha$ -Aminoadipic Acid Pathways to Lysine                                                                             | 45        |
| 1.7.4.3  | Pyrrolysine                                                                                                               | 47        |
| 1.8      | Biosynthesis of the Aromatic Amino Acids                                                                                  | 49        |
| 1.8.1    | Shikimate Pathway                                                                                                         | 49        |
| 1.8.2    | Case Study: Alternative Synthesis of Dehydroquinate in Archaea                                                            | 53        |
| 1.8.3    | Biosynthesis of Tryptophan, Phenylalanine, and Tyrosine from Chorismate                                                   | 58        |
| 1.8.3.1  | Tryptophan Biosynthesis                                                                                                   | 58        |
| 1.8.3.2  | Phenylalanine and Tyrosine Biosynthesis                                                                                   | 59        |
| 1.8.4    | Histidine Biosynthesis                                                                                                    | 61        |
| 1.9      | Conclusions                                                                                                               | 64        |
|          | References                                                                                                                | 65        |
| <b>2</b> | <b>Heterocycles from Amino Acids</b>                                                                                      | <b>83</b> |
|          | <i>M. Isabel Calaza and Carlos Cativiela</i>                                                                              |           |
| 2.1      | Introduction                                                                                                              | 83        |
| 2.2      | Heterocycles Generated by Intramolecular Cyclizations                                                                     | 83        |
| 2.2.1    | $\alpha$ -Lactones and $\alpha$ -Lactams                                                                                  | 83        |
| 2.2.2    | Indolines                                                                                                                 | 84        |
| 2.2.3    | Aziridinecarboxylic Acids and Oxetanones                                                                                  | 86        |
| 2.2.4    | $\beta$ -Lactams and Pyroglutamic Acid Derivatives                                                                        | 87        |
| 2.2.5    | Amino Lactams and Amino Anhydrides                                                                                        | 88        |
| 2.2.6    | Azacycloalkanecarboxylic Acids                                                                                            | 89        |
| 2.3      | Heterocycles Generated by Intermolecular Cyclizations                                                                     | 89        |
| 2.3.1    | Metal Complexes                                                                                                           | 89        |
| 2.3.2    | $\alpha$ -Amino Acid <i>N</i> -Carboxyanhydrides and Hydantoins                                                           | 90        |
| 2.3.3    | Oxazolidinones and Imidazolidinones                                                                                       | 91        |

|          |                                                                                                                                                                          |            |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 2.3.4    | Oxazolones                                                                                                                                                               | 93         |
| 2.3.5    | Oxazinones and Morpholinones, Pyrazinones and Diketopiperazines                                                                                                          | 94         |
| 2.3.6    | Tetrahydroisoquinolines and $\beta$ -Carbolines                                                                                                                          | 96         |
| 2.3.7    | Oxazo/Thiazolidinones, Oxazo/Thiazolidines, and Oxazo/Thiazolines                                                                                                        | 97         |
| 2.3.8    | Sulfamidates                                                                                                                                                             | 101        |
| 2.3.9    | Tetrahydropyrimidinones                                                                                                                                                  | 102        |
| 2.4      | Heterocycles Generated by Cycloadditions                                                                                                                                 | 102        |
| 2.5      | Conclusions                                                                                                                                                              | 104        |
| 2.6      | Experimental Procedures                                                                                                                                                  | 104        |
| 2.6.1    | Synthesis of 1- <i>tert</i> -Butyl-3-phenylaziridinone (5)                                                                                                               | 104        |
| 2.6.2    | Synthesis of Dimethyl (2 <i>S</i> ,3 <i>aR</i> ,8 <i>aS</i> )-1,2,3,3 <i>a</i> ,8,8 <i>a</i> -Hexahydropyrrolo[2,3- <i>b</i> ]indole-1,2-dicarboxylate (Precursor of 10) | 105        |
| 2.6.3    | Synthesis of Benzyl (R)-1-Tritylaziridine-2-carboxylate (15)                                                                                                             | 105        |
| 2.6.4    | Synthesis of ( <i>S</i> )- <i>N</i> - <i>tert</i> -Butoxycarbonyl-3-aminooxetan-2-one (18)                                                                               | 106        |
| 2.6.5    | Synthesis of ( <i>S</i> )-1-( <i>tert</i> -Butyldimethylsilyl)-4-oxoazetidine-2-carboxylic Acid (24)                                                                     | 106        |
| 2.6.6    | Synthesis of 9 <i>H</i> -Fluoren-9-ylmethyl (R)-Hexahydro-2-oxo-1 <i>H</i> -azepin-3-yl Carbamate (31)                                                                   | 106        |
| 2.6.7    | Synthesis of Ethyl ( <i>S</i> )- <i>N</i> -( <i>tert</i> -Butoxycarbonyl)- $\alpha$ -( <i>tert</i> -butoxymethyl)proline Ester (36)                                      | 107        |
| 2.6.8    | Synthesis of Proline <i>N</i> -Carboxyanhydride (49)                                                                                                                     | 107        |
| 2.6.9    | Synthesis of (2 <i>S</i> ,4 <i>S</i> )-2-Ferrocenyl-3-pivaloyl-4-methyl-1,3-oxazolidin-5-one (54b)                                                                       | 107        |
| 2.6.10   | Synthesis of (6 <i>S</i> )-6-Isopropyl-5-phenyl-3,6-dihydro-2 <i>H</i> -1,4-oxazin-2-one (71)                                                                            | 108        |
| 2.6.11   | Synthesis of (3 <i>S</i> ,6 <i>R</i> )-6-Isopropyl-3-methyl-5-phenyl-1,2,3,6-tetrahydro-2-pyrazinone (78)                                                                | 108        |
| 2.6.12   | Synthesis of (3 <i>S</i> )-3,6-Dihydro-2,5-dimethoxy-3-isopropylpyrazine (85)                                                                                            | 109        |
| 2.6.13   | Synthesis of (3 <i>S</i> )-1,2,3,4-Tetrahydroisoquinoline-3-carboxylic Acid (87)                                                                                         | 110        |
| 2.6.14   | Synthesis of Methyl ( <i>S</i> )- <i>N</i> - <i>tert</i> -Butoxycarbonyl-2,2-dimethyloxazolidine-4-carboxylate (109)                                                     | 110        |
| 2.6.15   | Synthesis of (2 <i>S</i> ,6 <i>S</i> )-2- <i>tert</i> -Butyl-1-carbobenzoxo-4-oxopyrimidin-6-carboxylic Acid (126)                                                       | 111        |
|          | References                                                                                                                                                               | 111        |
| <b>3</b> | <b>Radical-Mediated Synthesis of <math>\alpha</math>-Amino Acids and Peptides</b>                                                                                        | <b>115</b> |
|          | <i>Jan Deska</i>                                                                                                                                                         |            |
| 3.1      | Introduction                                                                                                                                                             | 115        |
| 3.2      | Free Radical Reactions                                                                                                                                                   | 115        |
| 3.2.1    | Hydrogen Atom Transfer Reactions                                                                                                                                         | 116        |
| 3.2.2    | Functional Group Transformations                                                                                                                                         | 121        |

|          |                                                                                                                                                                                                                        |            |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 3.3      | Radical Addition to Imine Derivatives                                                                                                                                                                                  | 124        |
| 3.3.1    | Glyoxylate Imines as Radical Acceptors                                                                                                                                                                                 | 125        |
| 3.3.2    | Oximes and Hydrazones as Radical Acceptors                                                                                                                                                                             | 126        |
| 3.3.3    | Nitrones as Radical Acceptors                                                                                                                                                                                          | 129        |
| 3.3.4    | Isocyanates as Radical Acceptors                                                                                                                                                                                       | 130        |
| 3.4      | Radical Conjugate Addition                                                                                                                                                                                             | 130        |
| 3.5      | Conclusions                                                                                                                                                                                                            | 135        |
| 3.6      | Experimental Protocols                                                                                                                                                                                                 | 135        |
| 3.6.1    | Preparation of ((1 <i>R</i> ,2 <i>S</i> ,5 <i>R</i> )-5-methyl-2-(1-methyl-1-phenylethyl)cyclohexyl 2-[( <i>tert</i> -butoxycarbonyl)amino]-4-methyl-pent-4-enoate) (7)                                                | 135        |
| 3.6.2    | Synthesis of (2 <i>S</i> )-3-[(1 <i>R</i> ,2 <i>S</i> )-2-[( <i>N</i> -bis-Boc)amino]-1-cyclopropyl]-2-benzyloxycarbonylamino-propionic Acid Methyl Ester (26)                                                         | 136        |
| 3.6.3    | Synthesis of (3 <i>aR</i> ,6 <i>S</i> ,7 <i>aS</i> )-hexahydro-8,8-dimethyl-1-[(2 <i>R</i> )-3,3-dimethyl-1-oxo-2-(2,2-diphenylhydrazino)butyl]-3 <i>H</i> -3 <i>a</i> ,6-methano-2,1-benzisothiazole 2,2-dioxide (42) | 136        |
| 3.6.4    | Synthesis of <i>N</i> -(2,6-diphenyl-methyl)piperidine-2-carboxamide (59)                                                                                                                                              | 137        |
| 3.6.5    | Synthesis of Methyl 2-(2-naphthylcarbonylamino)pentanoate (80)                                                                                                                                                         | 136        |
|          | References                                                                                                                                                                                                             | 138        |
| <b>4</b> | <b>Synthesis of <math>\beta</math>-Lactams (Cephalosporins) by Bioconversion</b>                                                                                                                                       | <b>143</b> |
|          | <i>José Luis Barredo, Marta Rodríguez- Sáiz, José Luis Adrio, and Arnold L. Demain</i>                                                                                                                                 |            |
| 4.1      | Introduction                                                                                                                                                                                                           | 143        |
| 4.2      | Biosynthetic Pathways of Cephalosporins and Penicillins                                                                                                                                                                | 146        |
| 4.3      | Production of 7-ACA by <i>A. chrysogenum</i>                                                                                                                                                                           | 147        |
| 4.4      | Production of 7-ADCA by <i>A. chrysogenum</i>                                                                                                                                                                          | 149        |
| 4.5      | Production of Penicillin G by <i>A. chrysogenum</i>                                                                                                                                                                    | 151        |
| 4.6      | Production of Cephalosporins by <i>P. chrysogenum</i>                                                                                                                                                                  | 152        |
| 4.7      | Conversion of Penicillin G and other Penicillins to DAOG by <i>Streptomyces clavuligerus</i>                                                                                                                           | 153        |
| 4.7.1    | Expandase Proteins and Genes                                                                                                                                                                                           | 153        |
| 4.7.2    | Bioconversion of Penicillin G to DAOG                                                                                                                                                                                  | 155        |
| 4.7.3    | Broadening the Substrate Specificity of Expandase                                                                                                                                                                      | 155        |
| 4.7.3.1  | Resting Cells                                                                                                                                                                                                          | 155        |
| 4.7.3.2  | Cell-Free Extracts                                                                                                                                                                                                     | 156        |
| 4.7.4    | Inactivation of Expandase during the Ring-Expansion Reaction                                                                                                                                                           | 157        |
| 4.7.5    | Further Improvements in the Bioconversion of Penicillin G to DAOG                                                                                                                                                      | 158        |
| 4.7.5.1  | Stimulatory Effect of Growth in Ethanol                                                                                                                                                                                | 158        |
| 4.7.5.2  | Use of Immobilized Cells                                                                                                                                                                                               | 159        |
| 4.7.5.3  | Elimination of Agitation and Addition of Water-Immiscible Solvents                                                                                                                                                     | 159        |

|                 |                                                               |            |
|-----------------|---------------------------------------------------------------|------------|
| 4.7.5.4         | Addition of Catalase                                          | 160        |
| 4.7.5.5         | Recombinant <i>S. clavuligerus</i> Expandases                 | 160        |
| 4.8             | Conclusions                                                   | 162        |
|                 | References                                                    | 163        |
| <b>5</b>        | <b>Structure and Reactivity of <math>\beta</math>-Lactams</b> | <b>169</b> |
|                 | <i>Michael I. Page</i>                                        |            |
| 5.1             | Introduction                                                  | 169        |
| 5.2             | Structure                                                     | 170        |
| 5.3             | Reactivity                                                    | 174        |
| 5.4             | Hydrolysis                                                    | 176        |
| 5.4.1           | Base Hydrolysis                                               | 176        |
| 5.4.2           | Acid Hydrolysis                                               | 178        |
| 5.4.3           | Spontaneous Hydrolysis                                        | 180        |
| 5.4.4           | Buffer-Catalyzed Hydrolysis                                   | 180        |
| 5.4.5           | Metal Ion-Catalyzed Hydrolysis                                | 180        |
| 5.4.6           | Micelle-Catalyzed Hydrolysis of Penicillins                   | 182        |
| 5.4.7           | Cycloheptaamylose-Catalyzed Hydrolysis                        | 184        |
| 5.4.8           | Enzyme-Catalyzed Hydrolysis                                   | 185        |
| 5.4.8.1         | Serine $\beta$ -Lactamases                                    | 185        |
| 5.4.8.2         | Metallo $\beta$ -Lactamases                                   | 187        |
| 5.5             | Aminolysis                                                    | 191        |
| 5.6             | Epimerization                                                 | 195        |
|                 | References                                                    | 195        |
| <b>Part Two</b> | <b>Amino Acid Coupling Chemistry</b>                          | <b>201</b> |
| <b>6</b>        | <b>Solution-Phase Peptide Synthesis</b>                       | <b>203</b> |
|                 | <i>Yuko Tsuda and Yoshio Okada</i>                            |            |
| 6.1             | Principle of Peptide Synthesis                                | 203        |
| 6.2             | Protection Procedures                                         | 205        |
| 6.2.1           | Amino Group Protection                                        | 205        |
| 6.2.1.1         | Z Group                                                       | 205        |
| 6.2.1.2         | Substituted Z and other Urethane-Type Protecting Groups       | 207        |
| 6.2.1.3         | Boc Group                                                     | 207        |
| 6.2.1.4         | Tri Group                                                     | 208        |
| 6.2.1.5         | Fmoc Group                                                    | 209        |
| 6.2.1.6         | Other Representative Protecting Groups                        | 211        |
| 6.2.2           | Carboxyl Group Protection                                     | 212        |
| 6.2.2.1         | Methyl Ester (-OMe) and Ethyl Ester (-OEt)                    | 213        |
| 6.2.2.2         | Benzyl Ester (-OBzl)                                          | 213        |
| 6.2.2.3         | <i>t</i> Bu Ester (-OtBu)                                     | 213        |
| 6.2.2.4         | Phenacyl Ester (-OPac)                                        | 214        |
| 6.2.2.5         | Hydrazides                                                    | 214        |
| 6.2.3           | Side-Chain Protection                                         | 215        |

|         |                                                                      |     |
|---------|----------------------------------------------------------------------|-----|
| 6.2.3.1 | $\epsilon$ -Amino Function of Lys ( $\delta$ -Amino Function of Orn) | 215 |
| 6.2.3.2 | $\beta$ -Mercapto Function of Cys                                    | 216 |
| 6.2.3.3 | $\beta$ - and $\gamma$ -Carboxyl Functions of Asp and Glu            | 217 |
| 6.2.3.4 | Protecting Groups for the $\gamma$ -Carboxyl Function of Glu         | 219 |
| 6.2.3.5 | $\delta$ -Guanidino Function of Arg                                  | 219 |
| 6.2.3.6 | Phenolic Hydroxy Function of Tyr                                     | 221 |
| 6.2.3.7 | Aliphatic Hydroxyl Function of Ser and Thr                           | 222 |
| 6.2.3.8 | Imidazole Nitrogen of His                                            | 222 |
| 6.2.3.9 | Indole Nitrogen of Trp                                               | 223 |
| 6.3     | Chain Elongation Procedures                                          | 223 |
| 6.3.1   | Methods of Activation in Stepwise Elongation                         | 223 |
| 6.3.1.1 | Carbodiimides                                                        | 223 |
| 6.3.1.2 | Mixed Anhydride Method                                               | 224 |
| 6.3.1.3 | Active Esters                                                        | 225 |
| 6.3.1.4 | Phosphonium and Uronium Reagents                                     | 227 |
| 6.3.2   | Methods of Activation in Segment Condensation                        | 229 |
| 6.3.2.1 | Azide Procedure                                                      | 229 |
| 6.3.2.2 | Carbodiimides in the Presence of Additives                           | 230 |
| 6.3.2.3 | Native Chemical Ligation                                             | 231 |
| 6.4     | Final Deprotection Methods                                           | 232 |
| 6.4.1   | Final Deprotection by Catalytic Hydrogenolysis                       | 233 |
| 6.4.2   | Final Deprotection by Sodium in Liquid Ammonia                       | 233 |
| 6.4.3   | Final Deprotection by TFA                                            | 233 |
| 6.4.4   | Final Deprotection by HF                                             | 233 |
| 6.4.5   | Final Deprotection by HSAB Procedure                                 | 234 |
|         | References                                                           | 234 |

## 7 Solid-Phase Peptide Synthesis: Historical Aspects 253

*Garland R. Marshall*

|      |                                                         |     |
|------|---------------------------------------------------------|-----|
| 7.1  | Introduction                                            | 253 |
| 7.2  | Selection of Compatible Synthetic Components            | 253 |
| 7.3  | Racemization and Stepwise Peptide Assembly              | 257 |
| 7.4  | Optimization of Synthetic Components                    | 258 |
| 7.5  | Foreshadowing of the Nobel Prize                        | 258 |
| 7.6  | Automation of SPPS                                      | 260 |
| 7.7  | Impact of New Protecting Groups and Resin Linkages      | 261 |
| 7.8  | Solid-Phase Organic Chemistry                           | 262 |
| 7.9  | Early Applications of SPPS to Small Proteins            | 263 |
| 7.10 | Side-Reactions and Sequence-Dependent Problems          | 264 |
| 7.11 | Rapid Expansion of Usage Leading to the Nobel Prize     | 265 |
| 7.12 | From the Nobel Prize Forward to Combinatorial Chemistry | 267 |
| 7.13 | Protein Synthesis and Peptide Ligation                  | 268 |
| 7.14 | Conclusions                                             | 269 |
|      | References                                              | 270 |

|          |                                                                                                         |            |
|----------|---------------------------------------------------------------------------------------------------------|------------|
| <b>8</b> | <b>Linkers for Solid-Phase Peptide Synthesis</b>                                                        | <b>273</b> |
|          | <i>Miroslav Soural, Jan Hlaváč, and Viktor Krchňák</i>                                                  |            |
| 8.1      | Introduction                                                                                            | 273        |
| 8.1.1    | Immobilization Strategies                                                                               | 275        |
| 8.1.2    | Overview of Linker Types                                                                                | 276        |
| 8.1.3    | Selection of a Linker                                                                                   | 277        |
| 8.2      | Immobilization via Carboxyl Group                                                                       | 279        |
| 8.2.1    | Esters                                                                                                  | 280        |
| 8.2.1.1  | Hydroxy Linkers for Preparation of Resin-Bound Esters                                                   | 281        |
| 8.2.1.2  | Electrophilic Linkers for Preparation of Resin-Bound Esters                                             | 282        |
| 8.2.1.3  | Cleavage from the Resin                                                                                 | 282        |
| 8.2.2    | Amides                                                                                                  | 288        |
| 8.2.3    | Hydrazides                                                                                              | 291        |
| 8.2.4    | Oximes                                                                                                  | 291        |
| 8.2.5    | Thioesters                                                                                              | 292        |
| 8.3      | Immobilization via Amino Group                                                                          | 294        |
| 8.4      | Backbone Immobilization                                                                                 | 296        |
| 8.4.1    | Benzaldehyde-Based Linkers                                                                              | 298        |
| 8.4.2    | Indole Aldehyde Linkers                                                                                 | 299        |
| 8.4.3    | Naphthalene Aldehyde Linkers (NALs)                                                                     | 299        |
| 8.4.4    | Thiophene Aldehyde Linkers (T-BALs)                                                                     | 300        |
| 8.4.5    | Safety-Catch Aldehyde Linkers                                                                           | 300        |
| 8.4.6    | Photolabile Aldehyde Linker (PhoB)                                                                      | 300        |
| 8.5      | Immobilization via Amino Acid Side-Chain                                                                | 300        |
| 8.5.1    | Carboxyl Group                                                                                          | 301        |
| 8.5.2    | Amino and Other Nitrogen-Containing Groups                                                              | 302        |
| 8.5.2.1  | Lys                                                                                                     | 302        |
| 8.5.2.2  | His                                                                                                     | 302        |
| 8.5.2.3  | Arg                                                                                                     | 303        |
| 8.5.3    | Hydroxy Group                                                                                           | 303        |
| 8.5.4    | Sulfanyl Group                                                                                          | 304        |
| 8.5.5    | Aromatic Ring                                                                                           | 305        |
| 8.6      | Conclusions                                                                                             | 306        |
|          | References                                                                                              | 306        |
| <b>9</b> | <b>Orthogonal Protecting Groups and Side-Reactions in Fmoc/<i>t</i>Bu Solid-Phase Peptide Synthesis</b> | <b>313</b> |
|          | <i>Stefano Carganico and Anna Maria Papini</i>                                                          |            |
| 9.1      | Orthogonal Protecting Groups in Fmoc/ <i>t</i> Bu Solid-Phase Peptide Synthesis                         | 313        |
| 9.1.1    | Arg                                                                                                     | 313        |
| 9.1.2    | Asn and Gln                                                                                             | 315        |
| 9.1.3    | Asp and Glu                                                                                             | 316        |
| 9.1.4    | Cys                                                                                                     | 318        |
| 9.1.5    | His                                                                                                     | 323        |

|        |                                                                   |     |
|--------|-------------------------------------------------------------------|-----|
| 9.1.6  | Lys                                                               | 324 |
| 9.1.7  | Met                                                               | 327 |
| 9.1.8  | Ser and Thr                                                       | 327 |
| 9.1.9  | Trp                                                               | 328 |
| 9.1.10 | Tyr                                                               | 329 |
| 9.1.11 | Conclusions                                                       | 330 |
| 9.2    | Side-Reactions in Fmoc/ <i>t</i> Bu Solid-Phase Peptide Synthesis | 330 |
| 9.2.1  | Imidazole Ring-Mediated Racemization of Chiral $\alpha$ -Carbon   | 332 |
| 9.2.2  | Hydroxyl-Mediated $O \rightarrow N$ Acyl Transfer                 | 332 |
| 9.2.3  | Met Oxidation to Methionyl Sulfoxide                              | 334 |
| 9.2.4  | Dehydration of Asn and Gln Amide Side-Chain                       | 334 |
| 9.2.5  | Aspartimide Formation                                             | 336 |
| 9.2.6  | Formation of Diketopiperazines                                    | 337 |
| 9.2.7  | Side-Reactions Affecting Protected Cys                            | 338 |
| 9.2.8  | Deletion Peptides, Truncated Sequences, and Multiple Additions    | 338 |
| 9.2.9  | Uronium/Guanidinium Salts-Induced Guanidino Capping               | 340 |
| 9.2.10 | Arg Cyclization and Arg Conversion into Orn                       | 341 |
| 9.2.11 | Conclusions                                                       | 342 |
|        | References                                                        | 343 |

## 10 Fmoc Methodology: Cleavage from the Resin and Final Deprotection 349

*Fernando Albericio, Judit Tulla-Puche, and Steven A. Kates*

|          |                                                      |     |
|----------|------------------------------------------------------|-----|
| 10.1     | Introduction                                         | 349 |
| 10.2     | "Low" TFA-Labile Resins                              | 351 |
| 10.2.1   | Cleavage                                             | 351 |
| 10.2.2   | Choice of Resin for the Preparation of Peptide Acids | 352 |
| 10.2.2.1 | CTC Resin                                            | 353 |
| 10.2.2.2 | SASRIN Resin                                         | 355 |
| 10.2.2.3 | Bromide Resin                                        | 356 |
| 10.2.3   | Final Deprotection                                   | 356 |
| 10.3     | "High" TFA-Labile Resins                             | 356 |
| 10.3.1   | Cleavage                                             | 357 |
| 10.3.2   | Final Deprotection of Protected Peptides in Solution | 359 |
| 10.3.3   | Side-Reactions                                       | 360 |
| 10.3.3.1 | Linker/Resin                                         | 360 |
| 10.3.3.2 | Trp and Tyr Modification                             | 361 |
| 10.3.3.3 | Sulfur-Containing Residues: Cys and Met              | 362 |
| 10.3.3.4 | Ser and Thr, $N \rightarrow O$ Migration             | 363 |
| 10.3.3.5 | Asp and Asn                                          | 363 |
| 10.3.3.6 | Arg                                                  | 364 |
| 10.3.3.7 | <i>N</i> -Alkylamino Acids                           | 365 |
| 10.3.3.8 | Work-Up                                              | 366 |

|           |                                                                                              |            |
|-----------|----------------------------------------------------------------------------------------------|------------|
| 10.4      | Final Remarks                                                                                | 366        |
|           | References                                                                                   | 366        |
| <b>11</b> | <b>Strategy in Solid-Phase Peptide Synthesis</b>                                             | <b>371</b> |
|           | <i>Kleomenis Barlos and Knut Adermann</i>                                                    |            |
| 11.1      | Synthetic Strategies Utilizing Solid-Phase Peptide Synthesis Methods                         | 371        |
| 11.2      | Solid Support: Resins and Linkers                                                            | 373        |
| 11.3      | Developing the Synthetic Strategy: Selection of the Protecting Group Scheme                  | 374        |
| 11.4      | Resin Loading                                                                                | 376        |
| 11.5      | SBS Peptide Chain Elongation: Coupling and Activation                                        | 377        |
| 11.6      | Piperazine Formation                                                                         | 378        |
| 11.7      | Solid-Phase Synthesis of Protected Peptide Segments                                          | 379        |
| 11.8      | Fragment Condensation Approach: Convergent and Hybrid Syntheses                              | 379        |
| 11.9      | Cleavage from the Resin and Global Peptide Deprotection                                      | 382        |
| 11.10     | Disulfide Bond-Containing Peptides                                                           | 384        |
| 11.11     | Native Chemical Ligation (NCL)                                                               | 386        |
| 11.12     | SPPS of Peptides Modified at their C-Terminus                                                | 388        |
| 11.13     | Side-Chain-Modified Peptides                                                                 | 390        |
| 11.14     | Cyclic Peptides                                                                              | 392        |
| 11.15     | Large-Scale Solid-Phase Synthesis                                                            | 394        |
| 11.16     | Conclusions                                                                                  | 395        |
|           | References                                                                                   | 396        |
| <b>12</b> | <b>Peptide-Coupling Reagents</b>                                                             | <b>407</b> |
|           | <i>Ayman El- Faham and Fernando Albericio</i>                                                |            |
| 12.1      | Introduction                                                                                 | 407        |
| 12.2      | Carbodiimides                                                                                | 409        |
| 12.2.1    | General Procedure for Coupling Using Carbodiimide and HOXt; Solution Phase                   | 413        |
| 12.2.1.1  | General Procedure for Solid-Phase Coupling via Carbodiimide Activation                       | 414        |
| 12.2.2    | Loading of Wang Resin Using Carbodiimide                                                     | 415        |
| 12.3      | Phosphonium Salts                                                                            | 416        |
| 12.3.1    | Preparation of Phosphonium Salts                                                             | 418        |
| 12.3.2    | General Method for the Synthesis of Phosphonium Salts                                        | 420        |
| 12.4      | Aminium/Uronium Salts                                                                        | 420        |
| 12.4.1    | Stability of Onium Salts                                                                     | 425        |
| 12.4.2    | General Procedure for the Preparation of Chloroformamidinium Salts                           | 426        |
| 12.4.3    | Synthesis of Aminium/Uronium Salts                                                           | 427        |
| 12.4.4    | General Procedure for Coupling Using Onium Salts (Phosphonium and Uronium) in Solution Phase | 427        |

|           |                                                                                                                                                              |            |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 12.4.5    | General Procedure for Coupling Reaction in Solid-Phase Using Onium Salts (Phosphonium and Uronium)                                                           | 427        |
| 12.4.6    | General Procedures for Coupling Reaction in Solid-Phase Using Onium Salts (Phosphonium and Uronium) Boc-, Fmoc-Amino Acids via Phosphonium and Uronium Salts | 427        |
| 12.5      | Fluoroformamidinium Coupling Reagents                                                                                                                        | 429        |
| 12.5.1    | General Method for the Synthesis of Fluoroformamidinium Salts                                                                                                | 431        |
| 12.5.2    | Solution- and Solid-Phase Couplings via TFFH                                                                                                                 | 432        |
| 12.5.3    | General Method for Solid-Phase Coupling via TFFH                                                                                                             | 432        |
| 12.6      | Organophosphorus Reagents                                                                                                                                    | 432        |
| 12.6.1    | General Method for Synthesis of the Diphenylphosphoryl Derivatives                                                                                           | 435        |
| 12.7      | Triazine Coupling Reagents                                                                                                                                   | 435        |
| 12.7.1    | Formation of the Peptide Bond Using DMTMM (128)                                                                                                              | 437        |
| 12.8      | Mukaiyama's Reagent                                                                                                                                          | 437        |
| 12.9      | Conclusions                                                                                                                                                  | 438        |
|           | References                                                                                                                                                   | 439        |
| <b>13</b> | <b>Chemoselective Peptide Ligation: A Privileged Tool for Protein Synthesis</b>                                                                              | <b>445</b> |
|           | <i>Christian P.R. Hackenberger, Jeffrey W. Bode, and Dirk Schwarzer</i>                                                                                      |            |
| 13.1      | Introduction                                                                                                                                                 | 445        |
| 13.2      | Chemoselective Peptide Ligations Following a Capture/Rearrangement Strategy                                                                                  | 449        |
| 13.2.1    | Basic Concepts and Early Experiments                                                                                                                         | 449        |
| 13.2.2    | NCL                                                                                                                                                          | 452        |
| 13.2.3    | Protein Semisynthesis with NCL                                                                                                                               | 454        |
| 13.2.4    | Protein Semisynthesis with Expressed Protein Ligation                                                                                                        | 456        |
| 13.2.5    | Protein Trans-Splicing                                                                                                                                       | 457        |
| 13.3      | Chemical Transformations for Cys-Free Ligations in Peptides and Proteins                                                                                     | 460        |
| 13.3.1    | Chemical Modification of NCL Products                                                                                                                        | 460        |
| 13.3.1.1  | Desulfurization                                                                                                                                              | 463        |
| 13.3.1.2  | Alkylation and Thioalkylation Protocols                                                                                                                      | 464        |
| 13.3.2    | Auxiliary Methods                                                                                                                                            | 466        |
| 13.3.2.1  | (Oxy-)Ethanethiol Auxiliary                                                                                                                                  | 467        |
| 13.3.2.2  | Photoremovable N <sup>α</sup> -1-Aryl-2-Mercaptoethyl Auxiliary                                                                                              | 468        |
| 13.3.2.3  | 4,5,6-Trimethoxy-2-Mercaptobenzylamine Auxiliary                                                                                                             | 468        |
| 13.3.2.4  | Sugar-Assisted Glycopeptide Ligations                                                                                                                        | 469        |
| 13.4      | Other Chemoselective Capture Strategies                                                                                                                      | 471        |
| 13.4.1    | Traceless Staudinger Ligation                                                                                                                                | 471        |
| 13.4.1.1  | Imine Ligations with Subsequent Pseudo-Pro Formation                                                                                                         | 473        |
| 13.5      | Peptide Ligations by Chemoselective Amide-Bond-Forming Reactions                                                                                             | 474        |

|           |                                                                                              |            |
|-----------|----------------------------------------------------------------------------------------------|------------|
| 13.5.1    | Thio Acid/Azide Amidation                                                                    | 475        |
| 13.5.2    | Thio Acid/ <i>N</i> -Arylsulfonamide Ligations                                               | 475        |
| 13.5.3    | Chemoselective Decarboxylative Amide Ligation                                                | 477        |
| 13.6      | Strategies for the Ligation of Multiple Fragments                                            | 479        |
| 13.6.1    | Synthetic Erythropoietin                                                                     | 480        |
| 13.6.2    | Convergent Strategies for Multiple Fragment Ligations                                        | 480        |
| 13.6.2.1  | Ubiquitylated Histone Proteins                                                               | 484        |
|           | References                                                                                   | 486        |
| <b>14</b> | <b>Automation of Peptide Synthesis</b>                                                       | <b>495</b> |
|           | <i>Carlo Di Bello, Andrea Bagno, and Monica Dettin</i>                                       |            |
| 14.1      | Introduction                                                                                 | 495        |
| 14.2      | SPPS: From Mechanization to Automation                                                       | 497        |
| 14.3      | Deprotection Step: Monitoring and Control                                                    | 500        |
| 14.4      | Coupling Step: Monitoring and Control                                                        | 505        |
| 14.5      | Integrated Deprotection and Coupling Control                                                 | 509        |
|           | References                                                                                   | 514        |
| <b>15</b> | <b>Peptide Purification by Reversed-Phase Chromatography</b>                                 | <b>519</b> |
|           | <i>Ulrike Kusebauch, Joshua McBee, Julie Bletz, Richard J. Simpson, and Robert L. Moritz</i> |            |
| 15.1      | RP-HPLC of Peptides                                                                          | 519        |
| 15.2      | Peptide properties                                                                           | 520        |
| 15.3      | Chromatographic Principles                                                                   | 520        |
| 15.3.1    | Choice of Mobile Phase                                                                       | 520        |
| 15.3.1.1  | Mobile-Phase Aqueous Buffer pH                                                               | 520        |
| 15.3.1.2  | Organic Solvent                                                                              | 522        |
| 15.3.2    | Stationary Phase                                                                             | 523        |
| 15.3.2.1  | Surface Bonding                                                                              | 523        |
| 15.3.2.2  | Pore Diameter                                                                                | 523        |
| 15.3.2.3  | Particle Size                                                                                | 524        |
| 15.3.2.4  | Ultra-High-Pressure Liquid Chromatography                                                    | 525        |
| 15.3.2.5  | Synthetic Polymer Packings                                                                   | 525        |
| 15.3.2.6  | Monolithic Stationary Phase                                                                  | 525        |
| 15.3.2.7  | Packed Bed (Column) Length                                                                   | 526        |
| 15.3.2.8  | Gradient Effect                                                                              | 527        |
| 15.3.2.9  | Temperature                                                                                  | 527        |
| 15.4      | Prediction of Peptide Retention Times                                                        | 528        |
| 15.5      | Advantages of Reduced Scale                                                                  | 531        |
| 15.6      | Two-Dimensional Chromatographic Methods                                                      | 532        |
| 15.7      | Peptide Analysis in Complex Biological Matrices                                              | 533        |
| 15.8      | Standard Methods for Peptide Separations for Analysis by Hyphenated Techniques               | 534        |
| 15.9      | Emerging Methods for Peptide Separations for Analysis by Hyphenated Techniques               | 534        |

|           |                                                                                    |            |
|-----------|------------------------------------------------------------------------------------|------------|
| 15.10     | Practical use of RP-HPLC for Purifying Peptides (Analytical and Preparative Scale) | 539        |
| 15.10.1   | Simple Protocol for Successful RP-HPLC                                             | 540        |
| 15.10.1.1 | Buffer Preparation                                                                 | 540        |
| 15.10.1.2 | HPLC Chromatographic System                                                        | 542        |
| 15.10.1.3 | Test Sample                                                                        | 542        |
|           | References                                                                         | 544        |
| <b>16</b> | <b>Difficult Peptides</b>                                                          | <b>549</b> |
|           | <i>M. Terêsa Machini Miranda, Cleber W. Liria, and Cesar Remuzgo</i>               |            |
| 16.1      | Importance of Peptide Synthesis                                                    | 549        |
| 16.2      | Methods for Peptide Synthesis                                                      | 550        |
| 16.3      | Chemical Peptide Synthesis                                                         | 551        |
| 16.4      | “Difficult Peptide Sequences”                                                      | 554        |
| 16.5      | Means to Overcome Peptide Aggregation in SPPS                                      | 556        |
| 16.5.1    | <i>In Situ</i> Neutralization                                                      | 556        |
| 16.5.2    | Solvents for Peptide Chain Assembly                                                | 557        |
| 16.5.3    | Type and Substitution Degree of Resins for Peptide Chain Assembly                  | 557        |
| 16.5.4    | Use of Chaotropic Salts During Peptide Chain Assembly                              | 558        |
| 16.5.5    | Use of Amide Backbone Protection                                                   | 558        |
| 16.5.6    | The Use of Pseudo-Prolines                                                         | 560        |
| 16.5.7    | O-Acyl Isopeptide Approach                                                         | 561        |
| 16.5.8    | Use of Elevated Temperatures                                                       | 562        |
| 16.6      | Monitoring the Synthesis of a “Difficult Peptide”                                  | 562        |
| 16.7      | Conclusions                                                                        | 564        |
|           | References                                                                         | 564        |

|              |            |
|--------------|------------|
| <b>Index</b> | <b>571</b> |
|--------------|------------|