

## Index

### a

- AAS. *See* atomic absorption spectrometry (AAS)
- absorbance limit check 986
- absorption spectroscopy
- EXAFS 1486
  - NEXAFS (*see* near-edge X-ray absorption fine structure (NEXAFS) spectroscopy)
  - optical waveguides 1623–1625
- ACCORD. *See* accordion-optimized long-range heteronuclear shift correlation (ACCORD) methods
- accordion-optimized direct correlation single quantum coherence (ADSQC) 253, 255
- accordion-optimized long-range heteronuclear shift correlation (ACCORD) methods
- applications 267–268
  - CIGAR-HMBC 263, 264
  - constant time variable delay 262–263
  - disadvantage 260
  - GHMBC 258, 260
  - IMPEACH-MBC 262
  - pulse sequence 260, 261
  - strychnine, aliphatic region 261, 262
- ACD. *See* Advanced Chemistry Development (ACD)
- ACIMS. *See* alkali metal ion attachment chemical ionization mass spectrometry (ACIMS)
- acoustic spectroscopy 1430–1431
- active pharmaceutical ingredient (API) production
- batch-type process 1364
  - biotechnological manufacturing 1364
  - diffuse reflection probes 1403
  - endpoint detection 1368
  - Grignard reaction 1368
  - HCl salt formation 1368, 1369
  - mid-IR monitoring 1368, 1369
  - NIR monitoring 1368
  - pharmaceutical manufacturing 1388
  - purity and assay control 1368
- ADDLs. *See* amyloid-beta-derived diffusible ligands (ADDLs)
- adsorption chromatography 12
- ADSQC. *See* accordion-optimized direct correlation single quantum coherence (ADSQC)
- adult respiratory distress syndrome (ARDS) 1573
- Advanced Chemistry Development (ACD) 1791
- AEAPS. *See* Auger electron appearance potential spectroscopy (AEAPS)
- AES. *See* Auger electron spectroscopy (AES)
- affinity constant 1316–1317
- AFM. *See* atomic force microscopy (AFM)
- AFPs. *See* autofluorescent proteins (AFPs)
- AFS. *See* atomic force spectroscopy (AFS)
- agate mortars 5
- alkali metal ion attachment chemical ionization mass spectrometry (ACIMS) 1287
- Alzheimer's disease 1565, 1579
- AMDIS. *See* Automated Mass Spectral Deconvolution and Identification System (AMDIS)
- amyloid-beta-derived diffusible ligands (ADDLs) 1565
- Analytical Information Markup Language (AnIML) 1828
- angle-resolved Auger electron spectroscopy (ARAES) 713
- angle-resolved inverse photoemission spectroscopy (ARIPES) 727

- angle-resolved ultraviolet photoelectron spectroscopy (ARUPS) 727
- analytical information 780
- applications 781
- graphene band structure 1530, 1531
- hydrocarbon molecules, energy band structure 1529, 1530
- instrumentation 779–780
- performance criteria 780
- PTCDA, molecular orbital 1549
  - 1550–1551,
- sample 780
- 2D adsorbate band structures 1527, 1528, 1529
- UPS 781
- angle-resolved X-ray photoelectron spectroscopy (ARXPS) 713
- angular distribution curves (ADCs) 1549, 1550
- AnIML. *See* Analytical Information Markup Language (AnIML)
- antigen excess check 986–987
- APCI. *See* atmospheric pressure chemical ionization (APCI)
- APDs. *See* avalanche photodiodes (APDs)
- APECS. *See* Auger photoelectron coincidence spectroscopy (APECS)
- APFIM. *See* atom probe field ion microscopy (APFIM)
- API production. *See* active pharmaceutical ingredient (API) production
- appearance potential spectroscopy (APS)
  - AEAPS 709
  - analytical information 710
  - applications 711
  - DAPS 709
  - EXAFS 710
  - instrumentation 710
  - performance criteria 711
  - samples 710
  - SXAPS 709
  - total/target current spectroscopy (TCS) 711
- APS. *See* appearance potential spectroscopy (APS)
- APT. *See* attached proton test (APT)
- AQI. *See* assignment quality index (AQI)
- aqua regia 6
- ARAES. *See* angle-resolved Auger electron spectroscopy (ARAES)
- ARDS. *See* adult respiratory distress syndrome (ARDS)
- areas under curves (AUC) 420–421
- ARIPES. *See* angle-resolved inverse photoemission spectroscopy (ARIPES)
- aromatic solvent-induced shift (ASIS) 1750
- arrayed waveguide grating (AWG) 1634
- artworks
  - MIR spectroscopy 110
  - Raman spectroscopy 132–133
- ARUPS. *See* angle-resolved ultraviolet photoelectron spectroscopy (ARUPS)
- ARXPS. *See* angle-resolved X-ray photoelectron spectroscopy (ARXPS)
- ashing method 8–9,
- ASIS. *See* aromatic solvent-induced shift (ASIS)
- assignment quality index (AQI) 1791
- asthma 1573
- atmospheric pressure chemical ionization (APCI) 1264–1265, 1646, 1775
- atmospheric pressure photoionization (APPI)
  - methods
    - characteristics 1267
    - dopants 1266
    - ESI and APCI 1265
    - gas phase IE and PA 1266, 1267
    - orthogonal-source-type 1265–1266
- atomic absorption spectrometry (AAS) 977
  - Boltzmann equation 514
  - burner design
    - – burning velocity 529–530
    - – flames 530
    - – fuel and oxidant gas 528, 529
    - – typical flame gas mixtures 529
  - chemical interferences
    - – dissociation equilibria 549–550
    - – formation 549
    - – ionization, flames 550–551
  - cold vapor generation technique 537–538
  - data treatment
    - – external calibration 551–552
    - – quantitative analysis 551
    - – standard addition technique 552
  - dissociation 518–519
  - D-line 520–521
  - Einstein transition probability 512–513
  - electromagnetic radiation 513
  - electrothermal atomization
    - – condensation and memory effects 532–533
    - – disadvantages 531–532
    - – features 531
    - – graphite furnace 530
    - – graphite tube 532
    - – measurements 530–531
  - flame atomization 527, 528
  - gas chromatography
    - – data acquisition system 553

- – electrophilic and nucleophilic reactions 553
- – instrumental setup 554
- – organotin/organolead compounds 555
- – quartz T-tube furnace 553 554
- – speciation analysis 552–553
- hydride generation technique
  - – arsenic, antimony and selenium 534
  - – batch and continuous system 535, 536
  - – disadvantages 535
  - – flow injection system 535, 536
  - – quartz tube 535–536
  - – reduction 534
  - – sodium tetrahydroborate reagent 535
  - – thermal decomposition 536
  - – volatile hydrides 535
- ionization 516–518
- Lambert–Beer law 514–515
- line broadening 515–516
- liquid chromatography 555–556
- LTE 513
- nebulizer 527–528
- optical system and components
  - – double-beam spectrophotometer 539–540,
  - – single-beam spectrophotometer 539
  - Planck’s law 513
  - plasma, energy levels 512
  - principles
    - – energy level 508, 510, 512
    - – interpretation 507
    - – orbital quantum number 508–509
    - – selection rules 509
    - – spectroscopic notation 510
    - – spin angular momentum 509
    - – wavenumbers 508
  - radiation sources
    - – continuum sources 525, 526
    - – diode laser sources 525–527
    - – EDL 524
    - – elemental lines 521
    - – HCL (*see* hollow-cathode lamp (HCL))
  - radiation sources and atom reservoirs 519–520
  - self-absorption 516
  - solid samples 538
  - spectral interference (*see* spectral interferences)
  - thermodynamic equilibrium 513
  - vapor generation technique 533–534
- atomic emission spectrometry (AES)
  - absolute and relative sensitivity 576–577
  - atomization devices
    - – analytical conditions 558
    - – arc and spark plasmas 563–564
    - – DCP 561–562
    - – flame atomizer 559
    - – ICP (*see* inductively coupled plasma (ICP))
    - – laser ablation 564–565
    - – microwave plasmas 562–563
    - – reduced-pressure discharges 565
  - Boltzmann equation 514
  - dissociation 518–519
  - D-line 520–521
  - Einstein transition probability 512–513
  - electromagnetic radiation 513
  - hyphenated techniques
    - – capillary electrophoresis 578
    - – flow-injection analysis 578
    - – gas chromatography 577
    - – liquid chromatography 577–578
  - ionization 516–518
  - Lambert–Beer law 514–515
  - line broadening 515–516
  - LTE 513
  - matrix effects and interferences
    - – chemical interferences 573–574
    - – spectral interferences 572–573
  - optical setup and detection
    - – alkali metal elements 565–566
    - – design goals 566
    - – multichannel instruments 566–568
    - – sequential instruments 566
  - Planck’s law 513
  - plasma, energy levels 512
  - principles
    - – energy level 508, 510, 512
    - – interpretation 507
    - – orbital quantum number 508–509
    - – selection rules 509
    - – spectroscopic notation 510
    - – spin angular momentum 509
    - – wavenumbers 508
  - quantitative and qualitative analysis
    - – diagnostics 575–576
    - – high RF power 576
    - – ICP analysis 575
    - – internal standardization 574
    - – liquid analysis 575
    - – multivariate calibration techniques 575
  - solid sample analysis
    - – arc and spark ablation 570
    - – direct insertion 569
    - – electrothermal vaporization 569–570
    - – laser ablation 570–569, 572
    - – slurry nebulization 569
- atomic force microscopy (AFM) 919, 1589
- atomic force spectroscopy (AFS) 735

- atomic spectral detection
    - atomization 1667–1668
    - direct-current plasma 1669
    - inductively coupled plasma
      - argon 1668
      - LC detection 1668–1669, 1671, 1672
      - LC-ICP MS application 1672, 1673, 1675
    - microwave-induced plasma (*see* microwave-induced plasma (MIP))
  - atom probe field ion microscopy (APFIM)
    - analytical information 742
    - applications 742
    - instrumentation 742
    - performance criteria 742
    - working principle 741–742
  - atom-transfer radical approach (ATRP) 1245
  - ATR. *See* attenuated total reflection (ATR)
  - attached proton test (APT) 229
  - attenuated total reflection (ATR) 1058, 1119–1120, 1400, 1404
    - advantage 77 78
    - analytical information 782
    - applications 782
    - evanescent field 76, 77
    - hydrating shell 77
    - instrumentation 781
    - penetration depth 76, 77
    - performance criteria 782
    - single-reflection/multireflection crystals 77
  - Auger deexcitation 756
  - Auger effect 1491
  - Auger electron appearance potential spectroscopy (AEAPS) 709
  - Auger electron spectroscopy (AES) 810
    - analytical information 712, 713
    - applications 713
    - ARAES 713
    - ARXPS 713
    - energy spectrum 711
    - IAES 713
    - instrumentation 711–712
    - performance criteria 712–713
    - sample 712
    - SPAES 713–714
  - Auger electron yield (AEY) 1492
  - Auger neutralization (AN) 756
  - Auger photoelectron coincidence spectroscopy (APECS) 768
    - analytical information 783
    - applications 784
    - instrumentation 783
    - PAES 784
    - performance criteria 784
    - sample 783
  - autofluorescent proteins (AFPs) 825, 850, 852
  - automated clinical chemistry analyzers
    - instrument checks
      - absorbance limit check 986
      - antigen excess check 986–987
      - linearity check 987–988
      - substrate deletion check 988–989
    - liquid-level detection system 984–986
    - sample measurements
      - external standard calibration 990–991
      - photometric measurements 989–990
    - serum index measurement
      - hemolysis 984
      - hyperbilirubinemia (icterus) 984
      - lipemia 984
  - Automated Mass Spectral Deconvolution and Identification System (AMDIS) 1798–1799,
  - avalanche photodiodes (APDs) 827
  - avidity 1317
  - AWG. *See* arrayed waveguide grating (AWG)
- b**
- backward electron transfer (BET) 877, 889
  - balanced ratiometric detection (BRD) 1354
  - ballistic electron emission microscopy (BEEM) 735
  - ballistic electron emission spectroscopy (BEES) 735
  - BEEM. *See* ballistic electron emission microscopy (BEEM)
  - Beer–Lambert law 1195
  - BEES. *See* ballistic electron emission spectroscopy (BEES)
  - benzotriazole (BTA) 1600–1601
  - bibliographic data banks 1728
  - bioanalysis
    - FTIR spectroscopy (*see* Fourier transform infrared (FTIR) absorption spectroscopy)
    - Raman spectroscopy (*see* Raman Spectroscopy)
    - terahertz (*see* terahertz (THz) spectroscopy)
  - bioanalytical spectroscopy
    - bibliome 949
    - biomes definition 944
    - clinical diagnostics
      - analytical method 955
      - bioassay development 953
      - centralized (hospital) testing 952
      - clinical diagnosis 952

- - healthy and diseased subjects
    - concentration distribution 955, 956
  - - immunoassay formats 953, 954
  - - inorganic ions and blood gasses 957–958, 959
  - - longitudinal and transversal evaluation 955
  - - low-molecular-weight analytes (*see* low-molecular-weight analytes)
  - - monitoring 952
  - - nosological evaluations 956
  - - over-the-counter (OTC) tests 952
  - - POC devices 952, 953
  - - prognosis 952
  - - protein analytes (*see* protein analytes)
  - - ROC curves 956
  - - screening 952
  - - technical level 953, 955
  - - test validity 955
  - drug discovery 945
  - epigenomics 948–949
  - epitomics 947–948
  - expression mapping 946
  - fluorescence detection 945
  - genomics and proteomics 944, 945
  - hybridoma technique 947
  - immunoproteomics 947
  - lipidomics 948
  - mass spectroscopic methods 946–947
  - metabolomics 948
  - omic methodologies 945, 946
  - peptidomics 948
  - personalized medicine and theranostics 944
    - Affymetrix GeneChip<sup>®</sup> systems 949
    - biosensors (*see* biosensors)
    - Invitrogen 949
    - microfluidic electrophoresis-based devices 949
    - pharmacogenomics 945
    - SELDI-TOF 947
    - site-directed immobilization 967
    - subtractive immunization 947
    - transcriptomics 946
  - biological recognition elements (BREs) 1329–1330
  - biosensors
    - affinity 950
    - automated immunoassays (*see* immunoassays)
    - catalytic 950
    - colorimetric sensor arrays 949
    - definitions 949–950
    - immunoassay techniques 950
    - molecular probes/indicators 949
    - optical biosensors 951
  - biotechnological process control
    - carbon dioxide sensor 1374
    - controlled fermentation 1374, 1375
    - Crabtree effect 1373
    - fermentation curve 1374
    - fluorescence spectroscopy 1377
    - gas sensors 1373,
    - NIR and FTIR spectroscopy 1376–1377
    - optical sensors 1374
    - oxygen sensor 1374,
    - PTS 1378
    - Raman spectroscopy 1377
    - reactor gas analysis 1373
    - UV spectroscopy 1375–1376
    - vaccine production (*see* vaccine production, downstream processing)
  - BIS. *See* bremsstrahlung isochromat spectroscopy (BIS)
  - bivalent 1315
  - BMAC. *See* breath methylated alkane contour (BMAC)
  - Boltzmann equation 514
  - bombardment-induced light emission (BLE) 750
  - Bragg reflection 810
  - Braggs law 475
  - BRD. *See* balanced ratiometric detection (BRD)
  - breast cancer 1565–1566
  - breath methylated alkane contour (BMAC) 1565–1566
  - bremsstrahlung 457–458, 459
  - bremsstrahlung isochromat spectroscopy (BIS) 727
  - BREs. *See* biological recognition elements (BREs)
  - bright field image 751
  - BTA. *See* benzotriazole (BTA)
  - bulk analyte spectroscopy 1620–1622
- c**
- capillary electrochromatography (CEC) 376
  - capillary electrophoresis (CE) 13, 578
  - capillary electrophoresis mass spectrometry 378–380
  - cardiac muscle injury 1562
  - Carius method 8
  - CARS. *See* coherent anti-Stokes Raman scattering (CARS) spectroscopy
  - Cassegrainian/Schwarzschild objective 85
  - cathodoluminescence (CL) spectroscopy
    - analytical information 715
    - direct bandgap semiconductors 714

- cathodoluminescence (CL) spectroscopy
  - (*cont'd.*)
  - indirect bandgap semiconductors 714
  - instrumentation 714
  - performance criteria 715
  - SEM 715
  - vacuum compatible
    - semiconducting/insulating solids 714
- cationized molecules 1287, 1288
- cavity ring-down laser absorption spectroscopy (CRLAS) 1425, 1426
- cavity ring-down spectroscopy (CRDS) 1425, 1426
- CCD. *See* charge-coupled device (CCD)
- CD. *See* circular dichroism (CD)
- centerband-only detection of exchange (CODEX) 319, 320
- ceramic mortars. *See* agate mortars
- CF. *See* cystic fibrosis (CF)
- channel waveguides 1615–1617, 1616
- characteristic vibrations 34
- charge-coupled device (CCD) 53, 1819, 1820
- charged particle activation analysis (CPAA)
  - analytical information 743
  - application 744
  - artificial radioisotopes 742–743
  - disadvantages 744
  - elemental concentration detection 742
  - instrumentation 743
  - NAA 744
  - NDP 745
  - performance criteria 743–744
  - sample 743
- chemical imaging, quality and process control
  - applications
    - food and feed safety control 1413–1414
    - pharmaceutical industry 1414
    - recycling and sorting 1414, 1415
  - chemical characterization 1409
  - chemometrics and data analysis
    - cross validation data set 1413
    - hyperspectral image data *vs.* classical spectroscopic data 1410
    - latent variables 1411
    - multivariate image analysis 1411–1412
    - PCA 1411, 1412
  - instrumentation 1409–1410
  - physical, morphological/texture characterization 1409
  - sample characterization 1409
- chemical interferences
  - AES 573–574
  - dissociation equilibria 549–550
  - formation 549
  - ionization, flames 550–551
- chemical manufacturing process control
  - analytical control 1343
  - continuous process
    - chemical conversion 1347
    - downstream processing 1353
    - extrusion process 1349–1350, 1351
    - gas chromatography (GC) 1347, 1348
    - ketene process 1347
    - mass spectrometry (MS) 1347, 1348
    - polymerization reaction 1349
    - ultrasonic attenuation spectra 1351, 1352, 1354
  - element concentration 1344
  - environmental monitoring, process analytics 1356–1355
  - investment and cost
    - cost of ownership 1359–1360
    - costs of analytics 1358
  - instrumentation and implementation
    - investment 1358
    - investment and operation costs 1360
    - laboratory *vs.* process implementation 1357
    - on-line *vs.* laboratory analysis 1360, 1361
    - PAT application 1360, 1361
    - production costs 1357–1358
    - standard analytical measurements 1358, 1359
  - measurement sensors 1343–1344
  - molecular information 1344
  - process environment
    - corrosivity 1353
    - moisture measurement 1353
    - TDLAS (*see* tunable diode laser absorption spectroscopy (TDLAS))
  - pseudocontinuous batch processing 1345–1346
  - quality control workflow 1344,
- chemometric detectors (CMDs)
  - GC-MS analysis 1804
  - isotopic patterns 1795
- chord length distribution (CLD) 1381
- chromatographic NMR spectroscopy 274
- chronic obstructive pulmonary disease (COPD) 1573
- CID. *See* collision-induced dissociation (CID)
- circular dichroism (CD) 82–83, 1144–1145
- CITS. *See* current imaging tunneling spectroscopy (CITS)
- Claisse–Quintin models 499
- classical least squares (CLS)
  - advantages and disadvantages 1738
  - Beer–Lambert law 1735–1736

- cross validation 1737
  - model parameter estimation 1736
  - outlier spectra detection 1736
  - predictions, application to 1737
  - residuals analysis 1736
  - set validation 1737
  - training set 1736
  - clean in-phase heteronuclear single quantum coherence (CLIP-HSQC) 280
  - ClinProt<sup>®</sup> 415
  - ClinProTools<sup>®</sup> 2.2 software 415
  - CLIP-HSQC. *See* clean in-phase heteronuclear single quantum coherence (CLIP-HSQC)
  - clot detection 986
  - CLS. *See* classical least squares (CLS)
  - CMDs. *See* chemometric detectors (CMDs)
  - CMOSs. *See* complementary metal-oxide-semiconductors (CMOSs)
  - CODEX. *See* centerband-only detection of exchange (CODEX)
  - coherent anti-Stokes Raman scattering (CARS) spectroscopy 1631–1632
    - advantage 128
    - T lymphocyte nucleus 129
  - coherent anti-Stokes Raman scattering (CARS) system
    - beam expander 68
    - image technique 69
    - Jablonski diagram 67
    - molecular energy level 68
  - μ-coil NMR probes 280–281
  - cold vapor generation technique 537–538
  - collision-induced dissociation (CID)
    - databases 1777–1779, 1778
    - reproducibility 1776–1777
  - colloid vibration current (CVI) 1431
  - COLOC. *See* constant time correlation by long-range coupling (COLOC) experiment
  - complementary metal-oxide-semiconductors (CMOSs) 927
  - component detection algorithm (CODA) 1799
  - Compton scattering 457, 458, 1485, 1523
  - constant time correlation by long-range coupling (COLOC) experiment 255–256
  - continuous dynode electron multiplier 618, 619
  - continuum sources (CS) 525, 526
  - copper hexadecafluorophthalocyanine (F<sub>16</sub>CuPc) 1518
  - copper phthalocyanines (CuPcs) 1541–1543, 1542
  - corpuscles 1523
  - correlated/correlation spectroscopy (COSY) 337, 1751
    - coupling constants 1092–1093
    - definition 226
    - double-quantum filter 1094
    - E-COSY 1094
    - proton spectrum 239
    - pulse and receiver 1093
    - pulse sequence 239–240
    - relayed COSY 1094
    - states-TPPI protocol 1093
    - strychnine, aliphatic region 240–241
    - 2D spectrum 1092
  - correlation by long-range couplings (COLOCs) 1751
  - COSY. *See* correlated/correlation spectroscopy (COSY)
  - coumarin dyes 1013, 1014
  - CPAA. *See* charged particle activation analysis (CPAA)
  - cryogenic NMR probe 283, 284, 285
  - CTM4XAS Charge Transfer Multiplet Program 1489
  - CuPcs. *See* copper phthalocyanines (CuPcs)
  - current imaging tunneling spectroscopy (CITS) 734
  - cystic fibrosis (CF) 1573
  - Czerny–Turner configuration 51,
- d**
- DAD. *See* diode-array detector (DAD)
  - DAPS. *See* disappearance potential spectroscopy (DAPS)
  - DAS. *See* dynamic-angle spinning (DAS)
  - data banks 1728
  - DC arcs 583
  - deformation vibrations 34
  - density functional theory (DFT) 1540
  - density of states (DOS) 1489
  - dental caries 1576, 1577
  - DEPT. *See* distortionless enhancement polarization transfer (DEPT)
  - DFG. *See* different frequency generation (DFG)
  - DFT. *See* density functional theory (DFT)
  - DFTS. *See* dispersive Fourier transform spectroscopy (DFTS)
  - diabetes mellitus 1565
  - dielectric/impedance spectroscopy 1432–1433
  - different frequency generation (DFG) 1575, 1576
  - diffuse reflection in infrared by Fourier transform spectrometer (DRIFT) 103

- diffuse reflection probes 1400, 1403–1404
- diffuse reflection spectroscopy
  - analytical information 785
  - applications 786
  - instrumentation 785
  - performance criteria 785–786
- diffusion controlled reaction 1320
- diffusion ordered NMR spectroscopy (DOSY) 274–276
- digestion bomb 6
- $\alpha,\omega$ -dihexyl-sexithiophene (DH6T) 1540–1541
- diindenoperylene (DIP) film 929, 930, 1546–1547
- dilute liquid crystals
  - biological material 1087–1088
  - CSA tensors 1085
  - liquid crystalline system 1086
  - molecular alignment 1085
  - organic compounds 1086–1087
  - oriented matrices 1088
- diode-array detector (DAD)
  - HPLC, applications 1663–1664
  - inorganic ions 1659
  - polycyclic aromatic hydrocarbons
    - reversed-phase HPLC 1659, 1660, 1664
    - UV spectrum 1658–1659
  - pyrene and alkyl derivatives 1659, 1660
  - resolution 1659
  - solvents 1658
  - tungsten and deuterium light sources 1657
  - UV detector 1658
- diode laser (DL) sources
  - flames and furnaces 526
  - GaN-type laser diodes 527
  - modulation 526
  - tunable dye lasers 525–526
- DIP film. *See* diindenoperylene (DIP) film
- dipole–dipole (DD) interaction 1101
- direct current plasma (DCP) 561–562, 1669
- direct optical detection
  - circular dichroism 1144–1145
  - optical absorption 1116
  - optical read-out 1145
  - principles 1115–1116
  - refractivity
    - backscattering 1129–1130
    - biomolecular sensing and spectroscopy 1125
    - Bragg grating 1128–1129
    - dual polarization sensors 1125
    - end-fire coupling 1126–1127
    - fiber optics 1126
    - grating couplers 1127–1128
    - in-coupling and read-out techniques 1125
    - Mach–Zehnder interferometer 1136–1137
    - periodic change 1125
    - photonic crystals 1128
    - resonant mirror 1130–1131
    - ring resonators 1139
    - SPR (*see* surface plasmon resonance (SPR))
      - young interferometer 1137–1138
  - refractometry and reflectometry 1143–1144
  - RIfS (*see* reflectometric interference spectroscopy (RIfS))
  - stimuli-responsive application 1115
  - TIR (*see* total internal reflection (TIR))
- disappearance potential spectroscopy (DAPS) 709
- dispersive Fourier transform spectroscopy (DFTS) 1063
- distortionless enhancement polarization transfer (DEPT) 230–231, 232
- distributed Bragg reflector (DBR) 1044
- Doppler broadening 589
- Doppler line broadening 515
- DOSY. *See* diffusion ordered NMR spectroscopy (DOSY)
- double-quantum (DQ) spectroscopy
  - alkyl-substituted polycyclic aromatic system 325
  - DQ peaks 325
  - $^1\text{H}$  NMR 303–326
  - proton–proton proximities 325
  - 2D  $^{13}\text{C}$ – $^{13}\text{C}$  DQ spectra 326–327
- dried droplet technique 432
- dual polarization interferometer (DPI) 1138
- dynamic-angle spinning (DAS) 345
- e**
- Echelle spectrometers 605, 608
- EC-QCLs. *See* external-cavity quantum cascade lasers (EC-QCLs)
- EDL. *See* electrodeless discharge lamp (EDL)
- EDXRF. *See* energy-dispersive X-ray fluorescence (EDXRF)
- EDXS. *See* energy dispersive X-ray spectroscopy (EDXS)
- EELS. *See* electron energy loss spectroscopy (EELS)
- EFISHG. *See* electric-field-induced optical second harmonic generation (EFISHG)
- elastic recoil coincidence spectrometry (ERCS) 749



- elastic recoil detection analysis (ERDA)
  - analytical information 747, 748
  - ERCS 749
  - instrumentation 745, 746
  - megaelectronvolt ion beam analysis system 747
  - performance criteria 747
  - sample 746
  - transmission mode 748
  - Van de Graaf accelerators 747
  - working principle 745, 746
- elastic scattering 457
- electric-field-induced optical second harmonic generation (EFISHG) 1442
- electroacoustic spectroscopy 1431
- electrochemical analysis. *See* surface plasmon resonance (SPR)
- electrochemical-quartz crystal microbalance (E-QCM) 1163–1164
- electrochemical surface plasmon resonance (ESPR) 1134
- electrochemical tunneling spectroscopy (ETS) 734
- electrodeless discharge lamp (EDL) 524
- electrokinetic sonic amplitude (ESA) 1431
- electron energy loss spectroscopy (EELS) 709
- electron impact (EI) mass spectra
  - databases
    - GC retention indices 1774
    - Internet databases 1771, 1774
    - mass spectral analyzer types 1771
    - quality 1772, 1773, 1774
    - specialized databases 1771, 1774, 1775
    - Wiley registry and NIST/EPA/NIH databases 1771, 1772, 1773
  - library search algorithm
    - data reduction 1781
    - first candidate identity 1784
    - INCOS, PBM, and SISCOM algorithms 1782, 1783, 1784
    - main search 1781
    - presearch 1781
    - similarity measures 1782
    - structural similarity search 1784–1785
    - transformations 1781
  - vs. soft ionization 1775–1776
- electron momentum spectroscopy (EMS)
  - analytical information 716
  - applications 716
  - electronic structure measurement 715
  - instrumentation 715–716
  - performance criteria 716
  - samples 716
- electron probe microanalysis (EPMA) 731
  - analytical information 717–718
  - applications 718
  - performance criteria 718
  - sample 717
  - X-ray energy 716–717
- electron probe techniques
  - AES
    - analytical information 712, 713
    - applications 713
    - ARAES 713
    - ARXPS 713
    - energy spectrum 711
    - IAES 713
    - instrumentation 711–712
    - performance criteria 712–713
    - sample 712
    - SPAES 713–714
  - appearance energy spectroscopy (*see* appearance potential spectroscopy (APS))
  - cathodoluminescence spectroscopy 714–715
  - electron momentum spectroscopy 715–716
  - electron-stimulated desorption 718–720
  - EPMA 716–718
  - ESDIAD 720–721
  - EXELFS
    - analytical information 722
    - applications 722
    - conventional TEM 721, 722
    - ionization probability 721
    - PEELS 723
    - primary electron energy 722
  - HREELS (*see* high-resolution electron energy loss spectroscopy (HREELS))
  - IETS 725–726
  - inverse photoelectron spectroscopy 726–728
  - REELS 728–730
  - SEES 736–738
  - SEM (*see* scanning electron microscopy (SEM))
  - STM–IETS 735–736
  - STS (*see* scanning tunneling spectroscopy (STS))
- electron-stimulated desorption ion angular distributions (ESDIAD) 718, 720–721
- electropolymerization
  - advantages 1246–1247
  - Autolab ESPRIT instrument 1248
  - carboxylic acid 1252
  - CBZ-PAMAM component 1247, 1249
  - electronic device applications 1246
  - MIP composite films 1252

- electropolymerization (*contd.*)  
 – MIPPy film 1247  
 – monomers 1248, 1250,  
 – *p*-Aminostyrene 1250  
 – *p*-ATP-AuNP 1252  
 – picric acid 1251  
 electropolymerized molecularly imprinted  
 polymers (E-MIPs) 1246–1247  
 electro spray-assisted laser  
 desorption/ionization (ELDI) 439  
 electrospray ionization (ESI)  
 – vs. APCI 1646  
 – LC-MS 1261, 1263–1264  
 – soft ionization techniques 361–362  
 electrospray ionization mass spectrometry  
 (ESI-MS) 357  
 ELS. *See* energy loss spectroscopy (ELS)  
 EMS. *See* electron momentum spectroscopy  
 (EMS)  
 energy balance, incident light 71, 72  
 energy-dispersive (ED) spectrometers  
 – Cartesian 480, 481  
 – comparison 481, 482  
 – configurations 479, 480  
 – limits of detection 481, 483  
 – principle 479  
 – secondary target 480  
 – Si(Li) detector 481  
 energy dispersive X-ray analysis 731  
 energy-dispersive X-ray fluorescence (EDXRF)  
 1428  
 energy dispersive X-ray spectroscopy (EDXS)  
 709  
 energy loss spectroscopy (ELS) 725  
 Environmental Protection Agency (EPA)  
 1771, 1772  
 enzyme-linked immunosorbent assays  
 (ELISAs) 1313  
 EPA. *See* environmental Protection Agency  
 (EPA)  
 EPMA. *See* electron probe microanalysis  
 (EPMA)  
 ERCS. *See* elastic recoil coincidence  
 spectrometry (ERCS)  
 ERDA. *See* elastic recoil detection analysis  
 (ERDA)  
 ESA. *See* electrokinetic sonic amplitude (ESA)  
 ESDIAD. *See* electron-stimulated desorption  
 ion angular distributions (ESDIAD)  
 ESI. *See* electrospray ionization (ESI)  
 ESI-MS. *See* electrospray ionization mass  
 spectrometry (ESI-MS)  
 ESRF. *See* European Synchrotron Radiation  
 Facility (ESRF)
- ETS. *See* electrochemical tunneling  
 spectroscopy (ETS)  
 European Synchrotron Radiation Facility  
 (ESRF) 1514–1515  
 evanescent wave cavity ring-down  
 spectroscopy (EWCARDS)  
 – applications 787  
 – instrumentation 786  
 – performance criteria 786–787  
 evolving factor analysis (EFA) 1799  
 EWCARDS. *See* evanescent wave cavity  
 ring-down spectroscopy (EWCARDS)  
 EXAFS. *See* extended X-ray absorption fine  
 structure spectroscopy (EXAFS)  
 exchange spectroscopy (EXSY) 243, 247  
 excimer fluorescence 165–166,  
 EXELFS. *See* extended energy loss fine  
 structure (EXELFS)  
 extended energy loss fine structure (EXELFS)  
 725, 730  
 – analytical information 722  
 – applications 722  
 – conventional TEM 721, 722  
 – ionization probability 721  
 – PEELS 723  
 – primary electron energy 722  
 extended X-ray absorption fine structure  
 spectroscopy (EXAFS) 710, 730, 788,  
 1486  
 Extensible Markup Language (XML) data  
 model 1827–1828  
 external-cavity quantum cascade lasers  
 (EC-QCLs) 1570  
 external quality assessment 995–996  
 external reflection 74, 75
- f**  
 FAB. *See* fast atom bombardment (FAB)  
 far infrared region (FIR) 33  
 fast atom bombardment (FAB) 357, 361  
 FBRM. *See* focused beam reflectance  
 measurement (FBRM)  
 FCS. *See* fluorescence correlation spectroscopy  
 (FCS)  
 F<sub>16</sub>CuPc. *See* copper  
 hexadecafluorophthalocyanine (F<sub>16</sub>CuPc)  
 femtosecond-pulsed THz radiation 1430  
 FET. *See* forward electron transfer (FET)  
 fetal Doppler sonography 411  
 fiber optics 1405  
 field desorption (FD) 360  
 field-flow fractionation (FFF). *See also* photon  
 correlation spectroscopy (PCS)  
 – accumulation wall 1206

- channel thickness 1207
- characteristics 1205
- descriptions 1205–1206
- organic carrier liquids 1206
- physicochemical properties 1204
- polymer analysis 1207
- Soret coefficient 1207
- ThFFF 1206
- FIIA. *See* flow injection immunoanalysis (FIIA)
- FIR. *See* far infrared region (FIR)
- five-parameter-based logistic model 1325
- flame atom emission spectrometry (F-AES) 977
- flame atomization 527, 528
- FLIM. *See* fluorescence lifetime imaging microscopy (FLIM)
- flow injection analysis (FIA) 578, 1313
- flow injection immunoanalysis (FIIA) 1313
- fluorescence correlation spectroscopy (FCS) 167–171, 838, 1617
- fluorescence lifetime imaging microscopy (FLIM) 864, 866
- fluorescence quencher
  - self-quenching 154
  - solute quenching
    - - dynamic and static quenching 151
    - - fluorophore-quencher pairs 150
    - - mixed quenching 151–152
    - - protein studies 152–153
  - solvent quenching 153–154
  - trivial quenching 154
- fluorescence recovery after photobleaching (FRAP) 166–167
- fluorescence sensing 173–174
- fluorescence spectrometers
  - distortions 61
  - emission spectrum 59
  - excitation spectrum 59
  - filter 60
  - layout 60
  - luminescence 59
  - multichannel detectors 61
  - PMT 61
  - pulsed sources 60
  - xenon arc lamp 60
- fluorescence spectroscopy 1399
  - data evaluation, references 148
  - dye 148
  - excimer fluorescence 165–166
  - FCS 167–171
  - fiber optics 148
  - fluorescence polarization 159–160
  - - steady-state fluorescence anisotropy 160–161
  - - time-resolved fluorescence polarization 161–163
  - fluorescence quencher (*see* fluorescence quencher)
  - fluorescence sensing 173–174
  - Förster resonance energy transfer 163–165
  - FRAP 166–167
  - quantum yield and lifetime 148, 149–150
  - single molecule fluorescence
    - - intracellular processes 172
    - - laser-induced fluorescence 171, 172
    - - QDs 172
    - - scientific disciplines 172
    - - single particle tracking 172–173
  - solvent relaxation
    - - dielectric continuum solvation model 155
    - - probing micropolarities 158, 159
    - - steady-state spectra 155–156
    - - TRES 156–158, 157
  - waveguides 1628–1630
- fluorescence yield (FY) 1492
- focal plane array (FPA) detectors 44, 1180
- focused beam reflectance measurement (FBRM) 1380, 1381, 1382,
- food industry, NIR spectroscopy 115, 117, 118
- forensic analysis
  - MIR spectroscopy 110
  - Raman spectroscopy 132
- Förster resonance energy transfer (FRET) 163–165
  - Cy3, intensity trajectory 844
  - data analysis 844
  - fluorescence emission 843
  - GTPase activation 844–845
  - pulsed interleaved excitation 845
- forward electron transfer (FET)
  - nonradiative 891
  - quantum efficiency 891
  - thermalized-injected electron 877
  - timescale 887
- Fourier transformation 42
- Fourier transform infrared (FTIR) absorption spectroscopy
  - advantages 1037
  - application
    - - amide I band 1040
    - - bioanalytics 1039–1040
    - - biological material 1040
    - - biological objects 1041, 1043

- Fourier transform infrared (FTIR) absorption spectroscopy (*contd.*)
    - *in vitro* determination 1040–1041, 1042
    - peptides and proteins 1040
    - VCD spectra 1040
    - infrared radiation 1037–1038
    - instrumentation
      - chemometric methods 1039
      - dispersive technique 1038
      - Jacquinot advantage 1038
      - microscopy 1038–1039
      - multivariate classification 1039
      - VCD spectra 1039
  - Fourier transform infrared (FTIR) imaging
    - biofuels 1196, 1197
    - cell imaging and diagnosis
      - breast cancer 1186
      - IR spectral images 1188
      - malignant brain tumor 1187
      - mammography 1187
      - molecular and metabolic processes 1185
    - forensic science
      - Dycem gel print lifter 1192, 1193
      - fingermark analysis 1191–1192
      - lipid and amino acid analysis 1192
      - mapping-type 1191
    - FPA detectors 1180
    - IR spectroscopy 1179
    - microfluidics
      - Beer–Lambert law 1195
      - *in situ* monitoring 1194–1195
      - $\gamma$ -junction PDMS 1194, 1195
      - real-time characterization methods 1193
    - optical setup 1180–1181,
    - pharmaceutical application
      - distribution 1188, 1189
      - drug release 1189, 1190
      - ibuprofen 1189, 1190
      - macro-ATR-FTIR imaging 1189
    - point mapping 1179
    - polymeric systems
      - degradation 1184–1185, 1186
      - diffusion and dissolution processes 1184
      - nanostructures and surface patterning 1182–1183
      - phase separation 1184, 1185
      - ultrathin film characterization 1181–1182
    - single-particle characterization 1195
  - Fourier transform infrared (FTIR) spectrometry 1397, 1407, 1408, 1429
  - Fourier transform infrared (FTIR) spectroscopy 1368
  - Fourier transform ion cyclotron resonance (FTICR) mass spectrometry 368–370
  - Fourier-transform (FT-IR) spectrometers
    - FPA detector 44
    - hyphenated technique 45
    - IR spectrum 42
    - Jacquinot advantage 43
    - MCT detector 44
    - Michelson interferometer 41
    - step-scan mode 44
  - Fourier transform surface plasmon resonance (FT-SPR) 1245
  - four-parameter-based logistic model 1325
  - FRAP. *See* fluorescence recovery after photobleaching (FRAP)
  - free induction decay (FID) 1680
  - Fresnel equations 1117–1115
  - FRET. *See* Förster resonance energy transfer (FRET)
  - functional affinity 1317
  - fluorescence lifetime imaging microscopy (FLIM) 881–882
  - Fusarium verticillioides*, 1653
- g**
- gadolinium-tetraazacyclododecanetetraacetic acid (Gd-DOTA) 1707, 1708
  - gas chromatography (GC)
    - cocaine and metabolites, trimethylsilane derivatives 1647, 1649
    - continuous process control, chemical manufacturing 1347, 1348
    - environmental analysis, SIM 1651
    - hydrocarbons in gasoline 1647, 1650
    - MS-MS detection 1645, 1646
    - SPE and SPME 1647, 1651
  - gas chromatography–mass spectrometry (GC–MS) 357
  - GDMS. *See* glow discharge mass spectrometry (GDMS)
  - GD-OES. *See* glow discharge optical emission spectrometry (GD-OES)
  - gestational diseases
    - HELLP syndrome 409–410
    - IUGR 410–411
    - preeclampsia
      - biomarkers 409
      - definition 407–408
      - hypertension 408
      - pathogenesis 408
      - placental and maternal 408
      - stress test 407
  - GEXRF. *See* grazing-exit X-ray fluorescence (GEXRF)

- GHMBC. *See* gradient-enhanced heteronuclear multiple bond correlation (GHMBC)
- GHMQC. *See* gradient heteronuclear multiple quantum coherence (GHMQC)
- GIXRF. *See* grazing incidence X-ray fluorescence (GIXRF)
- glow discharge mass spectrometry (GDMS) 750
- glow discharge optical emission spectrometry (GD-OES)
- analytical information 749–750
  - application 750
  - BLE 750
  - GDMS 750
  - instrumentation 749
  - LMMS 750–751
  - performance criteria 750
  - sample 749
  - SCANIIR 750
  - working principle 749
- G-matrix Fourier transform (GFT) 1109
- gradient-enhanced heteronuclear multiple bond correlation (GHMBC) 258, 259
- gradient heteronuclear multiple quantum coherence (GHMQC) 251, 253
- graphene 1530, 1531
- grazing-exit X-ray fluorescence (GEXRF) 802
- grazing incidence X-ray fluorescence (GIXRF) 802
- ground state depletion 869
- group frequency approach
- CH<sub>2</sub> and CH<sub>3</sub> groups 105–106
  - inorganic compounds 108
  - organic compounds 107
- h**
- half-integer quadrupole nuclei
- <sup>27</sup>Al 5Q MAS spectra 346, 347
  - inorganic systems 342
  - MQ MAS technique 346
  - RbNO<sub>3</sub> MAS spectrum 344
  - 2D DAS spectrum 345
  - 2D MQ MAS experiment 346
- H-atom 834
- HDT. *See* hexadecanethiol (HDT)
- head-sparing phenomenon 411
- heavy ion-ERDA (HIERDA) 745
- HEIS. *See* high-energy ion scattering (HEIS)
- hemolysis 984
- hemolysis, elevated liver enzymes, and low platelets (HELLP) syndrome 409–410
- Herzfeld–Berger analysis 309
- heteronuclear dipolar couplings
- HBC-PhC<sub>12</sub> 339, 340
  - H–N–H bond angle 339
  - REDOR experiment 337
  - SLF experiment 337, 339
- heteronuclear experiments
- edited and filtered experiments 1104–1105
  - HMQC experiment 1100
  - HSQC experiment 1100–1101
  - polarization transfer 1099
  - scalar and dipolar couplings 1099
  - transverse relaxation-optimized spectroscopy
    - DD and CSA mechanism 1101
    - polarization transfer 1102–1103
    - protein dynamics 1103–1104
    - TROSY component 1101–1102
  - triple-resonance experiments
    - (HB)CB(CGCD)HD and (HB)CB(CGCDCE)HE 1108
    - chemical structure 1106
    - HCCH-TOCSY and HCCH-COSY experiments 1108
    - HNCA and HN(CO)CA 1106
    - HNCACB and HN(CO)CACB 1106
    - HNCO and HN(CA)CO 1106–1107
    - H(CC)(CO)NH and (H)CC(CO)NH experiments 1107–1108
    - principle 1106
- heteronuclear multiple bond correlation (HMBC) 1751
- ACCORD (*see* accordion-optimized long-range heteronuclear shift correlation (ACCORD) methods)
  - GHMBC 258, 259
  - low-pass *J*-filter 256
  - schematic representation 256, 257
  - variants 260
- heteronuclear multiple-quantum coherence (HMQC) 247, 250–252, 337, 1100, 1751
- heteronuclear shift correlation 249–250
- heteronuclear single-quantum coherence (HSQC) 1100–1101
- chemical shift correlation
    - ADSQC 253, 255
    - GHMQC 251, 253
    - multiplicity-edited GHSQC 253, 254, 255
    - pulse sequence 252
  - HETCOR experiment 337
- heteronuclear single-quantum correlation (HSQC) 1687, 1688, 1751
- hexadecanethiol (HDT) 1531–1533, 1532
- hierarchically ordered spherical description of environments (HOSE) code 1753–1754

- high-energy ion scattering (HEIS) 755
  - high-performance liquid chromatography (HPLC) 982–983, 1399
  - high-resolution electron energy loss spectroscopy (HREELS)
    - analytical information 723–724
    - applications 724
    - ELS 725
    - highly monochromated primary electron beam 723
    - PEELS 725
    - performance criteria 724
    - REELS 725
    - sample 723
    - TEELS 725
  - high-resolution ICP mass spectrometer 615, 616–617
  - high-resolution magic angle spinning (HR-MAS) NMR spectroscopy 293, 294
  - hit quality index (HQI) 1825–1827
  - HMBC. *See* heteronuclear multiple bond correlation (HMBC)
  - HMQC. *See* heteronuclear multiple-quantum coherence (HMQC)
  - <sup>1</sup>H NMR spectrum 293, 294
  - hollow-cathode lamp (HCL)
    - anode 522
    - boosted HCL 524
    - electrodes 522
    - emission 522
    - excitation source 521, 522
    - lamp current 523
    - single-element and multielement 523–524
  - homonuclear 2D NMR spectroscopy 238–239
  - HPLC. *See* high-performance liquid chromatography (HPLC)
  - HQI. *See* hit quality index (HQI)
  - HREELS. *See* high-resolution electron energy loss spectroscopy (HREELS)
  - HSQC. *See* heteronuclear single-quantum coherence (HSQC)
  - hybrid analyzers 368
  - hydride vapor phase epitaxy 1544
  - hyperbilirubinemia (icterus) 984
  - hyper Raman scattering (HRS) 64
  - hyperspectral imaging. *See* chemical imaging, quality and process control
  - hyphenated 2D experiments
    - definition 268
    - GHSQC–TOCSY 268, 269
    - HSQC–and HMQC–TOCSY 268, 269
    - inverted direct response 269, 270
  - hyphenated techniques 513
    - AAS (*see* atomic absorption spectrometry (AAS))
    - AES (*see* atomic emission spectrometry (AES))
- i**
- IAE. *See* immunoaffinity extraction (IAE)
  - IAES. *See* ion-excited Auger electron spectroscopy (IAES)
  - IAMS. *See* ion attachment mass spectrometry (IAMS)
  - ICOS. *See* integrated cavity output spectroscopy (ICOS)
  - ICP. *See* inductively coupled plasma (ICP)
  - ICP-MS. *See* inductively coupled plasma mass spectrometry (ICP-MS)
  - ICP-OES. *See* inductively coupled plasma optical emission spectrometry (ICP-OES)
  - ICS. *See* image correlation spectroscopy (ICS)
  - IETS. *See* inelastic electron tunneling spectroscopy (IETS)
  - ILS. *See* inverse least square (ILS)
  - IMAC. *See* immobilized metal ion affinity (IMAC)
  - image correlation spectroscopy (ICS) 171
  - IMFP. *See* inelastic mean free path (IMFP)
  - immobilized metal ion affinity (IMAC) 364–386
  - immunoaffinity extraction (IAE) 374–375
  - immunoassays
    - antibodies 1330
    - antibodies
      - – biomolecular interaction 1319–1320
      - – classification 1315
      - – cross-reactivity 1316 1318–1319
      - – IgG molecule 1314,
      - – L- and H-chains 1314–1315
      - – noncovalent binding 1316
      - – polyclonal and monoclonal antibodies 1315
      - – thermodynamics 1316–1318
    - BREs 1329–1330
    - calibration curve 1324–1326, 1325
    - characteristics 1324
    - ELISAs 1313
    - FIA 1313
    - LOD and the LOQ validation 1326
    - MDC 1326
    - medical diagnostics 1328–1329
    - MIPs 1330
    - multi-analyte immunoassay, water analysis 1327–1328
    - RDL 1326
    - recovery rates (RR) 1326–1327

- RIAs 1313
- test formats and assay design
  - - advantages and disadvantages 1323
  - - binding inhibition test 1321, 1322–1323
  - - competitive test format 1321, 1322
  - - direct test format 1320, 1321, 1322, 1323
  - - displacement assay 1321, 1322
  - - principles 1320
  - - replacement assay 1321, 1322
  - - sandwich assay 1321, 1322
  - - sensor surface modification 1323–1324
- imprinted self-assembled monolayer (i-SAM) technique 962
- improved performance accordion
  - heteronuclear multiple bond correlation (IMPEACH-MBC) experiment 262
- IMS. *See* ionmobility spectroscopy (IMS)
- INCOS. *See* integrated control system (INCOS)
- incredible natural abundance double quantum transfer experiment (INADEQUATE) 1751
- indium tin oxide (ITO) 1626–1627
- inductively coupled plasma (ICP)
  - argon 1668
  - axial viewing 561
  - excitation and ionization processes
    - - gas flows 585
    - - laser-based techniques 586–587
    - - metastable argon 586
    - - Penning effect 586
  - excitation temperatures
    - - Boltzmann's law 587
    - - excited states decay 588
    - - nonradiative and radiative processes 587
    - - radial distributions 588, 589
    - - velocity distribution 587
  - gas-kinetic temperature 560
  - gas temperatures 589–590
  - historical development
    - - atomic spectrometry 583–584
    - - microwave discharges 584
    - - plasma torch 584, 585
    - - pneumatic nebulization 584
    - - ultrasonic nebulization 584
  - ICP-OES *vs.* ICP-MS 635–636
  - ionization
    - - degree of ionization 590, 591,
    - - electron number densities 591
    - - electron pressure 591
    - - ion intensity factors 590
    - - quasi-static ions 592
    - - Saha constant 590
  - LC detection 1668–1669, 1671, 1672
  - LC-ICP MS application 1672, 1673, 1675
  - nebulizer 561
  - norm temperatures 592–593
  - radical and molecule dissociation
    - - band spectra 594–595
    - - diatomic molecules 595
    - - emission spectrum 593
    - - metal oxide 596
    - - rotational temperatures 595
    - - transition probability, dipole radiation 594
  - RF generators 560
  - routine elemental analysis 559
  - torch 560
  - toroidal plasma 560
- inductively coupled plasma mass spectrometry (ICP-MS)
  - application fields
    - - environmental sciences 634–635
    - - geological samples 633
    - - life sciences 634
    - - metals and ceramics 633–634
  - ICP mass spectra
    - - ArO<sup>+</sup> and Cu<sup>+</sup> ions 622, 623
    - - cluster ions 622
    - - minimum resolution power 622, 624
  - *vs.* ICP-OES 635–636
  - interferences
    - - biatomic interferents 628
    - - carbon-based interferents 628
    - - collision-induced dissociation 627
    - - isobaric interferences 627
    - - nebulization effects 626
    - - potential interferents 628
    - - reaction-induced dissociation 628
    - - space charge effects 626–627
  - ion detection 618–620, 619,
  - ion extraction and optics 620–621
  - isotope dilution analysis 628–629
  - laser ablation
    - - detection efficiency 660
    - - gas temperature 660–661
    - - instrument drift 671
    - - laser-generated aerosol 659
    - - mass spectrometers 662–664
    - - non-spectral interferences 669–671, 670
    - - particle size 660
    - - radial and axial distribution of ions 659–660
    - - spectral interferences (*see* spectral interferences)
    - - vacuum interface and ion optics 661–662

- inductively coupled plasma mass spectrometry (ICP-MS) (*contd.*)
  - mass spectrometers
  - – high-resolution instruments 615, 616–617
  - – quadrupole-based instrument 615, 616
  - – time-of-flight mass spectrometer 615, 617–618, 631–632
  - optimization 624–625
  - power of detection 625–626
  - precision and memory effects 626
  - sample introduction
  - – desolvation 629–630
  - – ETV 630
  - – high-pressure nebulization 630
  - – organic solution analysis 629
  - – spark ablation 631
  - – ultrasonic nebulization 630
  - skimmer 615
- inductively coupled plasma optical emission spectrometry (ICP-OES)
  - analytical precision 610–611
  - application fields
  - – biological and medical samples analysis 614
  - – chemicals analysis 614
  - – environmental analysis 613–614
  - – geochemical analysis 613
  - – metals analysis 614–615
  - ICP generators 596–597
  - vs. ICP-MS 635–636
  - interferences 610
  - miniaturized ICPs 611–613, 612
  - multielement capacity 611
  - power of detection 609–610
  - sample introduction
  - – electrical discharge ablation 602–603
  - – electrothermal evaporation 602
  - – hydride generation 601–602
  - – laser ablation 603
  - – pneumatic nebulization (*see* pneumatic nebulization)
  - – ultrasonic nebulizers 601
  - – volatile species generation 601, 602
  - spectrometers
  - – CCDs 605–606
  - – CTDs 607–608
  - – Czerny–Turner mounting 604
  - – dispersive 603–604
  - – Echelle gratings 604–605, 606
  - – Paschen–Runge mounting 605
  - – photomultiplier 607, 608
  - – quartz fibers 609
- inelastic electron tunneling spectroscopy (IETS) 725–726
- inelastic mean free path (IMFP) 1536
- INEPT. *See* insensitive nucleus enhancement by polarization transfer (INEPT)
- infrared (IR) absorption spectroscopy 1814–1815
- infrared image furnace (IIF)-IAMS system 1300
- infrared multiphoton dissociation (IRMPD) 441
- infrared reflection–absorption spectroscopy (IRRAS) 76, 100–101
- infrared spectroscopic imaging
  - chemometric imaging 89
  - classification methods 91–93
  - data preprocessing methods 90
  - feature selection and classification 90, 91
  - FPA detectors 88
  - inferior quality, data set 89
  - microscopic investigations 88
  - multivariate data analysis 92, 93
  - multivariate pattern recognition methods 91
  - outlier spectra 89, 90
  - sample area 88–89
- inorganic analysis
  - acid digestion 6
  - fusion reactions 7–8
  - nonoxidizing acids 6
  - oxidizing acids 6–7
- insensitive nucleus enhancement by polarization transfer (INEPT) 229–230
- integrated cavity output spectroscopy (ICOS) 1570
- integrated control system (INCOS) 1782, 1783
- IntelliXtract 1799
- interfacial electron transfer
  - back charge-transfer dynamics
  - – autocorrelation 903–904
  - – CW HeCd laser 903
  - – excitation laser intensity 903
  - – MLCT 902
  - – photon antibunching 902
  - – time-dependent Mandel parameter 904–905
  - – transition-metal complex 905
- BET processes 877
- dye-sensitized TiO<sub>2</sub> system
  - – dark state, evolution time 896
  - – fluorescence fluctuation 883–884, 886–887
  - – fluorescence intensity 886, 887



- fluorescence quantum efficiency 889
- Frank–Condon coupling 892–893
- Lévy statistics 895–896
- molecular interaction 897
- nanosecond emission photons 891
- non-Poisson dark time distribution 893, 894
- photoinduced processes 877, 878, 890–891
- power-law kinetics 894, 895
- property 884
- single-photon time stamping 884, 886
- static inhomogeneity 891–892
- time-stamping technique 888–889
- ZnTCPP 893, 896
- single-molecule time-stamping spectroscopy
  - Coherent MIRA900 femtosecond laser 878–879
  - fluorescence signal 880
  - TAC 880–881
  - tip-enhanced near-field
    - confocal Raman spectroscopy 882–883
    - FLIM 881–882
  - vibrational reorganization energy barrier
    - alizarin–TiO<sub>2</sub> interfaces 898, 899, 900
    - electronic coupling parameter 897
    - mode-specific reorganization energy 899
    - nuclear equilibrium geometry 900
    - Raman intensity 900–901
    - spectral analysis 898–899
    - tip-enhanced near-field Raman spectroscopy 883, 901–902
- internally filtered probe (IFP) design 1045–1046
- internal quality assessment 993–995
- internal reflection spectroscopy (IRS) 1613–1614
- The International Union of Pure and Applied Chemistry (IUPAC) 15
- intrauterine growth restriction (IUGR) 410–411
- intrinsic effects 1431
- inverse least square (ILS) 1738–1739
- inverse photoelectron spectroscopy 726–728
- inversion recovery experiment 233–234
- ion attachment mass spectrometry (IAMS)
  - BPA
    - EGA probe 1302–1303,
    - polycarbonate pyrolysis 1303–1304, 1305
  - GC/MS mode 1309
  - IA-Lab 1290–1292
  - IA-TOF
    - differential pumping system 1292
    - IA ion source 1292
    - mass spectrum 1293, 1294
    - orthogonal acceleration reflector 1293
    - TOF mass spectrometer 1292, 1293
  - instrumental design
    - ion focusing system 1290
    - mass analyzer and detector 1290
    - reaction chamber (RC) 1290
    - sample inlet system 1289–1290
  - NO<sub>x</sub>
    - hydroxyl radicals and acid formation 1307
    - ionic clusters 1309
    - NO emission and conversion 1307
    - N<sub>2</sub>/O<sub>2</sub> MW discharge plasmas 1307–1308
    - ozone (O<sub>3</sub>) 1307
  - organic pollutants, atmospheric environment 1296
  - exhaust gases from automobiles 1297, 1298
  - formaldehydes indoors 1297–1298
  - offensive odorous substances 1299
  - perfluoro compounds
    - perfluorocyclobutane (*c*-C<sub>4</sub>F<sub>8</sub>) 1306–1307
    - perfluoroethane (C<sub>2</sub>F<sub>6</sub>) 1306
    - quasi-molecular ions 1304
    - sulfur hexafluoride (SF<sub>6</sub>) 1306
    - tetrafluoromethane (CF<sub>4</sub>) 1306
    - trifluoromethane (CHF<sub>3</sub>) 1306
  - performance and response characteristics
    - advantages and applications 1295
    - Li<sup>+</sup> affinity 1295
    - linear response range 1294
    - sensitivity 1294
    - pesticide residue in rice 1309, 1310
    - principle 1288–1289
    - RoHS 1296, 1297
    - teflon pyrolysis 1299–1300
    - decomposed PTFE 1301–1302
    - IIF interface system 1300
    - pyrogram 1300–1301
- ion-exchange chromatography 12
- ion-excited Auger electron spectroscopy (IAES) 713
- ionization methods
  - hard ionization methods
    - chemical ionization (CI) 360
    - electron impact ionization (EI) 359–360
    - soft ionization techniques
      - 252Cf-plasma desorption (PD) 361
      - ESI 361–362
      - FAB 361

- ionization methods (*contd.*)
    - field desorption (FD) 360
    - MALDI 362–363
  - ion microprobe analysis
    - analytical information 752
    - applications 752–753
    - instrumentation 751
    - IPM 753
    - performance criteria 752
    - sample 751–752
    - working principle 751
  - ionmobility spectroscopy (IMS) 1423–1424
  - ionome 948
  - ion suppression effect 434
  - ion trap mass analyzers 1771
  - IRRAS. *See* infrared reflection–absorption spectroscopy (IRRAS)
  - IRS. *See* internal reflection spectroscopy (IRS)
  - isothermal titration calorimetry (ITC) 380
  - ITC. *See* isothermal titration calorimetry (ITC)
  - ITO. *See* indium tin oxide (ITO)
- j**
- <sup>2</sup>J, <sup>3</sup>J-HMBC experiment
    - inverse-detected experiment 263
    - long-range couplings 266
    - pulse sequence 264–265
  - joint committee on atomic and molecular physical data exchange (JCAMP-DX) 1813
- k**
- kallikrein-related peptidase 3 (KLK3) 963
  - kICS. *See* k-space image correlation spectroscopy (kICS)
  - kinome 948
  - Kjeldahl procedure 8
  - KLK3. *See* kallikrein-related peptidase 3 (KLK3)
  - Koopmans' theorem 1525
  - Kramers–Kronig analysis 75, 782
  - k-resolved inverse photoemission spectroscopy (KRIPES) 727
  - KRIPES. *See* k-resolved inverse photoemission spectroscopy (KRIPES)
  - k-space image correlation spectroscopy (kICS) 171
- l**
- Lachance–Claisse models 499
  - Lachance–Traill models 499
  - LA-ICPMS. *See* laser ablation inductively coupled plasma mass spectrometry (LA-ICPMS)
  - Lambert–Beer law 34
  - laser ablation (LA)
    - aerosol generation and transport
    - ablation cell and aerosol transport system 656–657
    - ablation process 652–653
    - crater size 654–655
    - gas environment 656
    - laser pulse duration 655–656
    - laser pulse energy 654
    - laser wavelength 654
    - quantification requirements 657–658
    - ELDI 439
    - instrumentation 686–687
    - LIBS 651
    - MALDI 439–440, 652
    - volatilization and ionization 438–439
    - laser ablation inductively coupled plasma mass spectrometry (LA-ICPMS)
      - aerosol generation and transport
      - ablation cell and aerosol transport system 656–657
      - ablation process 652–653
      - crater size 654–655
      - gas environment 656
      - laser pulse duration 655–656
      - laser pulse energy 654
      - laser wavelength 654
      - quantification requirements 657–658
      - aperture and crater size 649–650
      - applications 688
      - components
        - ablation cell and transport system 648
        - ICPMS instrument 648
        - laser source and beam delivery 647–648
      - data treatment
        - concentrations/intensity ratios 679
        - internal standardization 683–684
        - isotope ratio determination 684–685
        - limit of detection (LOD) 680
        - offline data analysis methods 680
        - qualitative analysis 681
        - quantitative analysis 681–683
        - relative standard deviations (RSD) 679
        - solid sampling 678
        - time-resolved mode 678
      - vs. EPMA and SIMS 686
      - figures of merit 687
      - ICPMS detection
        - detection efficiency 660,
        - gas temperature 660–661
        - instrument drift 671
        - laser-generated aerosol 659
        - mass spectrometers 662–664
        - non-spectral interferences 669–671, 670
        - particle size 660

- - radial and axial distribution of ions 659–660
- - spectral interferences (*see* spectral interferences)
- - vacuum interface and ion optics 661–662
- LA instrumentation 686–687
- LIBS 651
- MALDI 652
- mass spectrometer configurations and characteristics 687
- Nd:YAG lasers 648–649
- non-matrix-matched calibration 685
- particle vaporization 651
- radial energy distribution 649
- sample observation 650
- sampling strategies
  - - bulk analysis 672–673
  - - depth profiling 673–674
  - - inclusion analysis 677–678
  - - lateral profiling 674–677
- ultrafast laser sources 649
- vacuum interface 650–651
- laser-assisted mass spectrometry. *See* laser desorption/ionization (LDI) methods
- laser desorption/ionization (LDI) methods
  - advantage 430, 432
  - applications
    - - MALDI imaging 444–445
    - - MALDI-MS, proteomics 442
    - - molecular imaging 442–443
  - LAMMA instrument 431
  - laser ablation
    - - ELDI 439
    - - MALDI source 439–440
    - - volatilization and ionization 438–439
  - laser ion excitation 441, 443
  - laser postionization 440–441
  - laser pyrolysis 431
  - MALDI
    - - dried droplet technique 432
    - - energy pooling 434
    - - homogeneous nucleation 434
    - - ion suppression effect 434
    - - lucky survivors 434, 436
    - - mass fingerprinting 436
    - - matrices 432, 435
    - - vacuum ionization technique 436
  - reflectron 432
  - small-molecule desorption/ionization 436
  - ToF instrument 431, 432
- laser diode techniques 1399
- laser-induced breakdown spectroscopy (LIBS) 651
  - applications 1427
  - dual-/multiple-pulse laser systems 1427
  - microplasma 1427
  - plasma spectrochemical technique 1426
  - samples 1427
  - spectrometer 1428
- laser-induced plasma spectroscopy (LIPS) 651
- laser microprobe mass analysis/spectroscopy (LMMS) 750–751
- laser microprobe mass analyzer (LAMMA) 431–432
- laser pyrolysis 431
- laser spectroscopy
  - CRDS 1425, 1426
  - photothermal techniques 1426
  - QCL 1424–1425
  - TDLAS 1425
- laser tweezer Raman spectroscopy (LTRS) 1050
- lateral profiling/elemental imaging
  - aspect ratio 676
  - circular/rectangular ablation craters 676–677
  - element distribution analysis 674
  - line scans 677
  - number of pulses 675
  - quasi-continuous approaches 674
  - single-spot approaches 674
  - temporal correlation, ion signal intensities 674
- LC-MS. *See* liquid chromatography-mass spectrometry coupling (LC-MS)
- least squares regression (LSR)
  - advantages and disadvantages of 1735
  - baseline-corrected spectral band 1732–1733
  - Beer–Lambert law 1732
  - predicted concentration 1734
  - residuals analysis 1733, 1734
  - variance analysis 1733, 1734
- LEED. *See* low-energy electron diffraction (LEED)
- LEIS. *See* low-energy ion scattering spectrometry (LEIS)
- library search
  - distance-similarity concept 1800
  - EI mass spectra
    - - data reduction 1781
    - - first candidate identity 1784
    - - INCOS, PBM, and SISCOM algorithms 1782, 1783, 1784
    - - main search 1781
    - - presearch 1781

- library search (*contd.*)
  - similarity measures 1782
  - structural similarity search 1784–1785
  - transformations 1781
  - MS/MS spectra 1785–1786
  - obstacles 1781
  - protein sequence databases
    - de novo sequencing 1789
    - peptide fragment fingerprint 1787, 1788
    - peptide mass fingerprint 1786, 1787
    - peptide-MS-search 1789
    - peptide sequence tag 1788 1789
- LIBS. *See* laser-induced breakdown spectroscopy (LIBS)
- limit of detection (LOD) 1326
- limit of quantification (LOQ) 1326
- linearity check 987–988
- line broadening 590
- lipemia 984
- LIPS. *See* laser-induced plasma spectroscopy (LIPS)
- liquid chromatography (LC)
  - clinical application 1651
  - derivatization 1651
  - food analysis 1653
  - fumonisins 1653
  - illicit drug analysis 1653
  - mobile-phase removal/limitations 1645
  - pesticides 1651, 1652
  - pharmaceutical impurities and metabolites 1651
  - UPLC 1647, 1652
- liquid chromatography-mass spectrometry (LC-MS)
  - APCI 1264–1265
  - API methods 1261
  - APPI methods
    - characteristics 1267
    - dopants 1266
    - gas phase IE and PA 1266, 1267
    - orthogonal-source-type 1265–1266
  - electrospray ionization 1261, 1263–1264
  - emerging contaminant 1275–1276
  - endocrine-disrupting compounds
    - effect-based analysis 1280
    - natural estrogens 1279
    - plant effluents 1280
    - wildlife and humans 1279
  - environmental contaminants 1276
  - herbicides 1281–1283
  - ionization methods
    - ESI ionization technique 1267
    - ion suppression susceptibility 1268, 1270
    - linear dynamic range 1269
    - matrix effect 1267, 1268
    - post-column techniques 1268 1269
  - limits of quantification 1275
  - mass analyzers
    - cyclotron instruments 1273
    - FT-ICR-MS instruments 1273
    - magnetic instruments 1273
    - QqQLIT 1272
    - quadrupole ion trap 1271–1272
    - time-of-flight 1272
    - triple quadrupoles 1270–1271
  - operational principle 1262–1263
  - pesticides 1281–1283
  - sample preparation 1273–1274
  - TOF-MS and Q-TOF-MS 1274–1275
- liquid chromatography-mass spectrometry coupling (LC-MS) 376–377
- liquid core optical ring resonators (LCORRs) 1139
- liquid–liquid extraction (LLE) 373–374
- liquid Nano-probe™ 280
- liquid sampling
  - analytical method 22
  - dynamic state 21
  - flowing sample 20–21
  - homogeneous solutions 20
  - immiscible mixture 21
  - inert containers 22
  - main elements 21
  - manual systems 21
- lithium ion attachment in mass spectrometry (Li<sup>+</sup> IAMS). *See* ion attachment mass spectrometry (IAMS)
- LLE. *See* liquid–liquid extraction (LLE)
- LMMS. *See* laser microprobe mass analysis/spectroscopy (LMMS)
- localized surface plasmon resonance (LSPR) 966–967
  - ADDL detection 1565
  - dielectric constant change 1564–1565
  - metal/dielectric interface 1561–1562
  - metallic nanoparticles (NPs) 1562, 1564
- local thermal equilibrium (LTE) 513
- long-range correlated spectroscopy (LR-COSY) 241
- long-range heteronuclear chemical shift correlation
  - COLOC 255–256
  - HMBC

- – ACCORD (*see* accordion-optimized long-range heteronuclear shift correlation (ACCORD) methods)
  - – GHMBC 258, 259
  - – low-pass  $J$ -filter 256
  - – schematic representation 256, 257
  - – variants 260
  - ${}^2J, {}^3J$ -HMBC
    - – inverse-detected experiment 263
    - – long-range couplings 266,
    - – pulse sequence 264–265
    - – relative sensitivity 266–267
  - low-energy electron diffraction (LEED) 755
  - low-energy ion scattering spectrometry (LEIS)
    - analytical information 754
    - applications 755
    - HEIS 755
    - instrumentation 753
    - LEED 755
    - MEIS 755
    - performance criteria 754–755
    - sample 754
    - working principle 753
  - low-molecular-weight analytes
    - calixarenes 958
    - glucose monitoring 959
    - hormones 958, 960, 961
    - imprinted polymers 961–962
    - metabolites 958, 960
    - noninvasive monitoring 960
    - SAMs 962, 963
    - signal-transducing synthetic receptors 958
  - LR-COSY. *See* long-range correlated spectroscopy (LR-COSY)
  - LSPR. *See* localized surface plasmon resonance (LSPR)
  - LSR. *See* least squares regression (LSR)
  - luminescence spectrometer 59
  - lung cancer 1566
- m**
- Mach–Zehnder interferometer 1136–1137
  - magic-angle spinning (MAS)
    - cross polarization (CP)
      - – art  ${}^1\text{H}$  decoupling 310–311
      - –  ${}^{13}\text{C}$  resonances 311–312
      - – Herzfeld–Berger analysis 309
      - – high-power proton decoupling 309
      - –  ${}^1\text{H}$   $T_{1\rho}$  relaxation time 311–312
      - – isotropic spectra 309
      - – simulated spectra 309, 310
      - – dipolar coupling 308
    - first-order quadrupolar interaction 307–308
    - ${}^1\text{H}$  solid-state NMR 313–315
    - solid-state NMR 209–210, 211
  - magnetic mass analyzers 615, 616–617
  - magnetic sector mass analyzers 364–365
  - MALDI. *See* matrix-assisted laser desorption/ionization (MALDI)
  - MALDI-MS. *See* matrix-assisted laser desorption/ionization mass spectrometry (MALDI-MS)
  - MAS. *See* magic-angle spinning (MAS)
  - masking 11
  - mass analyzers
    - array detectors 365
    - electric and/or magnetic fields 363
    - electric sector 365
    - hybrid analyzers 368
    - magnetic sector 364–365
    - mass-to-charge ratio 363
    - quadrupole mass analyzer 365–366
    - time-of-flight (TOF) 366–367
    - trapped-ion 367–368
  - MassFragment 1792
  - Mass Frontier 1779, 1790–1791
  - Mass Spec Calculator Pro 1792
  - mass spectral databases
    - chromatographic retention data 1770
    - CID/MS/MS spectra
      - – databases 1777–1779, 1778
      - – library search algorithm 1785–1786
      - – reproducibility 1776–1777,
      - – database entry 1770
    - EI mass spectra
      - – GC retention indices 1774
      - – Internet databases 1771, 1774
      - – library search algorithm 1781–1785, 1782, 1783
      - – mass spectral analyzer types 1771
      - – quality 1772, 1773, 1774
      - – *vs.* soft ionization 1775–1776
      - – specialized databases 1771, 1774, 1775
      - – Wiley registry and NIST/EPA/NIH mass spectral databases 1771, 1772, 1773
  - mass spectrometric profiling
    - data collection, plasma
      - – biological samples 412
      - – MALDI-TOF MS 411–412
      - – sample fractionation 414–415
      - – without fractionation 412–414
    - gestational diseases (*see* gestational diseases)
    - multiparametric analysis (*see* multiparametric analysis)

- mass spectrometric proteome analysis 391–393
- mass spectrometry (MS)
  - affinity techniques
    - carbohydrate binding protein 394
    - CREDEX-MS 396
    - human Gal-3 395
    - protein–carbohydrate interactions 394
    - proteins identification 393
    - biopolymer analysis 358–359
  - continuous process control, chemical manufacturing 1347, 1348
  - deconvolution and component detection
    - factor analysis methods 1799
    - GC-MS deconvolution 1797–1799, 1798
    - LC-MS deconvolution 1799
    - mass spectrometric time series 1797
  - elemental composition
    - accurate mass 1792–1793,
    - combined algorithms 1795–1796
    - isotope peak pattern 1794–1795
    - mass defect filters 1794
    - mass defect plots 1793–1794
  - fragmentation databases
    - pathways 1779
    - reactions 1779
    - rules 1779
  - fragmentation pathway prediction
    - combinatorial search systems 1791–1792
    - rule-based approaches 1790–1791
  - gas chromatography (GC)
    - cocaine and metabolites, trimethylsilane derivatives 1647, 1649
    - environmental analysis, SIM 1651
    - hydrocarbons in gasoline 1647, 1650
    - MS-MS detection 1645, 1646
    - SPE and SPME 1647, 1651
  - GC-MS 357
  - LC-ESI vs. APCI, ionization approach 1646
  - liquid chromatography (LC)
    - clinical application 1651
    - derivatization 1651
    - food analysis 1653
    - fumonisins 1653
    - illicit drug analysis 1653
    - mobile-phase removal/limitations 1645
    - pesticides 1651, 1652
    - pharmaceutical impurities and metabolites 1651
    - UPLC 1647, 1652
  - mass spectral databases (*see* mass spectral databases)
    - multivariate data analysis (*see* multivariate data analysis (MVDA))
    - vs. NMR spectroscopy 1750
    - noncovalent supramolecular complexes 389–391
    - oligomerization identification 397–398
    - peptide and protein primary structures
      - chemical and/or enzymatic exopeptidolytic cleavage 363–386
    - ESI-FTICR 385 387
    - fragmentations 384
    - IMAC 364–387
    - MALDI-MS 387
    - phosphorylated protein structures 386
    - polybromodiphenyl ethers
      - separation 1647
      - structure 1647
    - protein sequence databases
      - cross-references 1780, 1781
      - de novo sequencing 1789
      - peptide fragment fingerprint 1787, 1788
      - peptide mass fingerprint 1786, 1787
      - peptide-MS-search 1789
      - peptide sequence tag 1788, 1789
      - posttranslational modifications 1780
      - selection 1780
      - UPI 1781
    - proteome analysis 391–393
    - techniques and instrumentation
      - FTICR 368–370
    - ion detection and spectra acquisition 372–373
    - ionization methods (*see* ionization methods)
      - mass analyzers (*see* mass analyzers)
      - microseparation methods (*see* microseparation methods)
      - orbitrap-MS 370–372
      - sample introduction 359
      - sample preparation (*see* sample preparation)
    - tertiary structure characterization 365–389
    - total ion chromatogram
      - citrus-flavored soft drink, volatile molecules 1647, 1650
      - tocopherol isomers 1647, 1649
  - mass transport controlled reaction 1320
  - matrix-assisted laser desorption/ionization (MALDI)
    - dried droplet technique 432
    - energy pooling 434
    - homogeneous nucleation 434
    - ion suppression effect 434

- laser ablation (LA) 439–440, 652
- lucky survivors 434, 436
- mass fingerprinting 436
- matrices 432, 435
- soft ionization techniques 362–363
- vacuum ionization technique 436
- matrix-assisted laser desorption/ionization
  - mass spectrometry (MALDI-MS) 357–358
- matrix-assisted laser
  - desorption/ionization-time of flight mass spectrometry (MALDI-TOF MS) 411–412
- MDS. *See* metastable deexcitation spectroscopy (MDS)
- medium energy ion scattering (MEIS) 755
- MEKC. *See* micellar electrokinetic chromatography (MEKC)
- mercury cadmium telluride (MCT) detector 44, 1566
- metallome 948
- metal-organic chemical vapor deposition (MOCVD) 1544
- metal-to-ligand charge-transfer (MLCT) 902
- metastable deexcitation spectroscopy (MDS) 805
  - analytical information 756, 757
  - applications 757
  - instrumentation 755–756
  - ion neutralization spectroscopy 758
  - performance criteria 757
  - sample 756
  - working principle 755
- methylomics 949
- micellar electrokinetic chromatography (MEKC) 376
- micro NMR probes 280
- microsampling techniques 103–104
- microscopic measurements
  - confocal microscopes 86–87
  - infrared microscopes 85–86
  - near-field microscopes 87–88
- microseparation methods
  - CEC 376
  - electrophoretic separations
    - capillary zone electrophoresis 378–380
    - desorption–ionization methods 377
    - desulfotignum phosphitoxidans 378, 379
    - fluorescence detection 378
    - mass spectrometric proteome analysis 378
  - ion mobility 382–383
  - LC-MS 376–377
  - MEKC 376
  - online bioaffinity
    - ESI-MS 380–381
    - ITC 380
    - QCM 380
    - SAW 380
    - SPR 380
- microspectrometer 39
- microwave-induced plasma (MIP) 562–563
  - GC-AED
    - carbon monitoring 1669, 1670
    - nitrogen detection 1672
    - organotin compounds 1671, 1674, 1675
    - plasma source arrangement 1669, 1670
    - sulfur heterocyclics determination 1671
    - vanadium and nickel monitoring 1671, 1673
  - LC, detection limits 1668
- microwave (MW) spectroscopy 1433
- mid infrared region (MIR) 33
- mid-infrared (MIR) spectrometers
  - dispersive 40–41
  - FT-IR
    - absorption spectrum, polyethylene 42
    - Connes advantage 43
    - detector 44
    - Fellgett advantage 43
    - Fourier transformation 42
    - hyphenated technique 45
    - Jacquinot advantage 43
    - Michelson interferometer 41
    - movable mirror 42
    - optical retardation 43
    - routine and research spectrometers 43
    - step-scan mode 44–45
- mid-infrared (MIR) spectroscopy
  - artworks 110
  - forensic analysis 110
  - industrial applications 110
  - IR and Raman spectroscopic imaging 112, 113
  - medical applications 110
  - method parameter reference sheet 111
  - polymer analysis 110
  - sample preparation and measurement 96
    - ATR sampling technique 101–102
    - Beer–Lambert law 95
    - diffuse reflection 102, 103
    - gas cells 95, 96–97
    - microsampling 103–104
    - mulls 99–100
    - neat solid samples 100
    - pellets 98–99
    - photoacoustic detection 103
    - reflection–absorption sampling technique 100–101
    - solutions and neat liquids 97–98

- mid-infrared (MIR) spectroscopy (*contd.*)
  - thin sample 102
  - structural analysis
  - CH<sub>2</sub> and CH<sub>3</sub>, group frequencies 105–106
  - combination and overtone bands 104
  - inorganic compounds, group frequencies 108
  - organic compounds, group frequencies 107
  - region from 900 to 400 cm<sup>-1</sup> 108–109
  - region from 1400 to 900 cm<sup>-1</sup> 106, 108
  - region from 4000 to 1400 cm<sup>-1</sup> 106
  - minimum detectable concentration (MDC) 1326
- MIP. *See* microwave-induced plasma (MIP); molecularly imprinted polymer (MIP)
- MIR. *See* mid infrared region (MIR)
- MIR spectrometers. *See* mid-infrared (MIR) spectrometers
- MLCT. *See* metal-to-ligand charge-transfer (MLCT)
- MOCVD. *See* metal-organic chemical vapor deposition (MOCVD)
- mode density-controlled fluorescence
  - microresonator effect 863, 865
  - optical mode density 862
  - photostability 861–862
  - plasmonic resonance 862
  - Purcell effect 863–864, 866
  - quantum yields 866
  - silver-coated microscope coverslip 863, 864
- model peak method 1798
- molecularly imprinted polymer (MIP) 961–962, 1330
- molecularly imprinted polymers (MIP)
  - noncovalent approach 1233
  - preparation 1232
  - SPR sensors
    - advantage 1241
    - applications 1253–1255
    - electropolymerization (*see* electropolymerization)
    - grafting-from approach (*see* surface-initiated polymerization (SIP) approach)
    - sensitivity 1240
    - solvent casting (*see* solvent casting)
  - template 1232
  - vinyl-based free-radical polymerization 1232–1233
- Moseley's law 459, 460
- MS. *See* mass spectrometry (MS)
- MS Fragmenter 1791
- MS Interpreter 1792
- mull technique 99–100
- multiparametric analysis
  - baseline subtraction and correction 417–418
  - biostatistical assays and data visualization
  - AUC 420–421
  - cutoff value 419
  - heat maps 421
  - hierarchical clustering 421
  - larger inhomogeneity 422
  - ROC analyses 420
  - ion signals 418–419
  - recalibration and standardization 415–417
- multiple-element techniques
  - fundamental parameter method 500–501
  - influence coefficient method 499
- multiple-quantum (MQ) spectroscopy 1094–1095
- multiple-reaction monitoring (MRM) mode 1268–1271
- multiple scattering cluster calculations (MSCCs) 1549
- multivariate curve resolution (MCR) methods 1412
- multivariate data analysis (MVDA)
  - dimensionality reduction 1800–1801
  - distance and similarity 1800
  - exploratory data analysis
    - PLS substructure mapping 1803
    - principal component analysis 1802
    - visual cluster analysis 1802
  - mass spectral classifier 1803–1804
  - automatic structure elucidation 1805
  - GC-MS, chemometric detectors 1804
  - hitlist substructure classifiers 1805
  - reliability and recall 1803–1804
  - substructure classifiers 1804
  - mass spectral features 1801
  - variables 1800
- multivariate image analysis (MIA) 1411
- multivariate image regression 1411
- MVDA. *See* multivariate data analysis (MVDA)
- n**
- nano-optics 1585
- 1,4,5,8-naphthalene tetracarboxylic dianhydride (NTCDA) 1517
- narrow line sources 583
- National Bureau of Standards (NBS) 59
- National Institute of Standards and Technology (NIST) 1771, 1772
- National Institutes of Health (NIH) 1771, 1772



- natural broadening 589
- NDP. *See* neutron depth profiling (NDP)
- near-edge X-ray absorption fine structure (NEXAFS) spectroscopy
  - analytical information 787–788
  - applications 788
  - copper phthalocyanine thin films, gold foil substrates 1497–1499, 1498
  - data analysis 1493–1494
  - detection modes 1491
    - Auger electron yield 1492
    - fluorescence yield 1492
    - partial electron yield 1492
    - total electron yield 1491, 1492
    - transmission mode 1491
  - EXAFS 788
  - excited core hole decay 1490–1491
  - instrumentation 787
  - Lambert–Beer law 1486
  - MnO, bulk and thin film properties 1500–1502, 1501
  - molecular orientation vs. supersaturation 1499, 1500
  - performance criteria 788
  - sample 787
  - surface sensitivity 1493
  - titanium oxides, fingerprint 1494–1497, 1495, 1496
  - transition-metal Pcs and metal surfaces 1502–1503
  - working principle 787
  - XMCD 1503
  - X-ray absorption
    - dipole matrix element 1488–1490
    - microscopy 1487
      - resonances 1487–1488
      - schematic view 1486–1487
      - transition rate, Fermi's golden rule 1487, 1488
  - X-ray source 1491
- near-field optical microscopy
  - history 1585
  - TENOM (*see* tip-enhanced near-field optical microscopy (TENOM))
- near-field scanning optical microscope (NSOM/SNOM) 87, 173
- near-infrared (NIR) fluorescent dyes
  - carbocyanine dyes
    - acid–base equilibrium 1017
    - acidochromic molecules 1016
    - bis(heptamethine) 1014, 1016
    - heterocyclic rings 1013–1014
    - light-emitting materials 1015
    - nortricarboyanine dyes 1017
  - OLED 1014–1015
  - pH sensitivity 1018, 1019
  - PVC optodes 1016–1017
  - spectral characteristics 1018
  - spin-casting techniques 1016–1015
  - unique polymethine chain 1014
- fluorescent probes 999, 1000
  - *in vivo* molecular imaging
    - aortic valve disease 1021
    - EFA-MIR techniques 1020
    - glucose/hydrogen peroxide 1019–1020
    - ICG-polyamine 1021
    - intravenous injection 1020–1021
    - microenvironmental monitoring 1019
    - novel carbocyanine–glucosamine 1021
    - P(NIPA-co-AAm) nanohydrogels 1022
    - $\alpha_v \beta_3$  integrin 1020
    - vis–NIR fluorescent molecules 1020
  - noise levels 999, 1011
  - phthalocyanines and naphthalocyanines
    - charge-transfer interactions 1025
    - interlocked molecules 1023
    - nanoscale photoelectronic systems 1026
    - optoelectronic applications 1025
    - peripheral substituents 1023
    - photophysical properties 1025
  - squaraines and rotaxane dyes 1022–1023
- near infrared region (NIR) 33
- near-infrared (NIR) spectrometers
  - AOTF 47–48
  - application range 46
  - chemometric method 45
  - diode array 47
  - filter 47
  - FT 46
  - LED 47
  - optical spectroscopic method 45
  - scanning-grating 46
- near-infrared (NIR) spectroscopy 1398, 1401
  - advantages 114
  - environmental monitoring 115
  - fiber optic sensors 115
  - food industry and agriculture 115, 117, 118
  - groups and vibrations, absorption regions 114
  - medicine, biology and biotechnology 119
  - method parameter reference sheet 119
  - oil and petrol production 119
  - pharmaceutical industry 118
  - polymer industry 118, 119
  - solvents 115, 116, 117
  - water, temperature variations 115, 117
- neutron activation analysis (NAA) 744

- neutron depth profiling (NDP) 745
  - analytical information 758–759
  - applications 759–760
  - instrumentation 758
  - performance criteria 759
  - sample 758
  - working principle 758
- NEXAFS. *See* near-edge X-ray absorption fine structure (NEXAFS) spectroscopy
- NIR. *See* near infrared region (NIR)
- NIR spectrometers. *See* near-infrared (NIR) spectrometers
- NIST. *See* National Institute of Standards and Technology (NIST)
- NMR-imaging technique
  - hypothetical sample 216, 217
  - MRI images 215
  - rotating coordinate system 216
  - sample preparation 215
  - spin–warp 2D imaging pulse sequence 216–218, 219
  - 2D Fourier transformation 218, 219
  - 2D imaging sequence 215
- NMR spectroscopy. *See* nuclear magnetic resonance (NMR) spectroscopy
- NOE. *See* nuclear Overhauser effect (NOE)
- NOESY. *See* nuclear Overhauser enhancement spectroscopy (NOESY)
- nondispersive infrared (NDIR) 1397–1398
- nonlinear vibrational spectroscopy
  - CARS system
    - beam expander 68
    - image technique 69
    - Jablonski diagram 67
    - molecular energy level 68
  - SFG spectrometer 65–66
  - SRS spectrometer 64–65
- NRA. *See* nuclear reaction analysis (NRA)
- nuclear magnetic resonance (NMR)
  - 200–750 MHz NMR spectrometer 194
  - 300–500 MHz NMR spectrometer 193
  - 1000MHz NMR spectrometers 193
  - imaging technique
    - hypothetical sample 216, 217
    - MRI images 215
    - rotating coordinate system 216
    - sample preparation 215
    - spin–warp 2D imaging pulse sequence 216–218, 219
    - 2D Fourier transformation 218, 219
    - 2D imaging sequence 215
  - solid-state
    - activation energies and temperatures 212, 213
    - alkyne thiol derivatives 203
    - chemical shift anisotropy 206–207
    - correlation times 212, 213
    - dipolar interaction 204–206
    - dynamics 214–215
    - MAS 209–210, 211
    - quadrupolar interaction 207–209
    - relaxation pathways 211–212
    - thermal activation energies 212
    - solution-state <sup>1</sup>HNMR
      - chemical shifts 197, 199, 200
      - 1-chloroethene 196
      - *J*-coupling constants 197
      - magnetic field 197
      - NMR spectrum 201–203
      - selective decoupling 199, 200
      - single quantum 198
      - thin-walled glass tube 195
  - spectrometers and applications 194–195
  - 3D NMR pulse sequence
    - 3D FFT 220
    - HNCA pulse sequence 220, 222
    - *J*-coupling 220
    - signal-to-noise ratio 221
    - *t*<sub>1</sub> and *t*<sub>2</sub> 220
- nuclear magnetic resonance (NMR) spectroscopy
  - advantage 1751
  - candidate structure ranking 1764–1765
  - capillary HPLC- and GC-NMR, solenoidal microprobe 1681–1682,
  - capillary HPLC-NMR coupling
    - bixin isomers 1694, 1695, 1696
    - flavonoids and isoflavonoids 1692, 1693, 1694
    - instrumental setup 1691
    - online capillary HPLC-NMR, experimental setup 1691, 1692, 1693
    - stopped-flow <sup>1</sup>H<sup>1</sup>H COSY spectrum 1694, 1697
  - C–C correlation 1751
  - CE-NMR and CEC-NMR
    - experimental setup 1703, 1705
    - fatty acid methyl esters, separation 1704, 1705, 1706
  - C–H correlation 1751
  - chemical shift value 1751
  - <sup>13</sup>C NMR spectroscopy 1704, 1706–1708, 1707
  - continuous-flow <sup>1</sup>H NMR probe, HPLC-NMR 1680–1681
  - coupling constants 1751
  - cryogenic NMR probes 1422
  - flowing liquid 1680

- Fourier transformation 1749
- GC-NMR separation
  - - continuous-flow gas-phase  $^1\text{H}$  NMR spectrum, diethylether 1702, 1703
  - - diethylether, hexane, and THF 1701, 1702,
  - - experimental setup 1701
  - - 1,2-*trans*- and 1,2-*cis*-dimethylcyclohexane 1703,
  - - 2-*trans/cis* pentene/hexene 1703, 1704
- GPC-NMR coupling 1694, 1698, 1699
- H-H correlation 1751
- high-resolution spectroscopy applications 1419-1421, 1420
- HPLC-SPE-NMR
  - - HSQC and HMBC spectra 1689, 1691
  - - multiple trapping effect 1688, 1689, 1690
  - - online experimental setup 1688, 1690
- Internet, data collections 1765
- interpretation and isomer generation
  - - molecular formula 1761-1762,
  - - rule-based correlation tables 1764
  - - substructural fragments, complex situation 1762-1763
- - 2D-NMR data, utilization 1763
- vs. IR and MS 1750
- low-field NMR systems 1423
- low signal-to-noise ratio 1749
- molecule, chemical shifts 225
- one-dimensional NMR method
  - - application 226
  - - attached proton test 229
  - - DEPT 230-231, 232
  - - INEPT 229-230
  - - inversion recovery experiment 233-234
  - - nuclear Overhauser effect 228
  - - off-resonance decoupling 231-232
  - - proton decoupled difference spectroscopy 227-228
  - - proton spin decoupling 227
  - - selective population transfer 228-229
  - - spin-lattice relaxation 232-233
- on-line HPLC-NMR 1683
- polarization transfer methods 1422
- proteins
  - - amide resonances 1082
  - -  $^{13}\text{C}$  and  $^{15}\text{N}$  labeling 1082-1083
  - - chimeric constructs 1081
  - - determination process 1079
  - - dilute liquid crystals (*see* dilute liquid crystals)
  - - dithiothreitol 1081
  - - isoelectric point 1081
  - - malate synthase G 1080
  - - optical spectroscopy 1080
  - - perdeuteration 1084-1085
  - - physical-chemical structures 1079
  - - sample preparation 1080
  - - solvent conditioning 1081
  - - spectral characteristics 1081
- proton
  - - COSY-type experiments (*see* correlated/correlation spectroscopy (COSY))
  - - heteronuclear experiments (*see* heteronuclear experiments)
  - - multiple-quantum spectroscopy 1094-1095
  - - NOESY experiment 1097-1098
  - - nonlinear sampling 1110-1111
  - - 1D spectrum (*see* one-dimensional (1D) proton spectrum)
  - - principles 1088
  - - projection reconstruction technique 1109-1110
  - - pulsed field gradients 1089
  - - reduced dimensionality techniques 1109
  - - ROESY experiment 1098-1099
  - - spin system 1092
  - - TOCSY 1095-1080
  - - triple-resonance experiment 1105-1108
- SFC- $^1\text{H}$  NMR
  - - plastifier separation 1700, 1701
  - - probes 1699-1700
  - - signal intensity 1751
  - - solvent signal suppression
    - - effect of 1684
  - - homonuclear TOCSY spectrum,
    - $\alpha$ -tocopherol acetate 1687, 1688 1689
  - - HSQC 2D NMR spectrum,  $\alpha$ -tocopherol acetate 1687, 1688
  - - vitamin A acetate isomers 1685, 1686, 1687
- spectral similarity search techniques
  - - SAHO method 1752
  - - spectral comparison 1751-1752
- spectrum estimation techniques
  - - CAST-code 1754
  - - HOSE code 1753-1754
  - - increment method 1753
  - - neural network technologies 1754
- spectrum prediction and quality control
  - - algorithms 1755
  - - artificially introduced assignment error 1755, 1756
  - -  $^{13}\text{C}$ -NMR spectra, steric interactions 1757, 1759

- nuclear magnetic resonance (NMR)
    - spectroscopy (*cont'd.*)
    - 1–5 coincident spheres, comparison 1757, 1758
    - five coincident spheres, spectrum estimation 1755, 1756, 1757
    - HOSE-code limitation 1755
    - isomeric tricyclo-octane derivatives 1757, 1759
    - neural network technology, chemical shift values 1757, 1758
    - podocarpene, stereochemical effects 1760, 1761
    - reference database, analysis 1754–1755
    - results evaluation 1755
    - two coincident spheres, spectrum estimation 1757,
    - spin coupling interaction 225
    - spin-lattice relaxation time reduction techniques 1422
    - structural assignment techniques 1679
    - TD NMR spectroscopy 1422
    - two-dimensional NMR method
      - $\mu$ -coil NMR probes 280–281
      - COSY (*see* correlated/correlation spectroscopy (COSY))
      - cryogenic NMR probe 283, 284, 285
      - DOSY 274–276
      - exchange spectroscopy 247
      - gradient 1D NOESY 271–273
      - gradient homonuclear 2D NMR experiment 248–249
      - heteronuclear shift correlation 249–250
      - HMQC 250–252
      - homonuclear 2D NMR spectroscopy 238–239
      - HSQC (*see* heteronuclear single-quantum coherence (HSQC), chemical shift correlation)
      - hyphenated 2D experiment (*see* hyphenated 2D experiments)
      - INADEQUATE experiment 247
      - liquid Nano-probe™ 280
      - long-range heteronuclear chemical shift correlation (*see* long-range heteronuclear chemical shift correlation)
      - LR-COSY 241
      - micro NMR probes 280
      - NOESY (*see* nuclear Overhauser enhancement spectroscopy (NOESY))
      - operation periods 234
      - proton chemical shift 234
      - proton reference spectrum 281–282
      - pulsed field gradients 273–274
      - RDC (*see* residual dipolar couplings (RDC))
      - ROESY (*see* rotating frame Overhauser enhanced spectroscopy (ROESY))
      - selective inverse multiple bond analysis 273
      - TOCSY 241–243
      - 2D *J*-resolved NMR experiment (*see* 2D *J*-resolved NMR experiments)
      - zero quantum spectroscopy 247–248
  - nuclear Overhauser effect (NOE) 228
  - nuclear Overhauser enhancement spectroscopy (NOESY) 1097–1098
  - homonuclear autocorrelated experiment 243
  - pulse sequence 244
  - vs. ROESY 246–247
  - strychnine, aliphatic region 244, 245
  - nuclear Overhauser spectroscopy (NOESY) 337
  - nuclear reaction analysis (NRA)
    - analytical information 761
    - applications 762
    - CPAA 762
    - instrumentation 760–761
    - NDP 762
    - performance criteria 761
    - sample 761
    - working principle 760
- o**
- octadecanethiol (ODT) 127
  - OFETs. *See* organic field effect transistors (OFETs)
  - OMBD. *See* organic molecular beam deposition (OMBD)
  - one-dimensional (1D) proton spectrum
    - amide proton dispersion 1090
    - analog–digital converter 1091–1092
    - disadvantage 1090
    - larger proteins 1089–1090
    - PFGs 1091
    - post-acquisition methods 1091
    - water-sLED 1090
  - OPO. *See* optical parametric oscillation (OPO)
  - optical detection
    - diode-array UV detector (*see* diode-array detector (DAD))
    - fluorescence detection 1661–1662,
    - infrared detection 1663
  - optical parametric oscillation (OPO) 1575, 1576
  - optical rotatory dispersion (ORD) 81–82

- optical sensing
  - MIR absorption spectroscopy, EB and EBC analysis
  - advanced photonic sensors 1573, 1574
  - breast cancer 1565–1566
  - broadband gas sensing systems 1566
  - diabetes mellitus 1565
  - diseases and associated biomarkers 1566, 1567
  - EC-QCLs 1570
  - features 1565
  - ICOS 1570
  - lung cancer 1566
  - photoacoustic spectroscopy 1570, 1571
  - QCLs 1566, 1567, 1568, 1569
  - QEPASs 1571
  - respiratory infection and inflammation 1566
  - solid-core waveguide sensing system 1571–1572,
  - TDLAS 1567, 1569
  - TLAS 1569
  - THz spectroscopy
    - cancers, detection 1577, 1578
    - dental caries 1576, 1577
    - DFG/OPO 1575, 1576
    - DNA detection 1576
    - imaging/tomographical applications 1575
    - integrated photonic biosensors 1576, 1577
    - label-free biomolecular analysis 1580
    - photoconductive method 1575, 1576
    - photon energy 1574–1575
    - QCLs 1576
    - spectral range 1574
    - THz gap 1573
  - UV/Vis/NIR plasmonic sensors
    - Raman spectroscopy 1560, 1564
    - Rayleigh scattering 1564
    - SPR biosensors (*see* surface plasmon resonances (SPRs))
- optical spectroscopy
  - centering 1720–1721,
  - infrared region 33–34
  - interface sensitivity 1442
  - light, absorption
    - electromagnetic wave 31
    - excited states 32
    - Maxwell's equations 31–32
    - optical excitation 32
    - photons 31
  - molecule adsorption, inorganic semiconductor surface
    - quasi-epitaxial overlayer 1462
    - Raman investigations (*see* Raman spectroscopy, molecule adsorption)
    - RAS 1462–1464, 1463,
    - organic semiconductors 1443
    - perylene derivatives (*see* PTCDAs and DiMe-PTCDI)
    - process control
      - ATR-mode 1400, 1404
      - biogas plants 1405–1406,
      - biotechnology off-line techniques 1407
      - diffuse reflection 1400, 1403–1404
      - fiber optics 1405
      - fluorescence spectroscopy 1399
      - FT-IR-spectroscopic methods 1397, 1407, 1408
      - instrument design 1399
      - laser diode techniques 1399
      - microplants 1406
      - mid-IR-region 1397
      - NDIR instruments 1397–1398
      - NIR spectroscopy 1398
      - Raman spectroscopy 1398–1399
      - transflection 1400, 1402
      - transmission 1400, 1402, 1401
      - UV-vis spectrometry 1398
    - processing types and objectives 1719, 1720
    - qualitative data analysis 1722, 1723
      - application areas 1745, 1746
      - cluster analysis 1731
      - data bank, spectroscopic information 1728
      - discriminant analysis 1731
      - principal component analysis 1729–1730,
      - SIMCA 1731, 1732
      - spectra interpretation 1729
      - spectral data banks 1723–1728, 1724, 1725
      - quantitative data analysis 1722, 1723
        - classical least squares 1735–1737, 1738
        - inverse least square 1738–1739,
        - least squares regression 1732–1734, 1735
        - partial least squares 1740, 1741–1742, 1743
        - principal component regression 1739, 1740, 1741
        - sequence 1732
    - Raman effect 35–36
    - SERS effect 1441–1442
    - SFG 1442–1443
    - SHG 1442
    - spectral imaging, data analysis

- optical spectroscopy (*contd.*)
    - chemometric techniques 1745
    - graphical techniques 1744–1745
    - software products 1742, 1743
    - spectroscopic ellipsometry (SE) 1442
    - standardization 1721
    - UHV-Raman system 1441
    - UV–vis absorption and luminescence 36–38
  - optical waveguides
    - absorption spectroscopy 1623–1625
    - evanescent spectroscopy, dielectric
      - bulk analyte spectroscopy, optimization 1620–1622, 1621
      - homogeneous slab waveguide 1618
      - sensitivity 1619, 1620
      - thin-film spectroscopy, optimization 1622
      - waveguide design 1617–1618
    - fluorescence spectroscopy 1628–1630
    - instrumentation 1632–1634
    - integrated optical waveguide
      - channel waveguides 1615–1617, 1616
      - graded-index planar waveguide 1615
      - homogeneous planar/slab waveguide 1615
      - principles 1614
      - zero-mode waveguide 1617
    - Raman spectroscopy 1630–1632
    - spectroelectrochemistry 1626–1628
    - TIR element
      - ATR spectroscopy 1611–1613, 1612
      - IRS 1613–1614
  - OPVCs. *See* organic photovoltaic cells (OPVCs)
  - orbitrap mass spectrometry 370–372
  - organic adsorbates
    - bonding distances 1516,
    - examples 1515
    - F<sub>16</sub>CuPc/Ag(111) and Cu(111) 1518
    - F<sub>4</sub>TCNQ/Cu(111) 1519
    - methanethiol/Pt(111) 1519
    - NTCDA/Ag(111) 1517
    - PEN/Cu(111) and PFP/Cu(111) 1518–1519
    - PTCD/Ag(111), Cu(111), and Au(111) 1516–1517
    - SnPc/Ag(111) 1518
    - tetrahydrofuran/Cu(111) 1519
  - organic field effect transistors (OFETs) 1442
  - organic light-emitting diode (OLED) 1014–1015
  - organic molecular beam deposition (OMBD) 1446–1447
  - organic photovoltaic cells (OPVCs) 1443
- P**
- PAES. *See* positron annihilation Auger electron spectroscopy (PAES)
  - PAH. *See* polycyclic aromatic hydrocarbon (PAH)
  - PAHs. *See* polycyclic aromatic hydrocarbons (PAHs)
  - PALM. *See* photoactivated-optical light microscopy (PALM)
  - parallel electron energy loss spectroscopy (PEELS) 723, 725
  - paratopes 1315
  - Parkinson's disease (PD) 357
  - partial electron yield (PEY) 1492
  - partial least squares (PLS) 1740, 1741–1742, 1743, 1803
  - particle-induced gamma emission (PIGE)
    - analytical information 763
    - applications 763
    - instrumentation 762
    - nuclear analysis 762
    - performance criteria 763
    - sample 763
  - particle-induced X-ray emission (PIXE)
    - analytical information 765
    - application 766
    - instrumentation 764
    - performance criteria 765–766
    - sample 764
    - spectrum 764, 765
    - TRXRFA 766
    - working principle 764
    - XRF 766
  - partition chromatography 12–13
  - PAS. *See* photoacoustical spectroscopy (PAS)
  - PAT-initiative. *See* process analytical technology (PAT)-initiative
  - PBM. *See* probability-based matching (PBM)
  - PCA. *See* principal component analysis (PCA)
  - PCR. *See* principal component regression (PCR)
  - PED. *See* photoelectron diffraction (PED)
  - PEELS. *See* parallel electron energy loss spectroscopy (PEELS)
  - PEEM. *See* photoelectron emission microscopy (PEEM); photoemission electron microscopy (PEEM)
  - pellets 98–99
  - PEN. *See* pentacene (PEN)
  - pentacene (PEN) 1518–1519,
  - peptide fragment fingerprint (PFF) 1787, 1788
  - peptide mass fingerprint (PMF) 1786, 1787
  - percussion mortars. *See* steel mortars

- perfluorinated pentacene (PFP) 1518–1519
- perfluoro compounds (PFC)
  - perfluorocyclobutane (*c*-C<sub>4</sub>F<sub>8</sub>) 1306–1307
  - perfluoroethane (C<sub>2</sub>F<sub>6</sub>) 1306
  - quasi-molecular ions 1304
  - sulfur hexafluoride (SF<sub>6</sub>) 1306
  - tetrafluoromethane (CF<sub>4</sub>) 1306
  - trifluoromethane (CHF<sub>3</sub>) 1306
- perylene derivatives. *See* PTCDA and DiMe-PTCDI
- perylene-tetracarboxylicacid-dianhydride (PTCDA) 1549, 1550–1551
- 3,4,9,10-perylene-tetracarboxylic acid dianhydride (PTCDA)
  - Ag(111), Cu(111), and Au(111) 1516–1517
- PEY. *See* partial electron yield (PEY)
- PFC. *See* perfluoro compounds (PFC)
- PFGs. *See* pulsed field gradients (PFGs)
- pharmaceutical industry
  - NIR spectroscopy 118
  - Raman spectroscopy 131
- pharmaceutical industry process control
  - API production (*see* active pharmaceutical ingredient (API) production)
  - biotechnology (*see also* biotechnological process control)
    - – beer and food manufacturing 1369
    - – blue biotechnology 1370
    - – green biotechnology 1370
    - – in-line 1372
    - – off-line/at-line 1372
    - – on-line 1372
    - – red biotechnology 1370
    - – technological aspects 1370, 1371
    - – white biotechnology 1370,
  - chemical manufacturing plant 1363–1364
  - chemical synthesis 1363,
  - drug product production 1363
  - drug substance production 1363
  - final product control 1393
  - granulation
    - – calibration curves 1389, 1391, 1392
    - – *ex situ* measurement systems 1390
    - – in-line moisture detection 1389
    - – NIR spectra 1389, 1391
    - – process equipment 1389, 1390
    - – product mixing 1390, 1393
    - – packaging 1393–1394
    - – pharmaceutical manufacturing 1388
    - – raw material control 1367
    - – regulatory aspects
    - – chemometric tools 1366
    - – contract 1364
    - – PAT-initiative 1365–1366
  - toxicological study 1364
  - workflow 1364, 1365
- photoacoustical spectroscopy (PAS) 103, 1426, 1570, 1571
  - analytical information 789
  - applications 789
  - instrumentation 788–789
  - performance criteria 789
  - working principle 788
- photoacoustic measurements 73, 83–84
- photoactivated-optical light microscopy (PALM) 845–846
- photoelectron diffraction (PED) 1548–1549
- photoelectron effect 1485, 1486, 1523–1524
- photoelectron emission microscopy (PEEM) 1546–1547,
- photoelectron spectroscopy
  - binding energy 1524–1525
  - Harthree–Fock method 1525
  - Koopmans’ theorem 1525
  - photoemission experiment
    - – energy analyzer and electron multipliers 1535–1536,
    - – samples 1537
    - – surface sensitivity 1536–1537
    - – synchrotron radiation 1535
    - – ultrahigh vacuum conditions 1534
    - – UV light sources 1534
    - – X-ray laboratory sources 1534–1535
  - PTCDA, molecular orbital 1549, 1550–1551,
  - relaxation energy 1525
  - three-step model 1525
  - UPS (*see* ultraviolet photoelectron spectroscopy (UPS))
  - XPD applications 1548–1549, 1550
  - XPS (*see* X-ray photoelectron spectroscopy (XPS))
- photoemission electron microscopy (PEEM)
  - analytical information 790
  - applications 791
  - instrumentation 790
  - performance criteria 791
  - sample 790
  - working principle 790
- photomultiplier tubes (PMTs) 61
- photon correlation spectroscopy (PCS)
  - analyte diffusion 1204
  - autocorrelation function 1203, 1204
  - detectors 1202
  - factors affecting, online D values
    - – carrier liquid temperature 1217–1218
    - – optimum instrument configuration 1218–1220

- photon correlation spectroscopy (PCS) (*contd.*)
  - retention time intervals 1216–1217
  - FFFF/PCS, proteins 1224–1225
  - individual variables, online D values
  - carrier liquid flow rate 1212–1213,
  - molecular weight 1214–1216
  - sample concentration 1210–1212
  - scattering angle 1213–1214
  - materials and methods
  - instrumentation 1209
  - polymer analysis 1208
  - polymer and protein standards 1207, 1208
  - sample preparation 1207–1208
  - Stokes–Einstein equation 1201
  - synthetic polymers
  - broad MW PS standard 1221, 1222
  - $D$  and  $D_T$  values 1221, 1222
  - MEK 1221
  - P2EHA242, PBA263, and PMA171 1223–1224
  - ThFFF channel 1220–1221
  - ThFFF 1202
- photon counting histograms (PCHs) 170
- PIE. *See* pulsed interleaved excitation (PIE)
- PIGE. *See* particle-induced gamma emission (PIGE)
- PIXE. *See* particle-induced X-ray emission (PIXE)
- plasma-assisted molecular beam epitaxy (PAMBE) 1544
- plasmon polariton 912
- PLS. *See* partial least squares (PLS)
- PLS regression. *See* projection to latent structures (PLS) regression
- pneumatic nebulization 584
  - Babington nebulizers 598, 599
  - concentric nebulizers 598–599
  - direct injection nebulizers 599
  - droplet sizes 600–601
  - fritted-disc nebulizers 598, 599
  - nebulization chamber 597
  - optimization 599
  - Poiseuille law 600
  - Sauter diameter 599–600
  - spray chamber 597–598
- point mapping 1179
- polarized light spectroscopy
  - CD 82–83,
  - chiral molecules 81
  - ORD 81–82,
- poly(methyl methacrylate) (PMMA) 112, 113
- polycyclic aromatic hydrocarbon (PAH)
  - carbon-black extract 1662
  - reversed-phase HPLC 1659, 1660, 1664
  - UV spectrum 1658–1659
- polycyclic aromatic hydrocarbons (PAHs) 1399
- polymer analysis
  - FFF (*see* field-flow fractionation (FFF))
  - PCS (*see* photon correlation spectroscopy (PCS))
- polymer industry
  - NIR spectroscopy 118, 119
  - Raman spectroscopy 133
- positron annihilation Auger electron spectroscopy (PAES) 784
  - analytical information 767
  - APECS 768
  - applications 768
  - instrumentation 767
  - performance criteria 768
  - sample 767
  - working principle 766–767
- prediction residual error sum of squares (PRESS) 1741–1742
- preeclampsia (PE)
  - biomarkers 409
  - definition 407–408
  - hypertension 408
  - pathogenesis 408
  - placental and maternal 408
- PRESS. *See* prediction residual error sum of squares (PRESS)
- pressure broadening 97, 590
- principal component analysis (PCA) 1411, 1412 1729–1730, 1746, 1747
  - alkenes and cyclopropane compounds 1802
  - latent variables 1802
- principal component regression (PCR) 1412, 1739, 1740, 1741
- principal components (PCs) 1729, 1730
- probability-based matching (PBM) 1782, 1783, 1784
- process analytical technology (PAT)-initiative 1365–1366
- projection to latent structures (PLS) regression 1412
- prostate cancer 1562
- prostate-specific antigen (PSA) 963, 966, 1562
- protein analytes 962
  - cardiac markers 965
  - OMIM and PDB databases 963
  - plasma proteins 963, 964
  - protein hormones 964
  - PSA 963, 966



- SPR 966–967
- proton decoupled difference spectroscopy 227–228
- PSA. *See* prostate-specific antigen (PSA)
- PTCDA and DiMe-PTCDI 1443
  - absorption spectra 1445, 1446
  - chemical structure 1444
  - crystallochromy 1446
  - HOMO and LUMO 1445
  - metal deposition 1447
    - external modes spectra 1478–1481, 1479, 1480
    - frequency calculations 1477
    - high-resolution photoemission measurements 1478
    - infrared-active modes band 1474, 1475
    - MgO formation 1477
    - 15 nm DiMe-PTCDI films Raman spectra 1477–1478
    - 15 nm PTCDA films Raman spectra 1476–1477
    - In<sub>4</sub> PTCDA complex 1475, 1476
    - Raman-active mode enhancement 1473–1474,
    - Raman spectroscopy region 1473
    - SERS effect 1473, 1475
    - spectra normalization 1473
    - molecular structure 1444, 1445
    - monoclinic crystallographic system 1445
    - OMBD 1446–1447
    - Raman spectroscopy (*see* Raman spectroscopy)
  - RAS 1447–1448
- PTS. *See* pulsed terahertz spectroscopy (PTS)
- pulsed field gradients (PFGs) 273–274
- pulsed interleaved excitation (PIE) 845
- pulsed terahertz spectroscopy (PTS) 1378

## q

- QCLs. *See* quantum-cascade lasers (QCLs)
- QCM. *See* quartz-crystal microbalance (QCM)
- QCTF. *See* quartz crystal tuning fork (QCTF)
- QDs. *See* quantum dots (QDs)
- QEPASs. *See* quartz-enhanced photoacoustic sensors (QEPASs)
- QMM. *See* quality management manual (QMM)
- quadrupole-based ICP-MS 615, 616
- quadrupole ICPMS 663
- quadrupole mass analyzer 365–366
- quality assessment
  - AAS 977
  - automated clinical chemistry analyzers 978
  - F-AES 977
  - fluorescence spectroscopy 977
  - infrared spectroscopy 977
  - requirements 978–979
  - RiliBÄK
    - external quality assessment 995–996
    - guidelines 992
    - internal quality assessment 993–995
    - mandatory training and educational sessions 992
    - QMM 996
  - technical prerequisites
    - AAS/F-AES 981–982
    - automated systems (*see* automated clinical chemistry analyzers)
    - capital fields 979
    - FTIR 980–981
    - HPLC-coupled methods 982–983
    - ultraviolet and visible 977
  - quality management manual (QMM) 996
  - quantum-cascade lasers (QCLs) 1424–1425, 1566, 1567, 1568, 1569
  - quantum dots (QDs) 147
  - quartz-crystal microbalance (QCM) 380, 1165, 1515
  - quartz crystal tuning fork (QCTF) 1426
  - quartz-enhanced photoacoustic sensors (QEPASs) 1571
  - quasielastic light scattering (QELS) 1209

## r

- radioimmunoassays (RIAs) 1313
- Raman and fluorescence probes 1404
- Raman effect 35–36
- Raman scattering, signal enhancement 1590–1591
- Raman spectrometers
  - advantage 49
  - FT-Raman spectrometer, NIR excitation 52–53
  - grating with single channel detector
    - Ar<sup>+</sup> plasma line 52
    - calibration 51–52
    - detector 51
    - lasers, dispersive Raman instrument 50
    - monochromator system 50, 51
    - three main parts 49
  - handheld 55 56
  - Raman grating polychromator, multichannel detector 53–54
- Raman spectroscopy 1398–1399
  - absolute normalized Raman scattering cross section 1818
  - alignment of optics 121
  - analytical information 792, 793

- Raman spectroscopy (*contd.*)
  - applications 793
  - aqueous solutions 130
  - biochemical and biomedical applications 131
  - CARS 128, 129
  - catalytic materials 131–132
  - CCD technology 1045
  - database searching 1825–1827
  - data treatment and calibration 1813, 1822–1824, 1823
  - dipole moment 1449
  - drugs 132
  - elastic Rayleigh scattering process 1450
  - energy diagrams 1450,
  - external modes 1451
  - fiber optic probes
    - – concentric circle collection 1047
    - – confocal Raman endoscopy 1047
    - – dielectric filter 1047
    - – Enviva probe design 1045, 1046
    - – IFP design 1045–1046
    - – SORS 1045
  - fluorescence interference 1820–1821
  - forensic science 132
  - FT-Raman spectroscopy, special applications 130
  - Gaussian function 1451
  - gems and artworks 132–133
  - grating-based spectrometers 1045
  - Hertzian dipole 1816
  - imaging 1047–1048
  - induced dipole moment 1814, 1815
  - industrial applications 133
  - inelastic Raman process 1450
  - *in situ* measurements 1451–1452
  - instrumentation 792
  - integral Raman scattering coefficient 1817
  - laser source 1044
  - Lorentz function 1451
  - medical diagnostics 1560, 1564
  - method parameter reference sheet 133
  - vs. MIR and NIR spectroscopy
    - – advantages 120–121
    - – limitations 121
  - molecule adsorption
    - – Ag(111) substrates 1468
    - –  $\sigma$ -bonds 1469,
    - – C–C and C–H modes Raman spectra 1466, 1470, 1471
    - – charge transfer 1468
    - – C–H–S bridges 1472
    - – CH<sub>3</sub> umbrella deformation 1472
    - – frequency positions 1471, 1472
    - – GaAs substrate mode 1464–1465
    - – Gaussian 98 package 1468
    - – H-passivated Si(111) substrate 1467
    - – IR-active band 1470
    - – molecule–substrate interaction 1467
    - – photoemission measurements 1467
    - – Se-passivated GaAs surfaces 1466, 1467
    - – types of molecules 1472
  - online growth monitoring 1451
  - optical fiber coupled probes 1821–1822
  - pathology and cytopathology 1049–1050
  - performance criteria 792
  - pharmaceutical industry 131
  - Placzek’s theory 1816
  - plane of observation 1817
  - polarizability
    - – change 1816
    - – tensor 1816
    - – volume 1816
  - polarization measurements 124–125
  - polymer science 133
  - qualitative analysis 1818–1819
  - radiance of Raman line 1818
  - Raman microscopy 1821
  - Raman spectral databases 1813, 1824–1825
  - reference excitation wavenumber 1818
  - resonance Raman scattering 125, 126
  - resonant Raman effect 1450–1451
  - sample 792
  - sample illumination and light collection
    - – arrangements 122
    - – fiber bundle 122, 123
    - – filtered probes 123–124
    - – Raman microscope 124
  - sampling geometrics 121
  - scattering
    - – activity 1817
    - – tensor 1449
  - semiconductor technology 130–131
  - SERS 1050–656 (*see also* surface-enhanced Raman scattering (SERS))
  - SFG spectroscopy (*see* sum frequency generation (SFG), spectroscopy)
  - Si-based CCD detector 1819, 1820
  - single-cell analysis 1050
  - spectral data analysis 1048–1049
  - spectral filtering 1044–1045
  - stokes and anti-stokes Raman spectra 1814 1816
  - Stokes process 1450
  - structural analysis 129
  - vibrational fingerprints 130
  - vibrational frequency calculation 1452

- vibrational properties, DiMe-PTCDI
  - breathing mode 1457, 1459
  - C-C stretching modes 1460
  - C-H deformation modes 1460
  - depolarization ratio 1457, 1460
  - DFT 1456
  - elongation patterns 1457, 1459
  - internal and external modes coupling 1461
  - mode frequencies 1461
  - polarization measurements 1457
  - Raman spectra 1457, 1460
- vibrational properties, PTCDA
  - DFT code 1452
  - elongation patterns 1455, 1456
  - internal and external modes coupling 1456
  - phonon properties 1454, 1455
  - polarization-dependent measurements 1453
  - Raman spectra 1453
  - vibrational modes 1453, 1454
  - waveguides 1630-1632
  - working principle 791-792
  - XML data model 1827-1828
  - zero point amplitude 1817
- Rasberry-Heinrich model 499
- Raster image correlation spectroscopy (RICS) 171
- Rayleigh scattering 1485, 1523
- RBS. *See* Rutherford backscattering spectrometry (RBS)
- RBS-C. *See* Rutherford backscattering spectrometry-channeling (RBS-C)
- RBS-channeling spectrometry
  - analytical information 772, 773
  - applications 773
  - definition 771
  - instrumentation 772
  - performance criteria 772-773
  - sample 772
  - transmission electron microscopy (TEM) 774
  - X-ray diffraction measurement 774
- receiver operator characteristic (ROC) 420
- recoupled polarization transfer (REPT) methods 336
- recoupling methods
  - CODEX 319, 320
  - heteronuclear dipolar coupling 317-319
  - REDOR technique 315-316, 317
- REDOR. *See* rotational-echo double resonance (REDOR)
- REELS. *See* reflection electron energy loss spectroscopy (REELS)
- reflectance difference spectroscopy. *See* reflection anisotropy spectroscopy (RAS)
- reflection absorption infrared spectroscopy (RAIRS) 76
- reflection-absorption infrared spectroscopy (RAIRS) 100-101
- reflection-absorption spectroscopy
  - analytical information 794
  - applications 795
  - instrumentation 794
  - limitations 795
  - modulation spectroscopy 795
  - performance criteria 794-795
  - polarization modulation 795
  - sample 794
- reflection anisotropy spectroscopy (RAS) 1442, 1447-1448,
  - molecule adsorption 1462-1464, 1463
  - PTCDA and DiMe-PTCDI 1447-1448
- reflection electron energy loss spectroscopy (REELS) 725, 728-730
- reflection measurements
  - ATR
    - advantage 77, 78
    - evanescent field 76, 77
    - hydrating shell 77
    - penetration depth 76, 77
    - single-reflection/multireflection crystals 77
  - diffuse reflection
    - light trajectories, scattering sample 79
    - on-/off-axis configuration 80, 81
    - optical layout, infrared range 80, 81
    - quantitative evaluation 79
    - Ulbricht spheres 80
  - external reflection 74, 75
  - internal reflection 74
  - light propagation 74
  - reflection absorption 74, 76
  - thin films 78-79,
- reflectometric interference spectroscopy (RIfS)
  - applications
    - antigen/antibody interaction 1141
    - Fabry-Perot interferometer 1142
    - hyphenated techniques 1142
    - LC detector 1142
    - ligand-induced assembling 1141-1142
    - picoscope 1143
    - reflectometry 1142-1143
    - ellipsometry 1143
  - multilayer photodiodes 1141
  - principles

- reflectometric interference spectroscopy (RIfS) (*cont'd.*)
    - – affinity reactions 1141
    - – cosine function 1140
    - – Fresnel equations 1141
    - – interference reflectometry 1140
    - – partial reflection 1139
    - simple and low-cost realizations 1141
  - relative cross-reactivity 1318
  - reliable detection limit (RDL) 1326
  - residual dipolar couplings (RDC)
    - arbitrary molecular frame 255
    - CLIP-HSQC 236, 280
    - dipolar/direct coupling 277
    - HSQC sequence 279–280
    - internuclear vector/static magnetic field 277
    - order matrix 278
  - resonance Raman scattering (RRS) 125
    - Franck–Condon (FC) enhancement 125
    - gaseous iodine 126
    - vibronic enhancement 125
  - resonant nuclear reaction analysis (RNRA) 760
  - restriction of hazardous substances (RoHS) 1296
  - retention indices 1774
  - rhodamines 1011–1013
  - RICS. *See* raster image correlation spectroscopy (RICS)
  - RiliBÄK
    - external quality assessment 995–996
    - guidelines 992
    - internal quality assessment 993–995
    - mandatory training and educational sessions 992
    - QMM 996
  - RNRA. *See* resonant nuclear reaction analysis (RNRA)
  - ROESY. *See* rotating frame Overhauser enhanced spectroscopy (ROESY)
  - RoHS. *See* restriction of hazardous substances (RoHS)
  - rotating-frame nuclear Overhauser effect spectroscopy (ROESY) 1098–1099
  - rotating frame Overhauser enhanced spectroscopy (ROESY)
    - vs. NOESY 246–247
    - pulse sequence 244, 245
    - strychnine, aliphatic region 244, 246
  - rotational-echo double resonance (REDOR) 315–316, 317
  - Rowland circle 605
  - RRS. *See* resonance Raman scattering (RRS)
  - Rutherford backscattering spectrometry (RBS)
    - analytical information 769, 770
    - applications 770–771
    - elemental depth analysis 768
    - instrumentation 769
    - ion number and energy distribution 768
    - non-RBS 771
    - performance criteria 770, 771
    - RBS-C 771
    - sample 769
    - spectrum 769
  - Rutherford backscattering spectrometry-channeling (RBS-C) 771
- s**
- Saha equation 517
  - Saha function 590
  - SAHO. *See* spectral appearance in hierarchical order (SAHO)
  - SAM. *See* scanning Auger microscopy (SAM)
  - sample preparation
    - analysis 4
    - IAE 374–375
    - liquid samples
      - – chromatographic separation 12–13
      - – complexation 10–12, 11
      - – extraction 10
    - LLE 373–374
    - measurement process 3–4
    - SFE 375
    - solid samples
      - – ball mill 5
      - – grinding 5
      - – inorganic analysis (*see* inorganic analysis)
      - – mortars 5
      - – organic decomposition 8–9
    - SPE 374
    - SPME 375
  - sampling process
    - IUPAC 15
    - measurement process 16, 17
    - physical sample preparation 18
    - primary sample collection 17
    - QA/QC
      - – balanced/empirical-duplicate approach 24–25
      - – clean matrix sample 26
      - – environmental analysis 25
      - – reference sites 25
      - – uncertainty principle 24
      - – validation 23–24
      - – well-defined sampling plan 25
    - sampler 15–16
    - sampling target 16–17

- strategy and collection
  - – composite sample 19
  - – definition 18
  - – environmental analysis 20
  - – liquid sampling (*see* liquid sampling)
  - – probabilistic 18–19
  - – random sampling 18
  - – solid sampling 22–23
  - – subsamples 19
  - – systematic method 18
  - SAMs. *See* self-assembled monolayers (SAMs)
  - Savitsky–Golay algorithm 417
  - SAW. *See* surface-acoustic wave (SAW)
  - SCANIIR. *See* surface composition by analysis of neutral and ion impact radiation (SCANIIR)
  - scanning Auger microscopy (SAM) 731
  - scanning electron microscopy (SEM)
    - analytical information 732
    - applications 733
    - performance criteria 732–733
    - quantitative information 731
    - samples 731
    - secondary electrons emission 731
    - SEMPA 731
    - vacuum conditions 730
  - scanning electron microscopy with polarization analysis (SEMPA) 731
  - scanning ion microprobe (SIMP) 752
  - scanning low-energy electron loss microscopy (SLEELM) 730
  - scanning near-field optical microscopy (SNOFM) 735
  - scanning near-mode microscopy (SNGM)
    - carbon nanotube and graphene 925–926
    - electromagnetic enhancement 911
    - enhancement factor
      - – close tip–sample distance 915
      - – near-field-enhanced signal 915
      - – photons 913
      - – TEPL 915–917
      - – TERS 917–918
      - – tip-enhanced spectra 914
    - gap-mode configuration 911
    - inorganic semiconductor
      - – CMSOs 927
      - – depolarization configuration 929
      - – far-field signal interference 928
      - – Ge–Ge and Si–Ge modes 927, 928
      - – transparent cantilever tip 927
    - life science
      - – biological structures 932, 933
      - – hemozoin detection 935
      - – limitation 932–933
    - – proof-of-concept 934–935
    - – RNA strand 934, 935
    - – tip-enhanced two-photon excitation fluorescence 934
  - microscope configurations 921
    - – side-illumination 923
    - – top-illumination 923–924
    - – transmission 922
  - optical antenna 912,
    - optical signal 913
  - plasmon and plasmon polariton 912
  - semiconductor organic thin film
    - – diindenoperylene 929, 930
    - – flexible photovoltaic devices 929
    - – near-field spectroscopic mapping 930–931
    - – P3HT:PCBM 932
  - SERS 911
  - tip antenna
    - – electrochemical etching 920–921
    - – fabrication 919
    - – metal evaporation 919
    - – nanostructure, tip bases 919–920
    - – tip material 918–919
  - tip-sample system 912, 914
- scanning proton microprobe 752
- scanning tunneling microscopy (STM) 1592
- scanning tunneling microscopy – inelastic electron tunneling spectroscopy (STM–IETS) 735–736
- scanning tunneling spectroscopy (STS) 734–735
  - applications 734
  - normalized conductance 734
  - performance criteria 734
  - samples 733
  - STM 733
  - transmission probability 734
- search for identical and similar compounds (SISCOM) 1783, 1784
- secondary electron emission spectroscopy (SEES) 736–738
- secondary ion mass spectrometry (SIMS) 686
  - analytical information 775
  - applications 776
  - instrumentation 774
  - performance criteria 775–776
  - sample 775
  - SNMS 776
  - working principle 774
- secondary neutral mass spectrometry (SNMS) 776

- second harmonic generation (SHG) 798, 1442
- SEES. *See* secondary electron emission spectroscopy (SEES)
- selective inverse multiple bond analysis (SIMBA) 273
- selective ion monitoring (SIM) 1651
- selective optimized flip-angle short-transient heteronuclear multiple-quantum coherence (SOFAST-HMQC) 1110–1111
- selective population transfer (SPT) 228–229
- self-assembled monolayers (SAMs) 962, 963
- self-quenching 154
- Self-Training Interpretive and Retrieval System (STIRS) 1785
- SEM. *See* scanning electron microscopy (SEM)
- semiconductor industry 130–131
- semiconductor organic thin film
- diindenoperylene 929, 930
  - flexible photovoltaic devices 929
  - near-field spectroscopic mapping 930–931
  - P3HT:PCBM 931–932
- SEMPA. *See* scanning electron microscopy with polarization analysis (SEMPA)
- separated local field (SLF) experiment 337, 339
- SERRS. *See* surface-enhanced resonance Raman scattering (SERRS)
- SERS. *See* surface-enhanced Raman scattering (SERS)
- SEW spectroscopy. *See* surface electromagnetic waves (SEW) spectroscopy
- SFE. *See* supercritical fluid extraction (SFE)
- SFG. *See* sum frequency generation (SFG)
- SIM. *See* selective ion monitoring (SIM)
- SIMBA. *See* selective inverse multiple bond analysis (SIMBA)
- SIMCA. *See* soft independent modeling of class analogy (SIMCA)
- similarity index 1799
- simple-to-use interactive self-modeling mixture analysis (SIMPLISMA) 1799
- SIMS. *See* secondary ion mass spectrometry (SIMS)
- simulated Raman scattering (SRS) 64–65
- single-molecule spectroscopy
- autofluorescent proteins 825
  - fluorescence-based techniques 824–825
  - limitation 824
  - local chemical environment 823
  - low-temperature study 827
    - – antibunched photons 833
    - – chromophores 833, 834, 836
    - – conformational dynamics 833
    - – electron–phonon coupling 834, 836
    - – excited-state lifetime 828
    - – fluorophore 828–829
    - – Hanbury–Brown and Twiss (HBT) setup 832–833
    - – homogeneous/inhomogeneous spectral line broadening 21, 829
    - – molecular fluorescence 831–832
    - – Shpol’skii matrices 830
    - – single terylene dye 831, 832
    - – spectral diffusion 834, 835
    - – zero-phonon line 830
  - room temperature
    - – absorption studies 868–869
    - – amino-substituted perylene imid-derivative 847–848
    - – autofluorescent protein 850
    - – dipole radiation 842–843
    - – DRONPA 846–847
    - – dynamic single-molecule study 853–854
    - – FCS 838
    - – fluorescence excitation spectroscopy 866–868
    - – fluorescence spectrum 847
    - – FRET (*see* Förster resonance energy transfer (FRET))
      - – intensity-based fluorescence study 841–842
      - – intensity trajectory 840 841
      - – mode density-controlled fluorescence (*see* mode density-controlled fluorescence)
      - – N-substituted perylene derivatives 848–849
      - – on- and off-resonant form 849
      - – PALM 845–846
      - – rhodamine 6G 837
      - – sample preparation 839
      - – SERS (*see* single-molecule surface-enhanced Raman scattering (SERS))
        - – single-molecule on–off statistics 841
        - – single perylene dye molecules 839
        - – small detection volume 837
        - – solid-host single-molecule spectroscopy 838
        - – solid matrix 838
        - – spectral subpopulation identification 825
        - – STORM 845–846
        - – technique development 836
        - – time-resolved (*see* Time-resolved single-molecule spectroscopy)
          - – yellow fluorescent protein 850–851
    - technical requirements
      - – confocal microscope 826, 827

- – minimal detection volume 825
- – spectral integrating detector 827
- – transparent polymers 826
- single-molecule surface-enhanced Raman scattering (SERS)
  - chemical effect 857
  - chromophore 860, 861
  - dipole moment induction 855
  - electrical field 856
  - electromagnetic enhancement factor 856–857
  - enhancement factors 858
  - lithographic techniques 858–859
  - optical single-molecule spectroscopic technique 854–855
  - plasmons 855–856
  - resonance Raman scattering 856, 857
  - rhodamine 6G molecule 859–861
  - SERRS 855, 856
  - substrates 858
- single-molecule time-stamping spectroscopy
  - Coherent MIRA900 femtosecond laser 878–879
  - fluorescence signal 880
  - TAC 880–881
- single-walled carbon nanotubes (SWNTs) 925–926, 1591, 1597
- SISCOM. *See* search for identical and similar compounds (SISCOM)
- size-exclusion chromatography 13
- SLEELM. *See* scanning low-energy electron loss microscopy (SLEELM)
- small for gestational age (SGA) 410
- Smith–Hieftje method 547
- SNGM. *See* scanning near-mode microscopy (SNGM)
- SNOFM. *See* scanning near-field optical microscopy (SNOFM)
- sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS PAGE) 415
- soft independent modeling of class analogy (SIMCA) 1731, 1732
- soft X-ray appearance potential spectroscopy (SXAPS) 709
- solid-phase extraction (SPE) 374, 1647, 1651
- solid-phase microextraction (SPME) 10, 375
- solid-state NMR
  - activation energies and temperatures 212, 213
  - alkyne thiol derivatives 203
  - anisotropic interactions 297, 349–350
  - correlation times 212, 213
  - CSA 206–207, 297
  - dipolar interaction 204–206
  - dynamics 214–215
  - half-integer quadrupole nuclei
    - –  $^{27}\text{Al}$  5Q MAS spectra 346, 347
  - – inorganic systems 342
  - – MQ MAS technique 346
  - –  $\text{RbNO}_3$  MAS spectrum 344
  - – 2D DAS spectrum 345
  - – 2D MQ MAS experiment 346
  - heteronuclear two-dimensional experiments
    - – HETCOR experiments (*see* 2D heteronuclear correlation (HETCOR) experiment)
    - – heteronuclear dipolar couplings (*see* heteronuclear dipolar couplings)
    - – torsional angles 340–341
    - – 2D PISEMA spectrum 341–342, 343
  - homonuclear two-dimensional experiments
    - – anisotropic–isotropic correlation 327–329, 330, 331
    - –  $^{13}\text{C}$ – $^{13}\text{C}$  2D correlation experiments 320–321, 322
    - – double-quantum (DQ) spectroscopy (*see* double-quantum (DQ) spectroscopy)
      - –  $^1\text{H}$  DQ MAS spectrum 327
      - –  $^1\text{H}$ – $^1\text{H}$  DQ MAS spectrum 333–335
      - – solid-state INADEQUATE experiment 323
      - – 2D exchange (*see* 2D exchange)
  - isotropic molecular tumbling 297
  - lineshapes
    - – one-dimensional  $^2\text{HNMR}$  305–307
    - – powder spectra 303–305
    - – resonance frequency 300–301
    - – single-crystal NMR 301–303
  - MAS (*see* magic-angle spinning (MAS))
  - natural abundances 298–299
  - NMR-active nuclei 298
  - quadrupolar interaction 207–209
  - recoupling methods
    - – CODEX 319, 320
    - – heteronuclear dipolar coupling 317–319
    - – REDOR technique 315–316, 317
  - relaxation pathways 211–212
  - thermal activation energies 212
- solid-state NMR lineshapes
  - one-dimensional  $^2\text{HNMR}$  305–307
  - powder spectra 303–305
  - resonance frequency 300–301
  - single-crystal NMR 301–303
- solution-state  $^1\text{HNMR}$ 
  - chemical shifts 197, 199, 200
  - 1-chloroethene 196
  - $J$ -coupling constants 197
  - magnetic field 197

- solution-state  $^1\text{H}$ NMR (*contd.*)
  - NMR spectrum 201–203
  - selective decoupling 199, 200
  - single quantum 198
  - thin-walled glass tube 195
- solvent casting
  - Au nanoparticles 1243
  - drop cast method 1241
  - grafting-to approach 1243
  - imprint/analyte molecules 1241
  - NADH molecule 1242
  - polymer-NP composite 1243
  - polyNNPA nanobeads 1242
  - sensing film 1242
  - theophylline 1241
- solvent quenching 153–154
- solvent relaxation (SR)
  - dielectric continuum solvation model 155
  - probing micropolarities 158, 159
  - steady-state spectra 155–156
  - time-resolved emission spectra 156–158, 157
- SPAES. *See* spin-polarized Auger electron spectroscopy (SPAES)
- spatially offset Raman spectroscopy (SORS) 1045
- spatiotemporal image correlation spectroscopy (STICS) 171
- SPE. *See* solid-phase extraction (SPE)
- spectral appearance in hierarchical order (SAHO) 1752
- spectral data banks 1723–1728
- spectral database system (SDBS) 1774
- spectral diffusion 834, 835
- spectral imaging. *See* chemical imaging, quality and process control
- spectral imaging device
  - approaches 61
  - FPA detector 62, 63
  - FT-IR imaging 62, 63
  - linear array detectors 62, 63
  - objectives 63
  - spectral mapping 61, 62
  - step-scan process 63
  - tiling 62
- spectral interferences
  - AES 572–573
  - collision/reaction cell instruments 667
  - continuum-source background correction 542–543,
  - isotope selection 665
  - mathematical correction, ion signal intensities 668–669
  - methods 541–542
  - origin 540–541, 665, 666
  - polyatomic ions 664
  - pulsed-lamp background correction 547–548
  - sector field instruments 664, 667
  - thermal aerosol treatment 665
  - two-line correction method 542
  - wavelength-modulation correction methods 548
  - Zeeman background correction
    - DC magnet 545
    - disadvantages 547
    - electronic energy levels 543
    - element-specific absorption 544
    - ET-AAS 546
    - longitudinal magnetic field 545, 546
    - net absorbance 545
    - polarized radiation 544, 545
    - splitting pattern 543
- spectral mapping 61
- spectroscopic ellipsometry (SE) 1442
- spectroscopic technique trends
  - acoustic spectroscopy 1430–1431
  - dielectric/impedance spectroscopy 1432–1433
  - IMS 1423–1424
  - laser spectroscopy
    - CRDS 1425, 1426
    - photothermal techniques 1426
    - QCL 1424–1425
    - TDLAS 1425
  - LIBS
    - applications 1427
    - dual-/multiple-pulse laser systems 1427
    - microplasma 1427
    - plasma spectrochemical technique 1426
    - samples 1427
    - spectrometer 1428
  - microanalytical sensors 1419
  - MW spectroscopy 1433
  - NMR spectroscopy
    - cryogenic NMR probes 1422
    - high-resolution spectroscopy applications 1419–1421, 1420
    - low-field NMR systems 1423
    - polarization transfer methods 1422
    - spin-lattice relaxation time reduction techniques 1422
    - TD NMR spectroscopy 1422
  - on-line spectroscopic methods 1419
  - THz spectroscopy 1429–1430
  - XRF spectroscopy 1428–1429
- specular reflection. *See* external reflection
- spin–lattice relaxation 232–233



- spin-polarized Auger electron spectroscopy (SPAES) 713–714
- spin-polarized ultraviolet photoelectron spectroscopy 805
- spin-resolved inverse photoelectron spectroscopy (SPIPES) 727
- spin-resolved ultraviolet photoemission spectroscopy (SRUPS) 727
- SPIPES. *See* spin-resolved inverse photoelectron spectroscopy (SPIPES)
- SPME. *See* solid-phase microextraction (SPME)
- SPPs. *See* surface plasmon polaritons (SPPs)
- SPR. *See* surface plasmon resonance (SPR)
- SPRs. *See* surface plasmon resonances (SPRs)
- SPR spectroscopy. *See* surface plasmon resonance (SPR) spectroscopy
- SPT. *See* selective population transfer (SPT)
- SR. *See* solvent relaxation (SR)
- SRUPS. *See* spin-resolved ultraviolet photoemission spectroscopy (SRUPS)
- Standard reference materials (SRMs) 59
- Stark broadening 591, 592
- static quenching 151
- steady-state fluorescence anisotropy 160–161
- steel mortars 5
- stimulated emission depletion (STED) microscopy 1603
- stimulated Raman spectroscopy (SRS) 128
- STM–IETS. *See* scanning tunneling microscopy –inelastic electron tunneling spectroscopy (STM–IETS)
- stochastic optical reconstruction microscopy (STORM) 845–846
- STORM. *See* stochastic optical reconstruction microscopy (STORM)
- stretching vibrations 34
- structural similarity search 1784–1785
- STS. *See* scanning tunneling spectroscopy (STS)
- sum frequency generation (SFG) 65–66, 1442–1443
- spectroscopy
    - – *in situ* modified polymer surfaces 128
    - – liquid surfaces 128
    - – self-assembled monolayers 127
    - – surface investigation 127
    - vibrational spectroscopy
      - – analytical information 797
      - – applications 797–798
      - – instrumentation 797
      - – performance criteria 797
      - – SHG 798
    - – working principle 796–797
- supercritical fluid extraction (SFE) 375
- support-vector-machines (SVMs) 1801
- surface-acoustic wave (SAW) 380
- surface composition by analysis of neutral and ion impact radiation (SCANIIR) 750
- surface electromagnetic waves (SEW) spectroscopy
  - applications 796
  - instrumentation 796
  - performance criteria 796
- surface-enhanced laser desorption/ionization (SELDI) 947
- surface-enhanced Raman scattering (SERS) 911, 917, 918, 1050–1051, 1441–1442
- applications 127, 131
  - charge-transfer complex formation 126
  - electromagnetic enhancement 126
  - selection rules 126
  - substrates 127
  - waveguides 1631
- surface-enhanced resonance Raman scattering (SERRS) 855, 856
- surface-extended X-ray absorption fine structure (SEXAFS) 806–807
- surface-initiated polymerization (SIP) approach
  - ATRP 1245
  - cyanovaleric acid photoinitiator 1244
  - FT-SPR system 1246
  - initiator immobilization 1244
  - Langmuir–Freundlich model 1246
  - MAA and cross-linker EDGMA 1246
  - MIP film preparation technique 1244
  - polymerization process 1244
  - SPR Au surfaces 1245
  - ultrathin film 1244
- surface plasmon-enhanced photoluminescence spectroscopy (SPPL)
  - Au/PEDOT/electrolyte interface 1170
  - chronoamperometric measurements 1170, 1171
  - curve broadening 1169
  - dielectric constant 1169
  - EC-SPR/SPPL technique 1170
  - light emission process 1172
  - PEDOT films 1168, 1169
  - switching property 1170
- surface plasmon light scattering (SPLS)
  - anion doping–dedoping process 1168
  - cyclic voltammogram 1166, 1167
  - PANI/SPANI film 1166, 1168
  - substrate–electrode interface 1166

- surface plasmon polaritons (SPPs)
  - biomedical and clinical analysis 1562
  - herpes simplex virus type I and type II, antibodies detection 1559–1562
  - hybridization 1564
  - metal/dielectric interface 1561–1562
  - optical fibers 1562
  - PSA detection 1562
  - troponin detection 1562
- surface plasmon resonance (SPR) 380
  - advantages 1161
  - catecholamine, detection
    - – adrenaline concentration 1175
    - – benzylamines 1174
    - – HPLC technique 1173–1174
    - – Langmuir approach 1175
    - – Langmuir–Freundlich model 1176
    - – para-amino benzoic acid 1174,
    - – reflectivity 1174–1175
    - – stress 1173
    - – sympathetic medullar system 1173
  - direct optical detection
    - – CCD detector 1131
    - – commercial systems 1133–1135
    - – conformational and electronic changes 1133
    - – fiber and waveguide 1135
    - – instrumentation 1131, 1132
    - – Kretschmann configuration 1131, 1132
    - – refractometry 1133
    - – sensing mechanism 1131, 1132
    - – sensitivity and applications 1135–1136
  - electrochemical measurements 1162–1163
    - electrode–electrolyte interfaces 1161
    - electropolymerization process
      - – cyclic voltammograms 1163, 1164
      - – density fluctuation 1165–1166
      - – electrochromic phenomena 1166
      - – E-QCM 1163–1164
      - – polyaniline (PANI) film 1163, 1164
      - – potentiostatic measurement 1164
      - – QCM measurement 1165
    - glucose sensing 1172–1173
    - polymer films 1162
  - SPLS
    - – anion doping–dedoping process 1168
    - – cyclic voltammogram 1166, 1167
    - – PANI/SPANI film 1166, 1168
    - – substrate–electrode interface 1166
  - SPPL
    - – Au/PEDOT/electrolyte interface 1170
    - – chronoamperometric measurements 1170, 1171
    - – curve broadening 1169
    - – dielectric constant 1169
    - – EC-SPR/SPPL technique 1170
    - – light emission process 1172
    - – PEDOT films 1168, 1169
    - – switching property 1170
- surface plasmon resonances (SPRs)
  - analyte detection scheme selection 1563
  - LSPR biosensors
    - – ADDLs detection 1565
    - – dielectric constant change 1564–1565
    - – metal/dielectric interface 1561–1562
    - – metallic nanoparticles (NPs) 1562, 1564
  - SPP biosensors
    - – biomedical and clinical analysis 1562
    - – herpes simplex virus type I and type II, antibodies detection 1562
    - – hybridization 1564
    - – metal/dielectric interface 1561–1562,
    - – optical fibers 1562
    - – PSA detection 1562
    - – troponin detection 1562
- surface plasmon resonance (SPR) spectroscopy
  - advantage 1231
  - analytical information 798–799
  - applications 799
  - biomolecules 1229
  - chemical sensors and biosensors 1229
  - configurations
    - – grating couplers 1240
    - – Kretschmann-ATR configuration 1239, 1240
    - – microfluidic techniques 1239
    - – prism-based coupling 1238
    - – waveguiding 1240
  - density oscillations 1235
  - instrumentation 798
  - Kretschmann configuration 1235, 1236
  - lock-and-key model 1231
  - metal–dielectric interface 1235, 1236, 1237
  - MIP sensors
    - – advantage 1241
    - – applications 1253–1255
    - – electropolymerization (*see* electropolymerization)
    - – grafting-from approach (*see* surface-initiated polymerization (SIP) approach)
    - – sensitivity 1240
    - – solvent casting (*see* solvent casting)
  - molecular imprinting 1230
  - Otto configuration 1236, 1237

- performance characterization 1237–1238
  - performance criteria 799
  - prism–metal interface 1235,
  - signal transduction techniques 1230
  - SWNTs. *See* single-walled carbon nanotubes (SWNTs)
  - SXAPS. *See* soft X-ray appearance potential spectroscopy (SXAPS)
- t**
- TACs. *See* two time-to-amplitude converters (TACs)
  - target factor analysis 1799
  - TCS. *See* total/target current spectroscopy (TCS)
  - TCSPC. *See* time-correlated single-photon-counting (TCSPC)
  - TDLAS. *See* tunable diode laser absorption spectroscopy (TDLAS)
  - TD NMR spectroscopy. *See* time domain nuclear magnetic resonance (TD NMR) spectroscopy
  - TEELS. *See* transmission electron energy loss spectroscopy (TEELS)
  - TEF. *See* tip-enhanced fluorescence (TEF)
  - TENOM. *See* tip-enhanced near-field optical microscopy (TENOM)
  - TEPL. *See* tip-enhanced photoluminescence (TEPL)
  - terahertz (THz)
    - radiation 1559–1560
    - spectral region 39
    - spectrometers 40, 48–49
  - terahertz-pulsed imaging (TPI) technology 1430
  - terahertz (THz) spectroscopy 1429–1430
    - amplitude- and phase-resolved detection 1053–1054
    - broadband detection
      - electric dipole moment 1054
      - electro-optic methods 1054
      - femtosecond laser pulse 1054
      - Fourier transformation 1055
      - metallic electrodes 1055–1056
      - photoconductive switch 1055
      - transients 1056
    - low-energy interactions 1051, 1053
    - medical diagnostics
      - cancer detection 1577, 1578
      - dental caries 1576, 1577
      - DFG/OPO 1575, 1576
      - DNA detection 1576
      - imaging/tomographical applications 1575
    - integrated photonic biosensors 1576, 1577
    - label-free biomolecular analysis 1580
    - photoconductive method 1575, 1576
    - photon energy 1574–1575
    - QCLs 1576
    - spectral range 1574
    - THz gap 1573
    - molecular and intermolecular modes 1052
    - molecular crystals 1051
    - normal mode 1052
    - sucrose crystal 1051, 1052
    - THz-TDS (*see* terahertz time-domain spectroscopy (THz-TDS))
    - ultrabroadband
      - hyperhemispherical lenses 1057–1058
      - Laguerre–Gauss modes 1058
      - reflective optics 1057
      - transmissive optics 1057
    - vibrational modes 1052
    - water vapor 1052, 1053
  - terahertz time-domain spectroscopy (THz-TDS) 1430
    - ATR configuration 1058, 1065–1066
    - reflection spectroscopy
      - DFTS 1063, 1064
      - dielectric properties 1065
      - experimental arrangement 1064, 1065
      - Fresnel reflection coefficients 1064
      - geometry 1058–1059
      - interferograms 1064
      - liquids 1063
      - sample and reference signals 1065
      - signal-to-noise ratio 1063
    - transmission measurement
      - absorption coefficient 1060, 1061
      - biological systems 1062
      - broadband absorption 1063
      - dielectric function 1061, 1062
      - finite absorption 1061
      - frequency spectra 1060, 1061
      - Fresnel field 1059, 1060
      - geometry 1058–1059
      - solvation kinetics 1062
  - TERS. *See* tip-enhanced Raman scattering (TERS)
  - tetrafluorotetracyanoquinodimethane (F<sub>4</sub>TCNQ) 1519
  - TEY. *See* total electron yield (TEY)
  - TG-MS. *See* thermogravimetric analysis-mass spectrometry (TG-MS)
  - thermal field-flow fractionation (ThFFF) 1202

- thermogravimetric analysis-mass spectrometry (TG-MS) 1292
- thermospray (TSP) 357
- thin-film spectroscopy 1622
- thin-layer chromatography 13
- Thomson (elastic) scattering 1485, 1523
- THz-TDS. *See* terahertz time-domain spectroscopy (THz-TDS)
- tiling 62
- time-correlated single-photon-counting (TCSPC) 851–852
- time domain nuclear magnetic resonance (TD NMR) spectroscopy 1422
- time-of-flight (ToF)
  - instrument 431–432,
  - mass analyzers 366–367
- time-of-flight mass spectrometer (TOFMS) 615, 617–618, 663
- time-resolved emission spectra (TRES) 156–158, 157
- time-resolved single-molecule spectroscopy
  - chromophore 852
  - energy-transfer efficiency 852
  - red-fluorescent protein DsRed 853
  - TCSPC 851–852
- time-resolved two-photon photoemission spectroscopy
  - analytical information 800
  - applications 800
  - instrumentation 799
  - performance criteria 800
  - sample 800
- tin phthalocyanine (SnPc) 1518
- tip-enhanced coherent anti-Stokes Raman scattering (TE-CARS) 1600
- tip-enhanced fluorescence (TEF)
  - biological surface imaging 1596–1598
  - single-molecule experiments 1595–1596
- tip-enhanced near-field optical microscopy (TENOM)
  - applicability, checklist 1603
  - evanescent and propagating waves, principles 1586–1587
  - experimental realization
    - – far-field background 1593–1594
    - – near-field microscopes 1592–1593
  - metal structures, field enhancement 1587–1590, 1588
  - optical signals, tip-enhancement
    - – excitation rates 1590
    - – fluorescence enhancement 1591
    - – radiative rate 1590
    - – Raman scattering 1590–1591
  - TERS
    - – biopolymers and biosurfaces 1601–1602
    - – chemical analysis, surfaces 1600–1601
    - – disadvantages 1598–1599
    - – nanoscale optoelectronic probing 1602–1603
    - – semiconductors, stress imaging 1602
    - – signal enhancement and detection sensitivity 1599–1600,
    - tip-enhanced fluorescence
      - – biological surface imaging 1596–1598
      - – single-molecule experiments 1595–1596,
- tip-enhanced photoluminescence (TEPL)
  - excitation rate 915
  - photonic mode density 916
  - spectral energy density 916
  - spontaneous radiative decay rate 916
  - tip radius 917
- tip-enhanced Raman scattering (TERS) 792, 917–918, 1050
  - biopolymers and biosurfaces 1601–1602
  - chemical analysis of surfaces 1600–1601
  - drawback 1598–1599
  - nanoscale optoelectronic probing 1602–1603
  - semiconductors, stress imaging 1602
  - signal enhancement and detection sensitivity 1599–1600,
- tip-on-aperture (TOA) 1586, 1587
- TIRF. *See* total internal reflection fluorescence (TIRF)
- TLAS. *See* tunable laser absorption spectroscopy (TLAS)
- $\alpha$ -tocopherol acetate
  - homonuclear TOCSY spectrum 52.1689, 1687, 1688
  - HSQC 2D NMR spectrum 1687, 1688
- TOFMS. *See* time-of-flight mass spectrometer (TOFMS)
- total correlated spectroscopy (TOCSY) 1095–1080
  - definition 242
  - homonuclear vicinal coupling coherence 242
  - strychnine, aliphatic region 242–243
- total electron yield (TEY) 787, 805, 1491, 1492
- total internal reflection (TIR)
  - ATR 1119–1120
  - effective path length and sensitivity 1120–1121
  - elements
    - – ATR spectroscopy 1611–1613, 1612
    - – IRS 1613–1614

- reflection and refraction
    - dielectric interface 1116–1117
    - evanescent waves 1118–1119
    - Fresnel equations 1117–1118
    - transmission coefficients 1118
  - waveguide
    - effective refractive index 1122
    - fiber-optic configuration 1124
    - graph sensitivity 1122, 1123
    - mode/multimodal 1122
    - optical and physical thickness 1124–1125
    - slab 1121, 1122
    - TE and TM modes 1124
    - transverse resonance condition 1122
  - total internal reflection fluorescence (TIRF) 167
  - total reflection X-ray fluorescence analysis (TRXRFA) 766
  - total reflection X-ray fluorescence spectroscopy
    - analytical information 801
    - applications 802
    - instrumentation 801
    - performance criteria 801–802
    - sample 801
    - working principle 800–801
  - total/target current spectroscopy (TCS) 711
  - transfection probes 1402
  - transmission electron energy loss spectroscopy (TEELS) 725
  - transmission spectroscopy
    - applications 803
    - energy balance of incident light 72
    - instrumentation 802
    - performance criteria 803
    - sample cells 71, 72
    - window/fiber material, optical 71, 73
  - transthyretin 415
  - transverse relaxation-optimized spectroscopy
    - DD and CSA mechanism 1101
    - polarization transfer 1102–1103
    - protein dynamics 1103–1104
    - TROSY component 1101–1102
  - trapped-ion mass analyzers 367–368
  - TRES. *See* time-resolved emission spectra (TRES)
  - trinitrotoluene (TNT) 1134
  - triple quadrupole linear ion trap(QqQLIT) 1272
  - trivial quenching 154
  - TRXRFA. *See* total reflection X-ray fluorescence analysis (TRXRFA)
  - TSP. *See* thermospray (TSP)
  - TT-multiplets 1489
  - tunable diode laser absorption spectroscopy (TDLAS) 1399, 1425, 1567, 1569
    - absorption measurement 1353–1354
    - corrosion prediction 1356
    - gas detector system 1355
    - measurement path 1354, 1355
    - moisture measurement 1355
    - spectroscopic principles 1353
    - system console 1354
    - target gas concentration 1354
  - tunable laser absorption spectroscopy (TLAS) 1569
  - 2D exchange
    - $^{13}\text{C}$  MAS 2D exchange 332, 333
    - $^2\text{H}$  static exchange 329, 332
  - 2D heteronuclear correlation (HETCOR) experiment
    - COSY and NOESY experiments 337
    - $^1\text{H}$ – $^{13}\text{C}$  WISE experiment 335–336
    - HSQC and HMQC experiments 337
    - MAS-*J*-HSQC experiments 314–337, 338
    - REPT method 336
  - 2D *J*-resolved NMR experiments
    - amplitude modulated heteronuclear 235–236
    - amplitude modulation 236
    - $^{13}\text{C}$  chemical shift information 235
    - contour plot 237–238
    - evolution time 236
    - interferograms 237
  - two time-to-amplitude converters (TACs) 880–881
- u**
- ultrahigh-pressure liquid chromatography (UPLC) 1647, 1652
  - ultrahigh vacuum (UHV) 1441, 1514–1515,
  - ultrasonic nebulization 584
  - ultrasound attenuation spectroscopy 1430
  - ultraviolet photoelectron emission microscopy (UV-PEEM) 1546–1547
  - ultraviolet photoelectron spectroscopy (UPS) 781, 810
    - analytical information 804
    - applications 804
    - ARUPS
      - graphene band structure 1530, 1531
      - hydrocarbon molecules, energy band structure 1529, 1530
      - 2D adsorbate band structures 1527, 1528, 1529
    - data analysis 1537–1538
    - DH6T/Ag(111), photoemission spectra 1540–1541

- ultraviolet photoelectron spectroscopy (UPS)
    - (*cont'd.*)
    - instrumentation 803–804
    - MDS 805
    - metal, photoemission 1525, 1526
    - organic/metal interfaces 1527, 1528
    - organic semiconductor 1526
    - performance criteria 804
    - photon momentum 1525
    - polyatomic molecule, potential well 1526,
    - sample 804
    - valence and conduction states, energy dispersion 1527
  - ultraviolet photoemission spectroscopy 756, 757
  - unique protein identifier (UPI) 1781
  - UPLC. *See* ultrahigh-pressure liquid chromatography (UPLC)
  - UPS. *See* ultraviolet photoelectron spectroscopy (UPS); ultraviolet photoemission spectroscopy
  - UV-PEEM. *See* ultraviolet photoelectron emission microscopy (UV-PEEM)
  - UV–vis absorption and luminescence 36–38
  - UV–vis fluorescent dyes
    - coumarin 1013, 1014
    - rhodamines 1011–1013
  - UV/vis spectrometers
    - detector 58–59,
    - monochromator 57–58
    - multichannel 57
    - multichannel, block diagram 57
    - NBS 59
    - scanning 56
    - scanning, block diagram 56
    - source 57
  - UV–vis spectrometry 1398
  - UV/vis spectroscopy
    - auxochrome 135
    - bathochromic effect 135
    - chromophore 135
    - hyperchromic and hypochromic effect 136
    - hypsochromic effect 135
    - metal complexes 140, 141, 142
    - metal nanoparticles
      - applications 146, 147
      - gold nanoparticles, plasmon resonance spectra 147
      - quantum dots 147
      - sizes and shapes 147
    - method parameter reference sheet 144
    - sample preparation 136 137
    - semiconductors
      - absorption edge 142, 143
      - color centers 144
      - gap transition energies 142, 143
      - insulators 144
      - solvents, cutoff wavelengths 136
    - spectroscopic imaging
      - filter-wheel multiple exposure systems 145
      - full spectral capture systems 145
      - retinal ganglion cells 146
    - structural analysis
      - benzene and benzene derivatives 139
      - disubstituted benzenes 139, 140
      - heteroaromatic compounds 139
      - polycyclic aromatic hydrocarbons 139
      - polymethines 138,
      - proteins 139, 140, 141
      - representative chromophore absorption 136, 137
- v**
- vaccine production, downstream processing
    - crystallization
      - ATR-FTIR measurements 1380
      - FBRM 1380, 1381, 1382
      - particle size distribution 1379
      - process design issues 1379
      - process stability 1383
      - thermodynamics control 1379
    - drying
      - batch production processes 1383
      - NIR monitoring 1384–1385
      - on-line measuring methods 1383
      - on-line process mass spectrometry monitoring 1385, 1386
      - solvent extraction 1383
      - vacuum drying 1386, 1387, 1388
    - PAT-approaches 1378–1379
  - vanadyl phthalocyanine (VOPc) 1549
  - vapor generation technique 533–534
  - variance diagram (VARDIAL) 1799
  - vibrational circular dichroism (VCD) 1039, 1144–1145
  - visual cluster analysis 1802
  - vitamin A acetate isomers
    - continuous-flow <sup>1</sup>H NMR detection 1685–1686, 1687
    - structures 1685,
  - voltage tunneling spectroscopy (VTS) 734
  - VOPc. *See* vanadyl phthalocyanine (VOPc)
  - VTS. *See* voltage tunneling spectroscopy (VTS)
- w**
- waveguide spectroscopy. *See* optical waveguides

- wavelength-dispersive (WD) spectrometers
  - analyzer crystals 477
  - Braggs law 475
  - *d*-spacing 477
  - goniometer 477
  - irradiation/detection geometry 475, 476
  - single-channel and multichannel instruments 478–479
- wavelength-dispersive X-ray fluorescence (WDXRF) 1428
- wavelength dispersive X-ray spectroscopy (WDS) 717
- wavelength modulation spectroscopy (WMS) 1354
- WDS. *See* wavelength dispersive X-ray spectroscopy (WDS)
- Wiley Registry of Mass Spectral Data 1771, 1772
- WMS. *See* wavelength modulation spectroscopy (WMS)
  
- x**
- XAFS. *See* X-ray absorption fine structure (XAFS)
- XanTec 1134–1135
- XMCD. *See* X-ray magnetic circular dichroism (XMCD)
- XML Schema Definition (XSD) language 1827
- XPd. *See* X-ray photoelectron diffraction (XPd)
- XPS. *See* X-ray photoelectron spectroscopy (XPS)
- X-ray absorption fine structure (XAFS)
  - analytical information 806
  - applications 806
  - instrumentation 805–806
  - performance criteria 806
  - SEXAFS 806–807
  - working principle 805
- X-ray detectors
  - advantages and disadvantages 472
  - channels 473
  - CZT detectors 475
  - ED detectors 474, 475
  - energy resolution 475, 476
  - Fano factor 470
  - gas-flow proportional counter 470, 471
  - gas gain/multiplication 470
  - intrinsic zone 472
  - line broadening 474
  - operation principle 473
  - output pulses 472
  - proportionality and linearity 469
    - scintillation counter 471–472
    - Si-PIN diode detectors 475
    - solid-state detector 475
    - WDXRF spectrometry 470
- X-ray diffraction (XRD) 1346
- X-ray fluorescence (XRF) 1345–1346
  - atomic structures 459, 461
  - bremsstrahlung 457–458, 459
  - characteristic lines 458, 460
  - data treatment
    - counting statistics 491
    - EDXRF 493–495
    - error sources 501–502
    - multiple-element techniques 499–501
    - quantitative calibration 495–497
    - single-element techniques 497–498
    - specimen preparation 502–503
    - spectrum evaluation 491–492
    - WDXRF 492–493
  - detection limit 504
  - EDXRF instrumentation 465, 466
  - elastic/Rayleigh scattering 457
  - energy-dispersive (*see* energy-dispersive (ED) spectrometers)
    - feature 452
    - figures-of-merit
      - analytical sensitivity 462–463
      - detection limits 463–465, 464, 466
      - determination limits 464
    - high-energy photons 451
    - inelastic/Compton scattering 457, 458
  - interactions
    - Lambert–Beer law 454
    - mass attenuation coefficient 454
    - mixture rule 454
    - photon–matter interaction processes 453, 454–455
    - scattering 455
  - matrix effects
    - direct enhancement 489–490
    - indirect enhancement 490
    - primary absorption 489, 490
    - secondary absorption 489
    - thin and thick samples 487–489
  - measurement 451–452
  - microscopic 485–487
  - Moseley’s law 459, 460
  - photoelectric effect
    - absorption edges 455–456
    - Auger electrons 455
    - fluorescence yield 455
    - jump ratio 456
    - $\tau_{M_0}$  variation 455, 457
  - portable and radioisotope 480, 483–484

- X-ray fluorescence (XRF) (*contd.*)
    - principle 452
    - qualitative analysis 503
    - quantitative reliability 504
    - selection rules 461–462
    - total reflection 484, 485
    - wavelength and energy scales 453
    - wavelength-dispersive (*see* wavelength-dispersive (WD) spectrometers)
    - WDXRF instrumentation 465, 466
    - X-ray detectors (*see* X-ray detectors)
    - X-ray sources
      - – radioactive sources 468–469
      - – rotating anode tube 467
      - – sealed X-ray tube 466–468
      - – synchrotron radiation 468–469
  - X-ray fluorescence (XRF) spectroscopy 1428–1429
  - X-ray-induced fluorescence (XRF) 766
  - X-ray magnetic circular dichroism (XMCD) 1442, 1503
  - X-ray photoelectron diffraction (XPD) 810, 1548–1549, 1550
  - X-ray photoelectron spectroscopy (XPS)
    - AES 810
    - analytical information 808, 809
    - applications 810
    - chemical shift 1533
    - copper phthalocyanine films 1541–1543, 1542
    - DIP/Au(111), UV-PEEM image 1546–1547
    - final state effects 1533
    - growth modes
      - – Ga/GaN film growth 1544–1546, 1545
      - – island growth 1543
      - – layer-by-layer mode 1543
      - – layer plus island growth 1543–1544
    - HDT monolayer
      - – S 2p highly resolved core-level photoemission spectra 1532, 1533
      - – survey spectrum 1531–1533, 1532
    - high-energy XPS 1552
    - instrumentation 807–808
      - performance criteria 809
      - quantitative analysis 1538–1540
      - sample 808
      - UPS 810
      - working principle 807
      - XPD 810
  - X-ray standing wave (XSW)
    - analytical information 811
    - applications 812
    - instrumentation 810–811
      - organic adsorbates
        - – bonding distances 1516
        - – examples 1515
        - – F<sub>16</sub>CuPc/Ag(111) and Cu(111) 1518
        - – F<sub>4</sub>TCNQ/Cu(111) 1519
        - – methanethiol/Pt(111) 1519
        - – NTCDA/Ag(111) 1517
        - – PEN/Cu(111) and PFP/Cu(111) 1518–1519
        - – PTCDA/Ag(111), Cu(111), and Au(111) 1516–1517
        - – SnPc/Ag(111) 1518
        - – tetrahydrofuran/Cu(111) 1519
      - performance criteria 811–812
      - photo yields 1511, 1512, 1514
      - sample 811
      - sample preparation and measurements 1514–1515
      - single-crystal Bragg reflections 1508–1509, 1510
      - standing waves 1510–1511
      - surface and interface science, application 1507
      - UHV chamber, schematic view 1514–1515
      - working principle 810
  - XSW. *See* X-ray standing wave (XSW)
- y**
- yellow fluorescent protein (YFP) 850–851
- z**
- Zeeman effect 509
  - zero-mode waveguide 1617
  - zero-phonon line (ZPL) 830