

## Index

### a

- accumulation
  - brain drug 376ff.
  - LDC 378
  - nanocarrier 123, 139, 292
  - organic nanoparticle 223, 273
  - poly(ethylene glycol) (PEG) 124
  - tissue 273
  - tumor 140
- aggregation
  - carboxy-functionalized NPs 328
  - copolymer 243f.
  - in vivo 344
  - micellar 75
  - monomer 371
  - organic nanoparticle 223, 225
  - poly(divinyl benzene) (poly-DVB) 35
  - polymer 35, 237
  - polymersomes 163
  - radiopaque iodinated P(MAOETIB–GMA) 357f.
  - solid lipid nanoparticles (SLNs) 370ff.
- atomic force microscopy (AFM)
  - lipid-polymer films and coatings 278
  - molecular crystal nanorod 442f.
  - nanogel 49f.
  - nanotube forest 111
  - rosette nanotubes (RNTs) 498

### b

- biocompatibility
  - alginate 298
  - carbon nanotubes (CNTs) 76, 108
  - chitosan 298
  - core–shell magnetic NPs 293
  - nanofibrous scaffolds 398
  - poly(ethylene glycol) (PEG) 298
  - polymersomes 164, 229
  - polysaccharide-derived particles 203
  - quantum dots (QDs) 127

- scaffolds 418
- biodegradable
  - cellular uptake 323f.
  - core–shell polymeric NPs 288ff.
  - nanogels 47
  - polyester 321ff.
  - poly(ethylene glycol) (PEG) 124
  - poly(n-butylcyanoacrylate) (PBCA) 320f.
  - SRP 74
- biofouling 267
- blood–brain barrier (BBB) 165, 321, 365ff.
  - reversible disruption 368
- bond
  - acetal 47
  - coordination 42ff.
  - covalent 47, 430
  - disulfide 4, 47
  - ester 47
  - hydrogen 4, 42f., 61, 430
  - intra-gel 6
  - ionic 42f.
  - labile 4ff.
  - noncovalent 42, 444ff.
  - nonreactive 5
  - permanent 4f., 8
  - ph-cleavable 132
  - reformation 7
  - reversible 7
  - rupture 7f., 12f.
  - stiffness 7, 10, 12
  - thiol 4
- bottom-up approach, *see* synthesis
- brain imaging, *see* medical imaging
- bulk heterojunction (BHJ) architecture 445

### c

- cancer therapy
  - chemotherapy 139, 298
  - photodynamic therapy (PDT) 300f., 381
  - photothermal therapy 482f.

- polymeric-based core–shell NPs 300ff.
- radiofrequency ablation 483f.
- solid lipid nanoparticles (SLNs) 366ff.
- thermotherapy 382
- Cauchy–Green strain tensor 16, 20
- cell
  - adhesion 82, 105
  - differentiation 329ff.
  - penetration 136f., 169
- cellular
  - therapeutics 314ff.
  - uptake 73, 312, 315, 317ff.
- central nervous system (CNS)
  - disorder 365
  - targeting 381
- chelator 138f., 459f.
- chemotherapy, *see* cancer therapy
- chromatography
  - dye affinity 86
  - gel-permeation (GPC) 43, 45, 50, 263
  - high-performance liquid (HPLC) 263
  - thin-layer (TLC) 263
- circular dichroism spectroscopy 498
- click chemistry 32, 77
- cluster
  - grape-like 46
  - nanogel 12, 19
- coating
  - fibers 411f.
  - lipid– 269ff.
  - nanotubes 108
  - pinhole-free 70
  - PNIPAAm 79
  - polyelectrolyte 297
  - polysorbate 80– 376ff.
  - stimulus-responsive polymer (SRP) 73
- complexes
  - anionic polymer– cationic polymer 43f.
  - anionic polymer–metal ion 43f.
  - avidin 165
  - drug–polymer 298
  - gadolinium 316
- computational fluid dynamics (CFD)
  - simulation 200f.
- computed tomography (CT) 127, 345, 349ff.
- confocal microscopy 166, 294
- conjugates
  - CNTs–PNIPAAm 76
  - ligand–PEG–PE 128f.
  - lipid–drug (LDC) 377f.
  - oligonucleotide (ODN)–PEG 132
  - PEG–lipid 125
  - pro drug 377
- SRPs–QDs 73f.
- SWNTs–paclitaxel (PTX) 480
- transferrin–PEG–liposomes 129
- contact angle, *see* wettability
- continuum elasticity theory 5
- contrast agents, *see* medical imaging
- copolymers
  - crosslinking methods 40f.
  - diblock 34, 38, 43, 50, 65, 158
  - graft 44, 158
  - multiblock 158ff.
  - radiopaque iodinated P(MAOETIB–GMA) 351ff.
  - random block 158
  - star 36f., 158
  - tetrablock 160
  - triblock 40, 62, 74, 158
- core–shell biomedical applications 285, 293ff.
  - bioimaging 293f.
  - biosensing in Diabetes Mellitus 295f.
  - glucose monitoring 295f.
  - labeling 293f.
- core–shell nanostructures
  - colloids 290, 292
  - functionalized 298ff.
  - multifunctional 286, 293f.
  - nanocapsules 286, 288, 316f., 334, 370
  - nanofibers 405ff.
  - nanogels 31, 35, 46
  - nanospheres 286, 370
  - quantum dots 286
  - polymeric NPs 286ff.
  - surface-properties 292
  - synthesis 289
- critical micellar concentration (CMC), *see* micelle
- critical micelle temperature (CMT), *see* micelle
- critical solution temperature
  - lower (LCST) 35, 41, 46, 61ff.
  - upper (UCST) 61ff.
- crosslinking agent
  - divinyl benzene (DVB) 28, 32, 34f., 37
  - methylenebis(acrylamide) (BIS) 28, 30, 33ff.
  - methyl methacrylate (MMA) 32
- crosslinking
  - bifunctional 29
  - covalent 28, 75, 291, 316
  - density 39
  - dual 4f., 7ff.
  - intermolecular 46
  - ionically 291
  - linear chains 40f.

- micelles 36
  - nanocomplexes 41
  - nanoparticles 41
  - noncovalent 28, 42
  - photothermal 39
  - side-chain 39
  - cytoplasmic localization 327
  - cytotoxicity
    - QDs 295
    - SLN 383
- d**
- Damkohler number 236, 243
  - defects 4, 466
  - deformation
    - bulk 17, 22
    - elastic 16
    - gel 6, 8ff.
    - -gradient tensor 16
    - modes 22
    - plastic 13
    - tensile 4, 8f., 13f.
  - detection
    - labeling 293f.
    - -free 455f.
    - real time 463f.
  - dialysis 41, 199
  - dispersion
    - mono– 286
    - nano– 199, 245
    - poly– 232, 273
    - precipitation–redispersion 199
    - stabilization 223
  - divinyl benzene (DVB), *see* crosslinking agent
  - DNA
    - complexation 204
    - encapsulated 174
    - intracellular delivery 135f.
  - drug delivery for the brain 366ff.
    - solid lipid nanoparticles (SLNs) 369ff.
    - strategies 368f.
  - drug delivery systems (DDSs)
    - bifunctional core–shell nanostructures 296ff.
    - controlled (CDDS) 77f., 203, 344
    - dendrimers 127
    - encapsulated PLGA–PEG NPs 245f.
    - green 46
    - in vitro release 290
    - liposome-mediated 65, 76, 233f.
    - long-circulating liposomes 124ff.
    - longevity 122ff.
    - magnetically-sensitive 133f., 136
    - microfluidic-related organic NP 244ff.
    - multifunctional nanocarrier 121ff.
    - nanofibrous scaffolds 399
    - nanowire conducting polymer (CP) 467f.
    - nonliposomal long-circulating 126f.
    - organic NPs 222, 226f., 244ff.
    - pH-sensitive systems 130ff.
    - polymersomes 76, 170
    - polysaccharide-based nanoparticulate 287, 291, 296
    - quantum dots (QDs) 127
    - redox-sensitive 135f.
    - stimuli-responsive release 130f., 246ff.
    - targetability 122ff.
    - temperature-sensitive 133f., 136
    - theranostics 138ff.
    - ultrasound-sensitive 134
  - drug expulsion 375
  - dynamic light scattering (DLS)
    - lipopolymers 273
    - rosette nanotubes (RNTs) 498
- e**
- ellipsometry
    - lipid-polymer films and coatings 278
  - emulsification, *see* synthesis
  - emulsion
    - double 230, 269, 369
    - inverse mini– 314
    - micro– 195, 370
    - mini– 29f., 195, 313ff.
    - oil-in-oil 195
    - oil-in-water 29, 33, 195, 197, 370
    - organic NPs 228ff.
    - water-in-oil 29, 269, 370
    - water-in-oil-in-water 269, 369
    - single 159, 269
  - endocytosis of NPs 331f., 379
  - endocytotic pathway 312, 331f.
  - enhanced permeation and retention (EPR)
    - effect 122f., 301
  - enzymatic degradation 368
  - extracellular matrix (ECM) 79, 397ff.
  - extravasation 123
- f**
- field-effect transistors (FETs)
    - CNT-based biosensors 464, 481
    - covalent organic nanostructures 444
    - nanowire CP 463
    - peptide nanostructures 111
  - finite element approximation
    - deformation of nanogels 16, 18
  - flow
    - cytometry 323

- -driven microcapsules 5
- fluorescence-activated cell sorting (FACS) 315, 319, 325
- fluorescence microscopy
  - molecular crystal nanorod 442
  - near infrared (NIR) 169, 486
  - organic NPs 206
  - QDs 300
  - self-assembled peptides 113, 116
  - solid lipid nanoparticles (SLNs) 378
  - thioflavin 113, 116
- fluorescence recovery after photobleaching (FRAP)
  - lipid-polymer films and coatings 278
- Food and Drug Administration (FDA)
  - cetylpalmitate SLN 383
  - PEGylated QDs 287
  - polyester polymers 383
  - poly(ethylene oxide)–poly(propylene oxide) (PEO–PPO) 158
  - poly(*N*-isopropylacrylamide) (PNIPAAm) 61
- Fourier transform (FT) 302
  - fast (FFT) filtering 166
  - infrared spectroscopy (FTIR) 263, 347
- functionalization 66
  - nanoparticles (NPs) 72f., 129f., 312f., 324ff.
  - ORMOCER 113ff.
  - scaffolds 397, 418
  - surface 312f., 324ff.

**g**

- gadolinium-based contrast agents (GBCAs) 316f., 335, 380f.
- gamma-scintigraphy, *see* medical imaging
- gene therapy
  - contrast agents 314
  - polysomes 174f.
  - organic nanoparticles 204
- generally recognized as safe (GRAS) 382
- grafting
  - density 76, 86
  - -from 69, 413
  - poly(ethylene glycol) (PEG) 70
  - polymer onto surface 413f.
  - -to 69f., 413

**h**

- half-life
  - circulation 265, 267, 272, 275, 298
  - gadolinium-based contrast agents (GBCAs) 380f.
  - lipopolymer hybrid NPs 265

- heterojunction, *see* bulk heterojunction
- Hookean spring 6, 8
- hydrophilic
  - conformation 66, 161
  - monomer 35
  - poly(ethylene glycol) (PEG) 124
  - polymer 38f., 64, 124, 163
  - poly(*N*-isopropylacrylamide) (PNIPAM) 31
- hydrodynamic
  - flow focusing 231ff.
  - radius 49, 65, 346, 351, 355
- hydrogel 60ff.
  - cationic 64
  - chitosan 64
  - layer 292
  - PDMAEMA 64f.
  - salt-responsive 86
  - swelling–deswelling 64, 72
- hydrophobic
  - monomers 33
  - polymer 35, 38f., 65, 106f., 371

**i**

- immobilization
  - CP nanowire 460
  - enzyme 62
  - spiropyran 35
- immunoresponse 292
- interaction
  - cell–cell 403
  - cell–ECM 403
  - cell–nanofiber 401ff.
  - cell–nanoparticle 248, 317ff.
  - cell–scaffold 403
  - cellular 311
  - chain–chain 372f.
  - drug–carrier 123
  - enhanced repulsive 124
  - enzyme–hydrogel 302
  - Hookean spring 6, 8
  - host–guest 204
  - hydrophobic 42, 44f., 106, 371
  - inter-gel 6, 18
  - intermolecular 46
  - intramolecular 64
  - nanoparticle–organelle 249
  - $\pi$ – $\pi$  stacking 77, 432, 475, 479
  - particle–particle 374
  - potential 6f., 34
- interface
  - solid/liquid 169, 375
  - water/oil 317
- interfacial

- energy 371
  - film 197
  - polyaddition 317
  - tension 167, 375
  - interferometric reflectance spectroscopy 72
  - intracellular delivery
    - cell-penetrating peptide (CPP)-mediated 136f.
    - of drug nanocarriers 122, 135ff.
    - targeting 130ff.
  - irradiation
    - electron beam 41, 413, 429
    - $\gamma$ - 370, 413
    - quantum-ray 41
    - ultraviolet (UV) 39, 41ff.
  - Israelachvili's packing parameter 371
- k**
- kinetics
    - enzyme 83
    - growth 329
    - homogeneous competitive 244
    - organic NP formation 244, 253
    - uptake 312, 320, 334
  - Krieger's equation 374
- l**
- labeling, *see* detection
  - lab-on-a-chip technology 204, 221f.
  - laser scanning microscopy (LSM) 315
    - confocal (cLSM) 323, 327f., 334
    - subcellular localization 327f., 334
  - lattice spring model (LSM), *see* model
  - Levi–Civita tensor 20
  - lipid-coated, *see* coating
  - lipid-polymer nanomaterials, *see* lipopolymers
  - lipopolymers
    - applications, *see* nanostructure application
    - coatings 260, 275, 277ff.
    - conjugates 260f.
    - films 260, 277ff.
    - glycolipids 262
    - hybrid NPs 260, 264ff.
    - packing 371ff.
    - phospholipids 262
    - properties 263
    - synthesis 261f., 266ff.
    - synthetic 260f.
    - tether 278
  - liposomes
    - large multilamellar vesicles (LMV) 266
    - large unilamellar vesicles (LUV) 266
    - long-circulating 124ff.
    - PEGylated 137f., 267f.
    - polymer-decorated 60
    - small unilamellar vesicles (SUV) 266
    - stimulus-responsive polymers (SRPs) 75f., 267
  - lithography
    - electron-beam 193, 251
    - holographic 193
    - nanoimprint (NIL) 193f., 251, 460f.
    - particle replication in nonwetting templates (PRINT) 193f.
    - photo- 193
    - step- and flash imprint (S-FIL) 194
    - X-ray 193
- m**
- macrogels 30
  - magic bullets 226
  - magnetic resonance image (MRI), *see* medical imaging
  - marker
    - bio- 293
    - chemical 5
    - damage 5
    - sensing of disease 462f.
  - mass spectrometry (MS)
    - nanotubes 109
    - lipopolymers 263
  - mean residence time (MRT) 377
  - medical imaging
    - brain imaging 380ff.
    - contrast agents 138f., 311, 314, 316f.
    - gamma-scintigraphy 138
    - in vitro 140
    - in vivo 139f.
    - magnetic resonance image (MRI) 137f., 169f., 300, 311, 314f
    - ultrasonography 138
  - membrane
    - alumina 71
    - aluminum oxide (AAO) 435
    - bilayer 267, 278
    - conformations 159ff.
    - contactors 200
    - fluidity 161
    - fusion 162f.
    - lipid 277f.
    - mixers 200
    - permeability 85f., 161
    - polymersomes 159ff.
    - porous 60, 71f., 85
    - stability 170
    - thickness 161
  - mesenchymal stem cells (MSCs)

- clathrin-mediated uptake 334
  - intracellular uptake 326f.
  - proliferation rate 404
  - methylenebis(acrylamide) (BIS), *see* crosslinking agent
  - methyl methacrylate (MMA), *see* crosslinking agent
  - micelle
    - critical micellar concentration (CMC) 74, 132, 223
    - critical micelle temperature (CMT) 77
    - crosslinked 36ff.
    - flower-like 40
    - formation 36
    - ph-sensitivity 132
    - polyion complex 43
    - polymeric (PM) 237
    - spherical 167
    - unimeric 75
  - microcapsule 4
  - microelectrode array (MEA) 111, 114
  - microfluidic
    - batch synthesis of organic NPs 222ff.
    - channels 234f., 247, 249
  - microfluidic devices 204f., 221f., 227ff.
    - aggression time 236f.
    - continuous-flow 224
    - flow rate ratio (FRR) 234, 241
    - flow velocity 235f.
    - heat transfer 240f.
    - kinetic control 242f.
    - microfluidic dimensions 235f.
    - micromixing 238f., 243
    - mixing time 235ff.
    - operating parameters 234ff.
    - reactors 228ff.
    - residence time distribution (RTD) 239
    - solvent-resistant 250
    - thermal control 240
  - microfluidic
    - high-throughput processes 249, 251f.
    - synthesis of organic nanoparticles 227ff.
    - synthetic operations 238ff.
    - T-junctions 229, 231
  - microgel 28, 36ff.
  - model
    - atomistic 5
    - Bell 7
    - gel lattice spring model (gLSM) 15f., 18
    - lattice spring model (LSM) 5ff.
    - seven-node 6
  - molecular weights
    - high-molecular weight polymers 161, 168, 188
    - low-molecular weight compounds 42, 168, 295
    - multifunctional low-molecular weight initiators 37
    - nanogels 31
    - ultra-high-molecular weight compound 302
    - weight-average 49
- n**
- nanobelts 455
  - nanocapsules, *see* core–shell nanostructures
  - nanocarrier, *see* drug delivery systems (DDSs)
  - nanofiber
    - biomolecule attachment 416f.
    - chemical modification 412f.
    - coating 411f.
    - fiber diameter 403f.
    - fiber orientation 404f., 408ff.
    - fiber surface optimization 410ff.
    - plasma treatment of 414ff.
    - polycaprolactone (PCL) 406, 409, 412
    - polymer grafting 413f.
    - tissue engineering 397ff.
  - nanogel
    - anionic 31
    - dumbbell 37
    - capsules 34
    - cationic 31, 33
    - chemical 28ff.
    - cholesterol-bearing pullulan (CHP) 44ff.
    - degradable chemical 47f.
    - dynamics 7
    - hairy 32f., 37, 50
    - hexagonal particle 18f., 21ff.
    - hollow 34, 39
    - Janus 35, 160
    - mechanical stability 13f.
    - network 6, 8f., 86
    - *N*-isopropylacrylamide (NIPAM) 31, 34f., 47f., 133
    - physical 28, 42ff.
    - polyacrylamide (PAM) 34
    - poly(*N*-isopropylacrylamide) (PNIPAAm) 30ff.
    - poly(vinyl caprolactam) (PVCL) 63
    - poly(vinylimidazole) (PVI) 34
    - poly(vinyl methyl ether) (PMVE) 41, 6163
    - poly(2-vinylpyridine) (P2VP) 34
    - poly(4-vinylpyridine) (P4VP) 35
    - self-healing 3ff.
    - size 28, 30, 34

- star-like 36ff.
- synthesis 28ff.
- three-dimensional (3-D) 18
- tripatite 37
- two-dimensional (2-D) 8, 18
- viscoelastic 21ff.
- nanointerfaces 59ff.
- nanoparticles (NPs)
  - dual-reporter 314
  - encapsulated 4, 60
  - Fe<sub>3</sub>O<sub>4</sub> 32
  - functionalization 72f., 129f., 312f., 324ff.
  - gadolinium 316f., 335, 380
  - gold (AuNPs) 34, 67, 72f., 129, 345
  - iodinated 344f.
  - kinetically frozen 236
  - magnetic 73, 108, 126, 140, 247, 314
  - MAOETIB 346ff.
  - PACA 382f.
  - PEGylated 129f.
  - polyester 321ff.
  - poly(n-butylcyanoacrylate) (PBCA) 320f.
  - polysaccharide-based 287, 291
  - radiopaque 343ff.
  - silica 34, 72
  - soft 188
  - solid organic 188ff.
  - sterilization 370f.
  - stimulus-responsive polymer (SRP) 72ff.
  - superparamagnetic iron oxides (SPIOs) 133f., 136f., 140, 170, 311, 314ff.
  - ultrasmall superparamagnetic iron oxides (USPIOs) 380
  - very small superparamagnetic iron oxides (VSPIOs) 380
- nanoprecipitation, *see* synthesis
- nanorods
  - solvent-annealed molecular crystal 440ff.
  - stimulus-responsive polymer (SRP) 72
- nanoshell, *see* coating
- nanospheres, *see* core–shell nanostructures
- nanostucture applications
  - chemical sensing 445f.
  - core–shell biomedical applications 285, 293ff.
  - lipopolymers 263f., 275f., 279
  - nanowire conducting polymer applications 464f., 480ff.
  - organic nanoparticle applications 207f.
  - nanotubes 464, 480ff.
  - photomechanical actuation 446ff.
  - polymersomes biomedical applications 161, 169ff.
- stimulus-responsive polymer (SRP) application 77ff.
- nanosprings 455
- nanostucture
  - fabrication, *see* synthesis
  - one-dimensional (1-D) 430f., 433, 439, 455
  - size-controlled growth 429f.
  - three-dimensional (3-D) 18, 114f., 405, 418
  - two-dimensional (2-D) 8, 18, 405
  - zero-dimensional 433
- nanotubes
  - applications, *see* nanostucture applications
  - carbon (CNTs) 76, 107, 430, 455
  - charge-transfer organic salt 439
  - chelator CP 459f.
  - dibenzoylmethane (DBM) 437f.
  - fabrication 474ff.
  - horizontal alignment 108
  - multi-walled carbon (MWNTs) 107, 478, 484
  - PEGylated 127, 129
  - peptide-based 494ff.
  - poly(3,4-ethylenedioxythiophene) (PEDOT) 437, 467
  - polymeric-based 300
  - rosette (RNTs) 493ff.
  - single-walled (SWNTs) 478ff.
  - stimulus-responsive polymer (SRP) 72, 76f.
  - vertical alignment 107
- nanowire conducting polymer applications
  - biosensors 462f., 480
  - chemiresistive immunosensor 463
  - detection 464ff.
  - sensing of disease markers 462f.
- nanowire conducting polymer
  - assembly/alignment 461, 463
  - carboxylated 459
  - fabrication 457f., 474ff.
  - magnetic alignment 461f.
  - segmented 457, 460f.
  - surface modification 458f.
- nanowires
  - polyaniline (PANI) 464f., 481
  - poly(3,4-ethylenedioxythiophene) (PEDOT) 437
  - POPOP 438
  - supramolecular self-assembly 430, 431
- neo-Hookean compressible material 17
- nuclear magnetic resonance spectroscopy (NMR) 263

- radiopaque iodinated P(MAOETIB) NPs 347
  - rosette nanotubes (RNTs) 497ff.
- o**
- opacification 350, 352
  - oponization 124, 290, 292, 378
  - optical
    - bioimaging 484ff.
    - microscopy 229
  - organic nanoparticle
    - applications, *see* nanostructure applications
    - dendrimers 188f.
    - fullerenes 188f.
    - growth 200, 224, 243f., 252
    - macromolecules 188f.
    - monodisperse 229
    - nucleation 200, 224, 243f., 252
    - preparation, *see* synthesis
    - properties 226
    - size-dependent effects 189, 223, 225
    - osmotic pressure 344
- p**
- patterning
    - inkjet technology 107, 109, 111
    - laser-induced forward transfer (LIFT) 111ff.
    - three-dimensional (3-D) nanostructures 114ff.
  - PEGylated, *see* poly(ethylene glycol)
  - peptides, *see* self-assembled peptide nanostructures
  - pharmaceutical nanocarriers, *see* drug delivery systems (DDSs)
  - pharmacological
    - activity 344
    - inhibitors 312
  - phase
    - separation 165f.
    - transition temperature 271
  - phospholipids, *see* self-assembled
  - photodynamic therapy (PDT), *see* cancer therapy
  - photo-Fenton reaction, *see* reaction
  - photoisomerization 66ff.
  - photothermal therapy, *see* cancer therapy
  - plastic, elongation, *see* structural rearrangement
  - polyanions 64ff.
  - polycations 62, 64
  - polydispersity 69
  - polyelectrolyte 203f., 291, 297
  - poly(ethylene glycol) (PEG) 40
    - -block-polyions 43
    - cell adhesion inhibitor 82
    - -containing monomers 33
    - grafting 70
    - PEGylated nanocarriers 125ff.
    - sterical protecting 124, 128
  - polyisoprene (PI) 318f., 323
  - polymer
    - amphiphilic 44, 124, 126, 139, 157ff.
    - blending 410f.
    - brushes 60, 128, 161
    - conducting (CP), *see* nanowires
    - core-crosslinked star 36ff.
    - cushion 277f.
    - degradation 322
    - density 7
    - longevity 123f.
    - star 36ff.
  - polymerization
    - anionic 370
    - arm-first method 36f.
    - atom transfer radical (ATRP) 31ff.
    - cationic 36f.
    - controlled radical (CRP) 69, 75
    - core-first method 37f.
    - dispersion 35
    - electron-beam 71
    - heterogeneous 345
    - in liposomes 34
    - in situ 40, 436
    - in templates 29ff.
    - inverse miniemulsion 29, 33
    - living 36ff.
    - macroinitiator-type 39
    - macromer-type 40
    - micelle crosslinking 38ff.
    - miniemulsion 29f., 195
    - nitroxide-mediated radical (NMRP) 32, 37, 69
    - on inorganic NPs 34
    - photo- 442
    - photoiniferter-mediated 69
    - plasma 70f.
    - precipitation 29f., 33, 35
    - reversible addition-fragmentation chain transfer (RAFT) precipitation 35f., 41f., 46ff.
    - ring-opening (ROP) 36f., 69, 263
    - surfactant-free emulsion (SFEP) 29f., 32ff.
    - suspension 29f.
    - two-photon 114
    - two-step 32
  - polymersomes biomedical applications



- artificial cells and organelles 173
- cancer therapy 172
- controlled release 161
- delivery vectors 172
- gene therapy 174f.
- medical imaging 169ff.
- nanoreactors 172f.
- near-infrared (NIR)-polymersomes 169
- polymersomes 76, 157ff.
  - chemistry 158ff.
  - membrane 159ff.
  - PEO-based 161, 163ff.
  - porous 171
  - preparation 167ff.
  - properties 160f., 167
  - proteo- 171
  - responsive 163f., 167
  - size 162f.
  - surface chemistry 164ff.
- polyplexes 132
- polystyrene (PS) 32, 40, 314, 318, 320, 323, 347
  - latex particles 126
  - negatively 329
    - tissue culture (TCPS) 71, 81
- polyzwitterions 65f.
- protein
  - adhesion 79
  - adsorption 80, 292
  - cell junction 79
  - denaturation 46

**q**

- quantum confinement 189
- quantum dots (QDs)
  - encapsulation 73, 141, 170
  - PEGylated 127, 130, 287
  - size-controlled 429
  - stimulus-responsive polymer (SRP) 73
  - synthesis 243, 429
- quartz crystal microbalance (QCM) 68

**r**

- radiofrequency ablation, *see* cancer therapy
- radioopaque iodinated P(MAOMETIB) NPs 346ff.
  - characterization 346f.
  - effect of initiator concentration 348f.
  - effect of MAOMETIB concentration 347f.
  - effect of surfactant concentration 349
- Raman spectroscopy 486
- reaction
  - conjugation 261
  - diffusion-limited homogeneous 243

- photo-Fenton 41
- polyaddition 195
- polycondensation 195
- side-chain 41
- receptor
  - folate (FR) 130, 504
  - human epidermal growth factor (EGFR) 503f.
  - transferrin (TfR) 129, 503f.
  - vasoactive pituitary adenylate cyclase (VPAC)-activating peptide 503
- repair-and-go strategy 5
- reticuloendothelial system (RES) 123, 264, 267, 273, 287, 344, 360, 378
- Reynolds number 233
- RNA
  - delivery carrier 44
  - small interfering (siRNA) 33, 44, 276
- Runge–Kutta algorithm 7
- rupture 9ff.

**s**

- saturation parameter 13f.
- scaffolds
  - core–shell fibers 405ff.
  - fabrication 399ff.
  - fiber diameter 403f.
  - fiber orientation 404f., 408ff.
  - fiber surface optimization 410ff.
  - functionalization 397, 418
  - mechanical properties 398, 418
  - polycaprolactone (PCL) 406, 409, 412, 415
  - porosity 398, 407f., 418
  - structure 401ff.
  - three-dimensional (3-D) 405, 418
  - tissue engineering 397ff.
  - two-dimensional (2-D) 405
- scanning electron microscopy (SEM)
  - cold-field emission gun high-resolution (CFEG-HRSEM) 107
  - molecular crystal nanorod 440, 442f.
  - nanotube forest 107ff.
  - peptide microelectrode array (MEA) 114
    - polycaprolactone (PCL) scaffold 406
  - segmented CP nanowire 462
- self-assembled
  - amphiphilic lipids 259, 265, 271, 371
  - block copolymers 38, 230, 243, 265
  - G<sup>^</sup>C motif 495ff.
  - layer-by-layer 286, 297, 412
  - lipid core–polymer shell hybrid NPs 298
  - nanotubes 474f., 495ff.
  - nanowires 474ff.

- self-assembled peptide nanostructures
  - controlled positioning 105ff.
  - dielectrophoresis 110f.
  - direct transfer 112f.
  - fibrils 106, 115ff.
  - horizontal alignment 106ff.
  - inkjet technology 107, 109, 111
  - laser-induced forward transfer (LIFT) 111ff.
  - nanotube 106f., 494ff.
  - nonlinear lithography 114ff.
  - three-dimensional (3-D) nanostructures 114ff.
  - transactivating–transduction (TAT) derivative 369
  - vapor deposition methods 107ff.
  - vertical alignment 106f., 110
- self-assembled
  - phospholipids 157f.
  - polysaccharide-based nanoparticles 291
  - supramolecular 430, 432
- side groups
  - amino 324, 327, 333
  - carboxylic 324ff.
  - charged 325ff.
- sodium dodecyl sulfate (SDS), *see* surfactant
- sodium dodecylbenzene sulfonate (SDBS), *see* surfactant
- sol–gel, *see* synthesis
- solid lipid nanoparticles (SLNs) 234, 246, 365ff.
  - brain drug accumulation 376ff.
  - brain targeting 375f.
  - crystallization 375
  - melting temperature 365, 373, 375
  - polymorphism 372f., 375
  - size 373f.
  - stability 375f.
  - sterilization 370f.
  - structure 371ff.
  - synthesis 369ff.
- solubility
  - CNTs 478f.
  - drugs 368
  - lipopolymer hybrid nanoparticles 265
  - monomer 33
  - organic nanoparticles 245
  - poly(ethylene glycol) (PEG) 124
  - polymer 33, 124
- stealth 165, 267, 292, 377
- stimulus-responsive polymer (SRP)
  - application
    - control of biointerfacial interaction 79ff.
    - controlled drug delivery 77ff.
    - microfluidic valves 82ff.
    - molecular separation 85f.
  - based systems 288
    - dual– 67ff.
    - multi– 67ff.
  - nanointerfaces 59f., 69ff.
    - covalent routes 69f.
    - grafting-from techniques 69
    - grafting-to techniques 69ff.
    - nanoparticles 72ff.
    - noncovalent routes 70f.
  - photoresponsive 66f.
  - ph-responsive 62ff.
  - thermoresponsive 60ff.
  - structural rearrangement 9, 11ff.
  - subcellular
    - distribution of charged NPs 327f.
    - localization 312, 315
  - substrates
    - silicon 71, 107
    - stimulus-responsive polymer-functionalized 71f.
    - tissue culture polystyrene (TCPS) 71
  - surface area to volume ratio 445
  - surface
    - charge 288, 300, 325f.
    - crack 9
    - functionalization 312f., 324ff.
    - lotus-type 108
    - wettability 64, 71
  - surface-enhanced resonant Raman scattering (SERS) 252
  - surfactant
    - brain targeting 375f.
    - -free 29
    - -initiated 30
    - polysorbate 80 (P80) 376ff.
    - sodium bis(2-ethylhexyl) sulfosuccinate (AOT) 33
    - sodium dodecyl sulfate (SDS) 30, 35
    - sodium dodecylbenzene sulfonate (SDBS) 30, 32
    - sorbitan monooleate (Span-80) 33
    - through polymerization 30
  - synthesis
    - batch synthesis 222f.
    - bottom-up approach 29f., 108, 190, 194ff.
    - coacervation 369
    - chemical vapor deposition (CVD) 406, 429, 478
    - comminution method 223

- cyclical freeze-thaw 266
  - electrophoretic deposition 110f., 438
  - electrospinning 289, 369, 397, 399ff.
  - emulsification 289, 434
  - emulsion 29, 33, 194f., 197, 229ff.
  - ether injection 266
  - extrusion 266
  - freeze-drying 197f.
  - hard-templating methods 434ff.
  - high-pressure homogenization 268f., 369f., 376
  - ionic gelation 289, 298
  - lithographic methods 193f., 458, 460f.
  - mechanical milling 190f., 431
  - mechanical stretching 458
  - mechano-chemical 289, 431
  - melting–recrystallization 437f.
  - membrane-mixing 433
  - microfluidic devices 204f., 221ff.
  - monomer MAOETIB 345f.
  - nanoprecipitation 230f., 271f.
  - precipitation by polyelectrolyte complex formation 203f.
  - radiopaque iodinated P(MAOETIB–GMA) 343f., 353
  - reactive ion etching (RIE) 109
  - reprecipitation 198f., 432f.
  - reverse-phase evaporation 266
  - sol–gel 72, 76, 289, 298, 434
  - solvent-annealing method 439ff.
  - sonication 266, 269, 369
  - star-like nanogel 36, 40
  - sublimation 438
  - supercritical fluid techniques 202f.
  - supersaturation 231
  - template-assisted synthesis of nanostructures 436f., 476ff.
  - thin-film hydration method 266, 269
  - top-down approach 29, 190f., 222, 399
  - vapor condensation-based methods 206f.
  - vapor growth 431
- t**
- targeting
    - active 292
    - brain 375f.
    - intracellular 130ff.
    - ligand 128f.
    - magnetic drug (MDT) 122, 134
    - passive 122, 292
    - receptor-mediated 502ff.
  - template
    - aluminum oxide (AAO) 430, 435ff.
    - assisted synthesis of nanostructures, *see* synthesis
    - biomolecule 460f.
    - directed fabrication 457f., 460
    - pores 435ff.
    - Whatman 435
  - theranostics, *see* drug delivery systems
  - thermosensitivity
    - nanogels 30f.
    - stimulus-responsive polymers 60ff.
  - thermotherapy, *see* cancer therapy
  - time-to-flight secondary ion mass spectrometry (ToF-SIMS) 80
    - PNIPAAm coatings 80
  - tissue engineering 79, 397ff.
  - tissue regeneration 416
  - top-down approach, *see* synthesis
  - toxicity
    - contrast agent 344
    - drugs 265
    - PACA NPs 382f.
    - poly(ethylene glycol) (PEG) 124
    - quantum dots (QDs) 170
    - solid lipid nanoparticles (SLNs) 365, 369, 382f.
    - transfection agents 325
  - transcytosis of NPs 379
  - transfection agents 137, 315, 319, 324ff.
  - transformation
    - crystal–crystal 442
    - nanogels–microgels 46
    - structural 48
  - transition
    - hydrogels 61
    - non-reversible 163
    - sol–gel 28, 47, 60
    - temperature 61
  - transmission electron microscopy (TEM)
    - cellular uptake of NPs 323f.
    - core–shell nanostructures 299, 406f.
    - lipopolymers 270, 273f.
    - molecular crystal nanorod 441f., 444
    - nanotubes 108, 475
    - polymersomes 166
    - radiopaque iodinated P(MAOETIB–GMA) 355f.
    - radiopaque iodinated P(MAOETIB) NPs 346f.
    - subcellular location 316, 327f.
- u**
- ultrasonography, *see* medical imaging
  - ultraviolet (UV) light 39, 41ff.
  - uptake

- cellular 73, 312, 315, 317ff.
- concentration-dependence 319
- density–uptake relationship 312, 326
- dynamic raft-dependent 332
- influence of polymer 318ff.
- influence of transfection agents 319, 324ff.
- kinetics 312, 320
- lipid raft-dependent 332
- size dependency 328f.
- solid lipid nanoparticles (SLNs) 377, 379

**v**

- vesicles, *see* polymersomes  
viscoelastic behavior 5, 15ff.

**w**

- Weibull statistical analysis 9ff.  
wettability
  - contact angle 64, 108
  - controlled 67

- polymer interfaces 66
  - surface 64
- Wolff rearrangement 68  
wound dressing 302, 399

**x**

- X-ray absorption spectroscopy (XRS) 242  
X-ray diffraction 438, 442  
X-ray imaging 344f., 353, 358ff.
  - in vitro visibility of MAOETIB 349f.
  - in vivo visibility of MAOETIB 351, 358ff.X-ray scattering 224

**y**

- yield stress 12  
Young's moduli 105

**z**

- zwitterionic
  - headgroups 262f.
  - poly– 65f.