

Index

a

actions 184f, 188ff, 232
 actual states 195
 addition of intervals 272
 additional information 272
 adsorption 11
 advection 11, 131
 advective dispersion 138, 223
 Aegean sea 207, 211
 aerobic digestion 122
 aesthetic
 – criteria 46
 – values 172
 agriculture 1
 Aherada Peninsula 207
 aleatory
 – randomness 43, 184
 – uncertainties 43, 78ff, 184
 algae 9, 12f, 31, 122, 222
 Aliakmon 207, 210
 allowed level of concentration 111
 alluvial aquifer 155, 163, 170
 alternative actions 184, 188ff
 alternatives 24
 ammonia 224, 228
 ammoniac 12
 analysis of frequency 72
 analytical solution 132, 140ff, 160, 212
 annual
 – hydrologic risk 66f
 – precipitation 66, 147
 – rainfall heights 72ff
 – risk of exceedance 67
 aquifer 79, 150ff, 163, 171
 – flow 80f
 – properties 154
 assessment of risk 23, 27, 237
 atmospheric pressure 126

Australia 206, 231, 238f
 autocatalytic growth 125
 autocorrelation
 – coefficient 228
 – function 134f
 availability 173
 average 47
 Axedale 234
 Axios river 205, 209, 226f

b

bacteria 9, 12f, 111f, 122ff, 216
 – fecal 82
 bacterial decay 13
 bacteriological 48
 – contamination 8
 bathing 10, 12, 46
 – Water Quality Criteria 48
 – waters 48
 Bay of Amvrakikos 227
 Bay of Thessaloniki 210, 216
 Baye
 – analysis 194
 – Theorem 246, 248
 beaufort 208
 benefit 179f, 192f, 204
 Bernoulli sequence 67ff
 binary set 260f
 binomial distribution law 69, 71, 168
 bio-degradation 231
 biochemical
 – interactions 114, 137
 – kinetics 123, 127, 128
 biodiversity 9
 biological
 – decay 123
 – digestion 122
 – monitoring 20

- oxygen demand 122
- treatment 210
- biotic water system 8
- BOD 122, 137ff, 181f, 231
- boundary conditions 153, 164
- Boundary Element Method 79
- Brundtland Commission 17
- Boussinesq's approximation 126
- bulk density 158
- c**
- Campaspe 231
 - area 206
 - basin 239
 - river 232f
 - valley 232
- candidate alternatives 188
- capacity 56
- capillary
 - intrusion 100
 - pressure 96f, 158, 167
 - tubes 99, 155
- carbonaceous matter 11
- Carbonaceous Biochemical Oxygen Demand 11
- Cartesian product 269f
- case studies 204
- CBOD, *see* Carbonaceous Biochemical Oxygen Demand
- central safety factor 58
- certainty 190
- chance nodes 189
- chemical
 - oxidation 123
 - pollutants 11
 - species 138
- chlorination 216
- chlorophyll-a 221, 223
- climate change 1, 206f, 219f, 225
- climatological data 208
- coastal
 - area 111
 - circulation 125
 - currents 114
 - dispersion 112
 - disposal 49
 - eutrophication 31
 - pollution 206
 - water pollution 206, 218
 - water quality 9, 109
 - waters 216
- COD 228
- coefficient of permeability 156
- coin 249
- coliform 210
 - bacteria 12
 - faecal 48
 - growth 13
- colour 48f
- complementation 265
- composite ecological index 202
- composite programming 202
- compromise programming 202
- computer simulations 232f
- concentrations of nutrient 12
- condensation 4
- conditional
 - events 243
 - probabilities 247
 - simulation 186
- conductivity 233
- confidence intervals 91
- confined aquifer 159ff
- confined flow 162
- consequences of failure 35, 173
- conservative pollutants 48
- constraints 179ff
- continuity equation 118, 127
- continuous random variables 251
- controllable uncertainties 185
- convection 221
- convective diffusion equation 114
- convective flux 117
- convex
 - fuzzy numbers 266f
 - fuzzy set 266f
- convolution 255, 278
- correlation
 - coefficient 87, 91, 94
 - function 81
- cost
 - benefit 197
 - effectiveness 197
 - function 180
- covariance function 165
- credibility level 267
- crisp number 267
- criteria 47f, 191, 197ff
- critical
 - concentration 61
 - condition 64f
 - radius 100
 - size 100
- crystalline rock aquifers 149ff
- cumulative
 - distribution 251
 - distribution function 60, 254, 256
 - normal function 60, 65

current component 112
 current meters 211
 current velocity 134, 218
 currents 211, 218

d

daily circulation patterns 219
 daily precipitation 241, 242
 damage costs 176ff
 Darcy's law 79, 153, 159f, 162, 235
 data uncertain 43
 decay 221
 decision 184
 – analysis 198
 – criteria 191, 197, 198
 – making 15, 26, 188
 – making under risk 193
 – matrix 190
 – nodes 189
 – problem 184
 – rules 192
 – theory 3, 188
 – tree 187, 189, 194f
 – under certainty 190f
 – under conflict 190f
 – under risk 191
 – under uncertainty 190f
 – variables 179
 Deep Lead 231ff, 238
 degree of
 – confidence 260
 – membership 261
 – saturation 167
 denitrification 142, 223
 deoxygenation rate 139
 desirable limit 47
 deterministic
 – approach 21, 78f
 – deviation 78
 – modelling 78, 81
 – solution 78
 die 249f
 diffusion 212
 – coefficient 116
 – equation 131, 140
 – process 114
 – turbulent 115, 118ff
 diffusive flux 117
 Dirac's delta function 79, 120
 directives 209
 discrete
 – elemems 262
 – random variables 249
 dispersion 113, 121, 126, 134, 141, 231

– coefficient 121, 130, 216, 235
 – zone 113
 disposal site 186
 dissolved
 – copper 47
 – oxygen 11, 44ff, 114, 213, 224, 228
 – orthophosphate 48
 distribution function 50, 56, 57, 60, 62,
 64, 68, 100f, 250f, 254
 division 275
 – of intervals 273
 DO, *see also* dissolved oxygen 44, 225, 231
 domestic demand 6
 drainage 167, 231
 drift cards 211
 drinking 46
 drought 185
 duration 72
 dynamic
 – programming 24, 180
 – risk analysis 26

e

E. coli 217
 Ebro 205
 EC directives 47
 ecological
 – grids 224
 – impacts 9
 – model 221, 224
 – risk 46
 – status 8
 ecology 34, 47
 economic 34, 175
 – damage 35
 – loss function 184
 – loss matrix 192
 – risk 3
 – uncertainty 22
 Economic Commission 19
 ecosystems 6, 8, 36, 61, 145
 eddy viscosity coefficient 126
 efficient
 – infiltration 148
 – precipitation 5, 147f
 effluent standards 49
 engineering
 – risk 3, 26, 33f, 173, 177
 – risk analysis 3f
 environment 1
 environmental
 – consequences 173, 197
 – impact analysis 26
 – monitoring 20

- objectives 10
- quality standards 34, 111
- risk 3
- risk assessment 23
- water pollution 78
- water quality 20, 32, 109ff
- Epanomi 207, 209
- epistemic uncertainties 43, 78f, 184
- ergodicity 165
- errors 78
- estimation 26, 34, 43, 56, 64, 74, 94, 142, 146, 157
- Eulerian methods 140
- Eulerian-Lagrangian 140, 212, 229
- euphotic
 - depth 31
 - zone 13
- European Union 205, 209
- eutrophication 9, 31, 210, 220, 225
- evaporation 4
- evapotranspiration 5, 146, 148
- event 241ff
- exceedance
 - event 68
 - probability 72
- expectation 251
- expected
 - costs 196
 - life 99
 - losses 194
 - utility 195
 - value 251f
- exponential distribution 58, 86, 177
- exposure 56
- extension principle 96, 270f
- extreme 71f
 - values 66, 71ff
 - value theory 71

f

- faecal
 - coliforms 47
 - streptococci 47
- failure 35, 38, 65, 96, 173f, 178, 184
 - condition 35, 62, 100
 - consequence 35, 173
 - distance 97
 - distribution 97
 - distribution function 96, 101
 - line 65
 - probability 99, 100
 - rate 38, 98
 - state 65

- time 97
- far-field 113
- fate of pollutants 43, 206
- feasibility frontier 201
- feasible
 - region 201
 - solutions 180
- fertiliser 226
- Fick's law 115ff, 119
- field investigations 157
- figures of merit 197, 203
- finite
 - differences 140, 170, 214
 - elements 170, 214
- fisheries 47
- fishing 10
- flood 67, 175
 - levee 66, 175
 - losses 184
 - wave 36
- flow equation 158
- flow rate 265
- frequency
 - analysis 66, 72
 - distribution 143
- fresh water 5
- functions of random vectors 254f
- fuzziness 260
- fuzzy
 - arithmetic 95, 187, 270
 - calculus 111, 272
 - linear regression 89, 91ff
 - logic 38
 - measure of reliability 52
 - modelling 95
 - numbers 25, 88ff, 102, 106, 188f, 260, 266f, 269, 270ff
 - regression 87f, 91ff
 - relation 95
 - reliability 52, 103f
 - reliability index 52
 - risk 51, 54, 102
 - rule 52, 103, 263, 265
 - set 87, 95
 - approach 26
 - theory 3, 24, 27, 32, 43, 55, 87f, 95, 259ff
 - uncertainty analysis 266

g

- Galikos 207
- Gauss formula 159
- Gaussian 235

- distribution 128
- hill 141
- law 140
- geological formations 149
- geology 147
- geometric law 68
- glacier 4
- global circulation
 - models 219
 - patterns 219
- global warming 224
- Global Water Partnership (GWP) 16
- grade of service 173
- grain size distribution 155
- greases 49
- Greece 151, 205ff, 226f
- Green's function 79
- groundwater 4f, 10, 26, 186
 - contamination 10, 145, 206
 - development 147
 - flows 164
 - hydrodynamics 235
 - management 147f
 - pollution 166, 172, 186, 231, 237
 - quality 135, 145
 - resources 146
 - salinisation 206
 - system 149ff
- growth
 - algal 13
 - kinetics 121f
 - rate 125
- Gumbel distribution 74, 77
- GWP, *see* Global Water Partnership

h

- h-level set 266
- habitat 9
- hazard 23, 33
 - function 98
 - rate 101, 168
- health 9
 - human 1
 - risk 3
- heavy metals 11, 17, 32
- heterogeneity 166
 - scales 82
- heterogeneous 153
- higher allowable limit 47
- historical change 221
- hydraulic
 - conductivity 158
 - head 159

- properties 154
- structure 36
- uncertainty 22
- hydrobiology 148
- hydrochemistry 148
- hydrodynamic 235
 - computations 211
 - dispersion 120
 - grids 224
 - model 127, 211, 223
- hydrogeology 147
- hydrologic
 - analysis 193
 - basins 226
 - cycle 4f, 146
 - data 186
 - exceedance 66
 - failure 67
 - risk 66, 68
 - uncertainty 22, 37, 178
- hydrostatic pressure 126
- hydrosystems 2
- hydrosphere 4

i

- ice sheets 4
- immiscible fluids 166ff
- impact probabilities 22, 33, 72, 133, 218
- imperfect information 195
- imprecision 191
- inaccuracy 87
- incident 33, 35f, 59, 67
 - period 174
- independent events 244
- infiltration 5, 147, 164
- inorganic
 - nutrients 12
 - phosphorus 224
- input uncertainty 267
- inputs 79, 179
- integral continuity equation 27
- Integrated Water Resources Management 14ff
- interception 4
- intersection 242, 263f
- interval
 - analysis 88, 271
 - arithmetics 89, 272, 288
 - of occurrence 67
 - regression 89f
- inverse of a fuzzy number 275
- IWRM, *see* Integrated Water Resources Management

j

- joint
 - events 243
 - probability 243
- joint probability density 50, 65, 254

k

- karstic
 - aquifer 149f
 - areas 151
 - formations 151
- kinematic viscosity 156
- krigging 82
 - analysis 157

l

- L-R representation 267f
- laboratory scale 152
- Lagrangian
 - algorithms 237
 - methods 140, 170
- Lagrangian-Eulerian algorithm 141
- lake 4
- Lake Eppalock 232
- limestone aquifers 149f
- limit-state equation 64
- linear
 - programming 90f, 180, 182f
 - regression 89ff
- liquid effluents 24
- load 27, 35f, 50f, 56, 59, 123
- local aquifer scale 153
- Loddon 232
- log-normal
 - distribution 81f, 86f
 - random variables 62, 166
 - variates 63
- loss of opportunity 195
- Loudias 207, 210

m

- macro-scale dispersion 113
- macroscopic scale 153
- Macedonia 205ff, 226
- management 14
- margin of safety 58
- marine organisms 31
- mass
 - balance 159f, 235
 - concentration 131, 253
 - conservation 117, 138, 159, 169
- mathematical
 - model 15, 153
 - modelling 111, 113, 137, 148, 186, 206, 210, 226, 229f
 - programming 180
 - simulation 211
- matrix representation 189
- MAXIMAX 192
- MAXIMIN 192, 203
- maximum
 - allowed concentration 35
 - annual rainfall height 72f
 - annual rainfall intensity 74
 - annual values 66
 - receiving capacity 46
 - regret 193
- mean
 - of a fuzzy number 277
 - safety 62
 - value 59, 73
- Mean-Time-to-Failure 99
- measure of necessity 265
- Mediterranean 10, 47, 205f, 213
- membership function 260ff, 270f
- meso-scale dispersion 113
- method of characteristics 140, 169
- microbes 137
- microbial concentration 124f
- microscopic
 - channels 156
 - phase 153
- Mikra airport 209
- MINIMAX regret 193f
- MINIMIN 192f
- mission reliability 174
- modelling 15, 25
 - conceptual 158
 - mathematical 113f, 134f
 - stochastic 25, 77ff
 - techniques 210
 - uncertainties 43
- molecular diffusion 114
- momentum 125f
- monitoring station 228ff
- Monte Carlo 225
 - method 137
 - simulation 27, 55, 83, 221f
- mortality
 - ratio 83
 - risk 50
- multi-criterion
 - decision-making 25, 199
 - optimisation 24
- Multi-Objective Decision Analysis 198
- multiphase flow 152f, 167
- multiplication of intervals 89

multiplicative probability 244, 265
 multivariate stochastic model 219
 Murray river 232
 mutually
 – disjoint 242
 – exclusive 242ff

n

N-NO₃ concentrations 228ff
n-year risk 69
 N. Aegean sea 211
 natural
 – disaster 38
 – hazard 38
 – randomness 43, 184
 – variability 163f
 Navier-Stokes equations 153, 156f, 211
 Nile 205
 nitrates 69, 205, 214, 226ff
 – removal 183
 nitrification 142, 169, 223
 nitrites 206, 226, 228
 nitrogen ammonia 47f
 non-conservative pollutants 48
 non-convex fuzzy numbers 266f
 non-dominated solution 201f
 non-inferior solution 201f
 non-quantified criteria 197
 non-wetting fluid 96f, 99f, 166f
 normal
 – distribution 60ff, 86, 130
 – fuzzy set 266
 – variate 63
 numerical
 – diffusion 127, 140f
 – simulation 127, 140, 143
 nutrients 12, 217, 222f

o

objective 175, 197
 – function 175, 198f
 – probabilities 191
 objectives 15, 78
 ocean 4
 – current 112
 oil 49, 96
 oligotrophic 13
 operation 10
 opportunity losses 185
 opposite of a fuzzy number 274
 optimal
 – decision 185
 – solution 15, 176
 optimisation 175ff

– under uncertainty 24
 optimum design 177
 organic
 – carbon 44f
 – effluents 122
 – load 124f
 – matter 122f, 139
 – nitrogen 49, 224
 – phosphorus 224
 – pollutants 11
 outcome 189f, 197
 outfall 10
 outputs 78, 179
 outranking technique 202
 over-relaxation 235
 overland flows 136
 oxidation 122, 223
 oxidized nitrogen 49
 oxygen 124
 – deficiency 139
 – demand 122
 – depletion 8, 13
 – production 13
 oyster farming 9f, 35, 48, 218

p

parallel system 103f
 partial differential equations 78f
 particle concentrations 124, 141, 236f
 Peclet numbers 131f, 141
 percentile 110
 perception of risks 24
 percolation 168f
 perfect information 195f
 performance
 – function 65
 – index 58, 61f, 173
 permeability 155f, 160
 pesticides 11
 petroleum engineering 152
 pH 49
 phosphates 232
 photosynthesis 13
 phreatic aquifer 154, 160
 physical
 – hydrological system 78
 – properties 164f
 – uncertainties 80
 phytoplankton 9, 13, 221f
 – kinetics 222
 piezometric
 – head 159, 235
 – height 79
 Pinios 226

- planning 24
- Po 205
- pollutant 10f
 - concentration 34f, 66, 95f, 110, 114, 169, 172
 - dispersion 113, 128
 - flux 116
 - inorganic 11
 - loads 61, 95, 206, 210, 214
 - organic 11
 - particles 115f
- pollution 3, 11f, 18, 35, 205f
 - marine 112
 - water 1f, 15, 109
- pore scale 152ff
- porosity 155, 157f, 163
- porous medium 97, 152f, 155f, 167f
- possibility 265
 - measure 265
 - precautionary principle 19, 38ff
- precipitation 4f, 146ff, 187, 208, 219
- predicted states 195
- preferences 190f, 198, 202
- pressure head 159
- primary treatment 110
- principle 19
 - polluter-pays 19
 - precautionary 19, 38ff
- prior information 196
- probabilistic
 - approach 27, 32, 46, 55, 241, 265
 - reliability 101, 103
 - risk 101, 103
 - risk and reliability 49
 - risk assessment 78
 - rules 264
 - safety assessment 78
- probability(ies) 32, 38, 40, 177
 - density 59, 62f, 70, 81, 84, 97, 165, 251f
 - distribution 50, 57, 64, 66f, 70f, 73, 77, 80f, 84f, 104, 143, 165, 219f
 - mass function 249
 - of exceedance 67
 - of failure 37, 50, 184
- product
 - of two fuzzy numbers 275
 - rule of reliability 102
- protection cost 177f, 184
- pseudo-random numbers 84
- protozoa 122
- public health 3, 8, 34
- pumping well 145, 162, 179, 186

q

- quality of service 174
- quality standard 110
- quantification of risk 25, 36
- quantified criteria 197

r

- rainfall 36, 72ff, 185, 205f
 - curves 75
 - data 76
 - duration 72f
 - height 72ff, 77
 - intensity 74ff
- RAMSAR 210
- random
 - function 165f
 - numbers 84f
 - process 165
 - variables 37, 56, 59, 62f, 66f, 67, 87, 88f, 129, 134, 170
- walk 128ff, 140, 169, 170, 186, 212, 216, 235
- walk simulation 235
- randomness 43
- range 248
 - space 248f
- ranking 72, 190f
- rare events 244
- ratio 273
 - of two TFN's 276f
- reaeration 142
 - rate 139
- receiving capacity 49, 111
- regional
 - aquifers 157
 - scale 153
- regression lines 90f
- regret 193
- regret matrix 193
- regretist 193
- relative desirability 197
- reliability 2f, 22ff, 33ff, 37, 49, 51, 61, 69f, 85, 96, 174f
 - analysis 55f, 78
 - condition 64, 100
 - function 96ff
 - index 61f, 64f
 - measure 51
- remediation 10
- Representative Elementary Volume 153, 155
- reservoir 21f
- resilience 173f
- resistance 24, 27, 35f, 49f, 56f, 96
- resistant load 61

respiration 221f
 return period 38, 67, 70, 72ff
 Rhone 205
 Rio declaration 40
 risk 2f, 22ff, 23, 33, 37, 58
 – adverse 198
 – acceptable 38ff, 284
 – analysis 3, 27, 41, 111
 – analysis of extremes 26
 – and reliability 2ff, 25f, 31ff
 – assessment 23, 27, 78, 109, 142
 estimation 34
 – identification 27, 31ff
 – indifferent 198
 – management 23f, 27, 173ff
 – of exceedance 67, 69f
 – of failure 31, 59
 – of pollution 69, 110f, 186, 205ff
 – policy 42
 – quantification 24f, 55ff, 163
 – seeking 198
 – sudden 39
 – unacceptable 40
 – uncontrollable 39
 River Basin Management Plans
 (RBMPs) 20
 rivers 4, 18, 69, 136ff
 – pollution 61, 137, 144, 186f
 – water quality 136ff, 226
 Rochester 235, 237f
 runoff 5f, 110, 148

S

safe state 65
 safety 35, 173
 – factor 58, 62
 – margin 51, 59, 62ff, 102ff, 174
 salinisation 145, 206, 231, 235, 238
 salinity 13, 206, 213, 231ff, 259
 – concentrations 231
 – contours 236ff
 – distribution 235f
 sample
 – scale 152
 – space 241, 246, 249f
 sampling stations 213
 saturation 124
 scale effect 154
 second moment 64f
 sedimentary basin 149f, 152
 sedimentation 11ff, 136
 sensitivity analysis 14, 25, 239, 271
 series system 101ff
 settling 49, 221
 sewage 12, 136f, 181f, 205ff, 229ff
 shellfish farming 10, 46f
 Shepparton formation 231ff
 silicates 206, 228
 simulation 55, 81ff, 127ff, 206, 211, 221, 235ff
 social sciences 3, 33f
 Society of Risk Analysis (SRA) 32
 soil erosion 11
 solar
 – insulation 221
 – penetration 31
 solute transport 169, 232
 space scales 112, 152
 specific yield 155, 233
 spectral analysis 82
 speed of response 174
 spillway 65
 standard 46, 49
 – deviation 71, 134f, 251f, 260
 – normal cumulative function 60
 – normal distribution function 60
 – uniform random variable standards 84
 state function 65
 states of nature 184ff
 static risk and reliability analysis 37
 stationarity 165f
 statistical
 – analysis 66
 – independence 85, 145, 244
 – regression 87f, 91, 94
 steady flow 160ff
 stochastic
 – approach 24, 56, 164
 – deviation 80
 – modelling 25, 77, 163
 – simulation 2, 26, 169
 – variables 37, 78, 80, 102, 153, 205
 storage coefficient 157
 storm
 – sewer 77f
 – water 75f
 structural 76f
 – reliability 22, 26
 – uncertainty 22
 Strymon 226
 submarine outfall 110, 113, 218
 subtraction of intervals 272f
 sum of two fuzzy numbers 271
 support of a fuzzy number 269
 surface runoff 151
 suspended solids 47f, 137f, 232
 sustainability 19, 174, 206

sustainable development 17f
 synthetic samples 85
 system
 – reliability 102
 – risk 96, 101

t
 T-90 13
 T-year 36, 67ff, 71, 73
 Taylor series 82, 120, 127, 140
 technological uncertainties 43
 temperature 4, 10, 12f, 31, 88, 91, 93ff,
 113, 122, 205ff, 213, 219ff
 – changes 205f
 – time series 93, 220f, 224
 Thermaikos Gulf 205ff
 Thessaloniki 149, 151, 170, 208ff
 tide 121, 127, 213
 time
 – scales 112f, 143, 152f
 – series 43ff, 66, 96f, 112ff, 134, 141f,
 205, 213ff
 – series analysis 81, 164
 time dependent reliability analysis 55
 time dependent risk 55
 total
 – ammonia 47
 – coliforms 122, 206
 – nitrogen concentrations 225
 – organic nitrogen 228
 – phosphorus 47, 49
 – precipitation 147f
 – probability 246
 tourism 9f
 transboundary
 – impact 19
 – region 18
 – watercourses 19
 transmissivity 79f, 235
 – coefficient 157
 – transpiration 4
 transport 12, 113f, 128, 169, 185, 206ff
 – of pollutants 114
 trapezoidal fuzzy number 268ff
 triangular fuzzy number 186f, 268, 274ff
 turbidity 13, 49
 turbulence 221
 turbulent
 – diffusion 43, 113ff
 – dispersion 11, 31, 113ff
 – flow 118f, 139
 turning bands 186
 two-dimensional distributions 254
 typology 38f, 202

u
 uncertainties 2f, 21, 31f, 41ff, 66, 77ff, 110,
 163, 173, 183ff, 205
 uncertainty
 – analysis 2, 24, 26f, 37, 163
 – economic 22
 – hydraulic 22
 – hydrologic 22
 – structural 22
 unconfined aquifer 161ff
 UNEP, *see* United Nations' Environment
 Programme
 uniform random variable 84
 uniformly distributed random numbers
 84f
 union 104, 242ff, 263ff
 United Nations' Environmental Programme
 (UNEP) 1
 universal
 – set 241ff
 – space 245, 248, 269
 unreliability function 97f
 utility
 – function 198
 – theory 197

v
 value of information 194
 variance 33, 58f, 63f, 83, 87f, 128ff, 165,
 235
 variogram 165
 Venn diagrams 242
 Victoria 231ff
 vorticity 120, 125f
 vulnerability 33, 145, 170, 173f, 203

w
 waste disposal 2, 145
 waste water 1f, 205ff
 – municipal 7, 14, 19
 – treatment 215ff
 water
 – balance 5, 148
 – biology 8
 – bodies 20
 – budget 5f, 16
 – circulation 211f, 223f
 – demand 1, 7, 146, 164
 – ecosystems 12
 – market 7
 – pollution 1ff, 11ff, 18, 36
 – pollution risk 22
 – quality 1ff, 6ff, 12f, 22, 32f, 43ff, 48,
 109ff, 223ff, 259

- quality data 137, 141f, 205
- quality index 247f
- quality problems 25f, 46
- quality specifications 46, 66
- quality standards 46, 96, 209, 237
- resources 1ff, 17ff, 35f
- resources engineering 21, 24ff, 35f, 96
- resources management 2, 5, 13ff, 27, 175, 200
- supply 2, 7, 14, 21f, 26, 66, 145, 170, 193f, 205
- supply reliability 22
- table 14, 145, 147, 154, 161f, 169f, 179, 231, 238
- temperature 43f, 88, 113f, 122, 223
- transparency 8, 31
- water crisis 1
- Water Framework Directive (WFD) 19f
- water resources 1ff, 17
 - system 7, 173
- wetting
 - fluid 96, 99
 - phase 167
- width of a fuzzy number 278
- wildlife criteria 46
- wind 127, 217
 - generated current 112, 134, 216
 - roses 209
- World Water Council (WWC) 16
- WWC, *see* World Water Council
- z**
- zooplankton 13

