

Index

a

aberrant mRNAs 137
 acetylation 17, 161, 162, 276, 277
trans-acting factors 283
 acylation of tRNAs 88
 adenine 5, 6
 adenine deaminases acting on RNA
 (ADARs) 287, 290
 adenine deamination 286
 adenine deaminases acting on tRNAs
 (ADATs) 287
 adenosine diphosphate (ADP) 5, 6
 adenosine monophosphates (AMPs) 5, 6, 7,
 111
 5' adenosine monophosphates (AMPs) 108
 adenosine triphosphate (ATP) 5, 6, 7
 – dependent motor protein 204
 – hydrolyzing proteins 14
 A-DNA 8
 aldolase C enzyme 130
 amino acids 84–86
 aminoacylated tRNA 89
 aminoacyl-tRNA synthetases 88
 apolipoprotein B mRNA editing enzyme
 catalytic polypeptide (APOBEC)
 protein 285, 290
 – APOBEC-1 284
 – and HIV infection 285
 Argonaute proteins 248, 251
 – PIWI and PAZ domains 251
 A-rich positioning element (PE) 47
 AU-rich elements (AREs) 131
 – efficiency element (EE) 47

b

bacterial RNases, structures 133
 B-DNA 8

c

Caenorhabditis elegans 139, 245, 249
 Cajal bodies (CBs) 223, 224, 226
 5' cap
 – binding proteins 41, 42
 – coupled to transcription 41
 – for mRNA, enzymatic synthesis of 40
 cap-binding complex (CBC) 42, 67, 233
 carboxy terminal domain (CTD) 21, 22, 34, 68
 – phosphorylation 68
 – of Pol II 214
 catalytic RNAs 293. *see also* ribozymes
 – identification of 293, 294
 CCA-adding enzymes 186, 188, 189, 196
 cellular anti-viral factors
 – evolution 285
 cellular nucleases 245
 chaperones 307
 chromatin-binding protein (Chp1) 261
 chromatin modifications 17
 cleavage and polyadenylation specific factor
 (CPSF) 56
 cleavage stimulatory factor (CstF) 56
Clr4 methyltransferase complex (CLRC) 261
 clustered regularly interspaced short
 palindromic repeats system (CRISPR) 263
 – activity mechanism 265, 266
 – as bacterial and archaeal defense
 mechanism 263
 – locus
 –– *cas* genes 264
 –– incorporation of foreign DNA into 265
 –– RAMPs function in 264
 –– as short repeat in *E. coli* genome 263, 264
 – mediated resistance 264, 265
 – RNAs 265
 codon–anticodon interactions 191

- CpG islands 162
- CTD phosphorylation 22
- C-terminal domain (CTD) 138
- cytidine 5
 - deamination 285
- cytoplasmic cap binding complex 115
- cytoplasmic poly(A) binding protein, PAPBC 108
- cytoplasmic polyadenylation element (CPE) 56
- cytoplasmic processing bodies (P-bodies) 114, 118, 143
 - role 118

- d**
- Dcp1p proteins
 - EVH1/WH1 domain 115
- DEAD box helicases 14
 - domain 248
 - family 117
- DEAD box protein family 139
- deadenylating enzymes
 - CCR4-NOT complex 108
 - other deadenylases 110
 - poly(A) nuclease 107, 108
 - poly(A) ribonuclease 108–110
- deadenylation-dependent mRNA decay pathway 107
- deadenylation-independent mRNA decay pathway 107
- deadenylation pathways 108, 109
 - protein factors 110
- decapping enzymes 117
- deep sequencing technologies 278
- degradosome 132
- dense fibrillar components (DFCs) 154
- deoxyribonucleotides 4–6
- dicer proteins 248
 - genes in plants 248
 - protein organization and structure of 249
- dihydrouridine synthases (DUS) 193
- distal sequence element (DSE) 164
- DNA-binding proteins 23, 159, 166, 168
- DNA-dependent RNA polymerases 249, 261
 - I, II and III, subunits of 21
- DNA helicases 14
- DNA methyltransferases (DNMTs) 162
- DNA structure
 - conformations 8
 - double helix structure 8
 - Watson–Crick model 7
- dosage compensation complex (DCC) 275
- double stranded RNA binding domains (DRBDs) 14
 - downstream sequence elements (DSEs) 141, 145
 - dyskeratosis congenita 225

- e**
- Edc proteins 116
- editing-site complementary sequences (ECS) 288
- endoplasmic reticulum (ER) 199
 - protein translocation across 205
- 3' end processing
 - of histone mRNAs 54–56
 - protein and RNA components 55
 - of pre-mRNAs 47
 - cleavage and polyadenylation specific factor (CPSF) 47
 - cleavage stimulation factor (CstF) 47
 - mammalian protein complexes for 48
 - poly(A)-binding protein (PABP) 49, 50
 - poly(A) polymerase (PAP) 49, 50
 - protein complexes required for 49
 - symplekin 51
- epigenetics 17, 274
- Escherichia coli* 83, 130, 265
 - role 130
- eukaryotes
 - box C/D and box H/ACA small nucleolar RNAs 170
 - initiation of translation in 94, 95
 - mRNAs
 - 3' end processing of 45
 - structural features of 84
 - NMD, characterized by core factors 139
 - organization and secondary structure of 7SL non-coding RNA 200
 - polyadenylation signal 46
 - promoters, conserved sequence elements 18
 - protein translocation across membrane of ER in 205
 - release factors 99
 - SnoRNA genes 217
 - SRP proteins interact with 207
 - transcription of genes in 20
 - translation elongation, mechanism of 98
 - translation initiation, regulation of 102
 - tRNA introns 188
- eukaryotic endoribonucleases 130
- eukaryotic initiation factor 4F (eIF4F) 115
- eukaryotic rDNA repeat organization 155
- exonic splicing enhancers (ESE) 69, 70
- exon inclusion, into mRNA 69, 70. *see also* splicing
- exon junction complex (EJC) 140, 142

exonucleases 45
 exosome 122
 – activity regulation 126, 127
 – archaeal exosome 125
 –– crystal structures 126
 –– sliced sideview 127
 – eukaryotic exosome 125, 126
 –– sliced sideview 127
 – function 123
 – human exosomes, crystal structures 126
 – mediated RNA degradation
 mechanism 125, 126
 – nuclear exosome 137
 – structural organization 125
 exportins 75
 exportin-t 194
 5' external transcribed spacer (5' ETS) 169,
 179

f

fibrillar centers (FCs) 154
 FISH experiment 277
 formylated initiator tRNA 95
 formylated Met-tRNAi 93
 functional genomics 309

g

gene expression
 – adenylation and deadenylation 111
 general transcription factor (GTF) 23
 genome sequencing projects 281
 glutamyl-tRNA synthase 88
 granular components (GCs) 154
 GTPases 5, 75, 93, 99, 202, 204, 205
 guanine 5, 6
 guanine-N7-methyltransferase 40
 guanosine nucleotide 60
 guanylyltransferase 39, 40
 guide RNAs (gRNAs) 282, 290
 GW-repeat proteins 261

h

HeLa cells 154
 heptameric-like Sm (LSm) complex 122
 heterochromatin 261
 hexakisphosphate (IP6) 287
 HEXIM proteins 214, 215
 high mobility group (HMG) 159
 histone downstream element (HDE) 55
 histone fold domains (HFDs) 23
 hnRNP family of proteins 70
 HOX genes 278
 human general transcription factors
 (GTFs) 26

human genome project 314
 human immunodeficiency virus (HIV) 285,
 286
 hydrogen bond 7, 9

i

imprint control elements (ICE) 276, 279
 – non-coding RNAs involment 277
 inactive X (Xi)-specific transcript
 (XIST) 272
 – regulation of function 273
 intergenic spacer (IGS) 155
 introns 59, 61
 – group I 59, 60
 –– self-splicing of 60
 – group II 61
 – group III 61
 IRE1 protein, functions 129

j

junk DNA 215

k

K-homology (KH) domain 12–14
 Kozak sequence 93

l

long interspersed nuclear elements
 (LINEs) 272, 288
 long non-coding RNAs
 – common in complex genomes 278
 – dosage compensation in flies 275, 276
 – HOX genes regulation by long non-coding
 RNAs 278
 – non-coding RNAs and regulation of
 imprinting 276, 277
 – XIST non-coding RNA and X chromosome
 inactivation
 –– X-chromosome inactivation center
 (XIC) 272
 –– XIST function regulation 274, 275

m

macro non-coding RNAs 271
 male specific lethal (MSL) complex 275
 mammalian cleavage factor I and II (CF I_m,
 CF II_m) 56
 mammalian histone pre-mRNAs, organization
 of 55
 mammalian short interspersed elements
 (SINEs) 215
 metal-containing beta-lactamases 188
 methylation 17
 – of DNA and CpG 261

- 7-methyl guanosine 37, 122, 240, 241. *see also*
 - m⁷G-caps
 - m⁷G-caps 37, 83
 - bacterial mRNAs are not capped with 95
 - and cap binding, enzymes required for 41
 - capping enzymes 42
 - of functional mRNAs is normally protected from 115
 - structure 37, 39
 - microRNAs (miRNAs) 101
 - biogenesis 251–253
 - and cancer 257
 - functions 255
 - act as siRNAs 255
 - inducing deadenylation and mRNA decay 256, 257
 - inhibiting translation 255, 256
 - miRNA–protein complexes 101
 - MnmA enzyme 191
 - mobile genetic elements in the germ line.
 - see* PiRNAs; transposons
 - mRNA capping enzymes 39–41
 - mRNA deadenylation
 - deadenylating enzymes
 - CCR4–NOT complex 108
 - other deadenylases 110
 - poly(A) nuclease 107, 108
 - poly(A) ribonuclease 108–110
 - half-lives 107
 - mRNA decapping
 - enzymes as core of mRNA decapping machinery 113–115
 - protein factors 114
 - regulation
 - decapping enhancers 116, 117
 - decapping inhibitors 115, 116
 - intracellular localization 117
 - scavenger decapping enzyme DcpS 115
 - mRNA decay pathways 121
 - in bacteria 132
 - deadenylation-dependent mRNA decay 122–127
 - exosome 122–127
 - 5' to 3' exoribonuclease Xrn1 122
 - deadenylation-independent mRNA decay 127, 128
 - endoribonuclease-mediated mRNA decay 128–130
 - eukaryotic endoribonucleases 129, 130
 - principles 128
 - protein factors 124
 - regulation 131
 - RNA degradation in bacteria 131–133
 - mRNA export
 - coupling to other steps of mRNA maturation 80
 - in higher eukaryotes 77
 - mechanism of 78–80
 - remodeling, mRNA protein complex (mRNP) by Dbp5 79
 - proteins involved in 76
 - receptors 75, 77
 - adaptors, bridge mRNAs with 78
 - mRNA–protein complexes 73
 - mRNA–protein structures 113
 - mRNA quality control
 - No-Go mRNA decay (NGD) 148, 149
 - nonsense-mediated mRNA decay (NMD) 138–146
 - and cytoplasmic processing bodies 143, 144
 - mechanism in mammals 142, 143
 - mechanism in yeast and flies 144–146
 - mRNA degradation pathways 146
 - protein factors required 139–142
 - non-stop mRNA degradation 146, 147
 - nuclear mRNA quality control mechanisms 137, 138
 - MRNP quality control at nuclear pore complex 138
 - MRNP retention at transcription site 138
 - mRNA stability 45
 - mRNA transcripts, productive elongation of 29
 - nucleotide addition cycle (NAC) 29
 - protein factors, influencing Pol II elongation 30
 - elongation factors, required to support 31
 - transcriptional arrest 31
 - transcriptional pausing 30, 31
- n**
- No-go mRNA decay (NGD) 147, 148
 - non-canonical miRNA biogenesis 253–255
 - non-coding RNAs. *see* small non-coding RNAs
 - non-ribosomal proteins 83, 154
 - nonsense-mediated decay (NMD) pathway 104, 138–146, 148
 - and cytoplasmic processing bodies 143, 144
 - factor in 118, 148
 - mechanism in mammals 142, 143
 - mechanism in yeast and flies 144–146
 - mRNA degradation pathways 145, 146
 - protein factors required 139–142
 - proteins involved in 139
 - role in 141

- non-stop mRNA degradation (NSD) 146, 147, 149
 nuclear export 73, 75
 nuclear export signals (NESs) 75, 77, 174, 194
 nuclear import 73, 75
 nuclear pore complexes (NPC) 73–75, 172, 174
 nucleic acids, composition 4
 nucleocytoplasmic transport pathways 76
 nucleolar organizer regions (NORs) 154, 155, 156
 nucleolus 154
 nucleosides 4–6, 38
 nucleosomes 17, 23, 31, 54
 nucleotide diphosphates 6
 nucleotide monophosphates 6
 nucleotides 4, 5, 7, 29, 41, 60, 62, 115, 140, 170, 188, 192, 214, 230, 246, 249, 259, 283, 310, 317
 nucleotide triphosphates 6
 NUDIX motif 113
- o**
- omics approaches 309
 orthophosphate 5, 115, 116
- p**
- PAZ domain 248
 peptide bond 86
 2'–5' phosphodiester 66
 phospho-diester bond 7
 phosphorylation 17
 PiRNAs 248, 251
 – controlling transposon expression 259, 260
 – function on level of transcription 259
 – germline cells, proteins interact with 251
 – and Piwi proteins 267
 Pol II transcriptional termination, models of 33
 – anti-terminator model 33
 – torpedo model 33
 Pol II transcription, of mRNAs 22
 Pol I-mediated rRNA transcription
 – proteins required for 158
 Pol I transcription cycle
 – schematic representation 160
 poly(A) binding protein 145
 polyadenylation 45
 – alternative 51, 52
 – cytoplasmic 53, 54
 – sequence elements, required for 46
 – signals 46
 – conservation, in mammals 47
 poly(A) nuclease (PAN) 107, 111
 poly(A) ribonucleases (PARN) 111
 poly(A) tails 45
 – length variation 45
 poly (A)-binding protein (PABP) 56
 polyribosomes 97, 99
 polysomal ribonuclease 1 (PMR1) 129
 Prader–Willi syndrome (PWS) 225
 pre-initiation complex (PIC) 158, 159
 premature stop codon (PTC) 140, 143
 – function downstream 146
 processing bodies (P-bodies). *see* cytoplasmic processing bodies (P-bodies)
 prokaryotic silencing RNAs (psiRNAs) 265
 proof reading mechanism 193
 protein classes, required for RNA function 12
 protein coding genes 18–20
 – distal transcriptional enhancers 20
 – downstream promoter elements (DPEs) 20
 – initiator element (INR) 19, 20
 – motif ten element (MTE) 20
 – TATA box 19
 – TFIIB recognition element 20
 – transcriptional initiation of 23
 – human general transcription factors (GTFs) 26
 – TFIIA 24
 – TFIIB 24
 – TFIID 23, 24
 – TFIIE 26
 – TFIIF 24–26
 – TFIIH 26, 27
 protein complexes 166
 protein identification methods 154
 protein phosphatase 2A (PP2A) 141
 protein regulation by phosphorylation 18
 protein–RNA complexes 179
 protein synthesis
 – rate 161
 proteomics 309
 proximal sequence element (PSE) 164
 pseudouridylation 218
 purines 5
 pyrimidines 5
- q**
- Q motif 14
 quantitative real time PCR 317
 quaternary RNA structure 9, 10
- r**
- Ran/GTP–exportin–cargo complex 75
 rDNA clusters 154
 rDNA transcription cycle 161
 ribonucleoprotein particle (RNP) 89, 185

- ribonucleotides 5, 6
- ribosomal proteins (Rps) 83
- ribosomal RNAs (rRNAs)
 - and biogenesis of ribosomes 153
 - genes, genomic organization 153
 - bacteria and archaea 153–155
 - eukaryotes 155, 156
 - genes, transcription
 - RNA polymerase I 157–162
 - RNA polymerase III and transcription of 5SrRNA 162–169
 - modification, structure and function 175–178
 - nuclear export of ribosomal subunits 174
 - ribosomal subunits, assembly 172, 173
 - rRNAs maturation 169–172
 - small nucleolar RNAs 170–172
- ribosome 89, 90
 - architecture of 90
 - crystal structure, in bacteria 91
 - recycling of 100
- ribosome nascent chain (RNC)–SRP complex 204
- riboswitches
 - classes of 305
 - type I and type II 306
 - mechanisms of 303, 304
 - structures of 305
- ribozymes 294
 - Diels–Alderase 296, 297
 - features of 294
 - glmS 298, 299
 - group I introns 294, 295
 - hammerhead 298
 - structure and function 299
 - mechanisms 294
 - RNase P 295, 296
 - secondary structures 294
- RNA
 - binding proteins 12
 - interact with double stranded RNAs 14
 - interact with single stranded RNAs 12–14
 - building blocks 4
 - degradation pathways (*see also* mRNA decay pathways)
 - quality control 121
 - RNA processing 121
 - RNA turnover 121
 - editing by base modification 283–290
 - adenine to inosine editing 286–290
 - C to U conversion 284–286
 - editing by U insertions/deletions 281–283
 - mechanisms 282, 283
 - editing factors required for 284
 - folding 6–10
 - molecules
 - biology and complexity of genomes 315
 - functions of 11
 - profiling strategies 310
 - deep sequencing techniques 314, 315
 - microarray 311, 312
 - Northern blotting 310, 311
 - quantitative PCR 313
 - RNA fluorescent *in situ* hybridization 314
 - widely used platforms 315
 - thermometers 305–307 (*see also* riboswitches)
 - triphosphatase 39
 - world hypothesis 10, 11
 - RNA-dependent RNA polymerases (RdRPs) 248–250, 249, 261
 - RNA-directed DNA methylation 261
 - RNA-directed RNA polymerase complex (RDRC) 261
 - RNA helicases 14, 15
 - chemical nature of 9
 - DEAD box motif of 15
 - motifs found in 15
 - wobble pairings for 9
 - RNA-induced activation of transcriptional silencing (RITS) 261
 - RNA-induced silencing complex (RISC) 245
 - RNA interference (RNAi)
 - as drug for disease therapy 246
 - mechanism of 245, 247
 - RNA polymerase 1, 8, 17, 21, 138
 - Class I transposons transcribed by 258
 - RNA polymerase I 21, 157, 159, 160
 - promoter structure 157
 - regulation of transcription 161, 162
 - subunits 21
 - RNA polymerase II 18, 19, 20, 21, 27, 49, 51, 68, 161, 212, 250, 251, 275
 - regulation of transcriptional initiation of 27
 - transcription of mRNAs by 20–22
 - RNA polymerase III (Pol III) 21, 157, 183, 215
 - SINES transcribed by 215
 - RNA polymerase III transcripts 163
 - type 1 promoter 163
 - type 2 promoter 164
 - type 3 promoter 164, 165
 - RNA–protein complex 191, 206, 215
 - RNAP transcription complex 215
 - RNA–RNA interaction 315
 - RNase III cleavage reactions 245
 - RNase J enzyme 132

- RNase L enzyme 129
 RNase P enzyme 184
 – complex 186
 – particle, components 185
 RNA structure, secondary 9
 RNC–translocon complex 204
 RNomics approaches 309, 310, 316
 roX RNA-containing RNA-protein complex (roX RNP)
 – composition 276
- S**
- Saccharomyces cerevisiae* 107, 156, 245, 250
 – deadenylation complex 108
 S-adenosylmethionine (SAM) 40
 scavenger decapping enzyme (DcpS) 115
 – required for 115
Schizosaccharomyces pombe 250, 261
 – protein–small RNA complexes in transcriptional gene silencing in 250
 selenocystein 84
 sex chromosomes 271
 – X chromosome 271, 273–276
 – Y chromosome 271, 274
 Shine-Dalgarno sequence 101, 307
 short interfering RNAs (siRNAs) 245, 286
 – characteristic features 245
 – duplexes 245, 246
 – siRNA-guided chromatin modification in fission yeast 262
 short interspersed repeated DNA elements (SINEs) 164
 sigma (σ) factor 215
 signal recognition particle (SRP) 199, 293
 – architecture of 199
 -- SRP RNA 199–201
 – in eukaryotes, protein translocation across 205
 – mediated protein translocation 204, 206
 – protein components 201
 -- in archaea 203, 204
 -- in bacteria 203, 204
 -- in eukaryotes 201–203
 – structure of 206
 single stranded RNA molecules 8
 – interact with double stranded RNAs 14
 – proteins that interact with 12–14
 SL1–Pol I complex 159
 small non-coding RNAs 288
 – interfering with transcription 214
 -- Alu, B1 and B2, in mammals 215
 -- 6S RNA in bacteria 214, 215
 small nucleolar RNAs (snoRNAs) 169, 170, 217
 – associated with human diseases 225
 – box C/D snoRNAs 221, 222
 -- associate with proteins and 222
 -- secondary structure of 222
 – box H/ACA snoRNAs 218–221
 -- interact with proteins and form 221
 -- secondary structure of 220
 – genomic organization 217
 -- of genes 218
 – maturation of functional 223
 -- Cajal bodies 223, 224
 – orphan snoRNAs 224–226
 – protein components of 220
 – RNA modifications guided by 219
 – transcription 217, 218
 small RNA-guided gene silencing pathways, components of 250
 small RNA molecules. *see* guide RNAs (gRNAs)
 small subunit processome (SSU processome) 172
 7SK snRNA 209
 – architecture of 209
 – composition of 209, 210
 – functions as transcriptional regulator 212
 -- P-TEFb function in transcription 212–214
 -- in regulation of Pol II-mediated transcription 214
 -- repression of P-TEFb by 7SK snRNP 214
 – protein components of 210, 211
 spacer promoter (SP) 158
 spliceosomal U snRNPs 64
 spliceosomes 59, 61–66
 – assembly and dynamics during pre-mRNA splicing 65
 – U12-dependent minor spliceosome 66
 splicing 59
 – alternative
 -- and complexity of genomes 68–70
 -- generating complex proteomes 69
 -- regulated 70
 – and coupling with transcription and 5' capping 67, 68
 – mechanism of pre-mRNA splicing 61–63
 -- conserved intronic sequences 62
 – silencers 70
 – of U12-type introns by minor spliceosome 67
 split genes 59
 SR proteins 68–70
 stem-loop binding protein (SLBP) 55, 56
 SURF complex 142
 symplekin, as scaffolding factor 3' end processing 51

t

- TATA binding protein (TBP) 23, 158, 167
 – associated factors 23
 – induced molecular 23
 TATA box 164
 telomerase RNP 226, 227
 temperature-dependent RNA sensor 307
 termination factor I (TTF-I) 160
 tertiary RNA structure 9
Tetrahymena thermophila 59
 thymine 5, 6
 TRAMP complex 126, 127
 transcription 17
 – 5' capping coupled to 41
 – coupled to other mRNA maturation steps 20–22
 – function of P-TEFb in 213
 – of mRNA by RNA polymerase II 20–22
 transcriptional gene silencing 261
 transcriptional pre-initiation complex (PIC) 25
 transcriptional termination
 – 3' end processing is tightly linked to 51
 – models of Pol II 33
 – of Pre-mRNAs 31, 32
 transcription elongation factor (P-TEFs) 215
 transcription factors 168
 transcription factors/activators, communication through co-activators 28
 transcription initiation factor (TIF-IB) 158
 transcriptome 309
 transcriptomics 309. *see also* RNomics approaches
 transfer RNAs (tRNAs) 86–88
 – biogenesis steps 190
 – clover-leaf structure 194
 – cloverleaf structure of 87
 – export from nucleus to cytoplasm 194
 – genomic organization and transcription of genes 183, 184
 – intron-containing molecules, splicing 190
 – loading amino acids onto 87–89
 – mature tRNAs, processing to
 -- 3' end maturation 186–188
 -- 5' maturation by the RNase P enzyme complex 184–186
 -- tRNA splicing 188–191
 – modifications 191–193
 – nuclear export 193, 194
 – primary tRNA transcript, schematic representation 184
 – tertiary structure 194–196
 translation 83
 – coupling with other mRNA maturation 103, 104
 – elongation 97
 -- in eukaryotic 98
 -- polyribosomes 97, 99
 – in eukaryotes, factors important for 92, 93
 – initiation 90
 -- in Archaea 96
 -- in bacteria 93, 95, 96
 -- in eukaryotes 90–94
 -- internal ribosome entry sites (IRESs) 96, 97
 – non-ribosomal proteins for 83
 -- IFs or eIFs 83
 – proteins and coordinated action of 83
 -- amino acid molecules 84–86
 -- loading amino acids onto tRNAs 87, 89
 -- mRNA 83, 84
 -- ribosome 89, 90
 -- transfer RNA (tRNA) 86, 87
 – quality control steps 103, 104
 – recycling of ribosome 100
 – regulation 100
 -- principles of translational control 101
 -- of translation elongation and termination 103
 -- of translation initiation 100–103
 – termination 99, 100
 translocon, structure and organization of 207
 transposons 257–259
 – classes of 258
 TREX complex 80
 tristetraprolin (TTP) 131
 tRNA^{lle}-lysine synthase (TilS) 192
 tRNase Z enzymes 186, 188
 Tudor staphylococcus nuclease (Tudor-SN) 289
 tumor necrosis factor α (TNF- α) 131
- u**
- U12-dependent minor spliceosome 66, 67
 U insertions/deletions 281–283
 – mechanisms 282, 283
 untranslated regions (UTRs) 10, 131
 Upf1 phosphorylation cycle 144
 upframeshift (UPF) proteins 139
 upstream control element (UCE) 157, 159, 179
 U-rich sequences upstream (UUE) 47
 UsnRNP-unrelated proteins 66

v

- variants (v-rDNA) 155
- viral infection factor (Vif) 285

w

- wobble base pairs 9

x

- X chromosome 271, 274. *see also* sex chromosomes
 - inactivation in human 273
 - non-coding RNAs involvement 275
 - recognition 276
- X-chromosome inactivation center (XIC) 272

- X inactivation center (XIC) 279

- X inactivation intergenic transcription element (XITE) 272

- X-ray crystallography 196

y

- Y chromosome 271, 274. *see also* sex chromosomes

- yeast

- enzyme Ceg1 40

- Pol II, crystal structure 22

z

- Z-DNA 8

