

## Index

### a

- A-B heteroditopic cavitand monomer
  - bimodal self-assembly cycle 79
  - dimer, crystal structure 80
- absorption coefficient 58, 318
- acceptor–donor complexes 348
- N*-acetylgalactosamine glutamate ester 242
- achiral synthetic polymers
  - double-stranded helix formation 56
- 2-acrylamido-2-methylpropanesulfonate (AMPS) 109
- ADA–DAD arrays 7
- aligner 67
  - absorption spectra 54
  - molecules 54, 55
  - PPE assembly 54, 55
- alkene-containing polymers 185
- alkenes 185, 186
- amido tetraethyl triurea oligomers 17
- amine-terminated polymer 332
- ammonium cations 244
- amorphous/semi-crystalline oligomers 18
- amphiphilic polyrotaxanes 223
- amplified colorimetric sensing 58
- anionic polymers 200
- anthracene chromophoric unit
  - characteristic structural bands 318
- 9-anthryl stopper 318
- antibody dendrimers
  - for antigens, binding properties of 136–139
  - topological structures 136
- antibody–divalent antigen complexes 134
- antibody supramolecules 130
  - structural properties of antibody molecules 130
- ascorbic acid 60
- association constant 112, 313
- atomic force microscopy (AFM) 16, 20, 23, 61, 119, 129, 130, 139, 140, 143, 145, 279, 280
- atom transfer radical homopolymerization (ATRP) 117
- azobenzene 47, 103, 104, 110, 117, 251, 253, 255
- trans*-azobenzene 251
- azobenzene functionalized hydropropyl methylcellulose (Azo-HPMC) 117
- azobenzene-modified  $\alpha$ -CD 251
- azobisisobutyronitrile (AIBN) 100, 116, 323
- 2,2'-azobis(isobutyronitrile) (AIBN)
  - radical polymerization with 116
- 4,4'-azodibenzoic acid (ADA) 253
- *trans*-4,4'-azodibenzoic acid (ADA) 114

### b

- $\beta$ -cyclodextrin ( $\beta$ -CD) 29
- benzenethiol 160, 339
- benzene-1,3,5-tricarboxamide (BTA) motif 23
- bicycloalkanes
  - of  $C_nH_{2n-2}$  296
  - isomers of  $C_5H_8$  296
- bifunctional metal complexes 239
- bimodal self-assembly protocol 80
- binaphthylbisbipyridine-Cu(I) complex 259
- biodegradable polyrotaxane 206
- biological degradation 211
- biological supramolecular polymers 231
- biological systems 195
- biomedical-oriented polyrotaxanes 204
- biomedical polyrotaxanes 196
- bis(5-carboxy-1,3-phenylene) crown ether 161
- bis(2,4-dinitrophenyl)-PEG (PEG-DNB2) 209
- 2,6-bis(1'-methylbenzimidazolyl)-4-pyridyl groups 239, 259

- bis(*m*-phenylene)-32-crown-10 peripherymoieties 241
- bis-*N*<sup>6</sup>-anisoyladenocine-modified pTHF 237
- 2,6-bis(2-oxazolyl)pyridine (PYBOX) 55, 56
- bisphenol A 238
- N,N'*-bis(salicylidene)-1,*n*-alkanediamines 241
- bistable copper-complexed catenane 354
- bisvelcrand
- A-A:A-A homopolymerization 77
  - chloroform solution 78
  - <sup>1</sup>H NMR spectrum 78
  - tendency 78
- block copolymers 3
- phase separation in 18
- Borromean rings 305
- branched supramolecular polymers 42
- β-sheets 241
- bulk heterojunction 60
- 4-*tert*-butylpyridine (tbpv) 185
- 6-*O*-(*tert*-butylthio)-β-CD molecules
- crystal structure 30–32
  - X-ray crystallographic study 31
- C**
- capping reagents 225
- carbon nanotubes (CNTs) 60, 61
- catalyst (Mn1) 185
- [2]catenane
- high-yield synthesis 349
  - templated synthesis 348
- catenane ligand 349
- catenanes 57, 127, 129, 144, 145, 347, 351
- catenation reaction
- between nicked DNA and circular DNA 142
  - with topoisomerase I 141–143
- cationic polymers 199
- polyplex formation of 199
- cationic telechelic precursor 298
- cavitand-based supramolecular polymers 84
- cavitands 72–75. *see also* ditopic cavitand monomers
- A-B heteroditopic polymerization mode 84
  - classes 76
  - heteroditopic monomers 75
  - homoditopic monomers 75
  - supramolecular polymerization motifs 76
- Cayley tree 294
- CDCl<sub>3</sub>
- <sup>1</sup>H NMR experiments in 81, 82
  - partial <sup>1</sup>H NMR spectra in 83
- chain breaking process 298
- chemical gel 205
- with fixed network junctions 208
  - swelling behavior 205
- chemically responsive gel-to-sol transition 246
- chemical-responsive systems 246–249
- chiral insulated polythiophene
- by SPG wrapping 62
- chromophore-modified cyclodextrin 33
- 3-CiNH-α-cyclodextrin
- supramolecular polymers construction 40
- 6-CiNH-α-cyclodextrin 38
- 6-CiO-α-cyclodextrin 38
- circular dichroism 246
- click process 301, 302
- Co(II)/4-dodecyloxyethyl-1,2,4-triazole complexes 237
- complex self-assembly processes 4
- Con A-induced hemagglutination test 197
- conjugated polymers (CPs) 53
- alignment 54
  - via supramolecular bundling approach 55
  - π-conjugated polymers 104
- π-conjugated systems, in CNT 61
- contraction and expansion systems 110
- cooperative polymerizations 6
- copolymerization reactions 100, 106, 108, 111, 116, 323, 324, 340
- copper(I)-complexed catenane 348
- copper(I)-complexed knots 351
- Cotton bands 41
- covalent fixation process 298, 299, 302
- cross-linked polymeric materials 205
- cross-linked SPs networks 276
- semidilute entangled SPs networks, properties of 283–285
  - semidilute unentangled SPs networks, reversibility in 276–283
  - sticky reptation model 285, 286
- cross-linking protocol 160, 336, 337, 339
- crown ethers 151, 315, 336, 337, 339, 344
- crown functionalized polymers 179
- crystalline [2]pseudorotaxanes formation 308
- cucurbit[7]uril (CB7) 116
- Curdlan (CUR) 63
- microscopic observation 63
  - regioselective bromination-azidation 63
- current hydrogen-bonding motifs 10
- cyclic polymers
- linking betenoxy group 301
  - topological isomerism 297
  - trefoil topology 299
  - types 299
- cyclic supramolecular complexes 128
- cyclization reaction 350

- $\alpha$ -cyclodextrin ( $\alpha$ -CD) 29, 331, 339
    - cooperative complexation 115
    - single-crystal X-ray diffraction 29
  - $\beta$ -cyclodextrin ( $\beta$ -CD)
    - dimer, ROESY NMR spectra 44
    - guest molecule for 43
    - host–guest complexes 103
    - monoaldehyde derivative, attachment 101
    - single-crystal X-ray diffraction to 29
    - tosylation 98
  - cyclodextrin-based supramolecular polymers
    - c2-daisy chain, artificial molecular muscle 45–47
    - CD aliphatic tethers 30, 31
    - $\beta$ -CDs aromatic tethers 31–33
    - CDs–guest conjugates
      - homo-intramolecular/intermolecular complexes formation 33–43
    - intermolecular complexes, by CD and guest dimers formation 44
    - modified CDs
      - hetero-supramolecular structures formed by 42, 43
      - 3-modified  $\alpha$ -CDs
        - with guest molecules 36
        - supramolecular structures formed by 40–42
      - 6-modified  $\alpha$ -CDs
        - with guest molecules 34
        - supramolecular structures formed by 33–39
    - monomer units, chemical structures 37
    - in solid state 29–33
    - striking property 102
  - $\beta$ -cyclodextrin-ethyl cinnamate complex
    - *trans*-azobenzene -modified 39
    - crystal structure 39
  - cyclodextrins (CD) 97
    - containing covalent networks 97
    - 2,6-dimethyl- $\beta$ -cyclodextrins 106
    - direct cross-linking 97
    - inclusion complexes
      - crystal packing structures, classification 30
    - monofunctional derivatives 101
    - monofunctional monomers 99
    - mono 6<sup>l</sup>-amino-6<sup>l</sup>-desoxy-cyclodextrins 99
    - mono-monomer synthesis 99
    - polyrotaxane network having 195, 339–342
      - as side groups
        - polymers with covalently bonded 97, 98
        - structure–property relationship of polymers containing 102–105
  - cyclopentadienyl ligands 309
  - cyclopropane (C<sub>3</sub>H<sub>6</sub>) 294
  - cystamine 200
  - cytcleavable polyrotaxanes 196, 199, 200
    - cleavage role in intracellular pDNA release 201
    - efficiency 201
    - for gene delivery 200
    - as gene vectors 200
  - cytotoxicity 200
- d**
- DAA– ADD arrays 7
  - DADA hydrogen-bonding motif 8, 9
  - DADA motif, dimerization constant 10
  - daisy chains 153–156
    - oligomer 38
  - degree of polymerization (DP) 6, 13, 19, 100
    - theoretical dependence 14
  - degree of substitution (DS) 102
  - dendritic polymers 196
  - dendritic rotaxanes 152, 157, 158
  - dendronized polymers 152, 158
  - deprotonated 2,2,2-cryptand-captured K<sup>+</sup> 242
  - Dess–Martin periodinane 100
  - dethreading reaction
    - intermediate 318
    - mechanism 190, 191
    - of polymers 189
    - thermodynamic parameters 190
  - deuterated DMSO (*d*-DMSO) 211
  - dextran 102, 196
  - dextran-based azobenzene 255
  - diamines 4,4'-oxydianiline 162
  - diamino-terminated PEG (PEG-DAT) 209
  - 1,8-diazobicyclo[5.4.0]undec-7-ene (DBU) 88
  - dibutyltin dilaurate (DBTDLx)
    - catalytic amount 333
  - dicopper-trefoil knot 351
  - N,N*-dicyclohexylcarbodiimide (DCC) 113
  - dicyclohexylphosphine 240
  - Diels–Alder reaction 313
  - differential scanning calorimetry (DSC) 117, 310
  - diffusion coefficient 41, 82
  - dimerization constant 8, 14, 18
  - N,N*-dimethylacrylamide 109
  - dimethylaminoethylcarbamoyl (DMAEC) groups 200
  - dimethyl sulfoxide (DMSO) 60, 210, 246
  - dinitrophenyl groups 209
  - diphenylmethane diisocyanate 334
  - diphenylphosphine 240
  - dipole–dipole interactions 4, 151

- dissociation/association process 115, 116  
 disulfide bond 257  
 3,5-di(*tert*-butyl)phenyl blocking group 188  
 ditopic cavitand monomers  
 – cavitands 72–75  
 – combining solvophobic interactions  
 – and hydrogen bonding 82–84  
 – and metal–ligand coordination 78–82  
 – heteroditopic self-assembled via host–guest interactions 84–88  
 – homoditopic self-assembled via host–guest interactions 88–91  
 – homoditopic via solvophobic  $\pi$ - $\pi$  stacking interactions 77, 78  
 – polymerization with 71, 72  
 – self-assembly 75–91  
 – supramolecular polymerization  
 – structural monomer classification 75–77  
 DNA catenanes  
 – AFM images of 143, 144  
 – preparation by addition of T4 DNA ligase 144  
 – topological structures 145  
 DNA ligase 144, 145  
 DNA polymerase III 185  
 DNA supramolecules 139  
 – catenation reaction, with topoisomerase I 141–143  
 – DNA catenanes, AFM images of 143, 144  
 – DNA [n]catenanes preparation 144, 145  
 – plasmid DNA molecules, imaging 139, 140  
 – preparation of Nicked DNA 140, 141  
 2D NOESY NMR analysis 109, 110  
 dodecamethylene linker 253  
 dodecavalent hydrogen bonds 10  
 dodecyl-modified poly(acrylic acid) 253  
 dopaminergic neurotoxicant 130  
 double-cyclic polymers 297  
 double-grafted polymer, complexation 117  
 double-stranded helical precursor formation 351  
 double-threaded dimer 43, 46  
 doxorubicin hydrochloride (DOX) 117  
 drug delivery system (DDS), application 316  
 dynamic light scattering (DLS) 71
- e**  
 electrospray ionization mass spectroscopy (ESI-MS) 82, 90, 158  
 electrostatic interactions 51, 63, 127, 195, 233, 234  
 – hierarchical architecture 64  
 electrostatic self-assembly process 298, 299, 302  
 end-capping strategy 316  
 entwining approach 347–349  
 enzyme-linked immunosorbent assay (ELISA) 132, 133  
 2-ethylhexyl-modified 4,4'-bipyridine 256
- f**  
 Fab fragments of IgG 128  
 fatty dimer acids 17  
 ferrocene-carboxylic acid (FCA) 114, 258  
 ferrocene-containing crown ether synthesis 308, 314, 324  
 ferroelectric liquid crystals 352  
 field effect transistors 58  
 figure-eight cross-links 207  
 flash photolysis time-resolved microwave conductivity measurements 66  
 flexible glycosyl bonds 60  
 flexible light-emitting diodes 58  
 flexible polymer molecules 297  
 fluorescence resonance energy transfer (FRET) procedure 319  
 fluorescence spectroscopy 109, 119  
 fluorescent chemosensor 33  
 force-responsive systems 239–241  
 four-copper(I)-center [4]rotaxane  
 – x-ray structure 351
- g**  
 gathering and threading strategy 347–349  
 $\gamma$ -cyclodextrin ( $\gamma$ -CD) 244  
 gel-to-sol transition 237  
 – of Py- $\beta$ CD/SWNT 119  
 – using photo-dimerization of a stilbene-carrying organo-gelator 250  
 glass transition temperature 17  
 graft copolymers 3, 13  
 graft density 198  
 Grubbs catalyst 301
- h**  
 H-bonding polymerization 72  
 helical supramolecular ureidotriazine polymer 15  
 heptamethylene 251–252  
 hermaphrodite monomer 36  
 hexamethylene diisocyanate (HMDI) 216  
 highly oriented pyrolytic graphite (HOPG) 80  
 high-molecular-weight polymer chain  
 – entanglements 16  
 $^1\text{H}$  NMR experiments 80  
 homo-metathesis reaction 322

- host-guest assemblies formation 105  
 host-guest chemistry 53, 60, 61, 153, 156,  
 158, 164, 176, 179  
 host-guest complexes 97  
 – of  $\beta$ CD and adamantyl groups 103  
 – with the decyl moieties in 226  
 – free-radical polymerization 108  
 – in water 108  
 host-guest interactions 72, 84–91, 87,  
 103, 119  
 host-guest organogels concept 52  
 hybrid polymer gels 286–288  
 hydrodynamic radii 272  
 hydrogels 238  
 – formed from SWNT solubilized with 248  
 – photo-responsive 250  
 – using biodegradable CD polyrotaxane 206  
 hydrogen-bonding motifs 4, 6–10, 7, 8, 15,  
 18, 23, 24  
 – association constant 14  
 – with high dimerization constant 14  
 – inspired on self-assembly as found in  
 nature 11  
 – linear 6, 7  
 – multiple hydrogen bonds arrays 6–8  
 – preorganization through intramolecular  
 hydrogen bonding 8, 9  
 – self-assembly 11  
 – tautomeric equilibria 9, 10  
 hydrogen bonds 4, 6, 8, 10, 15, 17, 19, 24, 57,  
 151, 168, 195, 206, 233, 286, 302, 348, 352  
 – donor 6  
 hydrophobically modified alkali-soluble  
 emulsion (HASE) polymers 119  
 hydrophobically modified water-soluble  
 polymers (HMASPs) 114  
 hydrophobic block copolymer  
 – preparation 118  
 – structures 118  
 hydrophobic compartmentalization 15  
 hydrophobic-hydrophilic interactions 151  
 hydroxypropylated  $\alpha$ -cyclodextrins 211  
 hydroxypropylated polyrotaxane (H-PR) 211
- i**
- IgG molecule, AFM images 130  
 immunoglobulin G (IgG) 128  
 immunosorbent assay 128  
 $\pi$ - $\pi$  interactions 15  
 interconversion process 298  
 interlocking arrays 354  
 – two-dimensional 354  
 interlocking systems 354  
 inter-penetrating polymer network (IPN) 220
- interrotaxane  $\pi$ - $\pi$  stacking interaction 311  
 iodobenzene 185, 186  
 ion pairing 151  
 IR-and  $^1\text{H}$  NMR spectroscopy 111  
 isodesmic polymerization mechanism 22  
 isomerism concept 296  
 N-isopropylacrylamide (NIPAM)  
 – copolymerization with 115  
 isothermal titration calorimetry (ITC) 85, 152  
 – thermodynamic parameters derived  
 from 86  
 – titration,  $K_a$  values for 90
- j**
- Janus[2]rotaxane 47  
 – water-induced contraction of 247  
 Janus [2]rotaxanes 246, 247, 251, 252  
 Janus unit 45
- k**
- kite-kite dimer, diagnostic for 78  
 Kuhn monomers 274
- l**
- Langmuir-Blodgett techniques 67  
 lanthanoid metal ions 239  
 lateral interactions 20, 21  
 – influence 21  
 – influence of the strength of 21  
 – and phase separation 19  
 – in supramolecular polymers in the solid  
 state 18  
 – surface adsorption amplifies 72  
 layer-by-layer methods 67  
 ligand-conjugated polyrotaxanes 196  
 – multivalent binding  
 – with receptor sites of plasma proteins 197  
 – multivalent interaction using 196  
 linear chain formation 5  
 linear oligo-Janus[2]rotaxanes,  
 photoisomerization behavior 45  
 linear oscillatory rheology 283  
 linear polymers 13  
 linear SPs 41, 270, 272, 273  
 – in solid state 275, 276  
 – theory related to properties of 274, 275  
 liquid crystalline polyrotaxane (LCPR) 216  
 lower critical solution temperature  
 (LCST) 115, 117, 216  
 low-molecular-weight model 111
- m**
- macrocycle-containing polymer  
 – rotaxanative cross-linking 331

- macrocyclic compound 185
    - thread onto the polymer and glide 192
  - macroscopic responses 261
  - MALDI-TOF measurements 80
  - maltose-conjugated polyrotaxanes 197
  - [4-(*m*-aminophenoxy)-phenyl]
    - phenylphosphine oxide (*m*-BAPPO) 162
  - manganese(III) porphyrin complex 185
  - mesoporous silica nanoparticles 243
  - meso-tetrakis(2-methoxyphenyl)
    - porphyrin 186
  - metal–ligand bond 279, 282
  - metal–ligand interactions 80
  - metallo-supramolecular networks 282
  - metal-organic framework (MOF) 305
  - metal-organic-rotaxane framework (MORF) 305, 306
  - meta-phenylene connector 353
  - metathesis polymer condensation
    - for topologically unique polymers 301
  - metathesis polymer cyclization (MPC) 301
  - methylated polyrotaxane (MePR) 216
  - N,N*-methylbutylammonium iodide 88
  - 4,4'-methylenebis(phenyl isocyanate) 236
  - 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine 130, 130
  - methyl viologen 130, 132
  - microgravimetric quartz-crystal-microbalance (QCM) 128
  - microscopic techniques 66
  - mobile polyrotaxanes, supramolecular
    - characteristics 196
  - molecular machines, chemical topology
    - to 347
    - based on catenanes and rotaxanes 353–354
    - catenanes, copper(I)-templated synthesis 347–349
    - molecular knots 347–353
    - [3]rotaxane acting as adjustable receptor 355
    - two-dimensional interlocking arrays 354
  - molecular polymerization 4
  - molecular press principle 357
  - molecular receptors 72
    - classes 72
  - molecular recognition, by
    - biomacromolecules 127
  - molecular system 355
  - monoclonal antibodies 128, 133
  - mono-6<sup>1</sup>-iodo- 6<sup>1</sup>-desoxy- $\beta$ -cyclodextrin ( $\beta$ -CD) 102
  - monomer-stopper interaction 86
  - multi-component systems 24
  - multicyclic polymer topologies
    - by electrostatic polymer self-assembly 300
  - multiple hydrogen-bonded supramolecular
    - polymers
      - future perspectives 23–25
      - historical background 3, 4
      - hydrogen-bonding motifs, general concepts 6–10
      - hydrophobic compartmentalization 14, 15
      - main-chain supramolecular polymers 10–15
      - phase separation/additional lateral interactions in solid state 18, 19
      - supramolecular chemistry 4
      - supramolecular polymerization mechanisms 4–6, 13, 14
      - supramolecular polymers, establishment 10–13
      - supramolecular thermoplastic elastomers based on 19–23
      - thermoplastic elastomers 16–18
  - multivalent antigens 128
  - multivalent linear supramolecular polymers
    - polymerization 13
  - myosin–actin complex 45
  - myricetin 243
- n**
- nano-fibers 23
    - atomic force microscopy image 16
    - supramolecular polymers 23
  - nanoparticles 244
  - naphthalenediimide-based organogelator (Naph(imide)<sub>2</sub>) 57
    - one-dimensional fiber structure 58
  - napy 4-4 napy tetramer formation
    - partial <sup>1</sup>H NMR spectra in CDCl<sub>3</sub> 83
  - N,C,N*-pincer metal complexes 270–272
  - 6- NH<sub>2</sub>CiO- $\beta$ -cyclodextrin
    - crystal structure 40
  - p*-nitrophenol 225
  - NMR analysis 33, 35, 39, 43, 44, 45, 78, 82, 106, 108, 112, 117, 178, 249, 333, 334
  - noncovalent interactions
    - complementarity 51
    - principle 51
  - noncovalent polymerization mechanism 4
  - nonlinear polymer topologies
    - classification 293, 295
  - nonviralDNA vectors 202
  - N/P ratio 200, 201
  - nucleation mechanism 190
  - nucleobase hydrogen-bonded supramolecular
    - polymers 20

## o

- octaamide-porphyrin
  - fullerene-binding motivated self-assembly 57
- oligobisvelcraflex kite conformers 78
- oligo(ethylene glycol) (OEG) 47
- oligosaccharides 210
- organic fragments 355
- organic–inorganic hybrid materials 219, 220, 223
- organic–inorganic hybrid slide-ring gel 223
- organic substances
  - advantages 58
- organogel 256
- organometallic rotaxanes
  - experimental section 324–326
  - ferrocene-containing [3]rotaxane
    - photochemical properties 318, 319
    - and side chain polyrotaxane 320–323
  - ferrocene-containing [2]rotaxanes synthesis by 312–316
  - pseudorotaxanes crystals 307–312
  - rotaxane-like complex, dethreacting reaction 316–318
  - [3]rotaxanes, strategies and synthesis 320, 321
  - side-chain type polyrotaxane, strategies and synthesis 321–323
  - structure and dynamic behavior 305–307
- ORTEP drawing 309

## p

- paraquat-type cyclic molecules 305
- pBR322 plasmid 144
- PDMS-based pseudo-polyrotaxanes 221
- PDMS- $\gamma$ -CD polyrotaxane 222
- pDNA polyplex 200, 201
- PEG-based polyrotaxane 211
- permethylated  $\alpha$ -cyclodextrin (PM $\alpha$ -CD) 331
- PGSE NMR spectroscopy 47, 82, 87
  - measurements 88
- phase transitions 231
- 1,10-phenanthroline derivatives 350
- 6-O-[(*R*)-1-phenylethyl]amino- $\beta$ -CD molecules
  - crystal structure 32
- photochemical data 319
- photodimerization 233
  - compounds for 234
- photoisomerization 233, 250
  - of azobenzene moieties 255
  - compounds for 234
  - from trans to cis 254
- photo-responsive systems 249–255
- photovoltaic cells 58
- pH-responsive systems 241–245
- pH/thermosensitive physical polymer network 103
- pincer-ligand complexes 279
- plasmid DNA (pDNA) 200, 201
- polar solvents 73, 306, 313, 316, 339
  - as *N,N*-dimethylformamide 100
  - leads to the complete suppression of 88
- poly(acrylic acid) 196, 253
- poly(amino acids) 196
- poly(aspartic acid) 196
- 1,4-polybutadiene 225
- polybutadiene (PBD) 186, 189, 224
  - chain, oxidation of 190, 191
- poly( $\epsilon$ -caprolactone) oligomers 19
- polycatenanes 162
- polycatenenes 162
- poly(crown ether) 336, 339
- (poly)cycloalkane molecules 293
- polydienes 224, 226
- poly- $\epsilon$ -caprolactone (PCL) 216
- poly(ether ketone) (PEEK) 106
- poly(ether sulfone) synthesis, and <sup>1</sup>H NMR characterization 106
- poly(ethylene-butylene) oligomer 20
- polyethylene glycol (PEG) 206, 211
- poly(ethyleneimine) (PEI) 199, 244
- poly(ethylene oxide) (PEOMA) 117
- poly(isobutene-*alt*-maleic anhydride) (PiBMA) 114
- poly(L-lysine) 199
- polymer-analogous reaction 100, 102
- polymer-bonded  $\alpha$ -cyclodextrin ( $\alpha$ -CD)
  - interactions 104
- polymer complexations 152
- polymeric topological isomers
  - through electrostatic polymer self-assembly 300
- polymerization mechanism 3, 5, 22, 23, 76
  - A-B heteroditopic polymerization mode 84
  - cationic 118
  - cyclic vs. linear 83
  - kinetically-controlled simultaneous 220
  - of monofunctional cyclodextrin monomers 98–100
  - supramolecular 4–6, 13, 14, 19
  - *N,C,N*-pincer metal complexes and ligands for 271
  - structural monomer classification 75–77
  - utilizing the acetylene functional group 170, 171
- polymer network structures 206
- polymer-porphyrin rotaxane catalytic system 187

- polymers
  - brushes, structures 118
  - characterization 339
  - with covalently bonded cyclodextrins as side groups 97–105
  - structure-property relationship 102–105
  - definition 3
  - electrophoretic mobility 114
  - growth mechanism 77
  - macroscopic properties 3
  - mobility of ligands in 197
  - monofunctional cyclodextrin
  - polymer-analogous reaction with 100–102
  - monofunctional cyclodextrin monomers
  - synthesis and polymerization 98–100
  - properties 269
  - side chain polypseudorotaxane (polymer (polyaxis)/cyclodextrin (rotor)) 111–120
  - side chain polyrotaxanes 106–111
  - structures 112, 115
  - with CDs as side groups 98
  - supramolecularly attached cyclodextrins 97
- poly(*N*-methacryloylphenylalanine) 113
- poly(ethylene glycol) (PEG) 195
- polyphosphazene (PN) 118
- poly(propylenimine) dendrimers 241
- polypseudorotaxanes 152, 161
  - copolymerization 340
  - polymer (polyaxis)/cyclodextrin (rotor), side chain 111–120
  - properties 106
  - radical polymerization behavior 340
  - side chain
    - conversion 110
- polyrotaxane network. *See also* polyrotaxanes
  - chemical recyclability 339, 340
  - construction 342
  - cross-linker
    - design 342–344
    - structures 343
  - cross-linking reaction 335
  - crown ethers 336–339
  - cyclic voltammogram 323
  - cyclodextrins 339–342
  - end-capping reaction 333
  - <sup>1</sup>H NMR spectrum 333
  - main-chain-type polyrotaxane, linking of wheels 331–336
  - monofunctional  $\alpha$ -CD-containing main-chain-type, synthesis 334
  - polymacrocyclic, linking of macrocyclic units 336–342
  - polypseudorotaxane synthesis, by linking of axle terminal 333
  - side-chain 106–111
  - characteristics 106
  - chemoenzymatic synthesis 108
  - hetero, synthesis 111
  - <sup>1</sup>H NMR spectrum 107
  - photosensitive, structures 109
  - properties 106
  - strategies for 320
  - structures 107, 108
  - stress-strain curve 344
  - swelling behaviors 340
  - swelling ratio 341
  - synthesis 337, 338, 340, 344
  - synthetic strategy 332, 337, 340
  - thermal gravimetric analysis (TGA) 323
  - as topologically cross-linked polymer synthesis and properties 331
- polyrotaxanes 152, 163, 200, 207
  - crown ether-based 153
  - intramolecular friction, control strategy for 224
  - loops as a dynamic interface 197–199
  - mobile ligands linked to CD molecules 196
  - modification 210
  - of PEG and  $\alpha$ -CD capped at both ends with adamantane 210
  - from PEG-COOH 210
  - slide-ring materials using (*See* slide-ring polymeric materials)
  - synthesis scheme 221
  - threaded onto Kan-Ei-Tsuho coins 203
  - used in Asian and Chinese culture 203, 204
- [3]polyrotaxanes
  - movable range effects 344
- poly[2]rotaxanes 152
- poly[3]rotaxanes 152, 173–176
- polysaccharides 196, 210
- polystyrene (PS) 118
  - steric effects of 179
- polytetrahydrofuran (PTHF) 188, 332
- poly(tetrahydrofuran) (pTHF) 237, 240
- poly(4-vinylpyridine) (PVP) 239, 282
- Por(amide)<sub>8</sub>
  - fluorescence 57
- porphyrinatozinc oligomer 54
- porphyrin dimers 133
- porphyrinic plates 355
- porphyrins 57, 133, 137–139, 190
- Por(PYBOX)<sub>2</sub>/PTMI complex
  - CD spectrum 56
- PPEs juxtaposition 54
- pressure-responsive systems 239–241



- processable supramolecular/macromolecular composite 66
- programmed molecular systems 65
- protein (RecA) 145
- protonated dendrimers 241
- pseudopolyrotaxane
- consisting of  $\alpha$ -CD molecules and 203
  - solid-state end-capping reaction 334
  - synthesis of 206
- pseudorotaxanes 152, 165, 176, 181, 305.
- see also* organometallic rotaxanes
  - axle, end-functionalization reactions 312
  - crystals 307–312
  - DB24C8, 306
  - formation 313
  - dialkylammoniums formation 313
  - dialkylammonium structure 306, 307
  - IR data 309
  - monomer 322
  - polymeric end group 176
  - single-crystal-to-single-crystal phase transition reaction 324
  - thermal properties 310
- PTHF-*m*-phenylene diisocyanate 343
- PTMI, estimated length 56
- PT-PT interpolymer interaction 62
- p*-type/*n*-type semiconducting molecules
- self-sorting supramolecular fiber formation 59
- pulley effect 208, 209
- pulse-field gradient spin-echo (PGSE) NMR experiments 47, 71, 78, 114
- pyrimidin-4-ol tautomer 9
- q**
- quadruple hydrogen-bonding motifs 8
- quartz crystal microbalance (QCM) measurements 65, 128, 199
- quasi-elastic light scattering (QELS) 211
- quasi-stable polymer network formation 339
- quenching pathway 319
- quercetin 243
- quinoxaline kite velcrand 82
- cyclic vs. linear polymerization 83
- r**
- radical polymerization mechanisms 100.
- See also* polymerization mechanism
- recyclable cross-linked polyrotaxane gels 206
- redox responsible hydrogel system 113
- redox-responsive systems 255–259
- redox signal 354
- responses 234
- capture and release of chemicals 235
  - change in color 236
  - chemical reactions 235
  - gel-to-sol and sol-to-gel transitions 236
  - movement 235
  - viscoelastic properties 236
- reversed-phase chromatography (RPC) technique 300
- rheological measurements 237
- rhodamine B 244, 245, 255, 257, 259
- ring-chain mechanism 5
- [2]rotaxane 320
- neutral, structure and yield 316
  - structure and yield 315
  - synthesis 314
  - with *N*-acryloyl group 321
  - tetramer, X-ray structure 356
  - threading-followed-by-end-capping strategy for 312
- [3]rotaxane
- free-radical copolymerization 323
  - <sup>1</sup>H NMR spectrum 320
  - synthesis strategies 320
  - synthesis via cross-metathesis reaction 321
  - synthesis via homo-metathesis reaction 322
- rotaxane-like complex
- dethreading reaction of 316
  - first-order kinetic rate constants 317
  - thermodynamic parameters 318
  - threading-followed-by-end-capping strategy for 312
- rotaxanes 151, 160, 305, 347. *see also* organometallic rotaxanes
- *N*-acylation 315
  - advantages 313
  - aggregation 305
  - dethreading reaction
  - first-order kinetic rate constants 317
  - thermodynamic parameters 317
  - main chain, based on polymeric crowns 161–165
  - side chain, based on pendent crowns 166–173
  - synthesis via end-capping strategy 313
  - synthesis via metathesis reactions 320
  - using cyclodextrin (CD) as the ring molecule 206
  - X-ray results 306
- Ru-carbene complexes 313
- s**
- scanning electron microscopy (SEM) 78
- scanning tunneling microscopy (STM) 72
- schizophyllan (SPG) 60

- advantages 61
- chemical modification 64
- denature/renature process 61
- denature/renature process of 61
- galactose-functionalized 64
- polymer backbone 63
- s-SPG 61
- stereochemistry 63
- structure 60
- SWNTs, noncovalent wrapping 62
- secondary interactions, attractive and repulsive
  - influence on association constant 7
- selective nucleophilic ring-opening reaction 298
- self-assembled systems 23
- self-assembly processes 18
  - A-A:B-B alternating copolymer formation by 89
- self-assembly strategy 293
- self-oscillating gel device 206
- self-sorting organogel system
  - advantages 60
- septum-capped test 59
- sergeant-and-soldiers principle 52
- silicone-based polyrotaxane 223
- single-walled carbon nanotubes (SWNTs) 61
  - applications 119
  - noncovalent wrapping, by schizophyllan (SPG) 62
  - supramolecular hydrogel 119, 246
- size exclusion chromatography (SEC) 71
- slide-ring gels
  - mechanical properties 213–215
  - SAXS vs. SANS 212
  - scattering studies 211–213
  - stress–strain curve of 214
  - synthesis scheme 221
  - using QELS 213
- slide-ring polymeric materials 207, 208
  - design of materials
    - from intramolecular dynamics of polyrotaxanes 224–226
    - diversification of main chain polymer 216–219
    - organic–inorganic hybrid slide-ring materials 219–223
    - pulley effect 208, 209
    - synthesis 209–211
  - sliding graft copolymers 215, 216
  - small-angle neutron scattering 211, 212
  - sodium 1-adamantane carboxylate 247
  - sodium hypochlorite 185
  - sol–gel processing 220
  - sol–gel transition 205, 211, 216, 238
  - solid-state phase transition reaction 311
  - Solomon's knot 305
  - sonication-responsive systems 239–241
  - SPG/conjugated polymer complex 62
  - SPG-Lac/SWNT composite 65
  - SPG/PT complex 63
  - spin-spin relaxation time 197
  - SPR biosensor 131
  - SPs. *See* supramolecular polymers (SPs)
  - SS-introduced PEG-bisamine (SS-PEG) 200
  - stable free radical polymerization (SFRP) 179
  - $\pi$ – $\pi$  stacking interaction 237
  - star polymers 179
  - static light scattering (SLS) 71
    - measurements 87
  - steady shear viscosity 113
  - stereoisomers 296
  - 3-Sti- $\alpha$ -CDs
    - supramolecular self-assembly 42
  - trans*-stilbene 186
  - stilbene bis ( $\beta$ -CD) dimer 45
  - trans*-stilbene moieties 46
  - stimuli 231
    - chemicals 233
    - electromagnetic waves 233, 234
    - force 232
    - light 233, 234
    - pH 233
    - pressure 232
    - redox 234
    - stress 232
    - temperature 231, 232
    - ultrasound 232
  - stimuli-responsive monomers 91
  - stimuli-responsive supramolecular polymer systems 231, 232, 235, 236
  - stimulus-responsive supramolecular polymers mechanism 47
  - p*-sulfonatocalix[4]arene 255
  - supra-macromolecular chemistry 51–53
    - macromolecular assemblies interactions 63–65
    - macromolecules, and molecular assemblies interactions 65–67
    - macromolecules interactions 60–63
    - materials design, with hierarchy 54
    - molecular assemblies interactions 58–60
    - small molecules, and macromolecules interactions 53–56
    - small molecules, and molecular assemblies interactions 56–58
  - supramolecular approach 59

- supramolecular biomaterials, modular approach 22
- supramolecular bundling approach
- conjugated polymers (CPs) alignment 55
- supramolecular complexes
- formation, schematic illustration 44
  - prepared by DNAs 129
  - topological structures, by AFM 129, 130
- supramolecular copolymers, formation 88
- supramolecular dendrimers 136
- antibody dendrimers 136–139
  - chemically modified IgG 136
  - constructed by IgM 136
- supramolecular formation, of
- antibodies 127–129
  - with divalent antigens 131–133
  - with multivalent antigens 130, 131
  - with porphyrin dimers 133
- supramolecular liquid crystalline polymer
- formation by hydrogen bonding 12
- supramolecular nano-particles 24
- supramolecular polymerization mechanisms.
- See* polymerization mechanism
- supramolecular polymers (SPs) 3, 156, 269.
- See also* polymers
- characteristic 29
  - characterization 71
  - definition 10
  - self-assembly 72
  - structures 43, 44
- supramolecular rubber
- based on hydrogen bonding 17
- supramolecular thermoplastic elastomer 20
- surface plasmon resonance (SPR) 128
- synthetic polymers 3
- it-PMMA/st-PMMA 53
- synthetic water-soluble polymers 196
- t**
- tapping mode scanning force microscopy (TM-SFM) 80
- telechelic oligomers 18
- hydrogen-bonding motifs to 18
- telechelic organic polymers 220
- telechelic polyacrylates 301
- telechelic poly( $\epsilon$ -caprolactone) 22
- telechelic supramolecular poly(ethylene-butylene) polymers
- rheological master curves and tensile testing 21
- telechelic supramolecular polymers
- binding constant, influence 19
- temperature-responsive systems 236–238
- template-driven switching
- from linear to star-branched architectures 87
- template effects 347
- 2,2,6,6-tetramethylpiperidine-1-oxyl radical (TEMPO) 209
- thermal gravimetric analysis (TGA) 310
- data 310
- thiol–disulfide interchange reaction 339
- threading 187–192
- kinetic data for 189
- threading equilibrium, to form
- pseudorotaxane 152
- threading reaction 189, 356
- time-resolved photoluminescence (PL) 72
- topological polymer chemistry 293
- designing unusual polymer rings by 298–302
  - future perspectives 302
  - nonlinear, systematic classification 293–296
  - topological isomerism 296–298
- transesterification reaction 225
- transition metal templated strategy 348
- transmission electron microscopy (TEM) 40, 55, 61, 64, 66, 119
- transmittance process 116
- trefoil knot 350, 351
- x-ray structure 350
- trialkylammonium 180
- triblock supramolecular copolymers 13
- u**
- ultra-sensitive chemosensors
- fluorescence signal amplification 52
- 2-ureido-4[1H]-pyrimidinone (UPy)
- functionalized peptides 22
  - cell adhesion peptides 22
  - motif 24
  - quadruple hydrogen-bonding DDAA motif 8
  - UPy-U nanofibers 21
  - UPy-urea model 22
- 2-ureido-4[1H]-pyrimidinone dimer 9
- ureido-pyrimidinone (UPy)
- motif 20
  - quadruple hydrogen-bonding motif 4
- 2-ureido-pyrimidinone motif
- tautomeric equilibria in 9
- UV-sensitive azobenzene moieties 103
- UV-vis spectra 319
- UV-vis wavelength region 61

**v**

- van der Waals interactions 151, 195
- vapor pressure osmometry (VPO) analysis 78
- velcrand
  - bent and linear dimers, metal-directed assembly 81
  - dimers, chain and ring formation 81
  - mixing 82
  - self-assembled nanostructure based 80
- 1-vinyl-3-butylimidazolium bis(trifluoromethylsulfonyl)imide ([vbim][Tf<sub>2</sub>N]) 119
- viologen-appended polymer 188
- viologen dimer–antibody complex 134, 136
- viologen dimer molecule 133
- viologen (*N,N'*-dialkyl-4,4'-bipyridinium) trap 188

viscoelastic liquid 17

viscometry 253

viscosity 272, 273

**w**

water-soluble CDs 206

wide-angle X-ray diffraction (WAXD)

216

Williamson's ether synthesis 308

**x**

X-ray analysis 43, 79, 85, 90

X-ray crystallography 29, 307

– variable-temperature 310

X-ray diffraction (XRD) 117, 351

X-ray photoelectron spectroscopy (XPS)

199