

## Contents

Preface XIII

List of Contributors XV

**Part One Formation of Supramolecular Polymers 1**

**1 Multiple Hydrogen-Bonded Supramolecular Polymers 3**

*Wilco P.J. Appel, Marko M.L. Nieuwenhuizen, and E.W. Meijer*

1.1 Introduction 3

1.1.1 Historical Background 3

1.1.2 Supramolecular Chemistry 4

1.1.3 Supramolecular Polymerization Mechanisms 4

1.2 General Concepts of Hydrogen-Bonding Motifs 6

1.2.1 Arrays of Multiple Hydrogen Bonds 6

1.2.2 Preorganization through Intramolecular Hydrogen Bonding 8

1.2.3 Tautomeric Equilibria 9

1.3 Hydrogen-Bonded Main-Chain Supramolecular Polymers 10

1.3.1 The Establishment of Supramolecular Polymers 10

1.3.2 Supramolecular Polymerizations 13

1.3.3 Hydrophobic Compartmentalization 14

1.4 From Supramolecular Polymers to Supramolecular Materials 16

1.4.1 Thermoplastic Elastomers 16

1.4.2 Phase Separation and Additional Lateral Interactions in

Supramolecular Polymers in the Solid State 18

1.4.3 Supramolecular Thermoplastic Elastomers Based on Additional

Lateral Interactions and Phase Separation 19

1.5 Future Perspectives 23

References 25

**2 Cyclodextrin-Based Supramolecular Polymers 29**

*Akira Harada and Yoshinori Takashima*

2.1 Introduction 29

2.2 Supramolecular Polymers in the Solid State 29

2.2.1 Crystal Structures of CD Aliphatic Tethers 30

2.2.2 Crystal Structures of  $\beta$ -CDs Aromatic Tethers 31

|          |   |           |
|----------|---|-----------|
| 2.3      | Formation of Homo-Intramolecular and Intermolecular Complexes by CDs–Guest Conjugates                         | 33        |
| 2.3.1    | Supramolecular Structures Formed by 6-Modified $\alpha$ -CDs  | 33        |
| 2.3.2    | Supramolecular Structures Formed by 6-Modified $\beta$ -CDs   | 39        |
| 2.3.3    | Supramolecular Structures Formed by 3-Modified $\alpha$ -CDs  | 40        |
| 2.3.4    | Hetero-Supramolecular Structures Formed by Modified CDs   | 42        |
| 2.4      | Formation of Intermolecular Complexes by CD and Guest Dimers  | 44        |
| 2.5      | Artificial Molecular Muscle Based on c2-Daisy Chain   | 45        |
| 2.6      | Conclusion and Outlook  | 48        |
|          | References  | 48        |
| <b>3</b> | <b>Supra-Macromolecular Chemistry: Toward Design of New Organic Materials from Supramolecular Standpoints</b> | <b>51</b> |
|          | <i>Kazunori Sugiyasu and Seiji Shinkai</i>  |           |
| 3.1      | Introduction  | 51        |
| 3.2      | Small Molecules, Macromolecules, and Supramolecules: Design of their Composite Materials                      | 53        |
| 3.2.1    | Interactions between Small Molecules and Macromolecules   | 53        |
| 3.2.2    | Interactions between Small Molecules and Molecular Assemblies   | 56        |
| 3.2.3    | Interactions between Molecular Assemblies   | 58        |
| 3.2.4    | Interactions between Macromolecules   | 60        |
| 3.2.5    | Interactions between Macromolecular Assemblies  | 63        |
| 3.2.6    | Interactions between Macromolecules and Molecular Assemblies  | 65        |
| 3.3      | Conclusion and Outlook  | 67        |
|          | References  | 68        |
| <b>4</b> | <b>Polymerization with Ditopic Cavitand Monomers</b>  | <b>71</b> |
|          | <i>Francesca Tancini and Enrico Dalcanale</i>   |           |
| 4.1      | Introduction  | 71        |
| 4.2      | Cavitands   | 72        |
| 4.3      | Self-Assembly of Ditopic Cavitand Monomers  | 75        |
| 4.3.1    | Structural Monomer Classification of Supramolecular Polymerization  | 75        |
| 4.3.2    | Homoditopic Cavitands Self-Assembled via Solvophobic $\pi$ – $\pi$ Stacking Interactions                      | 77        |
| 4.3.3    | Heteroditopic Cavitands Combining Solvophobic Interactions and Metal–Ligand Coordination                      | 78        |
| 4.3.4    | Heteroditopic Cavitands Combining Solvophobic Interactions and Hydrogen Bonding                               | 82        |
| 4.3.5    | Heteroditopic Cavitands Self-assembled via Host–Guest Interactions  | 84        |
| 4.3.6    | Homoditopic Cavitands Self-assembled via Host–Guest Interactions  | 88        |
| 4.4      | Conclusions and Outlook   | 91        |
|          | References  | 92        |

**Part Two Supramolecular Polymers with Unique Structures 95**

|          |   |
|----------|---|
| <b>5</b> | <b>Polymers Containing Covalently Bonded and Supramolecularly Attached Cyclodextrins as Side Groups 97</b>  |
|          | <i>Helmut Ritter, Monir Tabatabai, and Bernd-Kristof Müller</i>   |
| 5.1      | Polymers with Covalently Bonded Cyclodextrins as Side Groups 97   |
| 5.1.1    | Synthesis and Polymerization of Monofunctional Cyclodextrin Monomers 98   |
| 5.1.2    | Polymer-Analogous Reaction with Monofunctional Cyclodextrin 100   |
| 5.1.3    | Structure–Property Relationship of Polymers Containing Cyclodextrins as Side Group 102  |
| 5.2      | Side Chain Polyrotaxanes and Polypseudorotaxanes 105  |
| 5.2.1    | Side Chain Polyrotaxanes 106  |
| 5.2.2    | Side Chain Polypseudorotaxane (Polymer (Polyaxis)/Cyclodextrin (Rotor)) 111   |
|          | References 120  |
| <b>6</b> | <b>Antibody Dendrimers and DNA Catenanes 127</b>  |
|          | <i>Hiroyasu Yamaguchi and Akira Harada</i>  |
| 6.1      | Molecular Recognition in Biological Systems 127   |
| 6.1.1    | Supramolecular Complex Formation of Antibodies 127  |
| 6.1.2    | Supramolecular Complexes Prepared by DNAs 129   |
| 6.1.3    | Observation of Topological Structures of Supramolecular Complexes by Atomic Force Microscopy (AFM) 129  |
| 6.2      | Antibody Supramolecules 130   |
| 6.2.1    | Structural Properties of Individual Antibody Molecules 130  |
| 6.2.2    | Supramolecular Formation of Antibodies with Multivalent Antigens 130  |
| 6.2.2.1  | Supramolecular Formation of Antibodies with Divalent Antigens 131   |
| 6.2.2.2  | Direct Observation of Supramolecular Complexes of Antibodies with Porphyrin Dimers 133  |
| 6.2.2.3  | Applications for the Highly Sensitive Detection Method of Small Molecules by the Supramolecular Complexes between Antibodies and Multivalent Antigens 134 |
| 6.2.3    | Supramolecular Dendrimers Constructed by IgM and Chemically Modified IgG 136  |
| 6.2.3.1  | Preparation of Antibody Dendrimers and their Topological Structures 136   |
| 6.2.3.2  | Binding Properties of Antibody Dendrimers for Antigens 136  |
| 6.3      | DNA Supramolecules 139  |
| 6.3.1    | Imaging of Individual Plasmid DNA Molecules 139   |
| 6.3.2    | Preparation of Nicked DNA by the Addition of DNase I to Plasmid DNA 140   |
| 6.3.3    | Catenation Reaction with Topoisomerase I 141  |

|       |   |     |
|-------|---|-----|
| 6.3.4 | AFM Images of DNA Catenanes   | 143 |
| 6.3.5 | DNA [n]Catenanes Prepared by Irreversible Reaction with<br>DNA Ligase | 144 |
| 6.4   | Conclusions   | 145 |
|       | References  | 146 |

**7 Crown Ether-Based Polymeric Rotaxanes 151***Terry L. Price Jr. and Harry W. Gibson*

|      |   |     |
|------|---|-----|
| 7.1  | Introduction  | 151 |
| 7.2  | Daisy Chains  | 153 |
| 7.3  | Supramolecular Polymers   | 156 |
| 7.4  | Dendritic Rotaxanes   | 157 |
| 7.5  | Dendronized Polymers  | 158 |
| 7.6  | Main chain Rotaxanes Based on Polymeric Crowns<br>(Including Crosslinked Systems) | 161 |
| 7.7  | Side Chain Rotaxanes Based on Pendent Crowns                                      | 166 |
| 7.8  | Poly[2]rotaxanes  | 170 |
| 7.9  | Poly[3]rotaxanes  | 173 |
| 7.10 | Polymeric End Group Pseudorotaxanes   | 176 |
| 7.11 | Chain Extension and Block Copolymers from<br>End Groups                           | 176 |
| 7.12 | Star Polymers from Crown Functionalized Polymers                                  | 179 |
|      | References  | 181 |

**Part Three Properties and Functions 183****8 Processive Rotaxane Catalysts 185***Johannes A.A.W. Elemans, Alan E. Rowan, and Roeland J.M. Nolte*

|       |                        |     |
|-------|------------------------|-----|
| 8.1   | Introduction           | 185 |
| 8.2   | Results and Discussion | 185 |
| 8.2.1 | Catalysis              | 185 |
| 8.2.2 | Threading              | 187 |
| 8.3   | Conclusion             | 192 |
|       | References             | 192 |

**9 Emerging Biomedical Functions through 'Mobile' Polyrotaxanes 195***Nobuhiko Yui*

|     |  |     |
|-----|--|-----|
| 9.1 | Introduction   | 195 |
| 9.2 | Multivalent Interaction using Ligand-Conjugated<br>Polyrotaxanes | 196 |
| 9.3 | The Formation of Polyrotaxane Loops as a Dynamic Interface       | 197 |
| 9.4 | Cytocleavable Polyrotaxanes for Gene Delivery                    | 199 |
| 9.5 | Conclusion   | 201 |
| 9.6 | Appendix   | 203 |
|     | References   | 204 |

|           |   |            |
|-----------|---|------------|
| <b>10</b> | <b>Slide-Ring Materials Using Polyrotaxane</b>                              | <b>205</b> |
|           | <i>Kazuaki Kato and Kohzo Ito</i>   |            |
| 10.1      | Introduction  | 205        |
| 10.2      | Pulley Effect of Slide-Ring Materials                                       | 208        |
| 10.3      | Synthesis of Slide-Ring Materials   | 209        |
| 10.4      | Scattering Studies of Slide-Ring Gels                                       | 211        |
| 10.5      | Mechanical Properties of Slide-Ring Gels                                    | 213        |
| 10.6      | Sliding Graft Copolymers  | 215        |
| 10.7      | Recent Trends of Slide-Ring Materials                                       | 216        |
| 10.7.1    | Introduction: Diversification of the Main Chain Polymer                     | 216        |
| 10.7.2    | Organic-Inorganic Hybrid Slide-Ring Materials                               | 219        |
| 10.7.3    | Design of Materials from Intramolecular Dynamics of Polyrotaxanes           | 224        |
| 10.8      | Concluding Remarks  | 226        |
|           | References  | 227        |
| <b>11</b> | <b>Stimuli-Responsive Systems</b>   | <b>231</b> |
|           | <i>Akihito Hashidzume and Akira Harada</i>                                  |            |
| 11.1      | Introduction  | 231        |
| 11.2      | Stimuli and Responses   | 231        |
| 11.2.1    | Stimuli   | 231        |
| 11.2.1.1  | Temperature   | 231        |
| 11.2.1.2  | Pressure, Force, Stress, and Ultrasound                                     | 232        |
| 11.2.1.3  | pH  | 233        |
| 11.2.1.4  | Chemicals   | 233        |
| 11.2.1.5  | Electromagnetic Waves or Light  | 233        |
| 11.2.1.6  | Redox   | 234        |
| 11.2.2    | Responses   | 234        |
| 11.2.2.1  | Movement  | 235        |
| 11.2.2.2  | Capture and Release of Chemicals  | 235        |
| 11.2.2.3  | Chemical Reactions  | 235        |
| 11.2.2.4  | Change in Viscoelastic Properties, or Gel-to-Sol and Sol-to-Gel Transitions | 236        |
| 11.2.2.5  | Change in Color   | 236        |
| 11.3      | Examples of Stimuli-Responsive Supramolecular Polymer Systems               | 236        |
| 11.3.1    | Temperature-Responsive Systems  | 236        |
| 11.3.2    | Pressure-, Force-, and Sonication-Responsive Systems                        | 239        |
| 11.3.3    | pH-Responsive Systems   | 241        |
| 11.3.4    | Chemical-Responsive Systems   | 246        |
| 11.3.5    | Photo-Responsive Systems  | 249        |
| 11.3.6    | Redox-Responsive Systems  | 255        |
| 11.3.7    | Multi-Stimuli-Responsive Systems  | 259        |
| 11.4      | Concluding Remarks  | 261        |
|           | References  | 261        |

|           |   |     |
|-----------|---|-----|
| <b>12</b> | <b>Physical Organic Chemistry of Supramolecular Polymers</b>                                      | 269 |
|           | <i>Stephen L. Craig and Donghua Xu</i>  |     |
| 12.1      | Introduction and Background   | 269 |
| 12.2      | Linear Supramolecular Polymers  | 270 |
| 12.2.1    | N,C,N-Pincer Metal Complexes  | 270 |
| 12.2.2    | Linear SPs  | 272 |
| 12.2.3    | Theory Related to the Properties of Linear SPs  | 274 |
| 12.2.4    | Linear SPs in the Solid State   | 275 |
| 12.3      | Cross-Linked SPs Networks   | 276 |
| 12.3.1    | Reversibility in Semidilute Unentangled SPs Networks  | 276 |
| 12.3.2    | Properties of Semidilute Entangled SPs Networks   | 283 |
| 12.3.3    | The Sticky Reptation Model  | 285 |
| 12.4      | Hybrid Polymer Gels   | 286 |
| 12.5      | Conclusion  | 288 |
|           | References  | 288 |
| <b>13</b> | <b>Topological Polymer Chemistry: A Quest for Strange Polymer Rings</b>                           | 293 |
|           | <i>Yasuyuki Tezuka</i>  |     |
| 13.1      | Introduction  | 293 |
| 13.2      | Systematic Classification of Nonlinear Polymer Topologies   | 293 |
| 13.3      | Topological Isomerism   | 296 |
| 13.4      | Designing Unusual Polymer Rings by Electrostatic Self-Assembly and Covalent Fixation              | 298 |
| 13.5      | Conclusion and Future Perspectives  | 302 |
|           | References  | 303 |
| <b>14</b> | <b>Structure and Dynamic Behavior of Organometallic Rotaxanes</b>                                 | 305 |
|           | <i>Yuji Suzuki, Tomoko Abe, Eriko Chihara, Shintaro Murata, Masaki Horie, and Kohtaro Osakada</i> |     |
| 14.1      | Introduction  | 305 |
| 14.1.1    | Crystals of Pseudorotaxanes   | 307 |
| 14.1.2    | Synthesis of Ferrocene-Containing [2]Rotaxanes by the Threading-Followed-by-End-Capping Strategy  | 312 |
| 14.1.3    | Dethreacting Reaction of Rotaxane-Like Complex  | 316 |
| 14.1.4    | Photochemical Properties of Ferrocene-Containing Rotaxanes  | 318 |
| 14.1.5    | Ferrocene-Containing [3]Rotaxane and Side-Chain Polyrotaxane                                      | 320 |
| 14.1.5.1  | Strategies and Synthesis of [3]Rotaxanes  | 320 |
| 14.1.5.2  | Strategies and Synthesis of Side-Chain Type Polyrotaxane  | 321 |

|           |  |            |
|-----------|--|------------|
| 14.2      | Conclusion   | 324        |
| 14.3      | Appendix: Experimental Section   | 324        |
|           | References   | 326        |
| <b>15</b> | <b>Polyrotaxane Network as a Topologically Cross-Linked Polymer:<br/>Synthesis and Properties</b>                  | <i>331</i> |
|           | <i>Toshikazu Takata, Takayuki Arai, Yasuhiro Kohsaka, Masahiro Shioya,<br/>and Yasuhito Koyama</i>                 |            |
| 15.1      | Introduction   | 331        |
| 15.2      | Linking of Wheels of Main-Chain-Type Polyrotaxane – Structurally<br>Defined Polyrotaxane Network                   | 331        |
| 15.3      | Linking of Macroyclic Units of Polymacrocycle with Axle Unit<br>to Directly Yield a Polyrotaxane Network           | 336        |
| 15.3.1    | Polyrotaxane Networks Having Crown Ethers as the Wheel at the<br>Cross-link Points (I)                             | 336        |
| 15.3.2    | Polyrotaxane Network Having Crown Ethers as the Wheel at the<br>Cross-link Points (II)                             | 337        |
| 15.3.3    | Polyrotaxane Network Having Cyclodextrins as Cross-link Points:<br>Effective Use of Oligocyclodextrin              | 339        |
| 15.4      | Linking of Wheels of Polyrotaxane Cross-linker to Afford Polyrotaxane<br>Network: Design of the Cross-linker       | 342        |
| 15.5      | Conclusion   | 344        |
|           | References   | 345        |
| <b>16</b> | <b>From Chemical Topology to Molecular Machines</b>  | <i>347</i> |
|           | <i>Jean-Pierre Sauvage</i>   |            |
| 16.1      | Introduction   | 347        |
| 16.2      | Copper(I)-Templated Synthesis of Catenanes: the ‘Entwining’ Approach<br>and the ‘Gathering and Threading’ Strategy | 347        |
| 16.3      | Molecular Knots  | 349        |
| 16.4      | Molecular Machines Based on Catenanes and Rotaxanes  | 353        |
| 16.5      | Two-Dimensional Interlocking Arrays  | 354        |
| 16.6      | A [3]rotaxane Acting as an Adjustable Receptor: Toward a<br>Molecular ‘Press’                                      | 355        |
| 16.7      | Conclusion   | 356        |
|           | References   | 356        |
|           | <b>Index</b>   | <i>361</i> |

