

Index

a

- abrasive fleece grinding, protective paint 361–362
- abrasive residues, layer removal 242
- accidents, in hot-dip galvanizing companies 219–221
- accumulations, workpiece design defects 406–407
- active metal corrosion, current-density potential curves 306
- active-passive corrosion elements 308
- additional coating, standards for 280
- addresses, hot-dip galvanizing companies 419–439
- adhesiveness
 - corrosion resistance examination 343
 - standards for 280
 - zinc coating requirements 405
- aeration and ventilation, definition 190
- after-treatment
 - coating quality requirements 355
 - major methods (overview) 30
- aftercooler, arrangement of 166
- agricultural facilities, corrosion in 336–339
- agriculture, galvanization usage examples 393–394
- air, sulfur-dioxide content 315–318
- air-borne pollutants, process-related 196
- air change rate, kettle housings 195
- air conditioning, interior corrosion 320–321
- air inclusions, galvanizing defects 287–288
- air-pollution control
 - authorizations 187–188
 - measures 188–210
 - rules 185–187
 - ventilation equipment (*see* ventilation equipment)
- air-pressure control, arrangement of 148
- air tube, galvanization usage examples 391
- airport passenger bridges, galvanization usage examples 385
- alcohols, highmolecular 38
- alkaline cleaners
 - analytical control 44
 - composition 40
 - role of recycling 44–47
 - service life 44–47
 - surface preparation 39
 - technological flow chart 43
 - water 41–42
 - working conditions 42–44
- alkaline solution, degreasing agent 38
- alkylnaphthalene sulfonic acids, degreasing agent 38
- alloyed zinc melts, layer formation 117–120
- alternating currents, corrosion in soils 333
- aluminum coatings, atmospheric corrosion 314
- angle profiles, improper storage 322
- Aquadrom Bremen, galvanization usage example 388
- arc welding methods 269
- art, and corrosion protection 26–27
- art objects, galvanization usage examples 399–400
- ash/flux, defects due to 409–410
- assembly
 - defects due to 412–413
 - hot-dip galvanized components 414–416
- assessment criteria, hot-dip galvanized coatings on steel structures 405–406
- atmospheric corrosion 5–6, 314–324
 - natural weathering 315–320
 - zinc coatings 304, 316
 - zinc removal 317

- Auenplatz at Cologne, galvanization usage example 381
- Augustdorf town hall, galvanization usage example 381
- automatic batch galvanizing plants 136–137
- layout 131
- automatic galvanizing lines, for small parts 169–171
- automatic pipe galvanizing line, layout 173
- b**
- Bablik effect, silicon in steel 99–100
- Bablik's principle, duplex system 24
- Bad Neustadt therapy center, galvanization usage example 382
- bag filters, cleaning methods 201
- bar steel, small parts galvanization 272
- barn equipment, corrosion by agricultural products 337
- barrel finishing, surface preparation 36–37
- basic materials, surface quality 241–244
- basket structures, galvanization usage examples 384
- batch galvanizing
 - information centers 416–417
 - layer-formation technology 94–97
 - metal sheet car chassis 387
 - and other corrosion-protection processes 12
 - parameters for 14
 - schematic process 93
 - standards for 282
- batch galvanizing line, schematic diagram of possible emissions 189
- batch galvanizing plants
 - automatic 136–137
 - layout 131
- bath cover, pretreatment plants 142
- bath dimensions 244–245
- “Belu Tec housing” 156–157
- Bessemer, Henry, steel production 21
- bimetallic corrosion 312–313
- BImSchG. *see* Federal Emission Control Law
- binding wire, for workpiece fixing 134
- biological cleaning, surface preparation 48
- black areas, defects from surface coverings 409
- black steel, practical measures for environmental protection 230–232
- blast-cleaned steel substrates, surface roughness characteristics 19
- blast cleaning, surface preparation 35–36
- blasting
 - layer removal 242
 - primary surface preparation 32
 - secondary surface preparation 33
- blistering 413
 - due to hydrogen 329
 - from white rust 351
- blow fog valves, rim exhausts 193
- boreholes, workpiece design defects 407
- brickwork, arrangement of 147
- bridge crane, arrangement of 127–129
- Bridge of Friendship Aachen, galvanization usage example 397
- brown corrosion layer 315
- brown staining 413
- brush seal, arrangement of 158
- brushing, zinc ridges 274
- building constructions, galvanization usage examples 380–383
- buildings, corrosion by agricultural products 337
- bulky parts, material to be galvanized 245–246
- burned castings, workpiece design defects 408
- burner, arrangement of 140, 143–144, 147, 168
- c**
- car chassis, galvanization usage example 387
- carrier chain, arrangement of 143–144
- cartridge filters, cleaning methods 202
- cast materials
 - hot-dip galvanization 276–277
 - preparation of 79–80
- castings, workpiece design defects 408
- cathodic corrosion protection
 - and other corrosion-protection processes 12
 - parameters for 15
- centrifugal basket delivery, arrangement of 172
- centrifugal galvanizing lines, robot-operated 170, 172
- centrifugation 271
- centrifuge, arrangement of 167, 171
- centrifuge over bath, arrangement of 172
- ceramic baths, immersion burners for 145–146
- ceramic lining, arrangement of 151
- ceramic troughs
 - arrangement of 168
 - for galvanizing furnaces 165–168
- chain conveyor

- arrangement of 127–129, 171
- hoisting platform for 133
- chain suspension, of steel structures 136
- chains, small parts galvanization 273
- channel inductor
 - arrangement of 172
 - galvanizing furnaces 149–150
- chemical cleaning
 - alkaline cleaners 40–48
 - special methods 51
 - surface preparation 37–47
- chemical conversion, protective paint 362–363
- chemical corrosion 2
- chlorides, zinc corrosion 317
- circular railway, arrangement of 128
- circulating heating, galvanizing furnaces 146
- civil engineering, galvanization usage
 - examples 383–385
- clean-gas chamber, arrangement of 166
- closed heating, cooling systems 327
- closed hollow bodies, workpiece design
 - defects 407–408
- coating, corrosion-protection. *see* corrosion protection
- coating materials
 - at defective spots 341
 - definition 352
 - liquid 363–364
 - protective paint systems 364–369
- coating methods
 - advantages and disadvantages 16
 - limitations 17
- coatings. *see also* zinc coatings
 - corrosion behavior 303–348
 - defects from process engineering 410
 - definition 352
 - layer removal 242–243
 - major defects 406–439
 - quality requirements 355–356
 - standards for 280
 - on steel structures 405–406
 - surface preparation 356–364
 - zinc layers 349–370
- coherences, avoidance of distortion and crack formation 260–262
- collection systems
 - air-pollution control 191–196
 - assessment bases 192–196
 - housings for galvanizing kettles 192, 194
 - rim exhausts 191–192
- color residues, galvanisation
 - defects 284–285
- companies
 - addresses 419–439
 - quality management 291–302
- component parts, galvanization usage
 - examples 394–395
- components
 - constructive design of 353–355
 - handling 414–416
- compressed-air blowing tube, arrangement of 166
- compressor, arrangement of 166
- concrete, corrosion resistance due to 334–336
- condensate separation, arrangement of 166
- condensed water, indoor
 - corrosion 321–323
- constructive design, of
 - components 353–355
- contact corrosion 3
- containers 247–251
 - arrangement of flanges and nozzles 250
 - external galvanizing 248–251
- contaminants
 - influence on pickling behavior of iron 61
 - on metal surfaces 30, 38
- contaminations, on zinc coating 356–357
- continuous drying furnace, layout of 143–144
- continuous galvanizing
 - and other corrosion-protection processes 12
 - parameters for 14
- continuous hot-dip galvanizing
 - examples of use 400
 - information centers 417
 - of steel strips and steel wire 91–93
- continuous-sheet galvanizing, examples of use 400–401
- continuous strip galvanizing, standards for 282
- continuous strip hot-dip galvanizing, invention of 25
- control cabinet, arrangement of 167
- control path, arrangement of 173
- control unit, arrangement of 148
- cooling systems, corrosion 326–327
- copper-induced corrosion 324
- corrosion 1–7
 - in agricultural facilities 336–339
 - air conditioning 320–321
 - from atmosphere 314–324
 - basic principles 305–309
 - bimetallic 312–313
 - causes of 1–2

- chemical properties 303–314
 - corrosive stress 4–7
 - current-density potential curves 306–308
 - due to drain water 324
 - due to drinking water 324–326
 - due to incorrect repair 275
 - indoor 320–321
 - mechanical resistance 314–313
 - origin of term 1
 - as phenomenon 1
 - rain protection 316–320
 - resting potential 307–308
 - in soils 330–334
 - swimming-pool water 326
 - thermal resistance 313–314
 - thermodynamic fundamentals 309–312
 - through nonaqueous media 338–340
 - through water 324–330
 - types of 2–3
 - in water 7
 - corrosion behavior, zinc coatings 303–348
 - corrosion damage 2
 - corrosion failure 2
 - corrosion in soil 5–6
 - corrosion phenomena 3
 - corrosion products, removal 323
 - corrosion protection 7–18
 - active procedures 7–9
 - and art 26–27
 - basic standards 18–19
 - commercial relevance 10–18
 - costs 376
 - at defective spots 340–342
 - definition 353
 - design-engineering requirements 8
 - DIN EN ISO 12944 10–11
 - and environmental protection 18
 - history 22–23
 - information centers 419
 - maintenance-related requirements 9
 - manufacturing requirements 9
 - passive procedures 9–11
 - processes 12
 - protection periods 11
 - for steel and zinc 13
 - corrosion rates
 - potential dependence 332–333
 - in water 325
 - zinc 303–304
 - corrosion reactions 2
 - corrosion resistance 2
 - due to concrete 334–336
 - examination 342–343
 - corrosion risk, due to concrete 334
 - corrosion system 1
 - corrosive stress 4–7
 - atmospheric corrosion 5
 - avoidance of damages 7
 - corrosion in soil 5–6
 - corrosion in water 7
 - environmental conditions 6
 - corrosivity classes 320
 - cost reduction, quality management 291
 - costs, corrosion protection 376
 - counterflow rinsing cascade 57
 - cover-layer formation 329
 - covering layers, on metal surfaces 30
 - Cowper-Coler, Sherard, invention of sherardizing 25
 - crack formation, avoidance 260–264
 - crack risk, large steel constructions 263–265
 - cracks, in workpieces 284
 - crane, arrangement of 157
 - crane units 160
 - adaptation to galvanizing operation 161
 - equipment overview 161–163
 - crash barriers, galvanization usage examples 383
 - crevice corrosion 3
 - crossbeam return 160
 - crossbeams
 - arrangement of 127–129, 143–144
 - hoisting platform for 132
 - crucible steel process 21
 - crude-gas chamber, arrangement of 166
 - crude-gas impact shaft, arrangement of 166
 - crystalline structure
 - low-phosphorus construction steels and zinc melt 114
 - zinc coatings 108–114
 - current-density potential curves, corrosion processes 306–308
- d**
- damaged area repair 259
 - damages
 - due to straightening work 287
 - zinc coatings 274
 - DBSO. *see* dibenzylsulfoxide
 - defect repair, thermal spraying 276
 - defective spots, corrosion protection 340–342
 - defects
 - avoiding through quality management 292

- color residues 284–285
- drainage runs 411
- drops 411
- due to air inclusions 287–288
- due to ash/flux 409–410
- due to assembly 412–413
- due to design 406–409
- due to extraneous rust 412
- due to greases 409
- due to oils 409
- due to paint systems 409
- due to process engineering 409–412
- due to storage 412–413
- due to surface coverings 409
- due to tar 409
- due to transport 412–413
- in hot-dip galvanizing process 282–288
- major 406–439
- occurrence 403–439
- paint markings 243
- peeling 410
- pimples 411
- points 411
- rough surface 411
- on steel substrates 34–35
- sticking points 410–411
- welding 265, 285–286
- welding slag 409
- zinc coating or galvanized workpieces 406–439
- deflecting howl, arrangement of 164
- degreasing
 - decision criteria for selection of technologies 47
 - oily wastes/residual materials 213
 - practical measures for environmental protection 230
 - surface preparation 37–40
 - waste/residual materials 212
- degreasing bath, arrangement of 127–129, 140, 167
- design
 - hot-dip galvanization requirements 239–290
 - sheet steelware 255–257
 - zinc coating 403–404
- design and manufacturing, standards for 278–282
- design defects 406–409
- dezincification, in hydrochloric acid 80–81
- DHS. *see* dihexylsulfide
- dibenzylsulfoxide (DBSO), inhibition of iron dissolution 71–72
- diesel fuel, corrosion due to 338
- diffusion
 - compared to other coating methods 16
 - limitations 17
- dihexylsulfide (DHS), inhibition of iron dissolution 71–72
- DIN 50976. *see* DIN EN ISO 1461
- DIN 55928
 - organic and metallic coatings 19
 - rust grades 31
- DIN EN 1403, corrosion-protection coating 12
- DIN EN 10240, zinc coating 97
- DIN EN 10326, continuous strip galvanizing 282
- DIN EN 10327, continuous strip galvanizing 282
- DIN EN 150 12944, coating material 18–19
- DIN EN ISO 1461
 - batch galvanizing 282
 - hot-dip galvanized semifinished products 258–259
 - minimum coating thicknesses 95
 - standards for design and manufacturing 278–281
- DIN EN ISO 2063, zinc spraying 282
- DIN EN ISO 8503, blast-cleaned steel substrates 19
- DIN EN ISO 9001:2000, quality management structure 292–294
- DIN EN ISO 10240, batch galvanizing 282
- DIN EN ISO 10684
 - batch galvanizing 282
 - fasteners 272
- DIN EN ISO 12944
 - corrosion-protection coating 10–11
 - standards for design and manufacturing 280
 - surface pretreatment 275
- DIN EN ISO 14713 239
 - batch galvanizing 282
 - standards for design and manufacturing 281
- DIN EN ISO 8501-1, rust grades 31
- DIN EN ISO 8501-2, rust grades 31
- DIN EN ISO 12944-4
 - secondary surface preparation 33
 - surface preparation grades 32
- discontinuous hot-dip galvanizing
 - examples of use 400
 - information centers 416–417
- discs, small parts galvanization 272
- dissimilar contaminants, zinc coatings 356
- dissimilar layers
 - removal 241

- steel structures 284–286
- dissolution speed, zinc 303
- distortions
 - avoidance 260–264
 - reduction 263–265
 - at sheet metal construction 256
 - workpiece design defects 408
- documentation requirements, quality management 294–295
- domestic wastewater, corrosion 327–328
- drain water, corrosion 324
- drainage runs
 - defects 411
 - zinc coatings 273
- drawing fluids, on metal surfaces 30
- drinking water, corrosion 324–326
- drops, defects 411
- dross, galvanizing residue 215
- dross removal, application of vibrators 174
- dry galvanizing, layer-formation technology 94
- drying furnaces 142–145
 - arrangement of 127–129, 140, 167, 171, 173
- duplex-method, wastewater treatment plants 328
- duplex system, history 24
- duplex-systems
 - coatings on zinc layers 349–370
 - corrosion in water 330
 - protection period 353
 - standards for 280
- dust, and filtration area load 206
- dust-collecting funnel, arrangement of 166
- dust container, arrangement of 166
- dust-separation phase, arrangement of 166

e

- economic efficiency, hot-dip galvanizing 371–378
- efficiency, hot-dip galvanizing 371–378
- efflorescence of salts 408
- electric chain hoists, arrangement of 157–158, 167
- electric hoist crab pairs, arrangement of 128
- electrochemical corrosion 2
- electrodes, welding 269
- electrolytic galvanizing
 - and other corrosion-protection processes 12
 - parameters for 14
- electroplating galvanizing, parameters for 14

- electroplating methods, development 25
- element enrichment, corrosion in water 326
- element formation, corrosion in soils 333
- emission measurements, environmental protection 210
- EN ISO 8044, basic terms and definitions 18–19
- energy balance, kettles 174–176
- energy supply, galvanization usage examples 391–393
- environment, and corrosion protection 18, 23
- environmental conditions, corrosive stress 6
- environmental contaminants, on metal surfaces 30
- environmental protection 185–234. *see also* occupational safety
 - air-pollution control 185–210
 - emission measurement 210
 - flux treatment residues 214–215
 - galvanization usage examples 396–397
 - galvanizing residues 215–216
 - measuring systems 210–211
 - noise 216–218
 - oily wastes/residual materials from degreasing 213
 - practical measures 230–234
 - spent pickling solutions 213–214
 - waste and residual materials 211–216
 - working area measurements 210–211
- exhaust, definition 190
- exhaust-air filter, waste/residual materials 212
- exhaust-gas conduit, arrangement of 143–144, 147
- exhaust-gas stack, arrangement of 167
- external galvanizing, tubes and containers 248–249
- extraneous rust 282–284
 - defects due to 412

f

- fabric, schematic structure 204
- fan, arrangement of 140, 147
- Faraday's law, corrosion processes 306–308
- fasteners
 - galvanization usage examples 394–395
 - small parts 271–272
 - unprotected 287
- Fe/Zn phase diagram. *see* iron-zinc phase diagram

Federal Emission Control Law
(BImSchG) 185, 211

feeding conveyor belt, arrangement of 172

feeding devices

- binding wire 134
- lifting accessories 133–134
- occupational safety 222–223

ferrous chloride, solubility in hydrochloric acid 65–66

fiber mat lining, arrangement of 147

filling station, arrangement of 171

filter dusts, practical measures for environmental protection 232

filter elements, air-pollution control 198–203

filter hose, arrangement of 166

filter media

- air-pollution control 203–205
- resistance to chemicals 204

filter plant, arrangement of 127–129, 167, 173

filter structure, arrangement of 166

filtering separators, air-pollution control 196–198

filters, practical measures for environmental protection 232

filtration area load, and type of dust 206

filtration plants 163–164

- layout 164–165

finish, protective paint systems 355–356

fire coating

- compared to other coating methods 16
- limitations 17

flaking 413

flame-blasting, primary surface preparation 32

flash, workpiece design defects 407

flood protection wall, galvanization usage example 384

floor covering, arrangement of 167

floor insulation, arrangement of 147

flow apertures, steel profile constructions 252–254

flue gas filter plant, galvanization usage example 392

flux baths

- arrangement of 127–129, 167
- practical measures for environmental protection 231
- waste/residual materials 214–215

flux residues, workpiece design defects 408–409

flux treatment, waste/residual materials 212

foodstuffs, corrosion by agricultural products 338

frames, for semifinished bar material 134–135

free-corrosion behavior, in soils 331–332

free punches, steel profile constructions 252–254

fuel oil, corrosion due to 338

g

galvanization material, dimensions and weights 244–247

galvanization temperatures 239, 270–271

galvanized coatings, steel structures 405–406

galvanized steel, corrosion behaviour in concrete 335

galvanized workpieces, major defects 406–439

galvanizing

- compared to other coating methods 16
- defects from air inclusions 287
- defects from process engineering 409–412
- economic efficiency 371–378
- examples of use 379–402
- history 21–26
- limitations 17
- waste/residual materials 212

galvanizing basket, arrangement of 171

galvanizing basket beam, arrangement of 171

Galvanizing Conference, 1. International 25

galvanizing furnaces 145–155. *see also* kettles

- arrangement of 128–129, 171–173
- with ceramic trough 165–168
- with channel inductor 149–151
- with circulating heating 146–147
- housing for 157–159
- immersion burners 145–146
- with impulse burner 148
- with induction heating 148–149
- layout of 140
- with resistance heating 149–150
- service plan of kettle 150–155
- with surface burner 147
- with surface heating 146–148

galvanizing kettles. *see* kettles

galvanizing lines

- automatic 169–171
- automatic pipe 173
- pipe 170–172

- robot-operated centrifugal 170, 172
 - semiautomatic 164–165
 - galvanizing residues 215–216
 - gap, between steel substrate and zinc coating 110
 - garbage container, galvanization usage example 396
 - gas pipeline, arrangement of 164
 - gas-port heating process, arrangement of 151
 - gas-shielded arc welding 269
 - “Gestellverzinkung: Zinc Elephant” 169
 - Globe-Arena Stockholm, galvanization usage example 388
 - glycols, degreasing agent 38
 - greases
 - defects due to 409
 - layer removal 241
 - grinding, with abrasive fleece 361–362
 - grinding sparks 284
- h**
- H-permeation, influence of material composition 73
 - halogen spotlights, arrangement of 158, 168
 - handicraft, galvanization usage examples 397–399
 - handling, hot-dip galvanized components 414–416
 - hardness increase, due to manufacturing processes 262
 - hazardous substances, handling of 227–228
 - heat exchangers
 - arrangement of 140–141, 143–144
 - sealings 250
 - heated lid, arrangement of 168
 - heating boiler, arrangement of 140
 - heating curve, for commissioning of galvanizing kettles 178
 - heating plate, arrangement of 150
 - heterogeneous mixed electrode, corrosion processes 308
 - high-bay warehouses, galvanization usage examples 390
 - high-molecular alcohols, degreasing agent 38
 - high-precision bolts, fully automatic galvanizing plants for 169–170
 - high-pressure water jets, protective paint 360–361
 - high-silicon steel, layer formation 101–106, 108
 - high-temperature (HT) cleaners, surface preparation 42
 - high-voltage overhead line poles, galvanization usage examples 391
 - high-voltage poles, galvanization usage examples 392
 - hinged door, arrangement of 158, 168
 - hinges, zinc coatings 273–274
 - hoisting platform
 - for chain conveyor 133
 - for crossbeams 132
 - holistic theory, layer formation 114–116
 - hollow bodies 247–251
 - workpiece design defects 407–408
 - hook suspension, of steel structures 136
 - hooks, small parts galvanization 272
 - hot-dip galvanized semifinished products
 - construction 257–260
 - processing 259–260
 - requirements 258–259
 - hot-dip galvanizing
 - cast materials 276–277
 - components handling and assembly 414–416
 - defect occurrence 403–439
 - defects from process engineering 409–412
 - defects occurring in process 282–288
 - development 23–24
 - economic efficiency 371–378
 - examples of use 379–402
 - findings and inventions 25
 - historical development 21–26
 - and layer-formation technology 91–122
 - and other corrosion-protection processes 12
 - parameters for corrosion protection methods for steel and zinc 13
 - sheets storage 322
 - small parts 270–273
 - standards of materials 279
 - standards of surface conditions 279
 - steel structures 405–406
 - welding 265–270
 - workpiece defects 406–440
 - hot-dip galvanizing companies
 - addresses 419–439
 - quality management 291–302
 - hot-dip galvanizing fluxes 81–85
 - flux-induced residues 84–85

- on $\text{ZnCl}_2/\text{NaCl}/\text{KCl}$ basis 84
- on $\text{ZnCl}_2/\text{NH}_4\text{Cl}$ basis 81–84
- hot-dip galvanizing plants, technical equipment 125–183
- hot-dip galvanizing requirements, design and manufacturing 239–290
- hot-dip strip galvanizing, parameters for 14
- housings. *see also* zinc bath housings
 - for galvanizing kettles 192, 194
 - with hinged or sliding covers 157–158
 - pickling 139–140
 - zinc bath 155–159
- hydrocarbons, degreasing agent 38
- hydrochloric acid, density and concentration values 62
- hydrochloric acid baths, operating point of 139
- hydrochloric acid content, correlation with pickle density and iron content 75
- hydrochloric acid ferrous chloride solutions, specific conductivity 76–77
- hydrochloric-acid pickles 61–78
 - analytical control 75–76
 - chemical composition change 68–69
 - composition 62–64
 - ferrous chloride solubility 65–66
 - inhibition and hydrogen embrittlement 71–75
 - internal recycling 76–78
 - mixing cross for calculation of preparation 63
 - multistage rinsing 55
 - operating point 63
 - pickling conditions 64–70
 - pickling time 66–70
 - relative movement of workpiece 69–70
 - stress-corrosion cracking 73–75
- hydrochloric sulfuric acid, essential properties 59
- hydrogen
 - absorbed in zinc coatings 99–100
 - blistering effect 329
- hydrogen activity, influence of sulfur content 74
- hydrogen embrittlement, hydrochloric-acid pickle 71–75
- hydrogen-reduced stress-corrosion cracking 73–75

i

- immersion burners, for heating of ceramic bath for zinc and zinc/aluminum 145–146

- immersion time, influence on layer thickness 102–105
- immersion zone, corrosion rate in seawater 329
- immersions, multiple 246
- imperfections, zinc coatings 274
- improvement, quality management 296–299
- impulse burner, arrangement of 148
- impulse burner heating, galvanizing furnaces 148
- impurity layers, on metal surfaces 30
- indoor corrosion 320–321
- induced draft fans, air-pollution control 207–208
- induction coil, arrangement of 149
- induction heating, galvanizing furnaces 148–149
- inductor, arrangement of 151
- information centers
 - continuous hot-dip galvanizing 417
 - corrosion protection 419
 - discontinuous hot-dip galvanizing 416–417
 - steel 418
 - wire, tube and strip galvanizing 417
 - zinc 418
- inlet openings, profile dimensions 249
- inspection doors, arrangement of 164
- inspection of galvanized product, quality management 299
- insulation, arrangement of 148–150, 168
- intergranular corrosion 3
- interior rooms, corrosion without air conditioning 320–321
- intermediate weathering, protective painting after 363
- internal audit, quality management 296
- internal stresses
 - avoidance 251
 - due to manufacturing processes 260–262
- iron content, correlation with pickle density and hydrochloric acid content 75
- iron dissolution, inhibition of 71–72
- iron-hydroxide sludge 215
- iron industry, history 21
- iron particles, from grinding work 284
- iron protection 303
- iron-zinc phase diagram 98
 - Zn-rich side 116
- ISO 8501-1, corrosion protection of steel structures 19
- ISO 8501-2, corrosion protection of steel structures 19

j

joining methods, sheet steelware 255

k

kettle change

kettle support, arrangement of 148

kettles 155

– air change rate at housing 195

– arrangement of 127–129,

147–150, 157

– commissioning of 177–178

– decommissioning of 181–182

– efficient energy consumption and service life 180–181

– energy balance 174–176

– failures 182–183

– heating curve for commissioning 178

– housings for 192, 194

– optimum operation 179

– service plan 150–155

– temperature profile 179

– thermal standard values 176

Kirkendall effect 286

– zinc coatings 313

l

l-octin-3-ol. *see* octinol

large steel constructions

– multiple immersions 264

– reduction of distortion/crack risk 263–265

layer chipping 313

layer-formation technology

– between 435 °C and 620 °C 98–120

– after-treatment 122

– batch galvanizing 94–97

– continuous hot-dip galvanizing 91–93

– effect of silicon 99–102

– high-temperature galvanizing 107–108

– holistic theory 114–116

– influence of alloying elements of melt 117–120

– influence of melting temperature and immersion time 102–105

– influence of steel heat treatment 106–107

– liquid-metal-induced embrittlement

(LME) 120–121

– process variants 91–98

– structural analyses 108–114

layer removal 241

layer thickness

– corrosion resistance

examination 342–343

– requirements 404

layers, dissimilar 284–286

lead, influence on surface tension 119

leading to defects, thermal

impacts 286–287

legal foundations, occupational safety 219

leisure, galvanization usage

example 388–389

lifting accessories 133–134

lifting unit, arrangement of 157

liquid coating materials, protective paint

systems 363–364, 366, 368

liquid manure silos, galvanization usage

examples 394

liquid-metal-induced embrittlement

(LME) 120–121

LME. *see* liquid-metal-induced embrittlement

local corrosion, in water 325

low-alloyed heat-treated steels

– influence of material composition on

abrasion and H-permeation 73

– influence of sulfur content on hydrogen activity 74

low-phosphorus construction steels, crystalline zinc melt structure in batch galvanizing 114

low-silicon steel, layer formation 100–101, 103–106, 108

low-stress manufacturing 262

low-temperature (LT) cleaners 42

m

main station in Cologne, galvanization usage example 386

major defects, coatings 406–439

MAK-values 187

makeshift bridge, galvanization usage

example 386

Malouin, invention of hot-dip

galvanizing 25

management responsibilities, quality

management 295

mandatory signs, occupational safety 229

manometer, arrangement of 166

manual, quality management 292

manual/mechanical preparation

– primary surface preparation 32

– secondary surface preparation 33

manufacturing

– economic efficiency 372

– hot-dip galvanization

requirements 239–290

manufacturing technology, surface

preparation classification 363–364

Marggraf, A. S., zinc production 25

Maritim hotel in Cologne, galvanization usage example 380

markings, layer removal 242–243

mass loss, atmospheric corrosion 315

material thickness

- dependence from structure surface 372
- and surface area 53

measuring analysis, quality management 296–299

mechanical plating, parameters for 15

mechanical resistance 314–313

mechanical sanding, secondary surface preparation 33

mechanical surface-preparation methods

- barrel finishing 36–37
- blast cleaning 35–36

melt alloying elements, influence on layer formation 117–120

melting temperature, influence on layer thickness 102–105

metal embrittlement 407

metal spraying, parameters for 14

metal surfaces, potential contaminants 30

metallic coating methods

- advantages and disadvantages 16
- limitations 17

metallic coatings

- combination with protective paint system 349
- steel structures 19
- with zinc powder 12

milking-carrousel, galvanization usage example 393

minimum coating thicknesses, according to DIN EN ISO 1461 95

mining, galvanization usage examples 390–391

mixed electrode, corrosion processes 308

mixing cross, for calculation of pickle preparation 63

molecular hydrogen, absorbed in zinc coatings 99–100

monitoring, quality management 296

monorail, arrangement of 167–168

multiple immersions, large steel constructions 264

multistage rinsing 54–56

n

Na salts, of polycarboxylic acids 38

nails, small parts galvanization 272

naphtyl methyl chinolinium chloride (NMCC), inhibition of iron dissolution 71–72

natural ventilation, definition 190

natural weathering, corrosion 315–320

needle felting, schematic structure 204

Nernst equation, zinc corrosion 305

Neue Messe Leipzig, galvanization usage example 382

nickel, influence on layer thickness 119–120

nitrogen atmosphere, annealing of steels 107

NMCC. *see* naphtyl methyl chinolinium chloride

noise, maximum guideline values 216–217

noise protection 218

nonaqueous media, corrosion due to 338–340

o

occupational safety 219–230. *see also* environmental protection

- accidents in hot-dip galvanizing companies 219–221
- equipment of hot-dip galvanizing companies 221–223
- handling of hazardous substances 227–228
- legal foundations 219
- mandatory signs 229
- operating instructions 223–224
- personal protection equipment 223, 225
- personal rules of conduct 223–227
- rescue signs 229
- safety marking at workplace 228
- statutory representative for environmental and labor protection 228–230

octinol, inhibition of iron dissolution 71–72

oils

- defects due to 409
- layer removal 241

oily wastes/residual materials, from degreasing 213

open baths, occupational safety 221–222

open cooling systems, corrosion 326–327

openings, size 247

operating instructions, pretreatment 223–224

order effect, silicon in steel 99–100

organic coatings, steel structures 19

outlet openings, profile dimensions 249

overlaps

- steel profile constructions 252
- steel profiles 243–244

oversized parts, material to be
galvanized 245–246
oxide layer, steel 58–60

p

paint markings, defects 243
paint systems
– defects due to 409
– definition 352
– layer removal 242–243
– protective 18–19
– schematic diagram 354
paper, as filter medium 204
part rinsing, surface preparation 51–57
part sizes, material to be
galvanized 245–246
partial blasting, secondary surface
preparation 33
partial manual/mechanical preparation,
secondary surface preparation 33
partial mechanical sanding, secondary
surface preparation 33
passive corrosion protection, history 24
peeling, defects from process
engineering 410
personal protection equipment 223, 225
– noise protection 218
personal rules of conduct, occupational
safety 223–227
phosphorous content, of steel grades 102
pickle, workpiece design defects 408–409
pickle density, correlation with iron and
hydrochloric acid content 75
pickling
– dezincification 80–81
– hydrochloric-acid (*see* hydrochloric-acid
pickle)
– influence on topography of steel
surfaces 60
– material and surface condition 58–61
– preparation of cast materials 79–80
– primary surface preparation 32
– surface preparation 57–81
– waste/residual materials 212
pickling bath, arrangement of 127–129,
167
pickling degreasing, surface
preparation 39, 49–51
pickling housing, pretreatment
plants 139–140
pickling solutions
– practical measures for environmental
protection 231–232
– waste/residual materials 213–214
piece weights, material to be
galvanized 244–245
pimples, defects from process
engineering 411
pipe conveyer, galvanization usage
example 390
pipe corner columns, arrangement of 158
pipe-expansion machine, arrangement
of 173
pipe feeding device, arrangement of 173
pipe galvanizing lines 170–172
– automatic 173
pitting 3
pitting corrosion 3
pivots, small parts galvanization 272
plant engineering, galvanization usage
examples 389–390
plants. *see also* pretreatment plants; technical
equipment
– automatic batch galvanizing 136–137
– feeding devices 133–136
– frames, crossbeams and auxiliary
devices 130–136
– heat distribution in 140
– linear arrangement 126–127
– mounting area 130
– u-shaped arrangement 126–130
playground equipment, galvanization usage
examples 389
points, defects from process
engineering 411
pollutants, process-related air-borne 196
polycarboxylic acids, degreasing agent 38
polymers, as filter media 204
potential reversion, corrosion in
concrete 336
powder coating materials
– protective paint preparation methods 358
– protective paint systems 364, 366, 369
power rail, arrangement of 167
preservatives, on metal surfaces 30
pressure gage, arrangement of 166
pressure tank room, galvanization usage
example 389
pretreatment, application of vibrators 174
pretreatment plants
– arrangement of 173
– bath cover 142
– container structures 138
– favorable tank covers 142
– heat-exchanger installation 141
– heat supply of 140–141
– pickling housing 139–140
– units 137–139

primary surface preparation, preparation grades 32

process engineering, defects due to 409–412

process flow chart, quality management 298

process-related air-borne pollutants 196

product inspection plan, quality management 297

product realization, quality management 295–296

protection periods

- coatings on zinc layers 353
- economic efficiency 372, 374–375

protective paint coatings, classification 363–364

protective paint layers

- abrasive fleece grinding 361–362
- chemical conversion 362–363
- coating materials 364–369
- high-pressure water jet 360–361
- liquid coating materials 363–364, 368
- powder coating materials 364, 369
- quality requirements 355–356
- steam blasting 360–361
- surface preparation 356–364
- sweep-blasting 359–360

protective paint systems

- basic standards 18–19
- definition 352

pulse controller, arrangement of 166

punching fluids, on metal surfaces 30

q

quality management

- according to DIN EN ISO 9001:2000 292–294
- criteria 292
- documentation requirements 294–295
- elements 294–299
- hot-dip galvanizing companies 291–302
- improvement 296–299
- introduction of QM systems 300
- management responsibilities 295
- manual 292
- measuring analysis 296–299
- product realization 295–296
- resource management 295
- trends 300–301
- withdrawal notice 299

quality requirements, protective paint layers 355–356

quality test, corrosion resistance 342–343

r

radio mast, galvanization usage example 393

railing height, arrangement of 157

railway, history of corrosion protection 22–23

railway station Kassel-Wilhemshöhe, galvanization usage example 385

rain cover, arrangement of 164

rain protection, corrosion 316–320

rainwater, corrosion 327

recycling

- hydrochloric-acid pickles 76–78
- and service life of alkaline cleaners 44–47

red lead, history 23

remedies, avoidance of distortion and crack formation 262–263

repair, zinc coatings 273–276

repair methods, at defective spots 340–342

rescue signs, occupational safety 229

residual paint markings, defects 243

residual welding slag, defects 242

resistance heating, galvanizing furnaces 149

resource management, quality management 295

resting potential, galvanized steel 336

restraint systems

- air-pollution control 196–207
- assessment bases 205–207
- design examples and parameters of 205
- discharge of emissions 208–209
- for exhaust air 206
- filter elements 198–203
- filter media 203–205
- filtering separators 196–198
- induced draft fans 207–208
- in surface pretreatment 205

reworking, zinc coatings 273–276

ridges, zinc coatings 273

rim exhausts

- arrangement of 141
- with blow fog valves 193
- collection systems 191–192

rinsewater recirculation 56–57

rinsing

- calculation of rinsing processes 53–56
- carryover 52–53
- counterflow rinsing cascade 57
- decision criteria for selection of technologies 47
- of parts 51–57
- two-stage counterflow rinse system 54
- water consumption 57

- rinsing bath, arrangement of 127–129, 140, 167
- robot-operated centrifugal galvanizing lines 170
- layout 172
- rod electrodes, welding 269
- rolling gate, arrangement of 156
- rooms, interior corrosion 320–321
- rotary drive, arrangement of 158
- rough surface, defects 411
- rubber profile sealing, arrangement of 156
- rust
 - extraneous 282–284, 412
 - white 412
- rust grades, uncoated steel substrates 31
- rutile cellulose coatings, welding electrodes 269
- s**
- safety marking, at workplace 228
- sags, formation 411
- salts, efflorescence 408
- Sandelin effect, silicon in steel 99–100
- Sandelin steel
 - influence of nickel 120
 - layer formation 101, 103–106, 108
- sanding, secondary surface preparation 33
- scales, steel profiles 243–244
- Schoop, M. K., invention of spray method 25
- sculptures, galvanization usage
 - examples 399
- seal-weld overlapping areas 253
- seawater, corrosion 328–330
- Sebisty effect, silicon in steel 99–100
- Sebisty steel, layer formation 101, 103–106, 108
- secondary surface preparation, preparation grades 33
- sectional steel, small parts
 - galvanization 272
- semiautomatic galvanizing lines, for small parts 164–165, 167
- semifinished bar material, frames
 - for 134–135
- Sendzimir, Th., invention of continuous strip hot-dip galvanizing 25
- separators. *see* restraint systems
- service plan, kettle 150–155
- shallow pit corrosion 3
- shallow pit formation 3
- sheet galvanizing, parameters for 14
- sheet metal chassis, batch-galvanized 263
- sheet metal construction, distortions 256
- sheet-metal products, history 23
- sheet steelware, design and manufacturing 255–257
- sheets
 - proper storage 322
 - small parts galvanization 272
- shells, steel profiles 243–244
- sherardizing, parameters for 15
- sherardizing, invention of 25
- side flap, arrangement of 157
- silicon, effect in steel 99–102
- silicon content
 - influence on surface pretreatment 61
 - of steel grades 102
- similar contaminants, zinc coatings 356–357
- single bath galvanizing, parameters for 14
- small parts
 - automatic galvanizing lines 169–170
 - definition 271
 - fasteners 271–272
 - semiautomatic galvanizing lines 164–165
- small parts galvanization
 - chains 273
 - hot-dip 270–273
 - nails, pivots, discs, hooks 272
 - products 271
 - sectional steel, bar steel, sheet 272
- smokestack, arrangement of 140, 143–144
- soils
 - corrosion in 330–334
 - free-corrosion behavior in 331–332
- solders, at defective spots 341–342
- Sorel, Stanislaus, hot-dip galvanizing 22
- sparks 284
- spattered zinc, galvanizing residue 216
- specific conductivity, of hydrochloric acid ferrous chloride solutions 76–77
- splash water zone, corrosion rate in seawater 329
- sport, galvanization usage
 - examples 388–389
- spray method, invention of 25
- spraying
 - compared to other coating methods 12, 16
 - limitations 17
 - parameters for 14
- stack heights, determination of 209
- standards
 - for design and manufacturing 278–282
 - DIN EN ISO 1461 278–281
 - DIN EN ISO 14713 281
- stationary cover, arrangement of 143–144

- statutory representative, for environmental and labor protection 228–230
- steam blasting, protective paint 360–361
- steam-ejector station, arrangement of 173
- steel
 - annealed in nitrogen atmosphere 107
 - continuous hot-dip galvanizing 91–93
 - effect of silicon 99–102
 - influence of heat treatment prior to galvanizing 106–107
 - information centers 418
 - parameters for corrosion protection methods 13
 - pickling 58–60
 - structure of oxide layer 58–60
- steel bascule bridge, galvanization usage example 397
- steel composition, as-delivered 30–31
- steel construction
 - arrangement of 151
 - development 23
- steel grades, silicon and phosphorous content 102
- steel industry, history 21
- steel parts, suspensions 246–247
- steel parts galvanizing, information centers 416–417
- steel production, increase 23, 25
- steel profile constructions 251–254
 - free punches and flow apertures 252–254
 - materials 251
 - overlaps 252
 - surface preparation 251–252
- steel profile supporting structure, arrangement of 148
- steel profiles, overlaps 243–244
- steel sheet, design and manufacturing 255–257
- steel structures
 - basic standards for corrosion protection 18–19
 - dissimilar layers 284–286
 - hot-dip galvanized coatings 405–406
- steel substrates
 - defects on 34–35
 - rust grades 31
- steel surface, galvanization process 241
- steel surface roughness, surface finish 34–35
- steel tubes, inspection of 258
- steel wire
 - continuous hot-dip galvanizing 91–93
 - design and manufacturing 255–257
- sticking points, defects 410–411
- storage
 - corrosion by agricultural products 337–339
 - defects due to 412–413
 - semifinished products 259
- straightening, welding defects 265
- straightening work, damages 287
- stray current, corrosion in soils 333
- stress-corrosion cracking,
 - hydrogen-reduced 73–75
- stress ranges, seawater corrosion 329
- strip galvanizing
 - information centers 417
 - standards for 282
- structural parts, thickness 251
- substrate-coating gap 110
- suction channel, arrangement of 157
- sulfonates, degreasing agent 38
- sulfuric acid, essential properties 59
- supporting frames, with plugin bolt 135
- surface area, in dependence of material thickness 53
- surface conditions, hot-dip galvanization 279
- surface corrosion, uniform 325
- surface coverings, workpiece defects 409
- surface finish
 - defects on steel substrates 34–35
 - dissimilar contaminants 32–35
 - similar contaminants 31–32
- surface heating, galvanizing furnaces 146–148
- surface preparation
 - classification 363–364
 - definition 352
 - practically applied 359
 - protective paint 356–364
- surface preparation grades, for primary surface preparation 32
- surface-preparation technology 29–85
 - as-delivered condition 30–35
 - basic material 30–31
 - biological cleaning 48
 - chemical cleaning 37–47, 51
 - degreasing 37–40
 - hot-dip galvanizing fluxes 81–85
 - major methods (overview) 30
 - mechanical methods 35–37
 - pickle degreasing 49–51
 - pickling 57–81
 - rinsing of parts 51–57
 - steel composition 30–31
 - steel surface roughness 34–35
 - surface finish 31–35

- surface pretreatment
 - DIN EN ISO 12944 275
 - volume flows 195
- surface quality, small parts 271
- surface roughness
 - layer removal 243
 - of pretreated surfaces of steel samples 61
 - surface finish 34–35
- surfactants, degreasing agent 38
- suspensions
 - of steel parts 246–247
 - of steel structures 136
- sweep-blasting
 - definition 352
 - protective paint 359–360
- sweeping, definition 352
- swimming-pool water, corrosion 326
- synergetic effect, definition 353

t

- TA Luft 186, 211
- tar, defects due to 409
- “Tauchbrenner” 146
- tears, formation 411
- technical equipment
 - for after-treatment 159
 - application of vibrators 172–174
 - automatic galvanizing line for small parts 169–170
 - commissioning and decommissioning of hot-dip galvanizing kettle 176–183
 - crane units 160–163
 - crossbeam return 160
 - drying furnaces 142–145
 - energy balance 174–176
 - filtration plants 163–164
 - galvanizing furnaces 145–155, 165–168
 - galvanizing kettle 155
 - layout variants of plants 126–137
 - pipe galvanizing lines 170–172
 - plants 125–183
 - preliminary planning 125–126
 - pretreatment plants 137–142
 - semiautomatic galvanizing lines 164–165
 - unloading area 160
 - zinc bath housings 155–159
- tensile stresses, due to manufacturing processes 260–261
- tension rod system, galvanization usage example 394

- TEP coatings 330
- thermal impacts, leading to
 - defects 286–287
- thermal resistance, zinc coatings 313–314
- thermal spraying
 - damaged area repair 259
 - defect repair 276
 - at defective spots 341
 - and other corrosion-protection processes 12
 - parameters for 14
- thermal standard values, kettles 176
- thermal stresses, due to construction 261
- thick zinc coating, defects from process engineering 410
- thickness removal, time dependence 331
- thread bolts, zinc coatings 273–274
- tin, influence on layer thickness 119
- traffic engineering, galvanization usage examples 385–388
- transport
 - corrosion by agricultural products 337–338
 - defects due to 412–413
- transport container, arrangement of 167
- truck building, galvanization usage examples 387
- tube galvanizing
 - information centers 417
 - parameters for 14
- tubes, external galvanizing 248–249
- tubular constructions 247–251
 - ventilation possibilities 248
- two-stage counterflow rinse system, technological flow chart 54

u

- uncoated steel substrates, rust grades 31
- uniform surface attack 3
- uniform surface corrosion 3
 - in water 325
- unprotected fasteners 287
- UVPG 186

v

- ventilation, definition 190
- ventilation equipment
 - air-pollution control 188–210
 - collection systems 191–196
 - discharge of emissions 208–210
 - induced draft fans 207–208
 - restraint systems 196–207

- ventilation systems 189–191
- ventilator, arrangement of 166
- venturi nozzle, arrangement of 166
- vibrators
 - arrangement of 173
 - recommendations for 172–174
- vibratory conveyor, arrangement of 172
- volume flows, surface pretreatment 195

W

- waste/residual materials
 - environmental protection 211–216
 - oily 213
- waste water treatment, practical measures
 - for environmental protection 233
- wastewater, corrosion 327–328
- wastewater treatment plants 328
- water
 - alkaline surface cleaners 41–42
 - basic principles of corrosion 305–309
 - corrosion 324–330
 - water bath, arrangement of 127–129, 140, 167, 171
 - water consumption, of several rinsing processes 57
 - water evaporation, in dependence of working temperature 56
 - water hardness levels 42
 - water jets, protective paint 360–361
 - water-polluting liquids containers, galvanization usage examples 396
 - water separator, arrangement of 166
 - weathering, protective painting after 363
 - welding
 - after hot-dip galvanizing 268–270
 - defect sources 265–266
 - electrodes 269
 - before hot-dip galvanizing 265–270
 - practice of 266–270
 - welding defects 285–286
 - straightening 265
 - welding seams, silicon content 267
 - welding slag
 - defects due to 409
 - layer removal 241–242
 - welding sprays 242
 - welding tools, layer removal 241–242
 - wet galvanizing
 - history 22
 - layer-formation technology 94–97
 - wet separators, design examples and parameters of 205
 - white lead, history 22–23
 - white rust
 - blistering 351
 - defects due to 412
 - formation 321–323
 - semifinished products 259
 - white steel, practical measures for environmental protection 232
 - wire galvanizing
 - information centers 417
 - parameters for 14
 - wires, steel 255–257
 - withdrawal notice, quality management 299
 - working area measurements, environmental protection 210–211
 - workpiece defects
 - cracks 284
 - defect occurrence 403–439
 - hot-dip galvanizing 406–440
 - major defects 406–439
 - surface coverings 409
 - workpiece design defects 406–409
 - accumulations 406–407
 - boreholes 407
 - castings 408
 - flash 407
 - flux residues 408–409
 - hollow bodies 407–408
 - pickle 408–409
 - workplace, safety marking 228
 - workrooms and working areas, occupational safety 221

Y

- yield strength, steel 261

Z

- Zille, Heinrich, caricatures around hot-dip galvanizing 26–27
- zinc
 - ceramic baths for 145–146
 - history 21–22, 25
 - information centers 418
 - parameters for corrosion protection methods 13
- zinc adherence, local avoidance 277–278
- zinc/aluminum, ceramic baths for 145–146
- zinc ash formation, development of 85
- zinc ash stripper, arrangement of 172
- zinc ashes
 - galvanizing residue 215

- practical measures for environmental protection 232
- zinc bath housings 155–156. *see also* housings
 - arrangement of 127–129, 167
 - at a ceramic galvanizing furnace 168
 - crane-displaceable 157–158
 - longitudinal 158–159
 - transverse 157–159
- zinc baths
 - application of vibrators 174
 - arrangement of 168
 - practical measures for environmental protection 231
- zinc build-up, design defects 406–407
- zinc coating repair, DIN EN ISO 1461 280
- zinc coatings. *see also* zinc melts
 - absorbed molecular hydrogen 99–100
 - adhesiveness 405
 - atmospheric corrosion 314
 - chipped-off 260–261
 - coating properties 404
 - contaminations 356–357
 - corrosion behavior 303–348
 - crystalline structure for low-phosphorus construction steels 114
 - damages 274
 - defect occurrence 403–439
 - defects from process engineering 410
 - design requirements 403–404
 - imperfections 274
 - major defects 406–439
 - peeling 286
 - phases 99
 - quality requirements 355–356
 - repair requirements 404–405
 - requirements for 403–405
 - reworking and repair 273–276
 - structural analyses 108–114
 - surface preparation 356–364
 - thermal resistance 313–314
 - thermodynamic stability 310–311
 - workpiece properties 404
- zinc corrosion, oxidation reaction 305
- zinc electroplating, and other corrosion-protection processes 12
- “Zinc Elephant” 169
- zinc flaking, zinc coating quality requirements 355
- zinc ingots, introduction into kettle 175
- zinc-kettle housing 194
- zinc layers, coatings on 349–370
- zinc melts 273. *see also* zinc coatings
 - influence of alloying 117–120
 - influence of lead 119
 - influence of nickel and tin 119–120
 - standards for 279
- zinc oxide vapors 268
- zinc paints, history 23
- zinc powder coating
 - compared to other coating methods 16
 - limitations 17
 - and other corrosion-protection processes 12
 - parameters for 15
- zinc removal
 - atmospheric corrosion 317
 - sweep blasting 359
 - wires 318
- zinc spraying
 - at defective spots 341
 - and other corrosion-protection processes 12
 - standards for 282
- ZnCl₂/NaCl/KCl, hot-dip galvanizing fluxes 84
- ZnCl₂/NH₄Cl, hot-dip galvanizing fluxes 81–84