

Index

Bold page numbers refer to the boxes

a

- Ab. *See* antibody
 aberrant glycosylation 222
 Abl. *See* kinase, Abelson
 ABPP. *See* activity-based protein profiling
 ABT-737 108
 ABTS. *See* 2,2'-azino-bis(3-ethyl-benzthiazoline-6-sulphonic acid)
 acetylcholine esterase (AChE) 49
 AChE. *See* acetylcholine esterase
 actinomycin 248
 activity-based probe 71
 activity-based protein profiling (ABPP) 70
 acyl protein thioesterase 1 (ATP1) 190
 acyloxymethylketones (AOMK) 73
 AD. *See* Alzheimer's disease
 adenosin triphosphatase (ATPase) 106
 adenosin triphosphate (ATP) 92, 95, 99
 adenosin triphosphate
 – bumped ATP analogs 100
 ADP ribsoylation factor (Arf) 65, 106, 176
 affinity chromatography 138, 206
 affinity purification method 138
 AFM. *See* atomic force microscopy
 agroinfiltration 77
 Alzheimer's disease (AD) 49, 137
 α -amino acyl sulfonamide 147
 aminoacyl-tRNA synthetase 161
 analog sensitive kinase allele (ASKA) 92
 antibiotics 79
 – oxazolidinone 79
 antibody (Ab) 28, 230
 – FLAG- 143
 AOMK. *See* acyloxymethylketone
 AP1903 112, 118
 APH(3')-IIIa. *See* kinase, aminoglycoside apoptosis 122
 APT1. *See* acyl protein thioesterase 1
Arabidopsis thaliana 4
 Arf. *See* ADP ribsoylation factor
 Arf-like protein (Arl) 131
 ARFGAP. *See* protein, GTPase activating, of ADP-ribosylation factor
 Arl. *See* Arf-like protein
 ARNT. *See* aryl hydrocarbon receptor nuclear translocator
 aryl hydrocarbon receptor nuclear translocator (ARNT) 251
 ASKA. *See* analog sensitive kinase allele
 ASKA ligand (bumped ligand) assay
 – cell-based 12
 – enzyme-linked immunosorbent assay (ELISA) 231
 – fluorescent resonance energy transfer (FRET)-based 266
 – luciferase reporter 269
 – MDCK-f3 backtransformation 56
 – phenotypic 56
 – principles of 12
 – reporter gene 59
 – Taq polymerase stop 269
 atomic force microscopy (AMF) 27
 atorvastatin 17
 ATP. *See* adenosin triphosphate
 ATPase. *See* adenosin triphosphatase
 auto-immune disease 33
 avirulence protein (Avr2) 76
 Avr2. *See* avirulence protein
 AXIN. *See* axis inhibition protein
 axis inhibition protein (AXIN) 56
 2-(1H-7-azabenzotriazol-1yl)-1,1,3,3-tetramethyl uroniumhexafluorophosphate (HATU) 180
 2,2'-azino-bis(3-ethyl-benzthiazoline-6-sulphonic acid) (ABTS) 231

b

- B-cell lymphoma (Bcl) 108
back-transformation 138
Bak. *See* Bcl2 antagonist/killer
barcode. *See also* microarray 12
Bcl. *See* B-cell lymphoma
Bcl2 antagonist/killer (Bak) 110
BCR. *See* breakpoint cluster region
benzophenone 83
benzothiadiazole (BTH) 77
(benzotriazol-1-yloxy)tri(pyrrolidino)phosphonium (PyBOP) 194
(benzotriazol-1-yloxy)tris(dimethylamino)phosphoniumhexafluorophosphate (BOP) 113, 139
bHLH. *See* domain, basic helix1-loop-helix2
BHT. *See* benzothiadiazole
binding site 81, 214
– ATP, in kinases 95, 97
– location of 86
BIO. *See* 6-brominduribin-3'-oxime
biological targets, identification of 82
BIOS. *See* synthesis of compound libraries
BIOS. *See* synthesis of compound libraries, biology-oriented
biosensor
BOP. *See* (benzotriazol-1-yloxy)tris(dimethylamino)phosphoniumhexafluorophosphate
bovine serum albumin (BSA) 64, 224, 228
breakpoint cluster region (BCR) 92
brefeldin 105, 107
6-brominduribin-3'-oxime (BIO) 58
BSA. *See* bovine serum albumin
Btk. *See* kinase, Burton's tyrosine
bump-and-hole approach 91, 96, 101, 111, 117
- c**
C-20-methylallylrapamycin (MaRap) 114
c-myc. *See* myeloblastosis oncogene
c-MYC. *See* myelocytomatosis oncogene
c-MYC gene transcription 263, 269
c-Raf1. *See* root abundant factor
C-terminal hydrolase 70
C-terminal interacting motif (CIM) 212
C-terminus binding region (CBR) 212
CAD. *See* domain, C-terminal activation
Caenorhabditis elegans 4
cAMP-response element binding protein (CREB) 57
cancer 33, 49, 56, 97, 103, 110, 122, 126, 151, 222, 263
capsase 73
case study 16, 34, 36, 47, 59, 77, 86, 140, 166, 243, 254, 263
cathepsin 71
CBP. *See* CREB-binding protein
CBR. *See* C-terminus binding region
Cdc25A phosphatase 49
Cdk. *See* kinase, cyclin-dependend
cDNA. *See* complementary DNA
CE. *See* combinatorial extension
cell cycle 122
CFA. *See* complete Freund's adjuvant
CGH. *See* comparative genome hybridization
CHAPS. *See* 3-[(3-cholamidopropyl)dimethylammonio]-1-propanesulfonate
chemical genetic approach 91
chemical genomic approach
– cell-based 6
– yeast-based 1, 8
chemical genomics 4, 5
chemoenzymatic ligation 163
chemoselective ligation reaction 147
chromatin 136
chromosomal microarray analysis (CMA)
chronic myelogenous leukemia (CML) 97
CIM. *See* C-terminal interacting motif
cisplatin 17
clan 71
3-[(3-cholamidopropyl)dimethylammonio]-1-propanesulfonate (CHAPS) 208, 211
CMA. *See* chromosomal microarray analysis 23
CMC. *See* critical micelle concentration
CML. *See* chronic myelogenous leukemia
combinatorial extension (CE) 49
combinatorial solid phase synthesis 32
combinatorial split-and-mix synthesis 33
comparative genome hybridization (CGH).
See chromosomal microarray analysis 23
complementary DNA (cDNA) 10, 25, 66, 142
complete Freund's adjuvant (CFA) 231
compound collection
– β -lactone 39, 192
– BIOS-based 47
– commercial 11
– DOS-based 43
– evaluation 43
compound collection. *See* synthesis of compound libraries
– synthesis of 39, 44
conditional allele 6
coupling
– biarsenical- 238

– Huisgen azide–alkyne- 238
 – hydrazone- 237
 COX. *See* cyclooxygenase
 Cre-loxP system 6
 CREB. *See* cAMP-response element binding protein
 CREB-binding protein (CBP) 57, 253
 critical micelle concentration (CMC) 208
 Crk. *See* kinase, cystein-rich receptor like protein
 CsA. *See* cyclosporin A
 [3+2] cycloaddition 147
 cyclooxygenase (COX) 58
 cyclophilin (CyP) 116
 cyclosporin A (CsA) 116
 CyP. *See* cyclophilin
 cystein protease (Cys protease) 69

d

Dap. *See* L-2,3-diamino-propionic acid
 DBD. *See* DNA binding domain
 DCG-04 72, 77
 DD. *See* destabilizing domain
 DDI. *See* DNA directed immobilization
 2DE. *See* two-dimensional gel electrophoresis
 deletion 9
 deletion strain
 – heterozygous 14, 18
 – homozygous 14
 – human homolog of YBT1 18
 destabilizing domain (DD) 127
 deubiquitinating enzyme (DUB) 74
 DFR1. *See* dihydrofolate reductase gene
 DHFR. *See* dihydrofolate reductase
 DHT. *See* dihydrotestosterone
 Dickkopf (DKK) 56
 differential expression analysis 26
 difluorinated cyclooctyne dye (DIFO-dye) 242
 DIFO-dye. *See* difluorinated cyclooctyne dye
 dihydrofolate reductase (DHFR) 8, 17, 170
 dihydrofolate reductase (eDHFR) 126
 dihydrofolate reductase gene (DFR1) 17
 dihydrotestosterone (DHT) 126
 dimethyl sulfate footprinting. *See* DNA sequencing 269
 diploid 7
 distamycin 248
 diversity
 – appending (building block) 41
 – skeletal 41
 – stereochemical 41
 diversity-oriented synthesis (DOS)

DKK. *See* Dickkopf
 DNA 136, 261
 DNA binding domain (DBD) 9, 254
 DNA recognition 247, 250
 DNA sequencing 26, 269
 DNA-binding polyamide 248, 250, 256
 DNA-directed immobilization (DDI) 27, 29
 DNA-protein conjugate 30
 domain
 – basic helix1-loop-helix2 (bHLH) 253
 – C-terminal activation domain (CAD) 253
 – oxygen dependent degradatin domain (ODDD) 252
 – PER ARNT SIM (PAS) 253
 – protein transduction domain (PTD) 167
 – Ras binding domain (RBD) 149, 150, 152, 153
 – SH3 domain 101
 – signal sensing domain (SSD) 9
 – transactivation domain (TAD) 9
 DOS. *See* synthesis of compound libraries, diversity-oriented
 drug development 106
 DUB. *See* de-ubiquitylating enzyme
 dust mite 33
 dyclonine 17
 dysidiolide 49

e

E-64 72
E. coli 98, 168, 206
 early endosome (eE) 176
 eDHFR. *See* dihydrofolate reductase
 eE. *See* early endosome
 EGFP. *See* enhanced green fluorescent protein
 EGFR. *See* epidermal growth factor receptor
 ELISA. *See* assay, enzyme-linked immunosorbent
 endoplasmatic reticulum (ER) 122
 enhanced green fluorescent protein (EGFP) 129, 168
 enzyme inhibition 49, 65, 90, 192, 195
 eperozolid 80
 epidermal growth factor receptor (EGFR) 94, 96
 epigenetics
 EPL. *See* expressed protein ligation
 EPO. *See* erythropoietin
 epoxide probe 72
 ER. *See* endoplasmatic reticulum
 Erk. *See* kinase, extracellular regulated
 error prone PCR 129
 erythropoietin (EPO) 251

Ex. *See* extein
 extein (Ex) 164, 170

f

F-Box 125
 familial adenomatous polyposis (FAP) 58
 family (of proteases) 71
 FAP. *See* familial adenomatous polyposis
 FD. *See* fitness defect
 fenpropimorph 17
 FISH. *See* fluorescence *in situ* hybridization
 FITC. *See* fluorescein isothiocyanate
 fitness defect (FD) 18
 FK1012-A 111
 FK506 105, 107
 – synthetic derivatives of 111
 FK506 binding protein (FKBP12) 106, 114, 125
 FKBP12. *See* FK506 binding protein
 FKBP12 rapamycin associated protein (FRAP) 106, 116
 FKBP12 rapamycin binding (FRB) 106, 116
 FKCsA (FK506 fused with Cyclosporin A) 112, 116
 FLAG tag 142, 168
 fluconazole 16
 9-fluorenylmethoxycarbonyl (Fmoc) 32
 fluorescein isothiocyanate (FITC) 32
 fluorescence *in situ* hybridization (FISH) 24
 fluorescent reporter group 236, 242
 fluorophore labeling 25
 5-fluorouracil (5-FU) 17
 Fmoc. *See* 9-fluorenylmethoxycarbonyl
 folic acid, biosynthesis of 17
 forward chemical genetics 43
 forward synthetic analysis 42
 FRAP. *See* FKBP12 rapamycin associated protein
 FRB. *See* FKBP12 rapamycin binding
 FRET. *See* assay, fluorescence resonance energy transfer-based
 FRP. *See* protein, frizzled-related
 5-FU. *See* 5-fluorouracil
 fumagillin 126
 fusicoocin 105, 107

g

G-quadruplex ligand 266, 268
 G-quadruplex structure 262
 GA. *See* Golgi apparatus
 GAL4 8
 galactose-1-phosphate uridylyltransferase (GalT) 201

galanthamine-like molecules 44
 GalNAc. *See* N-acetylgalactosamine
 GalNaz. *See* N-azidoacetylgalactosamine
 GalT. *See* galactose-1-phosphate uridylyltransferase
 GAP. *See* protein, GTPase activating
 gastric lipase 192
 gastrointestinal stromal tumors (GISTS) 97
 gatekeeper residue 97
 GDI. *See* inhibitor of GDP dissociation
 GDP. *See* guanosine-5'-diphosphate
 GEF. *See* guanine nucleotide exchange factor
 geldanamycin 125
 gene
 – epigenetic regulation 135
 – FOL1 17
 – FOL2 17
 – WNT 57
 – YMR007w 16
 – YMR266w 16
 gene expression regulation 270
 genetics
 – forward chemical 3
 – reverse chemical 2
 – traditional 6
 genome 22
 genomics 23
 genotype 21
 geranylgeranyltransferase (GGTase) 211
 GFP. *See* green fluorescent protein
 GGTase. *See* geranylgeranyltransferase
 GISTS. *See* gastrointestinal stromal tumors
 GlcNAc phosphotransferase (GPT) 16
 glucose phosphate isomerase (GPI) 168
 glucose transporter 1 (GLUT1) 253
 GLUT1. *See* glucose transporter 1
 glycans 236
 glycobiology 235
 glycoconjugates, biological activity of 221
 glycogen synthase kinase 3 (GSK3), inhibition of, by small molecules 57
 glycoprotein 222
 glycosylated peptide epitope 224, 228
 Golgi apparatus (GA) 176, 185, 190, 201, 222, 240
 GPI. *See* glucose phosphate isomerase
 GPT. *See* GlcNAc phosphotransferase
 Grb. *See* growth factor receptor bound protein
 green fluorescent protein (GFP) 130, 167, 183, 238, 245
 growth factor receptor bound protein (Grb) 102
 growth-related genes

GSK. *See* kinase, glycogen synthase
 GTP. *See* guanosine-5'-triphosphate
 guanine nucleotide exchange factor (GEF)
 106, 151
 guanosine-5'-diphosphate (GDP) 35, 65,
 106, 151, 175, 190, 205
 guanosine-5'-triphosphate (GTP) 35, 65,
 106, 151, 175, 190, 205

h

HA. *See* haemoglutinin
 haemoglutinin (HA)-tagged ubiquitin
 protein 75
 haploid 7
 haploinsufficiency 14
 haploinsufficiency
 – drug-induced 8, 16
 HAT. *See* histone acetyl transferase
 HATU. *See* 2-(1*H*-7-azabenzotriazol-1-yl)-
 1,1,3,3-tetramethyl
 uroniumhexafluorophosphate
 HAUbVS probe 76
 HBTU. *See* *O*-(1*H*-benzotriazole-1-yl)-
N,N,N',N'-tetramethyl
 uroniumhexafluorophosphate
 HDAC. *See* histone deacetylase
 heat-shock protein (HSP) 125
 HECT-type ligase. *See* ligase, homology to
 E6AP C-terminus
 HEK293 cells. *See* human embryonic kidney
 cells
 heterodimerization 116
 heterodimerizer 112
 heterozygote 7
 hGH. *See* human growth hormone
 HIF. *See* hypoxia-inducible factor
 HINT. *See* histidine triad nucleotide binding
 protein
 histidine triad nucleotide binding protein
 (HINT) domain 164, 166
 histone 135
 histone acetyl transferase (HAT) 135
 histone deacetylase (HDAC) 135, 143
 HIV. *See* human immunodeficiency virus
 HOBt. *See* *N*-hydroxybenzotriazole
homo sapiens 4, 70
 homodimerization 114
 homodimerizer 112
 homozygote 7
 Hoogsteen base pair 262
 Hoogsteen hydrogen bonding 262
 horseradish peroxidase (HPO) 231
 HPO. *See* horseradish peroxidase
 HRE. *See* hypoxia response elements

HSP. *See* heat-shock protein
 human embryonic kidney cell (HEK293 cell)
 59
 human growth hormone (hGH) 117
 human immunodeficiency virus (HIV) 126
 11- β -hydroxysteroid dehydrogenase (11- β -
 HSD) 49
 hygromycin B 16, 17
 hypoxia inducible factor (HIF) 126, 251,
 253
 hypoxia response elements (HRE) 251

i

IAP. *See* inhibitor of apoptosis protein
 IFA. *See* incomplete Freund's adjuvant
 IIA6B17 108
 imine capture 147
 immunoresponse mechanism 231
 immunotherapy 231
 immunosuppression 106, 109
in vitro analysis 153
in vitro assay, biochemical. *See* reverse
 chemical genetics 2, 129
in vitro experiment 237, 255, 264
in vivo experiment 84, 97, 110, 129, 130,
 238
in vivo imaging 243
in vivo targeted protein degradation 129
 in-gel tryptic digestion 63
 incomplete Freund's adjuvant (IFA) 231
 inhibition
 – of ATP1 195
 – of kinases 91, 101
 inhibitor
 – of apoptosis protein (IAP) 122
 – of ATP1 191
 – of Cys proteases 71, 72
 – of GDP dissoziation (GDI) 204, 212
 – of HDAC 138
 – of kinases 96, 97
 – of PLCP 71
 – of telomerase 267
 – of UBP 74
 intein (Int) 164, 167, 171
 intracellular vesicular transport 205
 IPL. *See* intein-mediated protein ligation
 itraconazole 17

k

K-trap affinity matrix 139
 Keyhole Limpet Hemocyanin (KLH) 222
 Ki-ras. *See* sarcoma, Kirsten rat
 kinase
 – Abelson kinase (ABI) 92, 98

- aminoglycoside kinase (APH(3')-IIIa) 98
- Burton's tyrosine kinase (Btk) 93, 101
- cyclin-dependent kinase (Cdk) 93, 95, 101, 122, 131
- extracellular regulated kinase (Erk) 199
- receptor tyrosine kinase (RTK) 151
- kinase. *See* ASKA 98
- kinase. *See* glycogen synthase kinase (GSK) 57
- kinase. *See* cystein-rich receptor like protein kinase (Crk) 102
- kinase substrate identification 100
- KLH. *See* Keyhole Limpet Hemocyanin
- knock-in (of genes) 90
- knock-out (of genes) 90

I

- L-2,3-diamino-propionic acid (Dap) 152
- labeling of cell-surface glycans 244
- labeling of kinase substrates 96
- late Endosome (lE) 176
- lE. *See* late Endosome
- LEF. *See* lymphoid enhancer binding protein family
- ligand, WNT 56
- ligand–kinase pair 92
- ligation
- ligase
 - homology to E6AP C-terminus (HECT) ligase 123
 - plant homeo domain (PHD) 123
- ligation
 - Bertozzi-Staudinger 238
 - bioorthogonal 236
 - MIC- 181, 237
 - oxime- 237
- linezolid 79, 84
- lipidation 176
- loss-of-function mutant 4, 5
- lovastatin 17
- luciferase (luc) 59, 268
- lymphoid enhancer binding protein family (LEF) 56

m

- Mac associated factor X (Max) 108
- Madin-Darby-canine-kidney cell (MDCK cell) 185, 198
- major histocompatibility complex (MHC) 122, 224, 232
- MALDI. *See* matrix-assisted laser desorption ionization
- ManNAc. *See* N-acetylmanoseamine
- MaRap. *See* C-20-methylallylrapamycin

- massive parallel signature sequencing (MPSS) 24
- MAT α 7
- MAT α 7
- matrix-assisted laser desorption-ionization mass spectrometry (MALDI-MS) 27, 35
- Max. *See* Mac associated factor X
- MDCK cells. *See* Madin-Darby canine kidney cells
- messenger RNA (mRNA) 25
- metabolic engineering 240
- metabolic labeling 244
- metabolome 22
- methotrexate 8, 17
- 4-methyltrityl (Mtt) 32
- MFS. *See* multi-facilitator superfamily
- MHC. *See* major histocompatibility complex
- MHC class I antigen processing 122
- MIC. *See* protein ligation, maleinimidocapronyl mediated
- MIC ligation 148
- miconazole 17
- microarray 12
 - technology 25
 - antibody, for protein profiling 34
 - antibody, generation of 28
 - barcode 13
 - DNA (DNA chip) 12, 24, 30
 - hybridization of 12
 - protein array 27
 - self-assembled protein array 35
 - self-assembled small-molecule 29
 - small-molecule 28
- microinjection 198
- microtiterplate format 3, 5
- microtubule formation 106
- model cancer vaccine 224, 229
- model system 30, 243
- modification of peptides and proteins 147
- molecular switch 65
- MPSS. *See* massive parallel signature sequencing
- mRNA. *See* messenger RNA 161
- mRNA translation 80
- Mtt. *See* 4-methyltrityl
- MUC1 glycosylation 222, 226
- MUC1-OVA vaccine construct 228
- mucin 1 (MUC1) 222
 - synthesis of vaccine based on 225
- multifacilitator superfamily (MFS) 16
- Mus musculus* 4
- mutation, of kinases 98
- myeloblastosis oncogene (c-myb) 272
- myelocytomatosis (Myc) 108

myelocytomatosis oncogene (c-MYC) 263, 269

n

N-acetylgalactosamine (GalNAc) 222, 239

N-acetylmanoseamine (ManNAc) 239

N-azidoacetylgalactosamine (GalNAz) 240

N-hydroxybenzotriazole (HOBt) 180, 194, 228

native chemical ligation (NCL) 148, 149, 161, 206, 237

natural products 46

– DNA binding 248

– scaffold tree 47

– structural classification of (SCNOP) 47

NBD. *See* 7-nitro-1,2,3-benzoxadiazole

NBD-farnesyl (NF) 206

NCL. *See* native chemical ligation

NCP. *See* nucleosome core particle

necrosis factor κ B (NF- κ B) 122

NES. *See* nuclear export sequence

netropsin 248

neurodegeneration

NF. *See* NBD-farnesyl

NF- κ B. *See* necrosis factor κ B

NHE. *See* nuclease hypersensitivity element

NIH3T3 cell 131, 138

7-nitro-1,2,3-benzoxadiazole (NBD) 152, 181, 206

NLS. *See* nuclear localization sequence

non-steroidal anti-inflammatory drug (NSAID) 58

NSAID. *See* non-steroidal anti-inflammatory drug

nuclear export sequence (NES) 117

nuclear localization sequence (NLS) 117

nuclease hypersensitivity element (NHE) 263, 268

nucleic acid-directed immobilization

nucleosome 136

nucleosome core particle (NCP) 251

Nutin 2 108

o

O-(1*H*-benzotriazole-1-yl)-*N,N,N',N'*-tetramethyl uroniumhexafluorophosphate (HBTU) 180, 228

O-glycosylation. *See* MUC 1 glycosylation

ODDD. *See* domain, oxygen dependent degradatin

“ome” 23

“ome”. *See* genome, transcriptome, proteome, metabolome, phenome

– influencing parameters 21

– technologies for study of 23

oncogene 265

ovalbumin (OVA) 225, 228

oxime ligation 147

p

P2 position 70

PAL. *See* photoaffinity labeling

palmitoylation 175, 198

– regulation of, by ATP1 195

Palmostatin 195, 198

PAM. *See* resin 4-

hydroxymethylphenylacetamidomethyl resin

PAS. *See* domain, PER ARNT SIM

pathway modulation 57

PC12 cells. *See* pheochromocytoma cells

PCR. *See* polymerase chain reaction

PCR amplification 12

PDGF-A. *See* platelet-derived growth factor

A

peptide nucleic acid (PNA) 32

peptide synthesis

– building blocks 207

– Fmoc- and Boc-based solid phase 150, 168, 180, 225, 249

– prenylation 206

– solid-phase (SPPS) 146, 161, 179

peptidyl transferase active site 86

peptidyl transferase center (PTC) 80

PHD-type ligase. *See* ligase, plant homeo domain

phenome. *See* phenotype 22

phenotype 3, 22

phosphoprotein Dishevelled (DSH or DVL) 56

phosphorylation, with radioactive phosphate 100

photoaffinity label 82

photoaffinity labeling (PAL) 81

photoaffinity-labeled probe 84

Pip1. *See* POT1-interacting protein 1

plant defense response 77

plasma membrane (PM) 176, 185, 190, 201

plasma membrane ATPase C-terminus

(PMA2-CT52) 106

platelet-derived growth factor A (PDGF-A) 272

PLCP. *See* Cys proteases, papain-like

PM. *See* plasma membrane

PMA2-CT52. *See* plasma membrane ATPase C-terminus

PNA. *See* small molecule, peptide nucleic acid encoded

- POI. *See* protein of interest
- polymerase chain reaction (PCR) 13, 142
- polymorphic structure of DNA 263
- polypeptide ligation 163
- post source decay (PSD) 35
- post-translational modification (PTM) 74, 159, 176
- POT1-interacting protein 1 (Pip) 77
- prenylation 176, 203
- PrEST. *See* protein epitope signatures tag
- PrEST array 33
- profiling
- ABPP of Cys proteases 70
 - chemogenomic 13
 - DCG-04 76
 - gene-expression 23
 - heterozygous 14
 - homozygous 14
 - protein, with Ab microarrays 33
- promoter 59, 265
- PROTAC. *See* proteolysis targeting chimera
- PROTAC approach 124
- PROTAC-4 129
- protease
- capsase-like 70
 - legumain-like 70
 - papain-like Cys (PLCP) 70, 76
 - ubiquitin-specific (UBP) 70
- protease activity profiling 70
- proteasome 123, 253
- protein
- interactions 23
 - control of protein function 89
 - DD-POI fusion, controlled degradation of 130
 - FKBP12 114, 116
 - frizzled-related (FRP) 56
 - G-protein 175
 - GTPase activating protein (GAP) 65
 - GTPase activating protein of ADP-ribosylation factor 1 (ARFGAP1) 64
 - identification by in silico digestion/reversed phase nanoHPLC-MS 63
 - identification of disease-associated 33
 - *in vivo* synthesis 161
 - inhibitor, identification of 47
 - interaction with proteins 8
 - of serum samples 34
 - prenylated 207
 - Ras, intracellular 30, 35
 - ubiquitin-labeled 121
 - validation 64
- protein cluster 48
- protein degradation, ubiquitin–proteasome-mediated 121
- protein epitope signature tag (PrEST) 28
- protein interaction inhibition (disruption) 108
- protein interaction stabilization 106
- protein kinase 91
- protein ligation
- expressed (EPL) 162, 167, 206
 - *in vitro* 208, 212
 - intein-mediated (IPL) 161
 - maleimidocaproyl (MIC) mediated 182
- protein of interest (POI) 124, 127, 142, 191
- protein palmitoylation 198
- protein purification 141
- protein quality control 122
- protein recruitment 254, 266
- protein splicing, mechanism of 171
- protein stability, engineered control of 127
- protein structure similarity clustering (PSSC) 47, 189, 192
- protein target 55
- protein trafficking 45
- protein *trans*-splicing 164, 169
- protein–ligand interaction 127
- protein–protein interaction
- disrupter of 108
 - physiological effects of stabilized 109, 110
 - stabilizer of 106, 107
- proteolysis-targeting chimera (PROTAC) 124, 126
- proteome 22, 28
- proteomics 23
- PSD. *See* post source decay
- PSSC. *See* protein structure similarity clustering
- PTC. *See* peptidyl transferase center
- PTD. *See* domain, protein transduction
- PTM. *See* posttranslational modifications
- PyBOP. *See* (benzotriazol-1-yloxy)tri(pyrrolidino)phosphonium
- q**
- Q11 (purin derivative), synthesis of 60
- quenched probe 73
- r**
- Rab cycle regulator 214
- Rab escort protein (REP) 204, 214
- Rab geranylgeranyltransferase (RabGGTase) 204

- Rab GTPase 203, 212
 Rab protein. *See* Ras-like protein from rat brain
 Rab recycling mechanism 204
 RabGGTase. *See* Rab geranylgeranyltransferase
 Rad. *See* Ras associated with diabetes
 Ran. *See* 25 kda ras-related protein
 rapamycin 105, 107, 116, 117, 125
 – synthetic derivatives (rapalogs) of 114, 117
 Ras
 – lipoproteins, biological activity of 183
 – localization of, on membranes 177
 – posttranslational modified 177
 Ras associated with diabetes (Rad) 176
 Ras cycle, evaluation of 178, 181
 Ras GTPase 175, 182, 189, 190, 198
 Ras protein 148
 – analysis of 153
 – chemical synthesis of 152
 Ras signaling 189, 190, 198
 Ras-like protein from rat brain (Rab protein) 176, 205, 209
 Ras-like protein in tissues (Rit) 176
 25 kda ras-related protein (Ran) 176
 rat pheochromocytoma cell (PC12 cell) 183
 RBD. *See* domain, Ras-binding
 regulatory proteolysis 122
 REP. *See* Rab escort protein
 reporter gene 10
 repressor element 270
 rescuing mutationon 98
 resin 4-
 hydroxymethylphenylacetamidomethyl resin (PAM) 249
 retinoid X receptor (RXR) 101
 reverse chemical genetics 43, 191
 reverse transcription polymerase chain reaction (RT-PCR) 271
 reversed phase nanoHPLC-MS/MS 63
 Rho GTPase Cdc42, inhibition of 46
 ribosome 80
 ring strain 241
 Rit. *See* Ras-like protein in tissues
 RNA 86, 161, 247
 RNA interference (RNAi) 4, 6, 89
 RNAi. *See* RNA interference
 root abundant factor (c-Raf1) 149
 RT-PCR. *See* reverse transcription polymerase chain reaction
 RTK. *See* kinase, receptor tyrosine
 RXR. *See* retinoid X receptor
- S**
Saccharomyces cerevisiae 7
 SAR. *See* structure-activity-relationship
 sarcoma (Src) 94, 96, 116
 – Kirsten rat sarcoma (Ki-ras) 272
 – viral (vScr) 92
 scanning probe microscopy (SPM) 27
 SCONP. *See* natural products, structural classification of
 screening
 – activity-based 267
 Screening. *See* forward chemical genetics
 – cell-based 3, 12
 – chemical genetic 14
 – haploinsufficiency 14, 17
 – high throughput 59
 – of drug effects 26
 – primary 1
 – synthetic lethal 8, 9
 – yeast-based 1
 SDS-PAGE
 – polyacrylamide gel electrophoresis
 secramine 45
 segment condensation reaction 146
 selective degradation in cells 121
 semi-synthetic protein 161, 169, 198
 semi-synthetic protein probe, lipidated 178
 sequence-selective DNA binding 251
 SH3. *See* src homology 3
 shield-1 (Shld1) 128
 Shld1. *See* shield-1
 signal transduction cascade 151, 189
 signaling pathway 59
 single nucleotide polymorphism (SNP) 24, 26
 single strand DNA (ssDNA) 264
 small molecule 6
 – chemical probe 39, 126
 – as modulator (inhibitor, activator) 6, 39, 57, 191
 – bioactive 55
 – conditional control of protein stability 128
 – for modulation of protein–protein interactions 105
 – for targeting DNA 247
 – in chemical genomics 12
 – interaction with proteins 8
 – peptide nucleic-acid (PNA)-encoded 30, 33
 small RNA interference (sRNAi) 24
 SNP. *See* single nucleotide polymorphism

- sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) 64, 99, 141, 142, 168, 169
- split intein 164
- SPM. *See* scanning probe microscopy
- SPPS. *See* peptide synthesis, solid phase
- SPR. *See* surface plasmon resonance
- Src. *See* sarcoma
- src homology 3 (SH3) 101
- SSD. *See* domain, signal sensing
- ssDNA. *See* single strand DNA
- staphylococcus aureus* 85, 163
- Staudinger ligation 148
- stopped flow analysis 155
- strain
- heterozygous diploid 14
 - homozygous diploid 14
 - MAT α haploid 14
 - MAT α haploid 14
- structure-activity-relationship (SAR) 82
- surface plasmon resonance (SPR) 27, 34, 64
- synthesis
- of oxazolidinone antibiotics 82
 - of Ac4ManNAz 239
 - of cell-surface glycans 237
 - of glycosylated amino acid building blocks 226
 - of K-trap affinity matrix 140
 - of MUC1-based vaccines 229, 230
 - of N-Ras lipopeptides 180, 182
 - of peptides 145
 - of photoaffinity-labeled probe 85
 - of prenylated Rab proteins 207
 - of proteins 148
 - of Ras proteins 152
 - of RBD 152
 - of trapoxin B 139
- synthesis of compound libraries
- biology oriented synthesis (BIOS) 46, 47, 51
 - diversity oriented synthesis (DOS) 40, 42
 - of β -lactones 194
 - stereoselective 40
 - synthesis of furanes, butenolides and bisbutenolides 50
 - target oriented synthesis (TOS)
- t**
- T-cell factor (TCF) 56
- T-cell receptor (TCR) 224
- TAD. *See* domain, transactivation
- TAMRA. *See* tetramethylrhodamine
- tandem affinity purification (TAP) 100
- TAP. *See* tandem affinity purification
- Taq* polymerase. *See* thermus aquaticus polymerase
- target identification 55, 59, 99
- target protein 2
- target validation 55, 64
- TATA box binding protein (TBP) 255
- TBP. *See* TATA box binding protein
- TCEP. *See* tris(carboxyethyl)phosphine
- TCF. *See* T-cell factor
- TCR. *See* T-cell receptor
- telomer 264
- telomerase 264
- template-mediated ligation 146
- tetrafluorophenylazide 83
- tetrahydrolipstatin 192
- tetramethylrhodamine (TAMRA) 266
- tetrapeptide inhibitor, activity of 36
- TF. *See* transcription factor
- thermus aquaticus polymerase (*Taq* polymerase) 268
- thioester ligation 147
- thioether ligation 147
- thiol capture ligation 147
- thioredoxin 168
- time-resolved fluorescence microscopy 198
- TOS. *See* synthesis of compound libraries, target-oriented synthesis
- trans*-splicing 165
- transcription factor (TF) 9, 122, 136, 247, 251
- yeast Gal4 8
- transcription modulation 253
- transcriptome 22
- transfection 269
- transfer RNA (tRNA) 80, 161
- transpeptidation 163
- trapoxin B 138
- trichostatin 142
- trifluoromethylphenyldiazirine 83
- trimethoprim 170
- tris(carboxyethyl)phosphine (TCEP) 244
- tunicamycin 16
- two-dimensional gel electrophoresis (2DE) 25
- u**
- Ub. *See* ubiquitin
- ubiquitin (Ub) 123
- ubiquitin C-terminal hydrolases (UCH) 74
- ubiquitination 74, 123
- ubiquitin–proteasome pathway 122, 124
- UBP. *See* ubiquitin-specific protease

UCH. *See* ubiquitin C-terminal hydrolases
unspecific binding (of proteins) 141

v

vascular endothelial growth factor (VEGF)
251, 253

VEGF. *See* vascular endothelial growth factor
vesicular stomatis viral G protein (VSVG)
45

VHL. *See* von Hippel-Lindau

vinyl sulfones (VS) 74

von Hippel-Lindau tumor supressor protein
(VHL) 122, 126

VS. *See* vinyl sulfone

vSrc. *See* sarcoma, viral

VSVG. *See* vesicular stomatis viral G
protein

w

western blot analysis 64, 129

WNT (secreted cystein-rich glycoprotein)
56

WNT/ β -catenin signaling pathway 56
– modulation by small molecules 57

y

Y2H. *See* yeast-2-hybrid system

Y3H. *See* yeast-3-hybrid system

yeast deletion strain collection 8, 12, 14

yeast three-hybrid system 8, 11, 254

yeast two-hybrid analysis 24

yeast two-hybrid system 8, 10, 254

yellow fluorescent protein (YFP) 129, 185,
199

YFP. *See* yellow fluorescent protein

