

Index

a

Abraham model of polarity and
 chromatographic measurements 24
 active pharmaceutical ingredients (API)
 387–388
 – ionic liquids, confined on silica 396
 – – release studies from SILP materials
 399–402
 – – silica gels 48–49
 – – SILP materials synthesis and
 characterization 396–398
 adsorption 39, 395–396
 agglomeration 453
 alkyl chain length effects on orientation 167
 alkyl substituents 149–152
 AlPOs/SAPOs 54–55
 amorphous materials 41
 – silica-based materials 41
 – – porous glass 49–51
 – – precipitated silicas 49
 – – silica gels 48–49
 angle-resolved X-ray photoelectron
 spectroscopy (ARXPS) 158, 159
 anion-specific ionic liquid orientational
 analysis 154–157
 anodic oxidized materials 62–63
 applications
 – in catalysis 4–5
 – in separation 5–6
 a priori selection, of ionic liquid type 191
 – COSMO-RS usage for IL solubilities
 prediction 202–205
 – methods 191–192
 – gas solubilities experimental
 determination 193–198
 – gas solubilities prediction with
 COSMO-RS 198–200

– – reaction equilibrium and reaction kinetics
 200–202
 – perspective 204–205
 – reaction modeling results 205
 aprotic ionic liquids 409
 asymmetric hydrogenations over chiral metal
 complexes immobilized in SILCAs
 257–261
 atomic force microscopy (AFM) 172, 446

b

BASF SE BASILTM process 29
 BET analysis 98–101, 128–129, 131,
 133–134
 Biglinelli reaction 242–243
 biocatalytic processes
 – based on covalently supported ionic
 liquid-like phases (SILLPs) 360–364
 – based on supported ionic liquid phases
 (SILPs) 356–360
 – enzymes and ionic liquids 351–353
 – future trends and perspectives 365
 – reactor configurations with supported ILs
 355
 – supported ILs 353–355
 biphasic micellar systems 39
 bite angle effect 311
 breakthrough time 419, 420
 broadband dielectric spectroscopy (BDS) 181
 Brønsted acid 55
 bulk fluid 212–214

c

Carman–Kozeny correlation 343
 Carr–Purcell–Meiboom–Gill (CPMG) 179
 catalysts 211
 – advantages and drawbacks of supported
 ionic liquids as part of building-block
 system 228

- catalysts (*contd.*)
 - building blocks
 - – additives and promoters 222
 - – catalysts preparation and characterization involving supported ILs 222
 - – catalytic function 218–222
 - – ionic liquid 215–216
 - – support 216–218
 - building blocks 211
 - deactivation 265, 267, 270
 - immobilized catalysts 212–214
 - and supported films of IL 223
 - – hydroamination 225
 - – hydrogenation reactions 224
 - supported ionic liquids 214–215
 - in supported thin films of IL 222–223
 - cation orientational analysis 166–167
 - cation-specific ionic liquid orientational analysis 148
 - C–C coupling reactions
 - Biglinelli reaction 242–243
 - Diels–Alder cycloaddition 241–242
 - Friedel–Crafts alkylation 235–236
 - Heck coupling reactions 239–241
 - methanol carbonylation 237
 - Mukaiyama reaction 242
 - olefin hydroformylation reaction 236–237
 - olefin metathesis reaction 243
 - Stille cross coupling reactions 235
 - Suzuki coupling reactions 237–239
 - checkerboard structures 19
 - chemically bound ionic liquids 82–88
 - IL–silica hybrid materials 89–91
 - chemically bound monolayers, of IL 221–222
 - chemical reaction and effects of ionic liquids 26–29
 - chemisorption 75
 - chloride reservoir 338
 - citral hydrogenation 251–252, 298–299
 - click chemistry 244
 - C–N coupling reaction
 - Huisgen [3+2] cycloaddition 244
 - hydroamination 243
 - N-arylation of N-containing heterocycles 244
 - ϵ -caprolactam 30
 - cocatalytic effect 281
 - conductor-like screening model for real solvents (COSMO-RS) 25–26, 191, 204–205
 - gas solubilities prediction 198–200
 - usage, for IL solubilities prediction 202–205
 - – C–C coupling reactions 235–243
 - – miscellaneous coupling reaction 244–246
 - continuous-flow hydroformylation 380
 - controlled drug delivery systems 389
 - controlled porous glasses (CPGs) 50, 179
 - Coulomb forces 16, 17
 - coupling reactions with supported ionic liquid catalysts 233–234
 - applications 233
 - history of supported ionic liquids 234
 - properties of supported ionic liquids 234
 - covalent attachment, as drug loading procedure 394
 - crystalline materials 41
 - 1,5-cyclooctadiene (COD) hydrogenation
 - IL coating influence of catalyst on the rate of COD hydrogenation 291–293
 - IL layer stability and IL-coated catalyst deactivation 297
 - pore diffusion influence on COD hydrogenation selectivity 295–297
 - pore diffusion influence on effective rate of COD hydrogenation 293–295
 - reaction steps on investigated Ni catalyst 288
 - selectivity, and Ni catalyst IL coating influence 288–291
 - [Cu(acac)(tmen)]⁺ 23
- d**
 - derivative thermogravimetry (DTG) 113
 - designer solvents 20
 - designer surfaces 3
 - Diels–Alder cycloaddition 241–242
 - reaction 27
 - diffusion coefficient of evaporated ILs in gases 108–109
 - diffusion of innovation 460, 465
 - diffusivity of gases and liquids 106–108
 - du Nouy ring 163
 - dye sensitized solar cells (DSSCs) 448, 451–452
 - dynamic kinetic resolution (DKR) 358–359, 361, 363
- e**
 - effusion
 - from face surface of sample 127–132
 - from silica particles external surface 124–125
 - electrical double layer (EDL) 165
 - electrochemical double layer capacitors (EDLCs) (supercapacitors) 449–450

- electrochemical impedance spectroscopy (EIS) 165
 [EMIM][NTf₂] on porous silica 98–99
 energetic ionic liquids (EILs) 387
 energy dispersive X-ray spectroscopy (EDX) 343
 epoxidation 370, 375–377
 Ergun correlation 343
 evaporation of ILs
 – coated on Ni-catalyst (SCILL-system) 132
 – coated on silica (SILP-system) 123–131
ex situ coating 65
 extended X-ray absorption fine structure (EXAFS) 237
- f**
 freeze-drying 79–80
 Friedel–Crafts alkylation 235–236
 FSM-16 (folded sheet materials) 58
- g**
 gas separation 419
 – SILP materials 419–428
 – supported ionic liquid membranes (SILMs) 428–429
 – – gas separation 429–435
 – – gas separation and reaction 435, 437–440
 gauche defects 150–152, 167, 171
 green catalysts for multiphase reactions 264–267
 green solvents 13
 Grubbs–Hoveyda catalyst 380
- h**
 Haber–Bosch process 327, 332
 Heck coupling reactions 239–241
 heterogeneous catalysts 212, 219, 369
 – coated with IL 221
 – water–gas shift (WGS) reaction 327–329
 hexagonal mesoporous silica (HMS) 59
 hierarchy porosity in crystals 55–56
 high-resolution electron energy loss spectroscopy (HREELS) 160
 high-resolution Rutherford backscattering (HRBS) 161
 historical development 2
 HMS materials 391
 homogeneous catalysts 4–5, 211, 213, 234, 369
 – and metal nanoparticles 219–221
 – coating 6
 – water–gas shift (WGS) reaction 329–332
 Hughes–Ingold rules 28
- Huisgen [3+2] cycloaddition 244
 hydroamination 225, 243
 hydrodesulfurization (HDS) 419
 hydroformylation 179, 183, 186, 307
 – continuous SILP gas-phase methanol carbonylation 322–323
 – future potential 323–324
 – gas-phase SILP hydroformylation catalysis 311–319
 – SILP combined with scCO₂ 319–322
 – SILP materials in liquid-phase hydroformylation reactions 307–310
 – – pore size 391–392
 – – pore volume 392
 – – surface area 392
 hydrogen oxidation reaction (HOR) 407, 409, 417
 hydrogenation reactions 224
- i**
 ibuprofen 392–393, 395
 imidazolium-based ionic liquids 152–153, 166
 immobilized catalysts 212–214
 incipient wetness impregnation 77–79, 395
 infinite dilution activity coefficients 24–26
 infrared (IR) spectroscopy 177, 186–189
in situ coating 65
 interfacial analysis (ionic liquids) 157–162
 International Zeolite Association (IZA) 52
 inverse gas chromatography (IGC) 197–198
 isochoric solubility cell (ISC) 195–197
 IUPAC 40, 41, 202
- k**
 Kelvin equation 131
 Kelvin probe 164
 KIT-5 59
 KIT-6 60
 Knudsen diffusion, in fixed bed of crucible 126
- l**
 layered materials 51
 linear solvation energy relationships (LSERs) 28–29
 liquid range 14–16
 liquid/gas interface 19–22
 liquid/solid interface 17–19, 21
 lubricants 452–453
- m**
 magnetic suspension balance (MSB) 193–195

- MCM materials 58
 - mesocellular foams (MCFs) 59
 - mesopores 98–103
 - mesoporous carbons 61
 - mesoporous materials 76, 83, 86, 89–91, 389
 - adsorptive materials 76
 - surface functionalization 392–394
 - mesoporous materials (ordered) 56
 - anodic oxidized materials 62–63
 - mesoporous carbons 61
 - mesoporous oxides 61–62
 - periodic mesoporous organosilicates (PMOs) 60
 - silica-based classical compounds 58–60
 - mesoporous oxides 61–62
 - metal nanoparticles (MNPs) 219–221, 263–264, 272–273
 - dispersed in ionic liquids 264–267
 - immobilized on supported ionic liquids 267–275
 - metal oxide–ionic liquid interface 165
 - metal-organic framework materials (MOFs) 37
 - metastable ion impact spectroscopy (MIES) 160–161
 - methanol carbonylation 237
 - mica–ionic liquid interface 172
 - microporous materials
 - AlPOs/SAPOs 54–55
 - hierarchy porosity in zeolite crystals 55–56
 - zeolites 52–54
 - Mizoroki–Heck reactions 239–241
 - Mobil Research and Development Corporation 58
 - monolayers of ionic liquids, on surfaces 6
 - monolithic glass scaffolds 50
 - monolithic materials and structured supports 63
 - hierarchically structured reactors 65
 - monoliths with hierarchical porosity 64–65
 - Mukaiyama reaction 242
 - multiwalled carbon nanotubes (MWCNTs) 86
- n**
- N-arylation of N-containing heterocycles 244
 - nanoparticles synthesis and dispersions 453–454
 - Nernst partition coefficients 284–286
 - nuclear magnetic resonance (NMR) spectroscopy 78–79, 177, 237
 - of catalyst 183–186
 - of support and IL 178–183
- o**
- octine, cinnamaldehyde, and naphthalene hydrogenation 297
 - olefin hydroformylation reaction 236–237
 - olefin metathesis reaction 243
 - onset temperature 109
 - organosilica 83, 84, 89, 91
 - oxygen reduction reaction (ORR) 407, 409, 415
- p**
- palladium metal nanoparticles system 270, 272–274
 - periodic mesoporous organosilicates (PMOs) 60
 - pharmaceutically active supported ionic liquids
 - active pharmaceutical ingredients (API) 387–388
 - factors influencing loading and release of drugs 391
 - – adsorptive properties of mesoporous materials 391–392
 - – drug loading procedures 394–395
 - – surface functionalization of mesoporous materials 392–394
 - silica materials for drug delivery 389–391
 - – API-ILs confined on silica 396–402
 - – ILs confined on silica 395–396
 - solid-supported pharmaceuticals 389
 - phase transfer 264
 - physical properties 20–21
 - chromatographic measurements and Abraham model of polarity 24
 - infinite dilution activity coefficients 24–26
 - liquid/gas interface 21–22
 - liquid/solid interface 21
 - polarity 22–24
 - physical solvent effect 281, 285
 - physical trapping and drug molecules 394
 - physicochemical characteristics 3, 177, 186, 188, 189
 - physisorption 75, 77, 91
 - polarization null angle (PNA) measurement 156–157
 - polymer electrolyte fuel cells (PEFCs) 407, 411
 - polymer electrolyte membrane (PEM) 407, 411
 - polymer membranes for electrolytes of nonhumidified fuel cells 407–408
 - protic ILs 409
 - – membrane preparation 411–414
 - – preferable for fuel cell applications 411

- thermal stability 410–411
- proton conducting mechanism during fuel cell operation 415–417
- polymer-supported ionic liquid (PSIL) 242
- polystyrene-divinylbenzene (PS-DVB) 355, 360, 361
- pore diffusion
 - effect 297
 - influence on COD hydrogenation selectivity 295–297
 - influence on effective rate of COD hydrogenation 293–295
- pore volume and surface area, of supported ionic liquid systems 97–98
 - [EMIM][NTf₂] on porous silica 98–99
 - SCILL catalyst coated with [BMIM][O₂SO₄] 99–103
- porous glass 49–51
- porous materials 37–38
 - chemistry 43
 - history 39–40
 - layered materials 51
 - AlPOs/SAPOs 54–55
 - hierarchy porosity in zeolite crystals 55–56
 - zeolites 52–54
 - microporous materials 37
 - ordered mesoporous materials 56
 - anodic oxidized materials 62–63
 - mesoporous carbons 61
 - mesoporous oxides 61–62
 - periodic mesoporous organosilicates (PMOs) 60
 - silica-based classical compounds 58–60
 - pore size 40–41
 - porous glass 49–51
 - precipitated silicas 49
 - silica gels 48–49
 - silica-based amorphous materials 37
 - structured supports and monolithic materials 63
 - hierarchically structured reactors 65
 - monoliths with hierarchical porosity 64–65
- precipitated silicas 49
- preferential oxidation (PROX) 327
- preparation, of ionic liquids 13–14
- pressure swing adsorption (PSA) 327
- process solvents 29–30
- protic ILs 409
 - fuel cell operation using supported PILs in membranes 414
 - membrane preparation 411–414
 - preferable for fuel cell applications 411

- thermal stability 410–411
- pulsed field gradient (PFG) NMR measurements 181
- pulsed-gradient spin-echo (PGSE) NMR technique 415
- pyrene 23

q

- quantitative structure–property relationships (QSPR) 15, 25

r

- ranitidine 388
- reformat synthesis gas tests 346–348
- Rutherford backscattering (RBS) 161
- ryoporometry 179

s

- SBA materials
 - SBA-15 materials 391
- scanning electron microscopy (SEM) 80, 343
 - energy dispersive X-ray spectroscopy (SEM-EDX) 343
- scCO₂ 372, 375, 377, 379–380
- secondary ion mass spectrometry (SIMS) 21
- selective hydrogenation 251
 - asymmetric hydrogenations over chiral metal complexes immobilized in SILCAs 257–261
 - of α,β -unsaturated aldehydes 251–257
- sensors 447–448
- silica gels 48–49
- silica surfaces 172
- silica-based amorphous materials
 - porous glass 49–51
 - precipitated silicas 49
 - silica gels 48–49
- silica-based classical compounds 58–60
- sol–gel and sintering 51
- solid catalyst with ionic liquid layer (SCILL) system 6, 188
 - coated with [BMIM][O₂SO₄] 99–103
 - evaporation of ILs coated on Ni-catalyst 132
- solid catalysts with ionic liquid layer (SCILL) 279
 - ionic liquids application classification in heterogeneous catalysis 280–282
 - 1,5-cyclooctadiene (COD) hydrogenation 288–297
 - citral hydrogenation 298–299
 - experimental 287–288
 - octine, cinnamaldehyde, and naphthalene hydrogenation 297

- solid catalysts with ionic liquid layer (SCILL) (*contd.*)
 - kinetic studies 279
 - Nernst partition coefficients 284–286
 - pore volume and surface area with [BMIM][OCSO₄] as IL 287
 - preparation of catalysts 283–284
- solid-supported pharmaceuticals 389
- solid–liquid interface
 - alkyl chain length effects on orientation 167
 - cation orientational analysis 166–167
 - competing anions and co-adsorption 168
 - computational simulation on silica 168–170
 - ionic liquids surface orientational analysis on dry silica 165–166
 - titania (TiO₂) structures 170–172
- sour gas-shift catalysts 328
- spectroscopic techniques and ionic liquids characterization
 - anion-specific ionic liquid orientational analysis 154–157
 - cation-specific ionic liquid orientational analysis 148
 - interfacial system types 146
 - ionic liquid interfacial analysis 157–162
 - sum-frequency generation (SFG) vibrational spectroscopy 147–148
 - surface analytical techniques 146–147
 - surface charge density 163–165
 - surface tension 162–163
- spectroscopy, on supported ionic liquids 177
 - IR spectroscopy 186–189
 - of catalyst 183–186
 - of support and IL 178–183
 - NMR spectroscopy 177
- spray coating 80–81
- sputtering deposition 264
- Stille cross coupling reactions 235
- structures 16–17
 - liquid/gas interface 19–20
 - liquid/solid interface 17–19
 - gas-phase reactions 370–371
 - liquid-phase reactions 369–370
 - SCF IL biphasic systems 372–376
 - SILP catalysis with supercritical flow 376–380
- sulfonated polyimide (SPI) 412–414, 418
- sum-frequency generation (SFG) vibrational spectroscopy 147–154, 156–159, 162, 164, 167, 170, 171
- supercritical fluids (SCFs) 352, 355–356, 371–372
 - SILP catalysis 352
- supported aqueous phase (SAP) 1
- supported liquid phase (SLP) 1
- surface analytical techniques 146–147
- surface charge density 163–165
- surface potential 164
- surface tension
 - anion effects 163
 - data 163
 - lowering trends 162–163
 - measurements 162–163
- surfaces 445
 - dry sensitized solar cells (DSSCs) 451–452
 - electrochemical double layer capacitors (EDLCs) (supercapacitors) 449–450
 - ionic liquid influence on solid-state surfaces 445
 - ionic liquid layers on solid-state surfaces 446
 - lubricants 452–453
 - nanoparticles synthesis and dispersions 453–454
 - selected applications 446
 - sensors 447–448
- Suzuki coupling reactions 237–239
- SYLOID[®] 49
- synthetic methodologies 75
 - chemically bound ionic liquids 82–88
 - IL–silica hybrid materials 89–91
 - support materials 76–77
 - supported ionic liquids preparation methods 77
 - freeze-drying 79–80
 - incipient wetness impregnation 77–79
 - spray coating 80–81
- t**
 - technical prospects, of supported ionic liquid materials 459–460
 - compatibility 463
 - competitive advantage 460–462
 - complexity 463–464
 - observability 462
 - perceived risk 464
 - trialability 462
 - thermal decomposition 121–123
 - thermal stability and vapor pressure
 - data evaluation and modeling methodology 110–115
 - drawbacks and opportunities regarding measurements 109–110
 - experimental methods 110
 - maximum operation temperature criteria 118–120

- vapor pressure data and kinetic parameters of decomposition 116
- volatility and stability determination guidelines 117–118
- thermogravimetric analysis (TGA) 105, 109–110, 113, 115, 119
- tiglic acid hydrogenation 375
- tilt angles 148–150, 153–157, 166–168
- titania (TiO₂) structures 170–172
- transmembrane pressure 432–433, 435, 439
- transport phenomena, evaporation, and thermal stability 105–106
- diffusion coefficient of evaporated ILs in gases 108–109
- diffusivity of gases and liquids 106–108
- evaporation of ILs coated on Ni-catalyst (SCILL-system) 132
- evaporation of ILs coated on silica (SILP-system) 123–131
- internal surface area evaluation 133–135
 - – with regard to evaporation 136
 - – with regard to thermal stability 135–136
- maximum operation temperature 105
- thermal decomposition 121–123
- – data evaluation and modeling methodology 110–115
- – drawbacks and opportunities regarding measurements 109–110
- – experimental methods 110
- – maximum operation temperature criteria 118–120
- – vapor pressure data and kinetic parameters of decomposition 116
- – volatility and stability determination guidelines 117–118
- thermal stability and vapor pressure 105

u

- ultra-high vacuum (UHV) techniques 146–147, 157, 162, 172
- ultraviolet photoelectron spectroscopy (UPS) 160, 161
- α , β -unsaturated aldehydes selective hydrogenation 251–257

v

- vapor–liquid equilibria (VLE) 25–26
- vibrating plate method 164
- vinyl propionate and citronellol transesterification reaction 380
- volatile organic compound (VOC) 352
- volume drop “ method and surfaced tension measurements 162–163
- Vycor porous glass (VPG) 50–51

w

- water–gas shift (WGS) reaction 327
- application-specific testing 341
- – elevated pressure 345
- – industrial support materials 343–345
- – reformat synthesis gas tests 346–348
- – restart behavior 341–343
- building-block optimization 333
- – catalyst loading 338–339
- – catalyst precursor 334–335
- – IL loading 339–340
- – IL variation 337–338
- – optimized parameters combination 340–341
- – support material 335–336
- challenges 332
- heterogeneous catalysts 327–329
- homogeneous catalysts 329–332
- SILP catalyst development 332–333
- Wilke–Chang equation 106–107

x

- X-ray diffraction (XRD) 177, 258
- X-ray photoemission spectroscopy (XPS) 19, 158–162, 299
- X-ray reflectivity 162
- surface analysis 157–158

z

- zeolites 52–54

