

Index

a

ABS, *see* alkylbenzenesulfonate
 active pharmaceutical ingredient, *see* API
 activity coefficient 28ff., 50f.
 agar 227ff.
 – industrial manufacture 229
 agaropectin 228
 agarose 228
 alginate 227, 232ff.
 alginic acid 233
 – production of 236
 alkylbenzenesulfonate 56, 62, 65
 [Amim] 223
 amino acid 29, 33, 44, 49
 anhydrous thebaine alkaloid 265
 – amounts of 266
 antibody separation 148
 antioxidant 278ff., 282
 API 3, 248, 260f., 263f., 266
 – blockbusters 260
 – in plants 5
 – list of 260
 – recovery 7
 application
 – cloud point extraction 78
 – micellar extraction 78
 – reverse micelles 81
 artemisinin
 – Solubility data 63
 – Structure 62
 ATA, *see* anhydrous thebaine alkaloid

b

baobab 257ff.
 batch 203
 – -cycle 204
 Berthelot–Lorentz rule 31
 beta-carotene 38
 – binary parameter 38

 – PC-SAFT (lines) 39
 – pure-component parameters 38
 binary interaction parameter 31, 35, 50
 biotransformation 221
 [Bmim] 56, 59ff., 64, 223
 BMOEA 56, 58, 62f.
 botanicals 269ff., 281ff.
 brand names 274
 1-butanol 34, 40, 42

c

carotene 239f.
 carrageenan 227, 230ff., 238
 – alkali-modified flour (AMF) 231
 – ι-carrageenan 230f.
 – κ-carrageenan 230
 – λ-carrageenan 230
 – industrial manufacture 232
 – semirefined (SRC) 231
 cellulose 222
 – crystalline 223
 cephalotaxine 264
 chlorophyll 239ff.
 cholesterol 273, 276, 278f., 281
 cholesterol oxidase 77
 chromatogram 133ff., 147f.
 – of recycling chromatography 142
 – of simulated moving bed fractionation 142
 – reduced 140
 – reduction of 137
 chromatographic separation 140
 chromatography 11
 – carousel absorbers 23
 – continuous 19
 – – annular 23
 – – SMB 20f.
 – – TMB 20
 – gel 19

- HPLC 126
- ion pair 18
- liquid–liquid (LLC) 18
- liquid–solid 17
- normal phase NP 18, 125
- preparative 136f.
- reversed phase RP 18, 125
- size exclusion 19
- thin layer (TLC) 133
- claim 274
- Disease Risk 276
- Nutrition 275
- cloud point 72f.
- co-current 195
- community list 274ff.
- concentrate of poppy straw 264
- contamination 269, 282
- Counter-current 16, 186, 205
- CP 91ff.
- critical points of some fluid 93
- CPS concentrate of poppy straw 264f.
- amounts of 266
- critical point, *see* CP
- cross-current 205
- crystals 63, 68f.
- crystals
 - liquid crystals 68
 - turbid liquid anisotropic 68
- CSEP® 23
- curacin A 3

d

- DAD, *see* diode-array detection
- 10-deacetylbaccatin 169f., 262
- decorticating 102f.
- degassing 107
- depolymerization 226f.
- deprotonation 29
- DESIMS 134
- desolventation
 - Crown Iron “desolventizer” 216
- digestion 16
- diode-array detection 128, 133f., 162f., 175
- dispersion energy parameter 31f.
- distillation 5, 14, 16
- DL-methionine 34f., 44f.
- PC-SAFT (lines) 44
- DMEA 56, 58, 62f.
- drug-to-extract-ratio (DER) 259

e

- effective diffusion coefficient 97, 99, 193, 197
- EFSA, *see* European Food Safety Agency

- ELSD, *see* evaporating light scattering detection
- [Emim] 56, 58, 60, 62, 64f., 227
- enantiomer 29f.
- enzymatic hydrolysis 223, 237, 240ff.
- equilibrium concentration 188f., 193, 198
- equilibrium constant 29f., 50
- esters 255, 257, 264
- estriol 32, 34ff.
- molecular model PC-SAFT 32
- estrone 34ff.
- European Food Safety Agency 252, 271, 274f., 283, 286
- European Medicines Agency (EMA) 284
- evaporating light scattering detection 133, 138, 162f., 166, 175
- exchangers 19
 - amphoteric and dipolar ion 19
 - chelating ion 19
 - dipolar ion 19
 - selective (or specific) ion 19
- extraction 5, 16
 - ammonia fiber explosion (AFEX) 224
 - batch 16, 195
 - CO₂ recycle loop 110
 - cold 5, 16
 - continuous 16, 195
 - conventional 88, 111f.
 - counter-current solid 17
 - example 191
 - extraction yield 99, 102, 111
 - liquid–liquid extraction 17
 - microwave-assisted extraction (MAE) 186
 - of organic substances 61
 - oleanolic acid 80
 - optimum conditions 83
 - organosolv 223
 - parameters 109
 - pressurized fluid extraction (PFE) 186, 214
 - process 149f.
 - solid–liquid extraction 15
 - Soxhlet 184
 - steam explosion 223ff.
 - system supercritical fluid extraction (SFE) 185
 - technologies 64
 - ultrasonic extraction (sonication) 186
 - ursolic acid 80
- extractor
 - Basket-type 209
 - BMA tower 213
 - Carrousel 210
 - Crown Iron Model IV 209

- De Smet LM-Extractor 211
- DSSE Screw 213
- GEA Niro Context 212
- Lurgi sliding cell 210
- Naviglio 215
- Percolation 208
- Plug-flow 195
- Pruess Rotary 211

f

- FDA 252
- feed characterization 126, 129, 175
- fermentation 74
- fermentation process 16
- flaking 100ff.
- flavor 87, 89, 104
- flavorings 271f.
- food 269ff., 282, 285
 - additive 228
 - – E 406 228
 - – E 407 230
 - – E400 233
 - – E404 233
 - additives 272
 - industry 273
 - matrices 250, 255ff.
 - supplements 270ff., 277f., 285
- fucoidan 235ff.
 - fucoidanase 237
 - α -fucosidase 237
 - structure of 237
- fugacity coefficient 28, 34, 50f.
- functional food 249ff., 255f., 272f., 278
 - benefit areas 255
 - global functional food market 273

g

- gel filtration 19
- gel permeation 19
- Genapol 74, 78f.
- General Food Law 271
- GRAS 252, 257

h

- health claim 272ff., 281, 286
- Helmholtz energy 30ff., 49, 51ff.
- hemicellulose 221ff.
- [HMIM] 56, 58, 60
- HTST conditioning 103, 114ff.

i

- immersion 183f., 202
- indicators 13
- indirubin 77

- international standards 281
- ionic liquids 10, 223
 - BMOEA bst 63
 - cation and anion 57f.
 - – [EMIM] 58
 - DMEA oct 63
 - extraction with 56
 - first, second and third generation 58
 - tailor-made 65
 - viscosity 58f.
 - water 59
- irinotecan 261, 263
- isoelectric point 45
- isoflavone 278f., 281

k

- Krafft point 68f.
- Kraft pulping 224

l

- labeling 270, 272ff., 278, 286
- leaching 1, 15f.
- lecithin 67, 71, 74
- lignin 62, 221ff., 238
- lignocellulose 221ff.
 - biotechnological applications 224
 - processing scheme for the biotransformation 222
- linear solvation energy relationships LSER 13
- liposome 70f.
- liquid feed system 108
- liquid–liquid extraction 143
 - columns 154f.
 - decision tree for 154
 - extractors 153
 - parameters 145
- low density lipoprotein (LDL) 256

m

- maceration 16, 183f.
- market 3
 - API 3f.
 - nutraceuticals 3
- market segments 247
- mass spectrometry (MS) 133
- mass transfer coefficient 97ff.
- mass transfer rate 151
- mass transport 99, 113
- medicinal law 270f.
- medicines 270
 - EU legislation 270
 - Traditional Herbal Medicinal Product 270

melting properties 34
 membrane technology 126
 mesophase 68f.
 – lamellar 70
 – lyotropic 68
 micelle 69ff., 75
 – critical micelle concentration (CMC) 68
 – Formation of 67
 mini-plant technology
 – maceration 162
 – percolation 162
 – plant layout 159
 – scale-down 160
 – Soxhlet 161
 – typical processes 164
 miscibility gap 72, 74, 76
 model-based experimental analysis, MEXA 199

n

natural plants production 4
 natural products 6, 247
 – fashionable, sales in million 249
 – production chain 6
 – timeline development for functional food 253
 – traditional, sales in million 249
 new drug applications (NDA) 259
 Newtonian fluid 59
 Noni-juice 277
 novel food 251, 257, 269, 271f., 276f.
 nutrition claim 273ff.

o

oleanoic acid 6ff.
 oligosaccharide
 – xylo- (XO) 225
 [OMIM] 56, 58, 60
 Oxycodone 264ff.
 – amounts of 266
 Oxycontin® 264

p

packed columns 155
 paclitaxel 77, 169f., 262f.
 paracetamol 40
 – binary parameter 40
 – PC-SAFT (lines) 41ff.
 – pure-component parameters 40
 partition coefficient 59, 74ff.
 PC-SAFT (lines) 36ff., 41f., 47
 percolation 16, 183f., 189, 202ff.
 permitted daily exposure (PDE) 10

pH 29, 44f., 49
 pH partitioning 60
 – aniline 60
 – benzoic acid 60
 – thymol blue 60
 pharmacopoeia 284
 phase diagram 45ff., 72
 – lecithin 72
 – nonylphenol polyethoxylene 72
 Philippines Natural Grade (PNG) 232
 phyto-extraction 2
 phytosterol 113ff., 256f.
 piperine 191
 – calibration curve 192
 – extraction kinetics 193
 plant ingredients
 – main groups and subgroups of 127
 – vs. solvent polarity 130
 plant sterols 249, 256f.
 plant-based extracts 143
 plants 6
 – from scions 6
 – from sowing 6
 point 48
 polymorphs 33
 polyphenol 113ff.
 Polyphenon®E Ointment 259
 polysaccharide 222ff., 226ff., 233, 235, 237f.
 post-treatment 88, 107
 pre-treatment 15
 – of natural material 101
 – pre-processing 200
 – recent developments 104
 – *S. lavendulifolia* 15
 – solvent choice 132
 press cake 102, 114ff.
 press-dehydration 229f., 232
 pressing 5, 15
 process
 – concepts 124
 – design 132f.
 – – cost 159
 – development
 – – chemical engineering approach for 128
 – – general concepts for 126
 – – total process development 126, 160
 – – to detailed engineering 144
 – modeling 171
 – – cost 175
 Processed Euchema Seaweed (PES) 232

processes 106
 – high pressure spray process 119
 – impregnation of sprayed particles 106
 – particle generation from saturated solutions (PGSS) 106
 2-propanol 34, 40, 42
 protonation 29
 pure component 29, 50
 – PC-SAFT parameters 34
 pure solute 27f.
 purification
 – final 139, 169, 171, 174
 – of latent tyrosinase 79
 – pre-purification 137, 139f., 165, 171
 – process scheme for Quassia 165
 quality standardization 283

q

Quassia 164f.

r

racemic mandelic acid 29, 45f., 48
 – PC-SAFT (lines) 47
 – phase diagram 46
 recovery 5, 14
 – flowsheet of sporopollenin recovery 240
 – of enzymes 82
 – protein and myrosinase 82
 – secondary metabolite 5
 residue 8
 – foodstuffs 9
 – in artificial flavored products 9
 reversed micellar (RM) extraction 75
 reversed micellar solution 80ff.
 rolling 100ff.
 RTIL room temperature ionic liquid 57f.

s

safety assessment 283
 sage 6f.
 – cultivation tests 6
Salvia officinalis 6ff.
 scCO₂ 87ff., 104ff., 111, 113, 115ff.
 screw pressing 102, 116
 secondary component 145, 147ff.
 secondary metabolite 3, 5
 secondary plant substances 278
 SFE, *see* supercritical fluid extraction 89
 – flow sheet 105
 – of corn germ oil 116
 – Patent applications 90
 – plants 89
 – simplified scheme 108

sieve plate 153ff., 157f.
 Simulated Moving Bed 20
 sitosterol 34ff.
 SMB, *see* Simulated Moving Bed
 solid bed 95ff., 100
 solid–liquid extraction 181
 – integration into flow sheet 182
 – operation mode 202
 solubility 1
 – of selected substances 94
 – point 47
 – temperature dependence 38ff.
 solubility data
 – correlation 35, 38
 – prediction 35, 42
 solubility parameter 11ff.
 solute 1, 11ff.
 solvatochromic scales 12f.
 solvent 8
 – class 1 9
 – class 2 10, 130
 – class 3 10f., 130
 – classes 33, 40, 49, 61
 – co-solvent 42, 83, 94f., 107, 112
 – commonly used 201
 – desolventation 217
 – green 60, 83
 – harmless solvents 88, 95
 – in food/nutraceuticals 130
 – in pharmaceuticals 130
 – organic 15
 – other 11
 – performance 147
 – polarity 130f.
 – recovery 62, 106, 110, 217
 – selection of 14, 146, 201
 – solvent power 87, 90, 94, 106
 – tailor-made 83
 solvent-to-solid ratio 189
 Soxhlet extraction 16
 special solid-state fermenters (SSF) 226
 sporopollenin 227, 238ff.
 – flowsheet of sporopollenin recovery 240
 – structure of sporopollenin 238
 spray process 118f.
 standard tests 285
 Sterol content 114, 116f.
 Stilbenes 167
 supercritical fluids
 – miscibility of permanent gases in 94
 – phase diagram 91
 – solubility in 94
 – solute concentration c 97
 – tunable 93f.

supercritical fluid extraction, *see* SFE
 surfactant–water-ratio 75
 surfactants
 – classification 66
 – phosphatide 66
 syneresis 229f.

t

targeted screenings 260
 Taxol® 168, 179f., 262
 – production flowsheet 171
 Taxotere® 262
 ternary 31, 47f.
 terpenes 3f.
 – monoterpenes 7
 – triterpene 3, 7f.
 thebaine 260, 264
 – amounts of 266
 – quantity (in tons) 265
 thin layer chromatography (TLC) 133f.,
 136
 TMB, *see* true moving bed
 tocopherol 116
 – enrichment 116
 – fractionation 117
 topotecan 261, 263
 trademarks 274

triterpenic acid 55, 77, 79f.
 true moving bed 20
 tyrosine kinase inhibitors 264

u

ursolic acid 7f.

v

valerian 104
 van der Waals 30f.
 Veregen® 260
 Vinflunine 262

w

W0 surfactant–water-ratio 75, 80ff.
 walnut 134ff.
 water–acetone 42f.
 water–ethanol 43f.
 wellness products 250

x

xanthohumol 116ff.
 xylenesulfonate 65

z

zwitterion 29
 zwitterionics 65f.