

Index

a

- abyssomicins 512–513
- acalyphidin production 662
- acetals formation 913–916
 - by acetone under acidic conditions 919
 - secoiridoid acetals from *Lonicera* spp 918
- acetone-derived artifacts 916–919
- acetoxy-acetalic sesquiterpenes, artifactual
 - alcoholysis of 916
- acetyl co-enzyme A (AcCoA) 594
- acid-catalyzed reactions 900–903
 - coumarins from Rutaceae spp 904
 - cryptolepine from 902
 - intramolecular Michael additions 905
 - of natural products 901
 - norrhoedanines in acidic conditions 901
 - protic solvents 903–906
 - spiroketal from laurencione 903
- acrolein scenario 182–200
 - *endo*-intramolecular Diels–Alder reaction 198–199
 - keramaphidin skeleton conversion into ircinal/manzamine skeleton 200
 - transannular hydride transfers 199–200
- Actephila excelsa* 769
- actinorhodin 486
- acyl carrier protein (ACP) 473
- acyl transfer
 - Scott's conditions for 475
 - using glycoluril 478
- acylphloroglucinols 434–436
- Adler–Becker oxidation 727
- Aeschynomene mimosifolia* 747
- Agelas wiedenmayeri* 231
- agelastatins 250–253
 - Wardrop's synthesis 252
- ageliferins 254–255
- ajmaline/sarpagine series 897
- (±)-akuammicine 102
- aldol condensation 360
- aldolization–crotonization process 286
- aldotripiperideine 12
- alkaline media 888–895
 - amination processes 888–892
- alkaloids, I–X
 - arginine-derived: *see* in Chapter 1
 - FR-901483: *see* in Chapter 2
 - guanidinium alkaloids: chapter 7
 - lysine-derived: *see* in Chapter 1
 - manzamine alkaloids: Chapter 6
 - non aminoacid derived alkaloids: Chapter 8
 - ornithine-derived: *see* in Chapter 1
 - peptide alkaloids:
 - aryl-peptide alkaloids: *see* in Chapter 9
 - azole-peptide alkaloids: *see* in Chapter 9
 - complex peptide alkaloids: *see* in Chapter 10
 - indole-oxidized peptide alkaloids: *see* in Chapter 10
 - pyrrole-2-aminoimidazole: Chapter 7
 - TAN-1251: *see* in Chapter 2
 - tryptophan-derived
 - dioxopiperazine alkaloids: Chapter 4
 - indolemonoterpene alkaloids: Chapter 3
 - modified indole nucleus: Chapter 5
 - tyrosine-derived: Chapter 2
- 3-alkylpiperidines 181–182, *see also* manzamine alkaloids, biomimetic synthesis
- alkylpyridines with unusual linking patterns 194–195
 - pyrinadine A, biomimetic synthesis 195
 - pyrinodemin A, biomimetic synthesis of 194
- 3-Alkylpyridiniums 191
- allicin 855
- Alternaria solani* 507

- amauromine, Danishefsky's total synthesis 126
- amide coupling 385
- amination processes 888–892
- amino acids
 - in primary metabolism 4
 - from primary metabolism to alkaloid biosynthesis 5–6
 - structure of 4
- 4-aminobutyraldehyde 9
- aminopentadienals 190, 213–215
- aminopentadienimines 189
- ampelopsin D 710–711
- ampelopsin F 713
- amurensin H 715
- anchinopeptolides 26
 - synthesis 26–29
- anethole 871
- anhydrovinblastine series 110–113
- anigorufone 768
- Anigozanthos preissii* 768
- Annona muricata* 908
- annonaceous acetogenins 907
- antheridic acid from gibberellins 408–410
- anthracenoids 494–495
 - biomimetic access to 494–495
 - chrysophanol, Harris' biomimetic synthesis 495
 - emodin, Harris' biomimetic synthesis 495
 - nanaomycine, Yamaguchi's biomimetic synthesis 494
 - Yamaguchi's access to 497
- Anthromyces ramosus* 699
- anticancer vinblastine series 110–113
- antirhine derivatives 99
- Aplidium longithorax* 777
- alkylations, apparent 910–913
 - chartelline A, methanol substitution of 913
 - puupehenone, methanol adduct on 914
 - xanthepinone, methanol induced rearrangement of 912
- aquaticol 772
- L-arginine 3
- arginine, alkaloids derived from 18–30
- Aristolochia heterophylla* 921
- Aristolochia lagesiana* 895
- Aristolochia pubescens* 895
- Aristolochia rodriguesii* 919
- Aristolochia* alkaloids 93–96
- (+)-aristoteline (16) 95
- aromatic polyketides 485–499, *see also* anthracenoid derivatives; benzenoid derivatives; naphthalenoid derivatives; tetracyclic derivatives
 - Collie and coworkers 485
 - cyclization towards chrysophanol 487
 - folding leading to 486
 - pathways leading to 486
- aromatic rings, biomimetic access to 471–499
- Artemisia absinthium* 407
- artifacts and natural substances formation 849–930, *see also* hydrodistillation; hydrolysis, artifactual; oxidation processes
 - acetals formation 913–916
 - acetone-derived artifacts 916–919
 - acid-catalyzed reactions 900–903
 - acidic conditions during purifications 895–903
 - ajmaline/sarpagine series 897
 - alkylations 910–913
 - alcoholysis 916
 - base-catalyzed reactions 892–895
 - botanical misidentifications 851
 - chloroformic adducts 926
 - decarboxylation processes 885
 - ecdysteroids 892
 - esterification, transesterification 908–910
 - by exposure to light 870–878, *see also* light
 - gentianine 891
 - glucosidases 852–853
 - halogenated solvents 919–921
 - heat and pressure in 878–888
 - – biyouyanagins A and B 880
 - – matricin degradation 887
 - – sanguinone A degradation 887
 - – styrylpyrone photodimers 879
 - hemiterpenes 853
 - imide-bearing aconitine-like alkaloids 893
 - methyl-ester hydrolysis 900
 - miscellaneous methylation artifacts 911
 - miscellaneous oxidation artifacts 861
 - phenylchromane derivatives from *Desmos* spp 890
 - protic solvents 903–906
 - protoberberines 921–925
 - raucaffrinoline 896
 - Rubiaceae iridoids 910
 - supercritical CO₂ 885–888
 - transesterification artifacts 909
 - (Z)-vellomisine 894
- aryl-containing peptide alkaloids 317–350
 - cyclopeptides containing biaryls 344–345
- Asarum heterotropoides* 895
- Asarum teitonense* 769
- asatone 772

- Ascochyta rabiei* 507
Aspergillus nidulans 755
Aspergillus ochraceus 135, 158
Aspergillus terreus 506, 755
Aspidosperma alkaloids 106
 – fragmentation 106–109
 – rearrangements of 106–109
 aspochalasin Z 764
 autocatalytic enantioselective reactions 825–833
 – of asymmetric amplification 827
 – density functional theory (DFT) calculations 829
 – dissipative non-productive reaction cycle 828
 – Kagan and Noyori models of 826
 – reversible Frank-type mechanism 828
 – Soai reaction 830
 – – Blackmond–Brown model in 831
 avrainvillamide 135–136
Axinella vaceletti 233
 axinellamines A/B 257, 262–263
 azaspiracids 291–293
 – azaspiracid-1, 3D structure of 292
 – FGH rings of 292
 – HI rings of, Forsyth's biomimetic approach to 293
 – structure of 292
 aziridinium mechanism 259
 – for massadine formation 259
 – for tetramer stylissadine A formation 259–261
 azole-containing peptide alkaloids 321–336,
 see also lissoclinamides; thiangazole;
 thiostrepton
 – biomimetic cyclodehydration 324
 – enzymatic heterocycle formation 324
 – GE2270A 334–336
 – structural features 321–323
 – synthesis of, completion 333
- b**
 Baeyer–Villiger rearrangement 740
 Baldwin's hypothesis development 195–200
 – from cyclostelletamines to
 keramaphidin-type alkaloids 195–200
 – pyridinium alkaloids and manzamine
 A-type alkaloids, linking 195–197
 barakol, Harris' biomimetic synthesis
 of 493
 barbaline 294
 basidiolides 425
 bastadin biosynthesis 342–343
 benzenoids 487–492
 – biomimetic access to 487–492
 – masked hexaketides, Schmidt's
 condensation of 492
 – pentacarbonyl derivative, Harris'
 biomimetic cyclizations of 492
 – β -polyketones synthesis 488
 – pyrones 489
 – tetra- β -carbonyl compounds 489
 – tri- β -carbonyl entities synthesis 489
 – β -triketoacids 490
 – zearalenone, Barrett's synthesis of 491
 benzo[*a*]tetracenoid derivatives 498–499
 benzo[*k*]xanthenes 686–688
 – manganese-mediated biomimetic synthesis
 688
 benzodiazepinones, hydrogenation 806
 benzophenanthridines 929
 benzosceptrin A 266
 benzothiazines, hydrogenation 806
 benzoxanthenone lignans 683–686
 – biomimetic synthesis of 683–686
 – carpanones 683
 – mechanism 689–670
 benzoxazines, hydrogenation 806–813
 benzoxazinones, hydrogenation 806
 berberine 923
 betulin 423
 biaryls, cyclopeptides containing 344–345
 – biphenomycins A–C 344
 bicyclo[2.2.2]diazaoctanes 126–141
 – hetero-Diels–Alder formation of 127
 – Sammes' model study 127
 bicyclo[3.3.1]nonane-2,4,9-triones 448
 bielschowskysin 416
 BINOL-derivative, Brook-type-rearrangement 791
 bio-inspired transfer hydrogenations 787–818
 – benzodiazepinones 806
 – benzothiazines 806
 – benzoxazines 806–813
 – benzoxazinones 806
 – BINOL-phosphoric acid derivatives,
 synthesis 792
 – Brønsted acid catalyzed transfer
 hydrogenation 788–799
 – cascade sequences 814–817
 – dehydrogenases as model 787–788
 – diazepines 806
 – enamides 798
 – α -imino esters 796

- bio-inspired transfer hydrogenations (*contd.*)
 - indoles 805–806
 - ketimines 793
 - piperidines 813
 - pyridines 813–814
 - quinoxalines 806
 - quinoxalinones 806
 - biological homochirality 823–841, *see also*
 - autocatalytic enantioselective reactions
 - chiral surfaces, adsorption on 837
 - collision kinetics, symmetry breaking in 840
 - conglomerate crystallizations, spontaneous symmetry breaking in 837–840
 - enantioenrichment, polymerization and aggregation models of 834–835
 - membrane diffusion, symmetry breaking in 840
 - phase equilibria 835–837
 - Plasson mechanism 835
 - reaction–diffusion models, symmetry breaking in 840
 - self-replication and 833–834
 - biphenomycins biaryls 344–345
 - bipinnatin J, photochemical rearrangement of 414
 - bisacridones from *Rutaceae* 866
 - bis(2-oxo-3-oxazolindinyl)phosphinic chloride (BOPCl) 133
 - bis-aporphines 864
 - bisorbicillinoids 772–773
 - bisorbicillinol 726
 - Nicolaou and Pettus' synthesis 726
 - from sorbicillin 726
 - bis-steroidal pyrazines 299–300
 - biomimetic pseudo-combinatorial approach to 299
 - unsymmetrical approaches to 300
 - biyouyanagins A and B 880
 - Black's cascade 612
 - Blackmond–Brown model 831
 - ($\pm$)-borreverine 173–175
 - biosynthesis proposal by Koch *et al.* 173
 - botanical misidentifications 851
 - bouvardin synthesis 342
 - brazilide A 735
 - brevetoxin B 545
 - Nakanishi's hypothesis 549
 - brevetoxins 580–582
 - ($\pm$)-brevianamides 155–158
 - brevianamide A 875–876
 - brevianamide B, biosynthesis – – by Williams *et al.* 157, 159
 - brevianamides 118
 - biosynthesis of 118
 - – brevianamide B 133
 - – brevianamide E 119
 - – brevianamide F 119
 - biosynthetic proposal for 128
 - brevianamide F 118
 - – Danishefsky's total synthesis of 120
 - – Kametani's total synthesis of 120
 - Brønsted acid catalyzed transfer hydrogenation 788–799
 - bukittinggine 303
 - bukittinggine, Heathcock's synthesis of 303
 - Burgess cyclodehydration 325
- c**
- caffeic acid phenethyl ester (CAPE) 687
 - caged xanthones 452
 - *Garcinia* xanthones, biomimetic synthesis 455–464
 - – non-biomimetic synthesis of 460–463
 - – Theodorakis' unified approach to 459
 - Callyspongia* species 186
 - calycanthines 168–171
 - biomimetic synthesis – – by Scott *et al.* 169
 - – by Stoltz *et al.* 169–170
 - biosynthesis proposal by Woodward and Robinson 169
 - camphene 397–399
 - camphorsulfonic acid (CSA) 627
 - camptothecin 93, 111, 152
 - biosynthesis by Hutchinson *et al.* 153
 - ($\pm$)-camptothecin 150–154
 - synthesis by Winterfeldt *et al.* 153
 - Cane–Celmer–Westley hypothesis 540–541, 554
 - cararosinol C and D 713
 - carbinolamine formation 385
 - carpanone 683–685, 724
 - Chapman's synthesis of 725
 - related sequence for dehydrodiisoeugenol 725
 - Carpinus tschonoskii* 663
 - caryolane, biomimetic studies in 402–404
 - caryophyllenes in sesquiterpene biosyntheses 401–402
 - cascade reactions, biomimetic 524–530
 - hirsutellones 525–530
 - tetronasin synthesis 524–525
 - cascade sequences
 - hydrogenation 814–817

- Brønsted acid catalyzed 815
- oxidative dearomatization 731–733
- cassiarins A and B 284–285
- Yao's biomimetic synthesis of 286
- cassigarol B 716
- castalagin 666, 670
- pyrolytic degradations of 671
- Castanea crenata* 669
- catechol oxidation 768–775
- (±)-cedrene 731
- celogentin C 357, 363–368
- A-ring Trp-Leu linkage origin 365
- bioactivity 363
- B-ring Trp-His linkage formation 365
- C–H activation–indolylolation 367–368
- isolation 363
- retrobiosynthetic proposal for 364
- structures of 363
- synthetic approaches to 366
- cephalostatins 294–298
- structures 295
- Ceratosoma brevicaudatum* 855
- cermizine C 51–52
- C-glycosidic ellagitannins 663–670
- oxidation of 669–670
- reactions at C1 positions 665–669
- chaetoglobosin 761–763
- Chamaecyparis obtusa* 769, 774
- Chartella papyracea* 160
- chartelline A, methanol substitution of 913
- chartelline C
 - biosynthesis proposal for 162
 - (±)-Chartelline C 160–164
 - endgame of synthesis 164
 - synthetic route by Baran *et al.* 163
- chebulagic acid synthesis 662–664
- Chichibabin synthesis of pyridines 188
- chimonanthines 168–171
- chiral surfaces, adsorption on 837
- chloptosin 369–374
- chloptosin pyrroloindole core synthesis 373
- retrobiosynthetic simplification of 370
- synthetic approaches to 372
- chloroformic adducts 926
- chloropeptin I 391
- chloropeptin II/complestatin 391
- chlorothricin 763–764
- Chrossopetalum rhacoma* 774
- Claisen/Diels–Alder/Claisen reaction cascade 456–457
- clathrins 857
- clathrodins 227
- biogenetic hypothesis for 229–233
- post-clathrodin in P-2-AIs biogenesis 228
- pre-clathrodin in P-2-AIs biogenesis 228
- clovane series, biomimetic studies in 402–404
- clusianone, total synthesis of 448–451
- (±)-clusianone 438–439
- double Michael reaction 438–439
- Porco synthesis 438
- by Marazano and coworkers 451
- by Simpkins group 449
- through 'carbanions' differentiation 443–445
- cochleamycins 514–521
- biosynthetic hypothesis for 518
- isolation 517
- Paquette's partial synthesis of 519
- Roush synthesis of 519
- collision kinetics, symmetry breaking in 840
- colombiasin A
 - (–)-colombiasin A 412
 - Nicolaou's synthesis of 412
 - Rychnovsky's synthesis 413
- communesins 168–171
- biomimetic synthesis by Stoltz *et al.* 169–170
- study by Funk *et al.* 171
- complanadine A, total synthesis of 53–54
- complex peptide alkaloids 357–392
- complex terpenoids, biomimetic rearrangements of 397–428, *see also* monoterpene rearrangements
- miscellaneous diterpenes 417–420
- conglomerate crystallizations, spontaneous symmetry breaking in 837–840
- Cordia globifera* 425
- cordiachrome C 427
- coriariin A 659
- corilagin 653
- Corynanthe* alkaloids 95–99
- Corynanthe* skeleton into *Strychnos* skeleton 99–102
- CP-225917 505–506
- CP-263114 505–506
- cryptolepine from 902
- Cryptolepis sanguinolenta* 901
- CuI-mediated cyclization 347
- curcuphenol 731–732
- Cutleria multifida* 616
- (±)-cycloanchinopeptolide D 28
- cyanophenyloxazolopiperidine 15
- cyclic imine marine alkaloids 275–284

- cyclic peptides containing aryl-alkyl ethers 336–339
- cyclic peptides containing biaryl ethers 339–343
 - bastadin biosynthesis 342–343
 - bouvardin synthesis 342
 - eurypamide B synthesis 341
 - isodityrosine subunit 340
 - – synthesis strategies 340
 - K-13 synthesis 342
- cyclooroidin 238
- cyclopamine 422
- cyclostelletamine alkaloids 215–217
 - cyclostelletamine B 191
- cyclostreptin 514
- cytochalasin D 762
- d**
- dalesconols 715
- Danishefsky's synthesis 120
 - of amauromine 126
 - of spirotryprostatins 122–123
- daphniglaucine A 294
- daphnilactone A 304
- Daphniphyllum* alkaloids 298–305
 - daphnilactone A 304
 - Heathcock group in 300
 - methyl homodaphniphyllate 304
 - methyl homosecodaphniphyllate synthesis 301–302
 - *proto*-daphniphylline biosynthesis 301
- dearomatization, *see* oxidative dearomatization
- debromodispacamides B, Al-Mourabit's biomimetic synthesis 236–237
- debromodispacamides D, Al-Mourabit's biomimetic synthesis 236–238
- decahydroquinoline alkaloids 285–288
 - biosynthetic origin of 287
 - *cis*-195A, Amat's biomimetic synthesis of 287
 - *Dendrobates histrionicus* 286
 - *Dendrobates pumilio* 285
- decalin systems 506–509
 - Diels–Alder reactions affording 506–509
- decarboxylation processes 885
- decarboxylative Grob-type anti-elimination 360
- dehydrodiisoeugenol 725
- dehydroellagitannins 648
- dehydroellagitannins conversion into related ellagitannins 659–663
- dehydrohexahydroxydiphenic acid esters
 - synthesis from methyl gallate 652
 - dehydrohexahydroxydiphenoyl (DHHDP) ester 645
- dehydropiperidines 332
- Delphinium cashmirianum* 892
- density functional theory (DFT) 829, 832
- deoxybrevianamide E, Kametani's total synthesis of 120
- Desmos dumosus* 888
- 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) 335
- diazepines, hydrogenation 806
- diazonamides 375–382
 - amination core formation 377
 - biaryl coupling 377
 - 2,4-bisoxazole core, biomimetic synthesis of 379
 - bisoxazole ring system via oxidative dehydrative cyclization 379
 - diazonamide A 357, 375
 - α -hydroxyvaline formation 377
 - indole–indole coupling 381–382
 - late-stage aromatic chlorination 378–379
 - oxidative annulation 379–380
 - reductive amination formation 380–381
 - retrosynthetic analysis of 376
 - sequential nucleophilic 1,2-addition, electrophilic aromatic substitution 380
- dibromoagelaspongins 238–243
 - biomimetic hypotheses for 241
 - *rac*-dibromoagelaspongin
 - – Al-Mourabit's approach to 244
 - – Feldman's total synthesis of 242
- dibromophakellin 243–247
 - Nagasawa's enantioselective synthesis of 249
 - Romo's enantioselective synthesis of 248
 - synthesis from dihydrooroidin 233–234
- dibromophakellstatin 243–247
 - Feldman's synthesis of 245
 - Lindel's synthesis of
 - (–)-dibromophakellstatin 246
 - Romo's synthesis of
 - (+)-dibromophakellstatin 246
- 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ) 158, 292
- (+)-11,11-Dideoxyverticillin A 141, 144, 171–173
 - dimerization synthesis strategy by Movassaghi *et al.* 172
 - endgame of synthesis by Movassaghi *et al.* 173

- Diels–Alder reaction/cycloaddition
 - 124–131, 461, 506–524, 753–782
 - [4 + 2] adducts derived from terpenoid dienes 780
 - after reactive substrates formation by oxidation enzymes 767–779
 - anigorufone 768
 - aspochalasin Z 764
 - bicyclo[2.2.2]diazaoctanes formation 127
 - biomimetic Diels–Alder reaction 129
 - biomimetic syntheses involving 506–524
 - catechol oxidation 768–775
 - chaetoglobosin 761–763
 - chlorothricin 763–764
 - cyclization of trienes 507
 - cyclopentadiene formation 779
 - cytochalasin D 762
 - decalin systems 506–509
 - equisetin 761–763
 - indanomycin 764–766
 - intramolecular, catalysis of 760
 - kijanimicin 763–764
 - lachanthocarpone 768
 - longithorone 779
 - lovastatin nonaketide synthase (LovB) 755–756
 - macrophomate synthase 756–758
 - nargenicin A 508–509
 - in nature 754–760
 - ortho-quinol formation 767
 - ortho-quinone formation 767
 - phenol oxidation 768–775
 - prenyl side chain dehydrogenation, conjugated diene derived from 775–779
 - solanapyrone synthase (SPS) 758–760
 - solanapyrones 507–508
 - spinosyn 766–767
 - spiro systems 512–514
 - superstolide A 509
 - tetrahydroindane systems 509–512
 - tetrocarcin A 763–764
 - transannular Diels–Alder (TADA) reaction 508
 - diethyl azodicarboxylate (DEAD) 135
 - diffusion ordered spectroscopy (DOSY) 481
 - dihydrooroidin, dibromophakellin synthesis from 233–234
 - dihydropyridines
 - biomimetic synthesis 188–189
 - chemistry, Baldwin's hypothesis 186
 - isomerization of 189
 - Marazano biomimetic synthesis of 188
 - dihydropyridinium salts, biomimetic synthesis 188–189
 - diisopropyl-carbodiimide (DIC) mediated amide bond formation 152
 - dimerization 10–11, 173–174
 - dimeric ellagitannin synthesis 658–659
 - dimeric indolomonoterpene alkaloids 110–113
 - intermolecular 724–727
 - process towards isoglaucanic acid 504–505
 - in pyrrolidine series 10
 - in pyrroloindole peptide alkaloids 370
 - dimers (and oligomers) 184
 - dimethylallyl pyrophosphate (DMAPP) 129
 - dioxepandehydrothyrseferol, epoxide-opening cascades in 546
 - dioxaporphines 868
 - dioxopiperazine alkaloids 117–147, *see also* bicyclo[2.2.2]diazaoctanes; Prenylated indole alkaloids
 - derived from tryptophan and amino acids 122–126
 - dioxopiperazines
 - synthesis 131
 - from tryptophan and proline 119–122
 - 1,1-diphenyl-2-picrylhydrazyl (DPPH) 772
 - diptioindonesin D 714
 - dirigent protein 679–680
 - discorhabdins 154–155
 - biosynthesis proposed by Munro *et al.* 155
 - discorhabdin B 856
 - (±)-discorhabdin C and E 154–155
 - – synthesis by Heathcock *et al.* 156
 - dispacamide A, Al-Mourabit's synthesis of 238
 - dissipative non-productive reaction cycle 828
 - diterpene rearrangements 408–420
 - antheridic acid biomimetic synthesis from gibberellins 408–410
 - early chemical diversity in 408
 - miscellaneous diterpenes 417–420
 - (–)-ditryptophenaline 143
 - double Michael reaction 438–439
 - Durio zibethinus* 855
 - Dysidea herbacea* 859
 - Dysidea pallescens* 859
- e**
- ecdysteroids, alumina-catalyzed dehydration of 892
 - ecteinasidin 743 (ET 743) 382–391
 - biomimetic strategy 383–385
 - biosynthesis 383–385

- ecteinasidin 743 (ET 743) (*contd.*)
 - bridge formation 389–390
 - – Corey's strategy for 389
 - pentacycle formation 385–389
 - – Corey's approach to 386
 - – Danishefsky's synthesis of 387
 - – Fukuyama's work 387
 - – Williams' synthesis of 386
 - – Zhu's approach 387
 - proposed biosynthesis for 384
 - saframycin A biosynthesis 383
 - synthetic approaches to 385
- Elaeocarpus* alkaloids, biomimetic syntheses of 19–22
- electrophilic aromatic substitution 380
- 6π electrocyclizations, polyketides 598–612, *see also* tridachiahydropyrones
- eleutherinol, Harris' biomimetic synthesis of 493
- elisapterosin B 412
 - Rychnovsky's synthesis 413
- ellagitannins 639–640, 642–659
 - synthesis with 3,6-(*R*)-HHDP group 651
 - biosynthesis 640–642
 - with $^1\text{C}_4$ glucopyranose cores 645–651
 - corilagin 653
 - decomposition 640
 - dehydroellagitannins conversion into 659–663
 - – acalphydin production 662
 - – benzyl-protected dehydrodigallic acid synthesis 660
 - – castalagin 666
 - – C-glycosidic ellagitannins 665
 - – chebulagic acid synthesis 662–663
 - – dehydrodigallic acid derivative synthesis 662
 - – DHHDP esters reduction 659–662
 - – DHHDP esters 663
 - – dimeric ellagitannin coriariin A 661
 - – mallotusin production 662
 - – pyranose-type ellagitannins 665
 - – thiol compounds reaction 662–663
 - – vescalagin 666
 - dehydrohexahydroxydiphenic acid esters synthesis from methyl gallate 652
 - 2,4-DHHDP esters 647–649
 - dimeric ellagitannin synthesis 658–659
 - epigallocatechin gallate oxidation during tea fermentation 650
 - hexahydroxydiphenic acid, double esterification of 651–658
 - 2,4-HHDP ester 647–649
 - pedunculagin 658
 - synthesis by biaryl coupling of galloyl esters 642–645
 - tellimagrandin I 654
 - Ullmann-type biaryl couplings 646
- ellipticine 103
- ellipticine-type alkaloids 102–105
- elysiapyrones 624–626
- emodin, Harris' biomimetic synthesis 495
- chrysophanol, Harris' biomimetic synthesis 495
- enamides
 - Brønsted acid catalyzed transfer hydrogenation of 788–799
- hydrogenation 798
- enantioenrichment
 - polymerization and aggregation models of 834–835
- Würthner's model 835
- endiandric acids 612–618
 - Nicolaou's biomimetic synthesis 617
- endocyclic enamines 12–13, 39
- 7-endo epoxide ring opening 360
- endo*-intramolecular Diels–Alder reaction 198–199
- enshuol 562
- ent*-17-epialantrypinone 142
- ent*-alantrypinone 118, 142
- epidithiodioxopiperazines 141–146
 - *ent*-alantrypinone synthesis 142
- epimerization 895–897
 - lactonic compounds 905–908
 - light-induced 870–872
 - – furofuranic lignans under 899
 - – of gallocatechins during tea brewing 883
 - – in or out of solutions 880
- epinitraramine 37
- epoxide-opening cascades in polycyclic polyethers 550–583
 - bis-tetrahydrofurans synthesis via 556
 - enshuol 562
 - *ent*-abudinol B synthesis via 564
 - enzymatic ester hydrolysis 555
 - first-generation approach to 557
 - glabrescol 561
 - ladder polyethers synthesis 565–583
 - omaezakianol synthesis via 563
 - polyether ionophores synthesis 550–554
 - – applications of 554–558
 - – bis-tetrahydrofurans 553
 - – 2,5-linked tetrahydrofurans 553
 - second-generation approach to 557
 - single-electron oxidation of homobenzylic ethers 555

- in squalene-derived polyethers synthesis 558–565
- third-generation approach to 557
- epoxide-opening reactions
 - Baldwin's rules in 538–539
 - regioselectivity control in 539
- epoxyquinols A–C 615
- epoxysorbicillinol 741
- epoxytwinol 615
- equisetin 761–763
- erinacine E, Nakada's biomimetic synthesis of 426
- ervatamine alkaloids 102–105
- ervitsine alkaloids 102–105
- erythromycin 595
- eurypamide B synthesis 341
- eusynstyelamide A 26
- exiguamines 737–738

f

- fastigiatine, total synthesis of 52–53
- fatty acid biosynthesis 594–597
- fatty acid synthases (FASs) 473
- ficuseptine 25–26
- Fischerella muscicola* 859
- (–)-Fischerindole I 164–166
- fissoldhimine 22–25
 - biogenetically inspired heterodimerization toward 24
- biosynthetic hypotheses 23
- structures 23
- flavin mononucleotide (FMN) 679
- forbesione, biomimetic synthesis of 456
 - Nicolaou approach to 458–459
 - via Claisen/Diels–Alder/Claisen reaction cascade 456
- FR182877 514–521
 - acyclic system related to 517
 - biosynthetic origin for 515
 - large-scale synthesis of 516
 - Sorensen's biomimetic synthesis of 515
- FR-901483 compounds 61–86
 - Ciufolini synthesis of 80–86
 - Snider synthesis of 64–67
 - aldol step in 66
 - Sorensen synthesis of 78–79
- synthesis via oxidative amidation chemistry 77–86
- total syntheses of 63–71
- Wardrop approach to 77
- fredericamycins 743–744
- frondosins 745
- furanocembranoids, biomimetic relationships among 414–417

- bipinnatin J as precursor 415
- furofuran lignans, biomimetic synthesis of 681–683
 - enzyme-mediated 682–683
 - metal-catalyzed approaches 682

g

- Galbulimima* alkaloids 271–275, 509
 - Baldwin's biomimetic synthesis of 511
 - Class I 272–273
 - Baldwin's biosynthetic hypothesis for 272, 274
 - Class II 273–275
 - Movassaghi's biosynthetic hypothesis for 275–276
 - Class III 273–275
 - Movassaghi's biosynthetic hypothesis for 275–276
- galiellalactones 511–512
- galloyl esters 642–645
- gambogin synthesis by Nicolaou group 458–459
- Garcinia forbesii* 452
- Garcinia hanburyi* 452
- Garcinia subelliptica* 434
- Garcinia* xanthones, biomimetic synthesis 455–464
- gardenamide 293–294
- garsubellin A, total synthesis of 441–443
 - by Danishefsky *et al.* 442
 - by Shibasaki group 442
 - by Simpkins group 450
- GE2270A 334–336
 - Nicolaou and Bach works 335
- geissoschizine 101
- (–)-Gelselegine 166–168
 - biosynthesis proposal by Sakai *et al.* 167
- Gelsemium elegans* 166
- gentianine 891
- Geranium thunbergii* 648
- Gibbs' phase rule 836
- Gibbs–Thomson rule 838
- GKK1032 compounds
 - biosynthetic origin of 528
 - cyclization mechanism 528
 - Oikawa's hypothesis for 529
- glabrescol 561
- gliotoxin 118, 145
 - Kishi's total synthesis of 146
- globiferin, biomimetic conversion into cordiachrome C 427
- glucosidases, as by-products formation triggers 852–853
- glucosinolates, hydrolysis of 854

- glutaconaldehydes 213–215
- glutacondialdehydes 190
- glutamate dehydrogenase (GDH) 787
- glutaraldehyde
 - alkaloid skeletons from 13–15
 - condensations of 14
- glycosidation 347
- grandione 768
- griseorhodin A 743
- guanidinium alkaloids 225–267
 - biomimetic synthesis of 225–267
- gymnodimines 282–284, 514
 - Kishi's biomimetic approach to 283
 - plausible biosynthetic origin of 283
 - structure 283
- gypsetin 118, 126–127
 - synthesis of 127
- h**
 - halicyclamines 201–203
 - Baldwin–Marazano concepts 207
 - biomimetic models toward 205–208
 - first generation approach to 206
 - halicyclamine A, biomimetic synthesis 207
 - second generation approach to 206
 - Halocarpus biformis* 885
 - Haloxylon salicornicum* 12
 - heliocides 770
 - hemibrevetoxins 580–582
 - hemiterpenes 853
 - Hericium erinaceum* 424
 - hetero-Diels–Alder formation of
 - bicyclo[2.2.2]diazaoctanes 127
 - heterosides hydrolysis 900
 - Heteroyohimbines 95–99
 - hexacyclin acid 514–521
 - biosynthetic origin for 515
 - hexafluoro-isopropanol (HFIP) 730
 - hexahydroxydiphenic acid (HHDP) double
 - esterification of 651–658
 - himandravine 509
 - himastatin 357, 369–374
 - himastatin pyrroloindole core synthesis 372–373
 - synthetic approaches to 372
 - himbacine 272, 509
 - himbeline 509
 - Hirsutella nivea* 525
 - hirsutellones 525–530
 - 6,5,6-fused system of 525–530
 - macrocycle of 525–530
 - Nicolaou's total synthesis of 529
 - structure of 527
 - (±)-hobartine 95
 - homo-Wagner–Meerwein transposition 734
 - hopeahainol A 708
 - hopeanol 708
 - Horner–Wadsworth–Emmons type
 - olefinations 341
 - horse radish peroxidase (HRP) 679
 - Humulus lupulus*, MPAPs from 435
 - Husson's strategy (modified Polonovski
 - reaction) 188
 - Hutchinson's biosynthesis 152
 - hydrodistillation 880–885
 - artifacts from (+)-chrysanthenone 884
 - lactones of *Halocarpus biformis* formed during 886
 - polyene splicing 881
 - *Zizyphus jujuba* seeds 882
 - hydrolysis, artifactual 897–900
 - cubebin anomers from *Aristolochia* spp 900
 - of heterosides 900
 - methyl-ester hydrolysis 900
 - stephacidin B on silica gel 898
 - hydroperoxides, artifacts from 858
 - 6-hydroxymusizine, Harris' biomimetic
 - synthesis 493
 - hymenialdisines 247–250
 - hymenin 249
 - (–)-hyperforin, total synthesis 445–448
 - catalytic asymmetric synthesis of 446
 - *ent*-hyperforin 447
 - hyperguinone B 440–441
 - Hypericum chinense* 878
 - Hypericum papuanum* 434, 440
 - Hypericum perforatum* 434
- i**
 - Iboga* alkaloids 106
 - (±)-ialibinone A and B 440–441
 - imidazole, biomimetic conditions using 476
 - imide-bearing aconitine-like alkaloids 893
 - imines, Brønsted acid catalyzed transfer
 - hydrogenation of 788–799
 - imino esters, Brønsted acid catalyzed transfer
 - hydrogenation of 788–799
 - α-imino esters, hydrogenation 796
 - organocatalytic asymmetric transfer 797
 - indanomycin 764–766
 - indole alkaloids 149–175, *see also* modified
 - indole nucleus alkaloids
 - indole nucleus conversion into first derivatives 150
 - indole–indole coupling 381–382
 - Witkop-type photo-induced
 - macrocyclization 382

indolemonoterpene alkaloids 91–113
 – botanical distribution 91–93
 – classification 91–93
 indole-oxidized cyclopeptides 357–382,
see also chloptosin; himastatin
 – celogentin C 357, 363–368, *see also*
individual entry
 – indolyl–phenyl coupling 359
 – NCS mediated oxidative coupling 368
 – TMC-95A-D 357–363
 indoles, hydrogenation 805–806
 – asymmetric brønsted acid catalyzed
 805–806
 indolomonoterpenes 867
 indolomonoterpenic alkaloid macrosalhinine,
 quaternization of 923
 intramolecular Diels–Alder (IMDA)
 cycloaddition 138, 273, 506, 754
 intramolecular Heck reaction 385
 iodotrimethylsilane (TMSI) 126
 ircinal A, biogenesis 210
 ircinal alkaloids 200–201
 – (4 + 2) cycloaddition strategy towards an
 ircinal model 203
 isatisine A 174
 islandicin 486
 isoacetogenins 905
 isoampelopsin D 711
 isoanhydrovinblastine 112
 (±)-isoborreverine 173–175
 – biosynthesis proposal by Koch *et al.* 173
 isocaryophyllene 404
 isoglaucanic acid, dimerization process
 towards 504–505
 isomerization, light-induced 870–872
 – anethole 871
 – in or out of solutions 880
 – stilbenoids 871

j

jasminiflorine 174
 juliprosine 25–26
 juliprosopine 25–26
Juncus acutus 774

k

K-13 synthesis 342
 Kametani's total synthesis 120
 kapakahine A 391
Karenia brevis 545, 548
 keramaphidin alkaloids 200–201
 keramaphidin B, biomimetic total synthesis
 197–198
 – Baldwin's hypothesis validation 198

– model studies 197
 keramaphidin model, selective oxidation of
 205
 ketimines, hydrogenation 793
 – asymmetric biomimetic transfer 793
 – enantioselective biomimetic transfer 793
 – metal-free asymmetric transfer 793
 ketosynthase (KS) 473
 kijanimicin 763–764
 Knoevenagel condensation 366–367, 483
 komaroviquinone 874
 kutzneride 371
 kuwanons 776

l

lachanthocarpone 768
 lactonic compounds 905–908
 – annonaceous acetogenins 907
 – epimerization 905–908
 – methanolysis of 908
 – *Thalictrum* saponins cyclization during
 acidic hydrolysis 906
 – transesterification 905–908
 ladder polyethers 545–550
 – dioxepandehydrothyriferol 546
 – Giner's proposal for biosynthesis 549
 – Nakanishi's hypothesis 548
 – structures 547
 – synthesis 565–583
 – – applications 580–583
 – – 6-*endo* cyclization 567
 – – fused polyether systems 567–580
 – – iterative approaches 565–567
 – – Jamison proposal 577
 – – McDonald group 570–573
 – – Murai's work 569
 – – THP : THF selectivity in 578
 – *trans-syn-trans* arrangement 545
Laggera tomentosa 880
 Lahav's rule of reversal 837
 lambertellol 860
 lateriflorone biosynthesis 461
Laurencia pinnatifida 901
Laurencia spectabilis 901
Leuzea carthamoides 892
 life's single chirality 823–841, *see also*
 biological homochirality
 light, *see also* electrocyclizations
 – in artifacts and natural substances
 formation 870–878
 – – epimerization 870–872
 – – isomerization 870–872
 – – milnamide A 872
 – – reserpine 872

- light, *see also* electrocyclizations (*contd.*)
- photochemical reactions: *see* Chapter 16
 - photocycloaddition 876–878
 - photodimerization 876–878
 - rearrangements by 872–876
 - – brevianamide A 875–876
 - – *ent*-bicyclogermacrene 873
 - – komaroviquinone 874
- lignans 677–691
- biomimetic synthesis of 681
 - – benzo[*kl*]xanthenes 686–688
 - – benzoxanthenone lignans 683–686
 - – furofuran lignans 681–683
 - – podophyllotoxins 681
 - chemotypes of 678–679
- Liquidambar formosana* 663
- lissoclinamides 326–328
- to heptapeptide 327
- entry into secondary metabolism 5–6
- metabolism toward alkaloids 6
- Lobelia* alkaloids 44
- longithorone 779
- longithorone A 427
- Lonicera japonica* 916
- Lonicera korolkovii* 916
- Lonicera morrowii* 916
- entry into secondary metabolism 5
- lovastatin 507, 755–756
- lovastatin nonaketide synthase (LovB) 755–756
- lupine alkaloids 31–34
- biomimetic conversion into oleanane skeletons 423
 - biomimetic synthesis of 32–33
 - – oxidative deamination step 32
- Lycopodium*-like alkaloids 50–51
- *Lycopodium* alkaloids 44–54
- lycposerramine series 49–50
- Lyngbya majuscula* 897
- lysine-derived alkaloids 3–54
- biomimetic synthesis of 30–42
 - L-arginine 3
 - L-lysine 3
 - L-ornithine 3
- lysine-derived reactive units 11–15
- oxidative degradation of free L-lysine 11–12
 - Schöpf's pioneering works 13
 - tetrahydropyridine 12
- m**
- macquarimicins 514–521
- biosynthetic hypothesis for 518
 - structure 517
 - Tadano's biomimetic synthesis 521
 - Tadano's model study 520
- macrocyclic complex alkaloids 183
- macrocyclization 340
- macrolactamization 338, 347, 360, 373–374
- macrophomate synthase (MPS) 754, 756–758
- catalytic mechanism of 756–757
 - Michael–aldol route 756
- macroxine 174
- madangamine alkaloids 208–210
- madangamine C type alkaloids
 - – biogenesis 209
 - – biomimetic synthesis 210
- maitotoxin 595
- (+)-makomakine 95
- Malbranchea aurantiaca* 140
- malbrancheamides 118, 136
- malbrancheamide B 136
 - proposed biosynthesis of 138
 - total syntheses of 138
- mallotusin production 662
- malondialdehyde scenario 182–191, 200–203
- aminopentadienal connection 202
 - halicyclamine connection 201–203
 - keramaphidin/ircinal connection 200–201
- malonic acid half-thioesters (MAHTs) 474
- malonyl activation 475–477
- malonyl acyl transferase (MAT) 474
- malonyl half thioesters (MAHT) 479
- asymmetric and organocatalytic addition to nitroolefins 482
- Shair's catalytic aldol condensation with 479
- – asymmetric 480
- Mannich bisannulation 385
- manzamine A
- ABC-ring system synthesis of 204
 - AB-ring system synthesis of 204
 - biomimetic models toward 203–204
- manzamine alkaloids synthesis 181–221, *see also* Baldwin's hypothesis development; pyridinium marine sponge alkaloids
- acrolein scenario 182–191, *see also individual entry*
 - 3-alkylpyridiniums biosynthetic hypotheses based on pachychaline series 187
 - aminopentadienals 190, 213–215
 - Baldwin's hypothesis, dihydropyridine chemistry 186
 - biomimetic C5 reactive units from Zincke reaction 189–191
 - Chichibabin synthesis of pyridines 188

- cyclostelletamine A type 184–185
- from cyclostelletamines to keramaphidin and halicyclamine/haliclonamine alkaloids 218
- dimers (and oligomers) 184
- from fatty acids to long-chain aminoaldehydes and sarain alkaloids 215
- from fatty aldehydes precursors to simple 3-alkyl-pyridine alkaloids 182–187
- from ircinal and pro-ircinals to manzamine A alkaloids 218
- glutaconaldehydes 213–215, *see also* *glutacondialdehydes*
- glutacondialdehydes 190, *see also* *glutaconaldehydes*
- Husson's strategy (modified Polonovski reaction) 188
- ircinal pathway, spinal cord of manzamine metabolism 218
- macrocyclic complex alkaloids 183
- madangamine alkaloids 208–210
- malondialdehyde scenario 182–191, *see also individual entry*
- manzamine alkaloid chemistry, milestones in 185
- Marazano biomimetic synthesis of dihydropyridine 188
- Marazano modified hypothesis, pyridinium chemistry 186
- modified hypothesis testing in laboratory 203–208
- – biomimetic models toward halicyclamines 205–208
- – biomimetic models toward manzamine A 203–204
- – (4 + 2) cycloaddition strategy towards an ircinal model 203
- monomers 184
- nakadomarine A, biomimetic model of 210–211
- from pro-ircinals to madangamine alkaloids 218–219
- pyridine ring formation 186
- theonelladine A type 184–185
- total syntheses of 219–220
- towards a universal scenario 215–219
- xestospongins 184–185, 191–193
- Marazano biomimetic synthesis of dihydropyridine 188
- Marazano's hypothesis 201
- marcfortine C 135
- total synthesis of 137
- marcfortines 155–158
- marine diterpenes biomimetic synthesis from *Pseudopterogorgia elisabethae* 410–414
- colombiasin A 412
- marine polypropionates 877
- marine pyrrole-2-aminoimidazole alkaloids, *See* pyrrole-2-aminoimidazole (P-2-AI) marine alkaloids
- marine thiol group 856
- Markhamia lutea* 857
- masked hexaketides, Schmidt's condensation of 492
- massadine chloride 263–265
- massadine 257, 263–265
- Baran's biogenetic hypothesis 264
- formation, intramolecular aziridinium mediated mechanism for 259
- Romo's biosynthesis proposal for 261
- mauritamine 253–254
- meleagrine 174
- meloscandonine 174
- membrane diffusion, symmetry breaking in 840
- meroterpenoids, biomimetic synthesis of 424–425
- mersicarpine 174
- metal-catalyzed cross coupling, Trp-Tyr biaryl bond formation by 361
- methanolysis of lactonic sesquiterpenes 908
- methoxymethyl (MOM)-protection 497
- 6-O-methylforbesione synthesis 458–459
- methyl homodaphniphyllate 304
- methyl homosecodaphniphyllate 301
- methyllateriflorone synthesis 459–460
- methyllateriflorone, total synthesis of 462
- 7-methylcycloocta-1,3,5-triene 618
- Mg(II) salts, biomimetic conditions using catalytic 476
- milnamide A 872
- minfiensine 174
- modified indole nucleus alkaloids 149–175, *see also* camptothecin; discorhabdins
- biomimetic synthesis of 149–175
- – monoterpenoid indole alkaloids 150
- modified Julia coupling 360
- Monascus ruber* 506
- mongolicumin A 686–687
- monocyclic polyprenylated acylphloroglucinols (MPAPs) 434
- from *Humulus lupulus* 435
- monomers 184
- monoterpene rearrangements 397–401
- century since Wagner's structure of camphene 397–399
- monoterpenoid indole alkaloids 150

- Montmorillonite K-10 (MK-10) 165
Morus bombycis 775
Myrioneuron alkaloids 34–39
- n**
- nakadomarine A, biomimetic model of 210–211
 nakamuric acid, Baran's synthesis of 255
 nanaomycine, Yamaguchi's biomimetic synthesis 494
 naphthalenoid derivatives 492–494
 – barakol, Harris' biomimetic synthesis of 493
 – biomimetic access to 492–494
 – eleutherinol, Harris' biomimetic synthesis of 493
 – 6-hydroxymusizine, Harris' biomimetic synthesis 493
 – naphthyl cyclization of β -hexaketones 493
 – polyketides into, Yamaguchi's aromatic cyclization 494
 nargenicin A 508–509
N-chlorosuccinimide (NCS) mediated oxidative coupling 368
 Negishi-cross coupling 340
 nemorosone, total synthesis through 'carbanions' differentiation 443–445
 neocarzinostatin 595
 neolignans 677
 neopupukeananes 406
 neoselaginellac acid 174
 neosymbioimine 276–279
 nepalensinol B 713
N-heterocycles, asymmetric organocatalytic reduction 800–814
 – enantioselective hydride transfer 800
 – enantioselective protonation 800
Nicotiana tabacum 10
 nicotinamide adenine dinucleotide (NADH) 787
 nitramine, biomimetic synthesis of 35–37
nitraria alkaloids 14, 34–39
 nitrophenyl pyrones 618–621
N-methylcytosine conversion into kuraramine 33–34
N-methyltriazolinedione (MTAD) 125
Nocardia argentinensis 508
 nonadride series 504–506
 – biomimetic studies in 504–506
 – CP-225917 505–506
 – CP-263114 505–506
 – dimerization process towards isoglaucanic acid 504–505
 – Sutherland's biomimetic studies 504
 non-amino acid origin alkaloids, biomimetic synthesis 271–307, *see also* cyclic imine marine alkaloids; *Galbulimima* alkaloids
 non-aromatic polycyclic polyketides 503–530, *see also* nonadride series
 non-prenylated indole alkaloids 141–146, *see also* epidithiodioxopiperazines
 non-ribosomal peptide synthesis (NRPS) 319–320, 346
 norrhoedanines in acidic conditions 901
 norzoanthamine 290
 notoamide J synthesis 121
 – Williams' biomimetic synthesis of 124
 nucleophilic 1,2-addition 380
- o**
- ocellapyrones 621–624
 – ocellapyrone A, electrocyclic formation of 624
o-iodoxybenzoic acid (IBX) 726
 – dimerization of 2,6-xyleneol 726
 – Pettus' oxidative dearomatization 726
 okaramine N 118, 125
oligomeric ellagitannins 658
 oligomers 695–718, *see also* resveratrol-based family of oligomers
 – synthetic approaches to 695–718
 olivacine alkaloids 102–105
 omaezakianol synthesis 563
o-quinone dimerization 727
L-ornithine 3
 ornithine alkaloids 18–30
 – reactive units 9–11
 – – 4-aminobutyraldehyde 9
 oroidin 237–238
 – Al-Mourabit's synthesis of 239
 – Lindel's conversion into *rac*-cyclooroidin 240
 orsellinic acid 486
 ortho-quinone methide capture 385
Osmunda japonica 885
 oxasqualenoids 542–544, 558–560
 oxidation processes 853–870
 – achiral bisacridones from *Rutaceae* 866
 – allicin 855
 – bis-aporphines 864
 – dioxoaporphines 868
 – discorhabdin B 856
 – hydroperoxides, artifacts from 858
 – indolomonoterpenes 867
 – lambertellol 860
 – marine thiol group 856
 – newly oxygenated products 859–864
 – *N*-oxide and oxoalkaloid cases 865–870

- oxidative coupling 865
- oxoaporphines 868–869
- of oxygenated functions 857–859
- pyrroloiminoquinolines 856
- *Tabernaemontana* spp. 868
- thiol oxidation 853–856
- vasicoline 868
- welwitindolinones from *Fischerella* spp. 862
- oxidative cyclization 347, 440
- oxidative dearomatization 723–747
- Adler–Becker oxidation, Singh's application of 727
- Canesi's 735
- Danishefsky's 730
- Diels–Alder dimerization 725
- Feldman's 734
- Gaunt's 732
- Heathcock's synthesis of styelsamine B 732
- initial intermediate 723–724
- intermolecular dimerizations 724–727
- intramolecular cascade sequences 731–733
- intramolecular cycloadditions 729–731
- Liao's 729
- Majetich's 737
- Morrow's 728
- Nakatsuka's 740
- Njardarson's 730
- Pettus' 731, 735
- phenol oxidative cascades 741–747
- Porco's 734
- Quideau's 739
- rearrangements 733–737
- Rodríguez's 733
- Rogić's 740
- Sarpong's 729
- sequences 723–724
- sequential reactions initiated by 723–747
- sequential ring rupture
- – and contraction 737–739
- – and expansion 739
- Sigman's enantioselective 728
- Sorensen's 731
- Stoltz' 729
- successive intermolecular reactions 727–729, 741
- successive intramolecular reactions 741
- successive tautomerizations 733–737
- Takeya's o-quinone dimerization 727
- Tejera's 740
- Trauner's 736, 738
- Wood's 730
- Yamamura's 728

- oxidative diversification 415
- oxindole fragment, stereocontrolled oxidation of 361–362
- oxindoles synthesis 139
- oxoaporphines 868–869
- oxysceptrins 254–255
- Baran's synthesis of 255

p

- P-2-AIs simple dimers, biomimetic synthesis 253–255
- agelifेरins 254–255
- mauritiamine 253–254
- oxysceptrins 254–255
- sceptrins 254–255
- Pachychalina* species 186
- Paenonia lactiflora* 913
- Paenonia suffruticosa* 913
- paeoniflorin 917
- palau'amine 255–257, 265
- Al-Mourabit's biogenetic proposal for 260
- axinellamine A 257
- axinellamine B 257
- massadine 257
- synthesis
- – first proposal based on Diels–Alder key step 257
- – Kinnel's biogenetic proposal for 258
- – Scheuer biogenetic proposal for 258
- paliurine F synthesis 339
- pallavicinolide A 417, 420
- pallidol 702, 713
- paraherquamide A, biosynthesis of 130
- paraherquamides 155–158
- Paraphaeosphaeria quadrisepata* 901
- paucifloral F 711
- pedunculagin 658
- pelletierine
- based metabolism 42–54
- biomimetic synthesis 43–44
- Penicillium brevicompactum* 117
- Penicillium glaucum* 504
- Penicillium islandicum* 486
- Penicillium purpurogenum* 504
- penifulvins 405–406
- pentacarbonyl derivative, Harris' biomimetic cyclizations of 492
- pentacycle formation 385–389, *see also under* Ecteinascidin 743 (ET 743)
- pentacyclization 305–306
- peptide alkaloids 317–318, *see also*
- aryl-containing peptide alkaloids;
- azole-containing peptide alkaloids
- aryl-alkyl ether peptide alkaloids 337

- peptide alkaloids (*contd.*)
 - ring-closing strategies in 338
 - ring formations in biosynthesis of 337
 - biosynthesis, key features 319–321
 - covalent folding of peptide chains into 321
 - cyclic peptides containing biaryl ethers 339–343
 - cyclized by aryl side chains oxidation 336–350
- peptide fragment coupling 347
- perovskone 420, 770
- phalarine 174
- phalloidin 391
- phenol oxidation 768–775
- phenol oxidative cascades 741–747
 - additional natural compounds arising 746
 - Hertweck's 743
 - Pettus' 742, 745
 - Porco's 746
 - Shen's 744
 - Steglich's 743
 - Zhao's 743
- phenols, oxidative amidation of 71–77
 - Honda oxidative cyclization 75
 - Knapp iodocyclization 72
 - oxidative spirocyclization 72
 - stereoselective cyclization of 73
 - Wardrop oxidative cyclization 76
- phenoxonium species 727
- phenyl iodine diacetate (PIDA) 725
- phenyl iodine(bis)trifluoroacetate (PIFA) 728
- phlegmariurine series 49–50
- phloracetophenone 486
- phosgene adducts 921
- photochemical reactions, *see also* light, electrocyclizations
- photocycloaddition 876–878
 - hoenalia coumarin 876
 - marine polypropionates 877
- photodimerization 876–878
- Phyllanthus emblica* 645
- Pictet Spengler cyclization 121, 385
- pinnatoxins 279–282
 - (–)-pinnatoxin A, Kishi's biomimetic synthesis 281
 - pinnatoxin A, biosynthetic origin of 281
- L-pipecolic acid 6
- pipecolic acids 15–18
 - biomimetic access to 15–18
 - biosynthesis 15–16
 - by photocatalysis 18
 - containing secondary metabolites 16
 - importance 15–16
 - Rossen's biomimetic synthesis of 17
 - Yamada's biomimetic access to 17
- piperidines, hydrogenation 813
- Plakortis angulospiculatus* 509
- p*-nitrophenyl pyrones 619
- podophyllotoxins 681–682
- polyamine alkaloids 7–8
 - polyamine backbones in 7
- polycyclic polyethers, *see also* ladder polyethers; polyether ionophores; squalene
 - biosynthesis 539–550
 - epoxide-opening cascades in 550–583, *see also individual entry*
 - structure 539–550
- polycyclic polyprenylated acylphloroglucinols (PPAPs) 433–452
 - biomimetic synthesis of 436–441
 - biosynthesis of 434–436
 - classification of 434
 - from MPAPs 437
 - non-biomimetic synthesis of 441–451
 - Garsubellin A 441–443
 - synthesis via oxidative cyclization reactions 440
 - Type A PPAPs 439–440
 - via an intramolecular Michael addition 440
- polyene/polyene splicing 607, 878, 881
- polyepoxide opening, polyether natural products synthesis via 537–584
- synthetic considerations, Baldwin's rules 538–539
 - 4-*exo-trig* reactions 538
 - 5-*endo-trig* reactions 538
- polyether ionophores 539–542
 - Cane–Celmer–Westley hypothesis 540
 - *endo* cyclizations 540
 - structures of 541
- polyketide assembly mimics/polyketide synthases (PKSs) 472–485, *see also* aromatic polyketides
 - C–C connection mechanism in 473
 - addition–decarboxylation for 481
 - structure 473
 - Type-a mimics 475–478
 - acyl transfer, Scott's conditions for 475
 - catalytic Mg(II)salts, biomimetic conditions using 476
 - imidazole, biomimetic conditions using 476
 - malonyl activation 475–477
 - thioesters, biomimetic conditions using 476
 - without malonyl activation 477–478

- Type-b mimics 478–479
- – Coltart's aldol addition with non-activated thioester 482
- – enolate formation before nucleophilic addition 480
- – Fagnou's metal-free decarboxylative condensation 480
- – malonyl activation 479–482
- – without malonyl activation 482–483
- Type-c mimics 483–485
- – Barbas III asymmetric and organocatalytic addition of thioesters 483
- – Birch reduction–ozonolysis reaction 485
- – List's condensation of MAHO in 484
- – reaction mimic with MAHT 484
- polyketides (PK) 284–293, 485–499, 503–530, 591–632
 - aromatic polyketides 485–499
 - biological electrocyclizations 628–631
 - biomimetic analysis 597–598
 - biosynthetic origin proposed by Morita 285
 - Black's electrocyclization cascade hypothesis 617
 - cassiarins A and B 284–285
 - decalin systems 506–509
 - electrocyclic reactions 592
 - 6π electrocyclizations, 598–612, *see also individual entry*
 - electrocyclization reactions toward 591–632
 - elysiapyrones 624–625
 - endiandric acids A–G 615
 - enzyme catalysis 628–631
 - epoxyquinols A–C 615
 - epoxytwinol 615
 - fatty acid biosynthesis 594–597
 - general biosynthesis 596
 - nitrophenyl pyrones 618–621
 - nonadrides 504–506
 - non aromatic polyketides 503–530
 - *p*-nitrophenyl pyrones 619
 - shimalactones 625–628
 - structure 285
 - 8π systems and black 8π – 6π electrocyclic cascade 612–628
 - torreyanic acid 614
- polyolefin cyclization 421
- polyprenylated phloroglucinols 433–464, *see also* polycyclic polyprenylated acylphloroglucinols (PPAPs)
- polyprenylated xanthonenes 452–464
 - biosynthesis of 454–455
 - – CGX motif via cascade of nucleophilic attacks 455
 - – CGX motif via Claisen/Diels–Alder reaction cascade 455
 - caged xanthonenes 452
 - Diels–Alder cycloaddition 461
 - Wessely/Diels–Alder strategy 461
- Pomerantz–Fritsch reaction 385
- Popowia pisocarpa* 865
- Populus deltoides* 897
- Porco synthesis of clusianone 438
- potassium hexamethyldisilazide (KHMDs) 525
- prenyl side chain dehydrogenation 775–779
- prenyl-9-borabicyclo[3.3.1]nonane (prenyl-9-BBN) 119
- prenylated indole alkaloids 117–141
 - notoamide J synthesis 121
- presilphiperfolanol 404
- pretetramide, Harris' biomimetic synthesis of 496
- pro-ircinal alkaloids 218–219
 - to madangamine alkaloids 218–219
 - to nakadomarine alkaloids 219
- L-proline 6 *see also* pyrrole-2-aminoimidazoles
- proline, dioxopiperazines derived from 119–122
- protoberberines 921–925
 - acetone adducts of 928
 - alkaline treatment of 924
 - – nucleophilic additions on 925
 - dihydroprotoberberines 927
 - indolomonoterpenic alkaloid macrosalhin, quaternization of 923
- proto-daphniphylline 301
- pentacyclization of 305
- przewalskin A 743
- Pseudomonas fluorescens* 608
- pseudopelletierine 43–44
- Pseudopterogorgia bipinnata* 414
- Pseudopterogorgia elisabethae*, marine diterpenes biomimetic synthesis from 410–414
- Pseudopterogorgia kallos* 416
- pseudorubrenoic acid A 611
- pteriatoxins 279–282
- Pueraria mirifica* 863
- (–)-pumiliotoxin C, Amat's biomimetic synthesis of 287
- Pummerer oxidative cyclization 240
- Punica granatum* 919
- purifications, acidic conditions during 895–903
- epimerization 895–897
- putrescine *N*-methyltransferase (PMT) 5

- puupehenone, methanol adduct on 914
 pyranose-type ellagitannins 665–667
 pyridine alkaloids 215–217
 – Chichibabin synthesis of 188
 – hydrogenation 813–814
 pyridinium chemistry, Marazano modified hypothesis 186
 pyridinium marine sponge alkaloids, biomimetic synthesis 191–195, *see also* xestospongins
 – 3-alkylpyridiniums 191
 – alkylpyridines with unusual linking patterns 194–195
 – cyclostellettamine B 191
 – upenamides, synthetic approaches to 193
 – Zincke-type pyridine ring-opening 193–194
 pyridinium salts 181–182, *see also* manzamine alkaloids synthesis
 pyrinadine A, biomimetic synthesis 195
 pyrinodemin A, biomimetic synthesis of 194
 pyrones
 – Harris' biomimetic access to 489
 – as masked tetraketide 490
 pyrrole-2-aminoimidazole (P-2-AI) marine alkaloids 225–267, *see also* clathrodins
 – Al-Mourabit's retro-biogenetic proposal for 232
 – biomimetic synthesis of 225–267
 – George Büchi's work 233–234
 – new challenging P-2-AI synthetic targets and perspectives 266–267
 – P-2-AI biosynthesis, common chemical pathway for 256–257
 – P-2-AI linear monomers, biomimetic synthesis 237–238
 – P-2-AI polycyclic monomers, biomimetic synthesis 234–253, *see also* cyclized monomers
 – P-2-AIs simple dimers, biomimetic synthesis 253–255
 – synthetic achievements 261–265
 – tautomerism in building blocks of 229
 pyrrolizidine ring, biomimetic access to 18–19
 pyrroloiminoquinolines 856
 pyrroloindole-based peptide alkaloids 369
 – dimeric 370
- q**
- quadrangularin A 701, 710
Quercus robur 669
 quinolines, asymmetric organocatalytic reduction 800–805
 – asymmetric biomimetic transfer 798
 – Brønsted acid catalyzed transfer 801
 – organocatalytic asymmetric transfer 798
 – 2,3-substituted quinolines 803
 – 3-substituted quinolines 804
 – 4-substituted quinolines 804
 quinolinic acid 194
 quinoxalines, hydrogenation 806
 quinoxalinones, hydrogenation 806
- r**
- rameswaralide 417–419
 raucaffrinoline via Cannizzaro reaction 896
 reaction–diffusion models, symmetry breaking in 840
 red tides 545
 reductive amination formation 380–381
 reserpine 872
 resveratrol-based family of oligomers 695–718, *see also* oligomers
 – biosynthetic approaches 697–705
 – davidiol A from 704
 – indane-containing members of 711
 – palladium-based reactions 706
 – quadrangularin A 701
 – stepwise synthetic approaches 705–717
 – – work toward single targets within 705–709
 – synthetic approaches to 695–718
 – universal, controlled synthesis approach 709–717
 – ϵ -viniferin from 698–700
 rhazinilam 93
Rhodomela confervoides 897
 ribosomal peptide synthesis (RPS) 319–320
 ritterazines 294–298
 – structures 295
 Robinson-Gabriel cyclodehydration 325
 Rubiaceae iridoids 910
 rubifolide conversion into coralloidolides A, B, C, and E 416
 rufescidride 686–687
 Ru-mediated SN Ar-cyclization 340
- s**
- Saccharopolyspora spinosa* 521
 saframycin A biosynthesis, gene cluster-based proposal for 383
Salvia leucantha 427
Salvia prionitis 769
 salvileucalins A and B 428
 Sammes' model study of cycloaddition 127
 sanguin H5, synthesis of 645
 sanjoinine G1 synthesis 339

- sarains
 - biomimetic models of, side branch of manzamine tree 211–213
 - biomimetic synthesis 212
 - – first sarain A model 213
 - – second sarain A model 213
 - sarain A-type alkaloids
 - – biogenesis 212
- sceptrins 254–255
- secologanin 150
 - derived indolomonoterpene alkaloids 95–109
 - derived quinoline alkaloids 109–110
- Securidaca longepedunculata* 921
- Securiflustra securifrons* 162
- Sedum* alkaloids 44
- self-replication 833–834
- senepodine G 51–52
- serratezomine A 47
- serratinine 47
 - into lycoposerramine B 47–49
 - into serratezomine A 48
- sesquiterpene rearrangements 401–408
 - caryophyllenes in 401–402
 - miscellaneous sesquiterpene rearrangements 406–408
- shimalactones 625–628
- shoreaphenol 708
- silphinane series, oxidative rearrangements in 405–406
- silphynyl mesylate 405
- Silybum marianum* 865
- silydianin 754
- siomycin A 331
- SNF4435 C and D 618–621
 - Baldwin's approach 620, 623
 - Parker's approach 622
 - Trauner's approach 620
- Soai reaction 830–831
- sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) 759
- solanapyrone synthase (SPS) 758–760
 - *endo/exo*-selectivities 759
- solanapyrones 507–508
- solasodine 294
- Sophora flavescens* 33
- sophoradiol, biomimetic synthesis of 421
- sorbicillin 726
- spinosyns 766–767
 - biomimetic TADA reactions toward 521–524
 - biosynthesis of 522
 - Roush's total synthesis of 523
- spiro systems, Diels–Alder reactions 512–514
 - abyssomicin C 512–513
 - gymnodimine 514
- spirolactam formation 73
- spirotryprostatin A, Danishefsky's synthesis 123
- spirotryprostatin B 118
 - Danishefsky's synthesis 122
- ($\pm$)-sporidesmin A, total synthesis of 145
- spontaneous phenol-aldehyde cyclization 385
- squalene, polyethers derived from 542–545, 558–565
- 'stabilized' iodoxybenzoic acid (SIBX) 739, 769
- Strecker reaction 385
- Stemona* spp. 863
- Stenus comma* 39–42
- stenusine 39–42
 - natural versus biomimetic 41
 - putative biosynthetic pathway 40
 - stereochemical particulars 40
 - structure 40
- stephacidins
 - biosynthesis proposal for 160
 - stephacidin A 134–136
 - – conversion to stephacidin B 136
 - – improved biomimetic synthesis of 135
 - stephacidin B 136
 - (+)-Stephacidin A 158–160
 - – biosynthesis through notoamide S 136
 - – total synthesis by Baran *et al.* 161
 - (–)-Stephacidin B 158–160
 - – synthesis by Baran *et al.* 162
 - – biosynthesis through notoamide S 136
- stilbene synthase 697
- stilbenoids 871
- strellidimine 113
- Streptomyces antibioticus* 764
- Streptomyces coelicolor* 486
- Streptomyces fradie* 496
- Streptomyces longisporoflavus* 524
- Streptomyces orinoci* 878
- strictosidine alkaloids 95–99
- strictosidine 92, 150
- strychnine 103
- strychnochromine 174
- styelsamine B 732
 - Heathcock's synthesis of 732
- styliissadine A formation
 - aziridinium mechanism for 259–261
 - from massadine, Baran and Köck's proposal 261

- stylissazole C 266
- styrylpyrone photodimers 879
- supercritical CO₂ treatment 885–888
 - chalcones obtained from 889
- superstolide A 509
 - Roush's total synthesis of 510
- Suzuki-Miyaura coupling 345, 360, 564
- symbioimine 276–279
 - biomimetic synthesis of 277
 - – Snider's approach 278
 - – Thomson's approach 278
 - biosynthetic origin of 278
 - Chroma's contribution to 279
- t**
- Tabernaemontana* spp. 868
- TAN-1251 compounds 61–86
 - Ciufolini synthesis of 80–86
 - Honda synthesis of 79–83
 - – aldol cyclization 85
 - Snider synthesis of 68–71
 - – solvent effects in 69
 - synthesis via oxidative amidation chemistry 77–86
 - total syntheses of 63–71
 - Wardrop approach to 77
- tangutorine 37–39
- tannins 639–672, *see also* ellagitannins
 - condensed tannins 639
 - hydrolyzable tannins 639
- tautomerism in building blocks of P-2-AI monomer clathrocin 229
- Teichaxinella morchella* 231
- tellimagrandin I 643–644
- terengganisine B 174
- terpene precursors alkaloids 293–305, *see also* *Daphniphyllum* alkaloids
 - barbaline 294
 - cephalostatins 294–298
 - daphniglaucine A 294
 - gardenamide 293–294
 - ritterazines 294–298
 - solasodine 294
- terrecyclene 405
- tetracyclic derivatives 495–499
 - anthracenoids, Yamaguchi's access to 497
 - benzo[a]tetracenoid derivatives 498–499
 - biomimetic access to 495–499
 - – tetracenoid derivatives 495–496
 - pretetramide, Harris' biomimetic synthesis of 496
 - tetrangomycin, Krohn's synthesis of 498
 - tetraphenoid derivatives 496–498
 - (–)-urdamicynone 497
- tetrahydroanabasine chemistry 12–13
- tetrahydrofuran ring 548
- tetrahydroindane systems 509–512
 - Diels–Alder reactions affording 509–512
 - galiellalactones 511–512
 - spiculoic acid A 509
 - superstolide A, Roush's total synthesis of 510
- tetrahydropyran ring 548
- tetrahydropyridine 12
- tetrangomycin, Krohn's synthesis of 498
- tetrapetalone C 746
- 2,2,6,6-tetramethylpiperidine (TMP) 415
- tetrocarcin A 763–764
- tetronasin
 - biosynthetic origin of 524
 - Ley's formal synthesis 526
 - synthesis 524–525
 - Yoshii's total synthesis of 527
- thallium trinitrate (TTN) mediated cyclization 341
- Thapsia garganica* 424
- theonelladine alkaloids 215–217
- theozymes 427
- thiangazole 324–326
 - to pentapeptide, hypothetical biomimetic simplification of 325
- strategic disconnections in total syntheses 325
- thioesters
 - biomimetic conditions using 476
 - condensation between 476
 - malonyl thioesters, self-condensation of 477
- thiol compounds reaction 662–663
- thiol oxidation 853–856
- thiostrepton 328–334
- TMC-95A-D 357–363
 - (Z)-enamide side-chain 360
 - late-stage stereoselective (Z)-enamide formation 362–363
 - 3-methyl-2-oxopentanoic side-chain T origin 360
 - retrobiosynthetic analysis of 359
 - synthetic approaches to 360
- topaquinone 32–33
- Torreya grandis* 768
- torreyanic acid 610–612, 614
- Townsend–McDonald hypothesis 550
- trachyopsane A, biomimetic synthesis of 406
- transamination 385
- transannular Diels–Alder (TADA) reaction 508
- transannular hydride transfers 199–200

- transesterification artifacts 909
 transesterification, lactonic compounds 905–908
 transtaganolides 425
 tridachiahypopyrones 599–603
 – biomimetic analysis of 600
 – biomimetic synthesis of 602
 tridachione family 603–608
 – 9,10-deoxytridachione 604–606
 – oxytridachiahypopyrone 603
 – polyene 607
 – pseudorubrenoic acid A 608–610
 trienes, cyclization of 507
 trimethylsilyl trifluoromethanesulfonate (TMSOTf) 564
 triquinane series, biomimetic studies in 404–405
 tris(dimethylamino)sulfonium difluorotrimethylsilicate (TASF) 735
 triterpene rearrangements 420–424
 tropinone chemistry 29–30
 Trp-Tyr biaryl bond formation by metal-catalyzed cross coupling 361
 tryptamine 150
 tryptophan alkaloids 91–113, *see also* indolemonoterpene alkaloids
 – biomimetic synthesis of 117–147, *see also* bicyclo[2.2.2]diazaoctanes; non-prenylated indole alkaloids; prenylated indole alkaloids
 – – dioxopiperazines derived from 119–122
 – – tryprostatin B, biomimetic total synthesis of 121
 TTN-oxidative coupling 340
 tyrosine alkaloids 61–86
- u**
 Ugi four component reaction 385
 Ullmann-coupling 340–341, 646
 upenamides, synthetic approaches to 193
 (–)-urdamicynone, Yamaguchi's synthesis 497
 usambarine 93
- v**
 vancomycin 345–350
 – biaryl-ether formation during biosynthesis of 347
 – Evans' synthesis of 349
 – Nicolaou's synthesis of 348
 – structure of 346
 vasicoline 868
 vellomisine 894
Veratrum californicum 421
 (+)-versicolamide B 118
 versicolamides, asymmetric synthesis 140
 vescalagin 666, 670
 – pyrolytic degradations of 671
 vincadifformine 109
 vincamine 109
 vincorine 174
 vincoside alkaloids 95–99
 ϵ -viniferin
 – biogenetic explorations using 703
 – davidiol A from 704
 – from resveratrol 698–700
 VM55599 129, 155–158
 – biosynthesis of 130
 – (–)-VM55599, asymmetric total synthesis of 132
 – Williams' biomimetic total synthesis of 130
 Vorbrüggen condensation 72
- w**
 Wagner–Meerwein rearrangement 398–400, 410
 Wardrop oxidative cyclization 76
 welwitindolinones
 – from *Fischerella* spp, oxidation 862
 – welwitindolinone A
 – – biosynthesis proposal for 165–166
 – – synthesis by Baran *et al.* 165
 – – (+)-Welwitindolinone A 164–166
 Wieland–Gümlisch aldehyde 101
 Williams' biomimetic synthesis
 – of notoamide J 124
 – of VM55599 130
 (+)-WIN 64821 synthesis 143
 Winterfeldt–Witkop cyclization 153
 Witkop-type photo-induced macrocyclization 382
 Woodward–Hoffmann rules 616
 Würthner's polymerization model 835
- x**
 xantheponone, methanol induced rearrangement of 912
 xanthones 433–464, *see also* polyprenylated xanthones
 xestospongins 191–193, 215–217
 – biomimetic synthesis by the Baldwin group 193
 – xestospongins A 192

Y

yohimbine 95–99
yunnaneic acid H 686–687
Yuzuriha 298

Z

zamamidine C, retrobiosynthesis 220
zearenone, Barrett's synthesis of
491

Zincke reaction 189–191

– pyridine ring-opening 193–194

Zizyphus jujuba 882

zoanthamine alkaloids 288–291

– biosynthetic origin proposed by Uemura
289

– cyclization substrate synthesis 290

– Kobayashi's biomimetic approach to 291

– proposed biosynthetic route for 290