

Contents to Volume 1

Preface XVII

List of Contributors XIX

Biomimetic Organic Synthesis: an Introduction XXIII

Bastien Nay and Erwan Poupon

Part I Biomimetic Total Synthesis of Alkaloids 1

1	Biomimetic Synthesis of Ornithine/Arginine and Lysine-Derived Alkaloids: Selected Examples 3
	<i>Erwan Poupon, Rim Salame, and Lok-Hang Yan</i>
1.1	Ornithine/Arginine and Lysine: Metabolism Overview 3
1.1.1	Introduction: Three Important Basic Amino Acids 3
1.1.2	From Primary Metabolism to Alkaloid Biosynthesis 5
1.1.2.1	L-Ornithine Entry into Secondary Metabolism 5
1.1.2.2	L-Lysine Entry into Secondary Metabolism 5
1.1.3	Closely Related Amino Acids 6
1.1.4	The Case of Polyamine Alkaloids 7
1.1.5	Biomimetic Synthesis of Alkaloids 8
1.2	Biomimetically Related Chemistry of Ornithine- and Lysine-Derived Reactive Units 9
1.2.1	Ornithine-Derived Reactive Units 9
1.2.1.1	Biomimetic Behavior of 4-Aminobutyraldehyde 9
1.2.1.2	Dimerization 10
1.2.2	Lysine-Derived Reactive Units 11
1.2.2.1	Oxidative Degradation of Free L-Lysine 11
1.2.2.2	Clemens Schöpf's Heritage: 50 Years of Endocyclic Enamines and Tetrahydroanabasine Chemistry 12
1.2.2.3	Spontaneous Formation of Alkaloid Skeletons from Glutaraldehyde 13
1.2.3	Biomimetic Access to Pipecolic Acids 15
1.2.3.1	Pipecolic Acids: Biosynthesis and Importance 15
1.2.3.2	Biomimetic Access to Pipecolic Acids 16

1.3	Biomimetic Synthesis of Alkaloids Derived from Ornithine and Arginine	18
1.3.1	Biomimetic Access to the Pyrrolizidine Ring	18
1.3.2	Biomimetic Syntheses of <i>Elaeocarpus</i> Alkaloids	19
1.3.3	Biomimetic Synthesis of Fissoldhimine	22
1.3.4	Biomimetic Synthesis of Ficuseptine, Juliprosine, and Juliprosopine	25
1.3.5	Biomimetic Synthesis of Arginine-Containing Alkaloids: Anchinoeptolides and Eusynstyelamide A	26
1.3.5.1	Natural Products Overview	26
1.3.5.2	Biomimetic Synthesis	26
1.3.6	A Century of Tropinone Chemistry	29
1.4	Biomimetic Synthesis of Alkaloids Derived from Lysine	30
1.4.1	Alkaloids Derived from Lysine: To What Extent?	30
1.4.2	Lupine Alkaloids	31
1.4.2.1	Overview and Biosynthesis Key Steps	31
1.4.2.2	Biomimetic Synthesis of Lupine Alkaloids	32
1.4.2.3	A Biomimetic Conversion of <i>N</i> -Methylcytisine into Kuraramine	33
1.4.3	Biomimetic Synthesis of <i>Nitraria</i> and <i>Myrioneuron</i> Alkaloids	34
1.4.3.1	Biomimetic Syntheses of Nitraramine	35
1.4.3.2	Biomimetic Syntheses of Tangutorine	37
1.4.3.3	Endocyclic Enamines Overview: Biomimetic Observations	39
1.4.4	Biomimetic Synthesis of Stenusine, the Spreading Agent of <i>Stenus comma</i>	39
1.5	Pelletierine-Based Metabolism	42
1.5.1	Pelletierine: A Small Alkaloid with a Long History	42
1.5.2	Biomimetic Synthesis of Pelletierine and Pseudopelletierine	43
1.5.2.1	Pelletierine (129)	43
1.5.2.2	Pseudopelletierine	44
1.5.3	<i>Lobelia</i> and <i>Sedum</i> Alkaloids	44
1.5.4	<i>Lycopodium</i> Alkaloids	44
1.5.4.1	Overview, Classification, and Biosynthesis	44
1.5.4.2	Biomimetic Rearrangement of Serratinine into Serratezomine A	47
1.5.4.3	Biomimetic Conversion of Serratinine into Lycoposerramine B	47
1.5.4.4	Biomimetic Interrelations within the Lycoposerramine and Phlegmariurine Series	49
1.5.4.5	When Chemical Predisposition Does Not Follow Biosynthetic Hypotheses: Unnatural “ <i>Lycopodium</i> -Like” Alkaloids	50
1.5.4.6	Total Synthesis of Cermizine C and Senepodine G	51
1.5.4.7	Biomimetic Steps in the Total Synthesis of Fastigiatine	52
1.5.4.8	Biomimetic Steps in the Total Synthesis of Complnadine A	53
	References	54

2	Biomimetic Synthesis of Alkaloids Derived from Tyrosine: The Case of FR-901483 and TAN-1251 Compounds	61
	<i>Huan Liang and Marco A. Ciufolini</i>	
2.1	Introduction	61
2.2	Biomimetic Total Syntheses of FR-901483 and TAN-1251 Compounds	63
2.2.1	Snider Synthesis of FR-901483	64
2.2.2	Snider Synthesis of TAN-1251 Substances	67
2.3	Oxidative Amidation of Phenols	71
2.4	Biomimetic Syntheses of FR-901483 and TAN-1251 Compounds via Oxidative Amidation Chemistry and Related Processes	77
2.4.1	Sorensen Synthesis of FR-901483	78
2.4.2	Honda Synthesis of TAN-1251 Substances	79
2.4.3	Ciufolini Synthesis of FR-901483 and TAN-1251C	80
	References	86
3	Biomimetic Synthesis of Alkaloids Derived from Tryptophan: Indolemonoterpene Alkaloids	91
	<i>Sylvie Michel and François Tillequin</i>	
3.1	Introduction	91
3.1.1	Indolemonoterpene Alkaloids	91
3.1.2	Classification and Botanical Distribution	91
3.2	Biomimetic Synthesis of Indolemonoterpene Alkaloids with a Non-rearranged Monoterpene Unit: <i>Aristotelia</i> Alkaloids	93
3.3	Biomimetic Synthesis of Secologanin-Derived Indolemonoterpene Alkaloids	96
3.3.1	Strictosidine, Vincoside, and Simple <i>Corynanthe</i> Alkaloids: Heteroyohimbines and Yohimbines	96
3.3.2	Antirhine Derivatives	99
3.3.3	Conversion of the <i>Corynanthe</i> Skeleton into the <i>Strychnos</i> Skeleton	99
3.3.4	Fragmentation and Rearrangements of <i>Corynanthe</i> Alkaloids: Ervitsine-, Ervatamine-, Olivacine-, and Ellipticine-Type Alkaloids	102
3.3.5	<i>Iboga</i> and <i>Aspidosperma</i> Alkaloids	106
3.3.6	Fragmentation and Rearrangements of <i>Aspidosperma</i> Alkaloids: <i>Vinca</i> Alkaloids and Rhazinilam	106
3.4	Biomimetic Synthesis of Secologanin-Derived Quinoline Alkaloids	109
3.5	Biomimetic Synthesis of Dimeric Indolemonoterpene Alkaloids	110
3.5.1	Anhydrovinblastine and the Anticancer Vinblastine Series	110
3.5.2	Strellidimine	113
3.6	Conclusion	113
	References	114

4	Biomimetic Synthesis of Alkaloids Derived from Tryptophan: Dioxopiperazine Alkaloids	117
	<i>Timothy R. Welch and Robert M. Williams</i>	
4.1	Introduction	117
4.2	Prenylated Indole Alkaloids	117
4.2.1	Dioxopiperazines Derived from Tryptophan and Proline	119
4.2.2	Dioxopiperazine Derived from Tryptophan and Amino Acids other than Proline	122
4.2.3	Bicyclo[2.2.2]diazaoctanes	126
4.3	Non-prenylated Indole Alkaloids	141
4.3.1	Epidithiodioxopiperazines	141
4.4	Conclusion	146
	Acknowledgment	147
	References	147
5	Biomimetic Synthesis of Alkaloids with a Modified Indole Nucleus	149
	<i>Tanja Gaich and Johann Mulzer</i>	
5.1	Introduction	149
5.2	Individual Examples	150
5.2.1	(±)-Camptothecin	150
5.2.2	(±)-Discorhabdins C and E	154
5.2.3	(±)-Brevianamides, Paraherquamides, VM55599, and Marcfortines	155
5.2.4	(+)-Stephacidin A and (–)-Stephacidin B	158
5.2.5	(±)-Chartelline C	160
5.2.6	(+)-Welwitindolinone A and (–)-Fischerindole I	164
5.2.7	(–)-Gelselegine	166
5.2.8	Communesin, Calycanthines, and Chimonanthines	168
5.2.9	(+)-11,11'-Dideoxyverticillin A	171
5.2.10	(±)-Borreverine and (±)-Isoborreverine	173
5.3	Conclusion	175
	References	175
6	Biomimetic Synthesis of Manzamine Alkaloids	181
	<i>Romain Duval and Erwan Poupon</i>	
6.1	Introduction	181
6.2	Two Complementary Hypotheses: An “Acrolein Scenario” and a “Malondialdehyde Scenario”	182
6.2.1	From Fatty Aldehydes Precursors to Simple 3-Alkyl-Pyridine Alkaloids	182
6.2.2	Biomimetic Synthesis of Dihydropyridines and Dihydropyridinium Salts	188
6.2.3	A Tool Box of Biomimetic C ₅ Reactive Units from the “Old” Zincke Reaction	189
6.3	Biomimetic Synthesis of Pyridinium Marine Sponge Alkaloids	191

6.3.1	Biomimetic Total Synthesis of Cyclostelletamine B and Related 3-Alkylpyridiniums	191
6.3.2	Biomimetic Synthesis of Xestospongins and Related Structures	191
6.3.3	Is the Zincke-Type Pyridine Ring-Opening Biomimetic?	193
6.3.4	Alkylpyridines with Unusual Linking Patterns	194
6.3.4.1	Biomimetic Synthesis of Pyrinodemin A	194
6.3.4.2	Biomimetic Synthesis of Pyrinadine A	195
6.4	Development of Baldwin's Hypothesis: From Cyclostelletamines to Keramaphidin-Type Alkaloids	195
6.4.1	Linking Pyridinium Alkaloids and Manzamine A-Type Alkaloids	195
6.4.2	Biomimetic Total Synthesis of Keramaphidin B	197
6.4.2.1	Model Studies (1994)	197
6.4.2.2	Total Synthesis of Keramaphidin B (1998)	197
6.4.3	Drawbacks of the "Acrolein" Scenario	198
6.4.3.1	Very Low Yield of the <i>Endo</i> -Intramolecular Diels–Alder Reaction	198
6.4.3.2	Undesirable Transannular Hydride Transfers	199
6.4.3.3	Conversion of a "Keramaphidin" Skeleton into an "Ircinal/Manzamine" Skeleton Was Not Experimentally Possible	200
6.5	"Malondialdehyde Scenario:" A Modified Hypothesis Placing Aminopentadienals as Possible Precursors of Manzamine Alkaloids	200
6.5.1	Keramaphidin/Ircinal Connection	200
6.5.2	Halicyclamine Connection	201
6.6	Testing the Modified Hypothesis in the Laboratory	203
6.6.1	Biomimetic Models toward Manzamine A	203
6.6.2	Biomimetic Models toward Halicyclamines	205
6.7	Biomimetic Approaches toward Other Manzamine Alkaloids	208
6.7.1	Biomimetic Models of Madangamine Alkaloids	208
6.7.2	Biomimetic Model of Nakadomarine A	210
6.7.3	Biomimetic Models of Sarains: A Side Branch of the Manzamine Tree	211
6.8	A Biomimetic Tool-Box for the Synthesis of Manzamine Alkaloids: Glutaconaldehydes and Aminopentadienals	213
6.9	Biosynthesis of Manzamine Alkaloids: Towards a Universal Scenario	215
6.9.1	From Fatty Acids to Long-Chain Aminoaldehydes and Sarain Alkaloids	215
6.9.2	Pyridine Alkaloids: Theonelladine, Cyclostelletamine, and Xestospongine-Type Alkaloids	215
6.9.3	From Cyclostelletamines to Keramaphidin and Halicyclamine/Haliclonamine Alkaloids	218
6.9.4	Spinal Cord of Manzamine Metabolism: The Ircinal Pathway	218
6.9.5	From Ircinal and Pro-ircinals to Manzamine A Alkaloids	218
6.9.6	From Pro-ircinals to Madangamine Alkaloids	218
6.9.7	From Pro-ircinals to Manadomanzamine Alkaloids	219

6.9.8	From Ircinals and Pro-ircinals to Nakadomarine Alkaloids	219
6.10	Total Syntheses of Manzamine-Type Alkaloids	219
6.11	Conclusion	220
	References	221
7	Biomimetic Synthesis of Marine Pyrrole-2-Aminoimidazole and Guanidinium Alkaloids	225
	<i>Jérôme Appenzeller and Ali Al-Mourabit</i>	
7.1	Introduction	225
7.1.1	Introduction to Pyrrole-2-Aminoimidazole (P-2-AI) Marine Alkaloids	226
7.1.2	Proposed Biogenetic Hypothesis for Clathrocin (1) and Related Monomers Starting from α -Amino Acids	229
7.2	Ground Work of George Büchi: Dibromophakellin (7) Synthesis from Dihydrooroidin (31)	233
7.3	Biomimetic Synthesis of P-2-AI Linear and Polycyclic Monomers	234
7.3.1	Biomimetic Synthesis of Linear Monomers	237
7.3.1.1	Debromodispacamides B (18) and D (39) and Dispacamide A (4)	237
7.3.1.2	Clathrocin (1) and Its Brominated Derivative Oroidin (3)	237
7.3.2	Biomimetic Synthesis of Cyclized Monomers	238
7.3.2.1	Cyclooroidin (48)	238
7.3.2.2	Dibromoagelaspongins (6)	238
7.3.2.3	Dibromophakellin (7) and Dibromophakellstatin (69)	243
7.3.2.4	Hymenialdisines (91)	247
7.3.2.5	Agelastatins	250
7.4	Biomimetic Synthesis of P-2-AIs Simple Dimers	253
7.4.1	Mauritiamine	253
7.4.2	Sceptrins, Ageliferrins, and Oxysceptrins	254
7.5	Biomimetic Synthesis of Complex Dimers: Palau'amine and Related Congeners	255
7.5.1	Common Chemical Pathway for P-2-AI Biosynthesis	256
7.5.2	First Proposal Based on a Diels–Alder Key Step	257
7.5.3	Universal Chemical Pathway	257
7.5.4	Intramolecular Aziridinium Mediated Mechanism for the Formation of Massadine (141) from Massadine Chloride (155)	259
7.5.5	Aziridinium Mechanism for the Formation of the Tetramer Stylissadine A	259
7.5.6	Synthetic Achievements	261
7.5.6.1	Axinellamines A/B	262
7.5.6.2	Massadine Chloride (149) and Massadine (135)	263
7.5.6.3	Palau'amine (11)	265
7.6	New Challenging P-2-AI Synthetic Targets and Perspectives	266
	References	267

8 Biomimetic Syntheses of Alkaloids with a Non-Amino Acid Origin 271*Edmond Gravel*

- 8.1 Introduction 271
- 8.2 *Galbulimima* Alkaloids 271
 - 8.2.1 Alkaloids of Class I 272
 - 8.2.2 Alkaloids of Class II and Class III 273
- 8.3 Cyclic Imine Marine Alkaloids 275
 - 8.3.1 Symbioimine and Neosymbioimine 276
 - 8.3.2 Pinnatoxins and Pteriatoxins 279
 - 8.3.3 Gymnodimine and Derivatives 282
- 8.4 Other Polyketide Derived Alkaloids 284
 - 8.4.1 Cassiarins A and B 284
 - 8.4.2 Decahydroquinoline Alkaloids 285
 - 8.4.3 Zoanthamine Alkaloids 288
 - 8.4.4 Azaspiracids 291
- 8.5 Alkaloids Derived from Terpene Precursors 293
 - 8.5.1 Cephalostatins and Ritterazines 294
 - 8.5.2 *Daphniphyllum* Alkaloids 298
- 8.6 Conclusion 305
- References 307

9 Biomimetic Synthesis of Azole- and Aryl-Peptide Alkaloids 317*Hans-Dieter Arndt, Roman Lichtenegger, Patrick Loos, and
Lech-Gustav Milroy*

- 9.1 Introduction 317
 - 9.1.1 Peptide Alkaloids: An Overview 317
 - 9.1.2 Sources of Peptide Alkaloids 318
 - 9.1.3 Key Features of Biosynthesis 319
- 9.2 Azole-Containing Peptide Alkaloids 321
 - 9.2.1 Structural Features 321
 - 9.2.2 Biomimetic Elements in Azole-Containing Peptide Alkaloids 323
 - 9.2.3 Thiagazole 324
 - 9.2.4 Lissoclinamide 7 326
 - 9.2.5 Thiostrepton 328
 - 9.2.6 GE2270A 334
- 9.3 Peptide Alkaloids Cyclized by Oxidation of Aryl Side Chains 336
 - 9.3.1 Cyclic Peptides Containing Aryl-Alkyl Ethers 336
 - 9.3.2 Cyclic Peptides Containing Biaryl Ethers 339
 - 9.3.3 Cyclopeptides Containing Biaryls 344
 - 9.3.4 Vancomycin 345
- References 350

10	Biomimetic Synthesis of Indole-Oxidized and Complex Peptide Alkaloids	357
	<i>Hans-Dieter Arndt, Lech-Gustav Milroy, and Stefano Rizzo</i>	
10.1	Indole-Oxidized Cyclopeptides	357
10.1.1	Introduction	357
10.1.2	TMC-95A–D	358
10.1.2.1	Formation of the Trp-Tyr Biaryl Bond by Metal-Catalyzed Cross Coupling	361
10.1.2.2	Stereocontrolled Oxidation of the Oxindole Fragment	361
10.1.2.3	Late-Stage Stereoselective (<i>Z</i>)-Enamide Formation	362
10.1.3	Celogentin C	363
10.1.3.1	Intramolecular Knoevenagel Condensation/Radical Conjugate Addition	366
10.1.3.2	C–H Activation–Indolylolation	367
10.1.3.3	NCS-Mediated Oxidative Coupling	368
10.1.4	Himastatin and Chloptosin	369
10.1.4.1	Synthesis of the Himastatin Pyrroloindole Core	372
10.1.4.2	Synthesis of the Chloptosin Pyrroloindole Core	373
10.1.4.3	Macrolactamization	373
10.1.5	Diazonamide	375
10.1.5.1	Late-Stage Aromatic Chlorination	378
10.1.5.2	Bisoxazole Ring System via Oxidative Dehydrative Cyclization	379
10.1.5.3	Oxidative Annulation	379
10.1.5.4	Sequential Nucleophilic 1,2-Addition, Electrophilic Aromatic Substitution	380
10.1.5.5	Reductive Amination Formation	380
10.1.5.6	Indole–Indole Coupling	381
10.2	A Complex Peptide Alkaloid: Ecteinasidine 743 (ET 743)	382
10.2.1	Biosynthesis and Biomimetic Strategy	383
10.2.2	Pentacycle Formation	385
10.2.3	Bridge Formation	389
10.2.4	Endgame	390
10.3	Outlook	391
	References	392

Contents to Volume 2

Part II Biomimetic Synthesis of Terpenoids and Polyprenylated Natural Compounds 395

11	Biomimetic Rearrangements of Complex Terpenoids	397
	<i>Bastien Nay and Laurent Evanno</i>	

- 12 Polyprenylated Phloroglucinols and Xanthones 433**
Marianna Dakanali and Emmanuel A. Theodorakis
- Part III Biomimetic Synthesis of Polyketides 469**
- 13 Polyketide Assembly Mimics and Biomimetic Access to Aromatic Rings 471**
Grégory Genta-Jouve, Sylvain Antonioti, and Olivier P. Thomas
- 14 Biomimetic Synthesis of Non-Aromatic Polycyclic Polyketides 503**
Bastien Nay and Nassima Riache
- 15 Biomimetic Synthesis of Polyether Natural Products via Polyepoxide Opening 537**
Ivan Vilotijevic and Timothy F. Jamison
- 16 Biomimetic Electrocyclization Reactions toward Polyketide-Derived Natural Products 591**
James Burnley, Michael Ralph, Pallavi Sharma, and John E. Moses
- Part IV Biomimetic Synthesis of Polyphenols 637**
- 17 Biomimetic Synthesis and Related Reactions of Ellagitannins 639**
Takashi Tanaka, Isao Kouno, and Gen-ichiro Nonaka
- 18 Biomimetic Synthesis of Lignans 677**
Craig W. Lindsley, Corey R. Hopkins, and Gary A. Sulikowski
- 19 Synthetic Approaches to the Resveratrol-Based Family of Oligomeric Natural Products 695**
Scott A. Snyder
- 20 Sequential Reactions Initiated by Oxidative Dearomatization. Biomimicry or Artifact? 723**
Stephen K. Jackson, Kun-Liang Wu, and Thomas R.R. Pettus
- Part V Frontiers in Biomimetic Chemistry: From Biological to Bio-inspired Processes 751**
- 21 The Diels–Alderase Never Ending Story 753**
Atsushi Minami and Hideaki Oikawa
- 22 Bio-Inspired Transfer Hydrogenations 787**
Magnus Rueping, Fenja R. Schoepke, Iuliana Atodiresei, and Erli Sugiono

23	Life's Single Chirality: Origin of Symmetry Breaking in Biomolecules	823
	<i>Michael Mauksch and Svetlana B. Tsogoeva</i>	
	Part VI Conclusion: From Natural Facts to Chemical Fictions	847
24	Artifacts and Natural Substances Formed Spontaneously	849
	<i>Pierre Champy</i>	
	Index	935