

Index

a

- “accessory” bacteriochlorophylls 2
- AcrHBU^f 179–180
- acridinium ion 14–16, 42–43, 81–82
- acridinium ion to yield 9-mesityl-10-methylacridinium ion (Acr⁺–Mes)
 - absorption and fluorescence spectra of 14
 - ALMCM-41 19, 20
 - aniline 17
 - anti-Markovnikov hydroetherification 81–83
 - DMA 78
 - DNA cleavage 81
 - ET state of 18, 19
 - first-order kinetics 15
 - HOMO and LUMO orbitals of 14
 - immobilization of 19
 - intramolecular back electron transfer 15, 16
 - 2-MeTHF 18
 - β -methylstyrene 83
 - organic photoredox catalyst 84, 85
 - oxidative bromination 77, 78
 - PhCN 14, 16, 18
 - photocatalytic H₂ evolution 90, 91
 - photocatalytic oligomerization of C₆₀ 80
 - photocatalytic oxygenation
 - An–O₂ to anthraquinone 71
 - anthracene with O₂ 69, 70
 - cyclohexane 75, 76
 - DMA 71
 - electron donor (D) and an acceptor (A) 70
 - cis-trans isomerization 72
 - methyl-substituted naphthalenes 75
 - TPE with O₂ 72
 - photogenerated state of 16
 - polycondensation of 21
 - PtNPs 87, 88
 - second-order kinetics 15
 - transient absorption spectra of 16, 17
 - triplet excited state of 16
 - X-ray crystal structure of 14
- adenosine 5'-monophosphate (AMP) 81
- alkylperoxyl radicals (ROO \cdot) 180
- ALMCM-41 19, 20
- Amsterdam density function (ADF) 68, 144, 145
- aniline-functionalized nanocarbons 21
- anion recognition 25
- anionic sulfonated porphyrins 30
- anti-Markovnikov hydroetherification 81–86
- artificial photosynthesis 1, 6, 16, 53, 201

b

- bacterial photosynthetic reaction center (bRC) 143
- bacteriochlorophyll (BChl) 2, 3, 143
- bacteriopheophytin (Bphe) 2, 3, 143
- benzonitrile (PhCN) 9
 - Acr⁺–Mes 16, 18

- benzonitrile (PhCN) (*contd.*)
 Acr⁻-Mes⁺ 14, 15
 concentration-induced spectral changes in 31
 C₆₀CMCPDPy(OC₆) in 37
 Fc-AQ in 66
 H₄DPP²⁺ and FcCOO⁻
 [H₄DPP(FcCOO)₂] 27
 polar solvent 12
 ZnP-CONH-Q 67
p-benzoquinone (Q) derivatives 16,
 111, 113, 146, 148–149, 151, 197,
 202
 1-benzyl-1,4-dihyronicotinamide
 (BNAH) 150, 151
 1-benzyl-4-*t*-butyl-1,4-dihyronicotin-
 amide (*t*-BuBNAH) 149, 150
 benzylamine (PhCH₂NH₂) 75
 bioethanol 94
 biradical “capsule” 48
 bis-hydroxo-bridged dinuclear
 Co^{III}-pyridylmethylamine
 complex, [Co(TPA)]₂(μ-
 OH)₂]4⁺ 184
 bis-μ-oxyl Co^{III}-dinuclear complex
 185
 2,6-bis-(oxazolonyl)pyridine 129
 bisporphyrin with dimethylxanthene
 spacer (DPX) 174, 175
 BiVO₄ 188, 190, 192, 195
 [(Bn-TPEN)Mn^{IV}(O)]²⁺ 160
 [(Bn-TPEN)Mn^{IV}(O)]²⁺-(Sc³⁺)₂ 161
 [(Bn-TPEN)Mn^{IV}(O)-[Sc(OTf)₃]₂]²⁺
 161
- C**
 Calvin cycle 94
 carbon-carbon bond formation 77–81
 catalytic oxidation of H₂O
 CAN 181
 CoFPS 181
 CoTPPS 183
 nucleophilic attack 181
 [Ru(bpy)₃]²⁺ 184
 RuPS 183
 catalytic reduction of O₂
 AcrHR 177, 179, 180
 Fe(C₅H₄Me)₂ 175
 ferrocene derivatives 173
 cerium ammonium nitrate (CAN) 161,
 181–183
 charge-recombination (CR) process 6
 dyad, triads and tetrad molecules 7
 Marcus top region 9
 porphyrin-quinone dyads 13
 in ZnP⁺-C₆₀ 9
 charge-separation (CS) process 6, 7
 C8⁺-Py⁻ 25
 CNC-(H₂P)_{*n*} 22
 dyad, triads and tetrad molecules 7,
 9
 D(ZnP)₁₆-PyC₆₀ complex 54
 electron donor-acceptor dyad 11
 lifetime 9
 porphyrin-quinone dyads 13
 supramolecular electron
 donor-acceptor complex 33
 of ZnPQ-AuPQ⁺ 12
p-chloranil (CA) 197, 198
 clean energy resources 1
 Co(III)-hydride complex 91
 cobalt porphyrin (CoFPS) 181–184,
 187
 cobalt porphyrin Co(OEP) 174
 cofacial dicobalt porphyrin [Co₂(DPX)]
 173–176, 180
 cone conformation 47, 50, 51
 copper-zinc superoxide dismutase
 (Cu,Zn-SOD) 152
 Cotton effects 131
 Cu^{II} mononuclear complexes 153, 155
 Cu^{II}-Cu^{II} homodinuclear complex
 155
 Cu^{II}-Cu^{II} homonuclear complex 152
 [CuZn(bdpi)(MeCN)₂]³⁺ 156, 157
 Cu^{II}-Zn^{II} complex 153, 155, 156
 Cu^{II}-Zn^{II} heterodinuclear complex
 152–153, 155
 cup-shaped nanocarbons
 [CNC-(H₂P)_{*n*}]
 aniline-functionalized 21
 CS state of 22
 EPR measurements under
 photoirradiation of 22

- fluorescence lifetime of 21
 porphyrin-functionalized 21
 spectroscopic evidence 21
 TEM image of 22
 transient absorption spectra of 22, 23
 UV-vis absorption spectrum of 21
 cup-stacked carbon nanotubes (CSCNTs) 21
 cytidine 5'-monophosphate (CMP) 81
 cytochrome *c* oxidases (CcOs) 3, 173
- d**
- dendrimers 53–55, 60, 61
 density functional theory (DFT) 14–15, 40–43, 111, 131, 132, 158, 161, 170, 182, 185
 2,3 dichloro-5,6-dicyano-*p*-benzoquinone (DDQ) 130, 131, 197–199
 1,4-dihydro- β -nicotinamide adenine dinucleotide (NADH) hydrogen storage 101
 dimeric 1-benzyl-1,4-dihydropyridin-2-one [(BNA)₂] 109–112, 115, 118, 119
 10,10'-dimethyl-9,9'-biacridine [(AcrH)₂] 123, 133–135, 137
 2,5-dimethyl-*p*-benzoquinone (PXQ) 197, 198
 9,10-dimethylanthracene (DMA) 70–71, 78–79, 168
 dimethylepidioxy-anthracene (Me₂An–O₂) 69
 1,1'-dimethylferrocene (Me₂Fc) 129–131
 dioxygen (O₂) 1, 3–4, 69–77, 81, 109–114, 152–155, 157, 159–160, 169–171, 173–180, 181–185, 187, 190–192, 193–195, 197–199, 201–202
 DNA cleavage 81–82
 drop-casting method 187
- e**
- Electron donor-acceptor dyads
 Acr⁺–Mes 14
 Au(III) and Zn(II) porphyrins (ZnPQ–AuPQ⁺) 12
 CS lifetime 11
 CS states 14
 SWNTs 21
 electron donor moiety 14, 81
 electron transfer
 to C₆₀ 7
 Franck–Condon principle 1
 nuclear configurations 2
 in photosynthesis 1
 photosynthetic reaction centers 10
 electron transfer state 12, 14–187, 29, 76, 86–90
 Acr⁺–Mes 20
 electron-transfer rate constants 5–9, 87
 electrophilic bromination 77
 energy-consuming cryogenically coolable equipments 93
 epidioxyanthracenes 69–70
 extended X-ray absorption fine structure (EXAFS) 161–162, 164, 170
- f**
- Fc–(Me)Q dyad 144, 146–148
 [Fe(C₅H₅)₂]⁺ 174–177
 [Fe(C₅H₄Me)₂]⁺ 173–175
 Fe^{II}3[Co^{III}(CN)₆]₂ 195
 ferrocene–anthraquinone dyad (Fc–AQ) 66–67
 ferrocene-carboxylate (FcCOO[−]) anions 27
 ferrocene-*meso*, *meso*-linked porphyrin trimer–fullerene pentad (Fc–(ZnP)₃–C₆₀) 10
 ferrocene-naphthoquinone dyad (Fc–NQ) 138–143
 ferrocene-quinone dyad (Fc–Q) 144–148
 ferrocene-zinc porphyrin-C₆₀ triad (Fc–ZnP–C₆₀) 7–9
 ferrocene-zinc porphyrin-free base porphyrin-C₆₀ triad (Fc–ZnP–H₂P–C₆₀) 7

- ferrocenecarboxylic acid (FcCOOH)
27
- ferrocenium ion 173
- formic acid-*d* (DCOOH) 99
- formic acid (HCOOH) 93, 94, 95–101,
102, 108, 201
- fossil fuel 86
consumption rate of 1
- Franck–Condon principle 2, 5
- g**
- gaseous hydrogen 201
- graphitic carbon nitride 188
- Grignard reactions 16, 77
- guanosine 5'-monophosphate (GMP)
81
- h**
- HClO/Cl₂ formation 194
- H₂DPP (dodecaphenylporphyrin) 27
- heterodinuclear iridium-ruthenium
complex [Ir^{III}(Cp^{*})(OH₂)(bpm)
Ru^{II}(bpy)₂](SO₄)₂ 99
- heteropolynuclear cyanide metal
complexes 189
- hexamethylphosphoric triamide
(HMPA) ligand 111–113
- homolytic C(9)—C bond cleavage 179
- HOTf molecules 162–164, 168
- H₂TPPS⁴⁻ 30–33, 63
- hydrogen atom transfer (HAT) 165,
167, 168
- hydrogen bond 13–14, 27–29, 36, 50,
96, 140
MCET 143–148
- hydrogen-evolution photocatalyst 86
- hydrogen peroxide
cobalt porphyrins 187
photocatalytic production of
188–191
photoinduced electron transfer 187
solar fuel, seawater 193
- hydrogen storage
development of 94
energy-consuming cryogenically
coolable equipments 93
vs. formic acid
- [Ir^{III}(Cp^{*})(4,4'-OMe-bpy)(OH₂)]²⁺
95, 96
- [Ir^{III}(Cp^{*})(4-(1*H*-pyrazol-1-yl-
κ*N*²)benzoic acid-κ*C*³)(OH₂)]₂
SO₄ (4₂.SO₄) 100
- [Ru^{II}(η⁶C₆Me₆)(bpy)(OH₂)](SO₄)
95
- [{Ir(Cp^{*})(Cl)₂(thbpym)]²⁺ 101
- ORTEP 96
- TOF value 99
- hydrogen evolution from
alcohols 104–107
paraformaldehyde 107–108
- hydrogenation 93
vs. NADH 101–104
- hydrogenation of bicarbonate (HCO₃⁻)
97
- hydronaphthoquinone (NQH₂) 127
- i**
- incident photon-to-photocurrent
efficiency (IPCE) 37, 56, 58–63
- induced circular dichroism (ICD) 132
- intrasupramolecular electron transfer
30
- intrasupramolecular photoinduced
charge separation 39
- [{Ir(Cp^{*})(Cl)₂(thbpym)]²⁺ 100, 101
- Ir-hydride complex 95, 101–102, 104,
106
- cis-trans isomerization 72, 74
- k**
- Keggin-type lacunary
heteropolytungstate 181
- kinetic deuterium isotope effects (KIE's)
99, 105, 163–164
- l**
- light-initiated charge separation 2
- m**
- Marcus equation 15, 29, 43, 138, 141,
165
- Marcus inverted region 2, 201
CR rate in ZnP⁺–C₆₀^{·-} 9
- photosynthetic reaction center 2

- Marcus theory of electron transfer 5, 201
 driving force of MCET 143
 9-mesityl-10-methylacridinium ion (Acr⁺-Mes) 14–21, 69–88, 90–91, 201
 metal ion-coupled electron transfer (MCET)
 accelerating and decelerating effects of 132–137
 binding modes of
 EPR spectra of PTQ⁻ 115, 118, 119
 PQ-Mⁿ⁺ complex 115
 PQ⁻ and PTQ⁻ 122
 PQ-Sc³⁺ complex 124
 (PTQ)₂Mⁿ⁺ to PTQ⁻-Mⁿ⁺ 123
 quinones and semiquinone radical anions 115
 catalysis
 hydride transfer vs. cycloaddition 148–151
 SOD models 152–157
 dioxygen (O₂) 109–114
 driving force dependence of 137–143
 hydrogen bond 143–148
 metal-oxo complexes 157–162, 165–169
 metal-peroxo complexes 169–171
 O₂ reduction 201
 self-organized 124
 metal-oxo complexes
 MCET 157–162, 165–169
 PCET 162–169
 β-methylstyrene 83, 84
 cis-β-methylstyrene 84
 2-methyltetrahydrofuran (2-MeTHF) 16, 18, 44
 methyl thiosalicylate 86
 methyl viologen (MV²⁺) 86
 methyl-substituted naphthalenes 75
- n**
 NADH 86–89, 94, 101–104, 177
 hydride transfer reactions 148–151
 nanosized mesoporous silica-alumina (sAIMCM-41) 19–20, 89–90
 naphthoquinone (NQ) 130–131, 138–143
 1,4-naphthoquinone (NQ) 127, 129
 Nernst equation 120, 126, 139, 140, 157
 (NH₄)₂[Ce^{IV}(NO₃)₆] 181
 nicotinamide adenine dinucleotide phosphate (NADP⁺) 1
 non-covalent interactions 25, 143
 non-heme iron atom 2
N,N-dihexylnaphthalenediimide (NIm) 16–17, 65–66
N,N-dimethylaniline (DMA) 70–71, 78–79, 144, 168
 [(N4Py)Fe^{III}(O)]⁺ 157, 162, 164, 198–199
 [(N4Py)Fe^{IV}(O)]²⁺ 157–158, 163–168, 198–199
 [(N4Py)Mn^{IV}(O)]²⁺ 160–162, 164–165, 168–169
 [(N4Py)Mn^{IV}(O)]²⁺-(HOTf)₂ 164, 168–169
 [(N4Py)Mn^{IV}(O)]²⁺-(Sc³⁺)₂ 161
 [(NQ⁻)₂-(Sc³⁺(*R*)-pybox)₂]⁺ 130, 131
 nuclear configurations 2
- o**
 O₂⁻-Zn^{II} complex 153
 optically transparent electrode (OTE) 37, 56–63
 organic photoredox catalyst 81, 84, 85
 organotin compounds 113–114
 OTE/SnO₂/(H₂PC*n*MPC+C₆₀)_m electrode 56, 57
 oxygen atom transfer (OAT) 165, 167–168
- p**
 paraformaldehyde 107–108
 perchloric acid (HClO₄) 165, 173–174, 176–177
 μ-peroxo Co(III)-O₂-Co(III) complex 201
 Ph-(Me)Q⁻ 144, 145
 Ph-Q⁻ 144, 145

- 9,10-phenanthrenequinone (PQ) 115–124, 133, 197
- 2-phenylmalononitrile 81–84, 88, 125
- 2-phenyl-4-(1-naphthyl)quinolinium ion (QuPh⁺-NA) 88–90
- phenylperoxyl radical (PhOO[·]) 159
- photocatalytic cycloaddition 80, 83–85
- photocatalytic hydrotrifluoromethylation 85–86
- photocatalytic oxygenation
- Acr⁺-Mes
 - AnO₂ to anthraquinone 71
 - anthracene with O₂ 69, 70
 - cyclohexane 75, 76
 - DMA 71
 - cis–trans isomerization of stilbene 74
 - ¹O₂ photosensitizers 75
 - p*- with O₂ 72
 - TPE with O₂ 72
 - durene and mesitylene 74
 - toluene derivatives 75, 76
- photocatalytic trifluoromethylation 85–86
- photoexcitation of BiVO₄ 192
- photoinduced electron transfer processes
- BChl 2
 - CNC-(H₂P)_{*n*} 22
 - donor-acceptor (D–A) dyad 6
 - Fc-Q^{·-} 146
 - ferrocene-*meso*, *meso*-linked porphyrin trimer-fullerene pentad (Fc-(ZnP)₃-C₆₀) 10
 - H₄DPOx-AcH⁺ complex 43, 45
 - H₄DPP(FcCOO)₂ 29
 - metal ions, effect of
 - Fc-AQ 66
 - ZnP-CONH-Q and ZnP-NHCO-Q 67
 - ZnP-NIm 65, 66
 - hydrogen peroxide 187
 - zinc imidazoporphyrin-C₆₀ dyad (ZnImP-C₆₀) 11, 12
 - ZnPQ 12
- photoredox catalysis
- anti-Markovnikov hydroetherification 81–83
 - carbon–carbon bond formation 77–81
 - hydrogen evolution photocatalyst 86–91
 - photocatalytic cycloaddition 83–85
 - photocatalytic hydrotrifluoromethylation 85–86
 - photocatalytic oxibromination 77
 - photocatalytic oxygenation 69–76
- photosynthesis 1–3, 11, 16, 25, 53, 94, 173, 201–202
- electron-transfer processes 6
- photosynthetic reaction centers
- CS lifetime 9
 - electron-transfer processes 10
 - Fc-ZnP-C₆₀ 7, 9
 - Fc-ZnP-H₂P-C₆₀ 7, 9
 - porphyrins 7
 - ZnP-C₆₀ 7, 9
- photosystem II (PSII) 171, 197–199, 202
- π–π interaction 35–36, 42, 45, 56–57
- plastoquinone (PQ) 197
- poly(*N*-vinyl-2-pyrrolidone)-protected platinum nanoclusters (Pt-PVP) 86–87
- porphyrin alkanethiolate monolayer-protected gold nanoparticles (H₂PC_{*n*}MPC) 55–57
- porphyrin dendrimers 53–54, 60–61
- porphyrin-functionalized cup-shaped nanocarbons [CNC-(H₂P)_{*n*}] 21–22
- porphyrin-peptide hexadecamer [P(H₂P)₁₆] 45–46, 58–60
- porphyrin trimer (TPZn₃) 39–42
- porphyrins 7, 12–14, 21–22, 27, 29–30, 32–43, 45–46, 53–61, 63, 65–67, 72, 111, 173–176, 179–180, 181, 184, 187
- primary quinone (Q_A) 143
- proton-coupled electron transfer (PCET) 3–4, 88, 160, 184
- metal-oxo complexes 162–169

- pyrene-1-butyric acid 27
 pyrene carboxylate anion 25
- q**
 $[(Q^-)_2-(Sc^{3+}(R)\text{-pybox})_2]^+$ 131, 132
o-quinones 115, 120
p-quinones 115
 quinoxaline 12
- r**
 renewable energy resources 1, 55, 93
 reverse process of photosynthesis 2, 173
Rhodobacter (Rb) *sphaeroides* 143
 Ru-hydride complex $[Ru^{II}(\eta^6\text{-C}_6\text{Me}_6)(\text{bpy})\text{H}_2(\text{SO}_4)]$ 95
 RuNPs 88–89
 ruthenium tris(bipyridyl)-type dye (RuPS) 183
- s**
 scandium triflate $(\text{Sc}(\text{OTf})_3)$ 125, 127, 133–134, 138, 149, 157, 159–168
 secondary quinone (Q^B) 143
 self-organized MCET 124–132
 semiquinone radical anion 115, 125, 127, 140, 144, 156
 single-walled carbon nanotubes (SWNTs) 21, 45–46
 sodium trifluoromethanesulfinate $(\text{CF}_3\text{SO}_2\text{Na})$ 85
 solar-driven oxidation 197
 solar energy 1–2, 55, 94, 187, 202
 solar energy conversion efficiency 195
 solar fuel 1, 187–192
 in seawater 193–195, 202
 superoxide dismutase (SOD) 152–157
 supramolecular electron transfer
 anion recognition 25
 cation–anion binding
 anionic sulfonated porphyrins 30
 C8 and Py 25
 $\text{H}_4\text{DPP}(\text{FcCOO})_2$ 27
 $\text{H}_2\text{TPPS}^{4-}$ and ZnTPPS^{4-} 30
 intrasupramolecular electron transfer 30
 porphyrin complexes 34
 pyrene carboxylate anion 25
 X-ray crystal structure 35
 dendrimers 53–55
 electron-transfer switching
 substrate binding 47
 TTF-C4P unit 47, 48, 50–53
 non-covalent interactions 25
 π complexes
 C_{60} in $\text{C}_{60}\text{C}\text{Ni}_2\text{-CPD}_{\text{Py}}$ 36, 37
 $\text{C}_{60}\text{C}\text{MCPD}_{\text{Py}}(\text{OC}_6)$ 37
 $\text{C}_{60}\text{C}\text{Ni}_2\text{-CPD}_{\text{Py}}(\text{OC}_6)$ 39
 $\text{H}_4\text{DPOx-AcH}^+$ formation 42, 43
 $\text{P}(\text{H}_2\text{P})_{16}$ 45, 46
 porphyrin trimer (TPZn_3) 39
 solar cells 55
 supramolecular solar cells
 $\text{H}_2\text{PC11MPC}$ 56
 $\text{OTE}/\text{SnO}_2/(\text{H}_2\text{PC}n\text{MPC}+\text{C}_{60})m$ electrode 56, 57
 porphyrin dendrimer 60, 61
 porphyrin-peptide oligomers 57
 Suzuki–Miyaura coupling 77
- t**
 $[(\text{TAML})\text{Co}^{\text{IV}}(\text{O})(\text{M}^{n+})]$ 162
 $[(\text{TAML})\text{Co}^{\text{IV}}(\text{O})\text{-Ce}]^{2+}$ complex 161
 tetraethylammonium chloride (TEACl) 47–48, 52, 53
 4,4',6,6'-tetrahydroxy-2,2'-bipyrimidine (thbpym) 100, 101
 tetraphenylporphyrin (TPP) 30, 111–114, 122–123, 125, 150, 175
 tetrathiafulvene calix[4]pyrrole (TTF-C4P) donor 47–53
 thermochromism 127, 128
 thymidine 5'-monophosphate (TMP) 81
 $[(\text{TMC})\text{Fe}^{\text{III}}(\text{O}_2)]^+$ 159, 169–171
 $[(\text{TMC})(\text{Fe}^{\text{IV}}\text{-O-Sc}^{\text{III}})(\text{OTf})_4(\text{OH})]$ 158
 1-(*p*-tolylsulfanyl)-2,5-benzoquinone (TolSQ) 133–137
 transient absorption spectra 17, 23, 25, 32, 36, 38, 41, 43, 46, 55, 80, 81
 C8 and Py 27
 trifluoromethylation 85–86

- trifluoromethyl radical ($\text{CF}_3\cdot$) 86
 1,3,5-trimethoxybenzene (TMB) 77
 triphenylphosphine (Ph_3P) 75
 tris(2-phenylpyridine)iridium [$\text{Ir}(\text{ppy})_3$] 125–127
 turnover frequency (TOF) 36, 95–104, 182
 turnover number (TON) 96, 101–102, 106–107, 181–184
- U**
 ubiquinones 2, 3
 “umpolung” system 26
- V**
 van der Waals energy 21
- W**
 water oxidation catalyst (WOC) 181–183, 187–191, 195, 197
- X**
 X-ray crystal structure
 $\text{Acr}^+ - \text{Mes}$ 15
 $\text{H}_4\text{DPP}(\text{FcCOO})_2$ 27, 28
- supramolecular complex
 $1\text{-Zn}^{4-}/(2\text{-Zn}^{2+})_2$ 35
- Y**
 yttrium triflate [$\text{Y}(\text{OTf})_3$] 66, 67, 150
- Z**
 zinc chlorine–fullerene dyad
 ($\text{ZnCh}-\text{C}_{60}$) 13
 zinc imidazoporphyrin– C_{60} dyad
 ($\text{ZnImP}-\text{C}_{60}$) 11, 12
 zinc porphyrin– C_{60} dyad ($\text{ZnP}-\text{C}_{60}$) 7–9
 zinc porphyrin dendrimer [$\text{D}(\text{ZnP})_{16}$] 53, 54
 zinc porphyrin–free base porphyrin– C_{60} triad ($\text{Fc}-\text{ZnP}-\text{H}_2\text{P}-\text{C}_{60}$) 7–9, 15
 zinc porphyrin–naphthalenediimide ($\text{ZnP}-\text{NIm}$) dyad 65, 66
 zinc porphyrin–quinone linked dyads ($\text{ZnP}-n-\text{Q}$) 14
 $\text{ZnPQ}^+ - \text{Au}^{\text{II}}\text{PQ}$ 12
 ZnTPPS^{4-} 30–33, 61–63
 “Z-scheme” 11