

Index

Note: Page numbers in *italics* refer to figures and tables.

- AB₂ alloys, 136–137
- AB₅ hydride, 136
- Activated carbon (AC), 229, 231–232
- Aircraft, 128–131
- Alanates, 139, 141–143
- Alcohols, 23
- Alkaline electrolyzers, 33–34
- Alkaline fuel cell (AFC), 183
- Aluminum, hydrogen from, 50–51
- Aluminum alloys, 108–109
- Amides-imides, 143–146
- Amminex
 - ammonia reformer built by, 186, 188
- Ammonia, 181
 - application areas of, 182–183
 - energetic consideration, 190
 - as fuel
 - in high-temperature fuel cells, 186–187
 - in low-temperature fuel cells, 183
 - hydrogen release from, 187
 - ammonia electrolysis, 187
 - catalytic decomposition, 187–189
 - hydrogen release from ammonia and metal hydride, 189–190
 - methods of storage, 185
 - liquid dry ammonia, 185
 - solid-state ammonia storage, 185–186
 - production, 184
 - from nitrogen and hydrogen, 184
 - from silicon nitride, 184–185
 - properties, 181, 182
 - Ammonia borane, 193–194
 - Ammonia electrolysis, 187
 - Ammonia reformer built by Amminex, 186, 188
 - Anabaena variabilis, 48
 - Apollo Energy Systems, Inc., 189
 - Austenitic stainless steel, 108
 - Autoignition temperature (AIT), 56
 - Autothermal reforming (ATR), 20
 - Auxiliary power unit (APU), 90
 - Bacillus*, 48
 - Biomass
 - hydrogen from, 45
 - biological processes, 47–49
 - thermochemical processes, 47
 - Boil-off, 121–123
 - Borohydrides, 146–148, 191
 - ammonia borane, 193–194
 - sodium borohydride, 191
 - as fuel in a PEM-based fuel cell, 191–192
 - hydrogen generation by hydrolytic release, 191–192
 - Braze materials, 124
 - Building integrated photovoltaics (BIPV), 28–29
 - Calcium chloride, 185
 - Carbon-based materials, 228–229
 - activated carbon (AC), 229, 231–232
 - carbon nanotubes (CNT), 229–233
 - covalent organic frameworks (COFs), 236, 238–239
 - graphite nanofibers, 229, 232–233
 - high-surface area materials, 233–234
 - metal-organic frameworks (MOFs), 235–236, 237
 - zeolites, 234–235
 - Carbon fiber reinforced plastics (CFRP), 7
 - Carbon fibers, 211

Hydrogen Storage Technologies: New Materials, Transport, and Infrastructure, First Edition.

Agata Godula-Jopek, Walter Jehle, and Jörg Wellnitz.

© 2012 Wiley-VCH Verlag GmbH & Co. KGaA.

Published 2012 by Wiley-VCH Verlag GmbH & Co. KGaA

- Carbon nanofibers, 232–233
- Carbonyl sulfide (COS), 25
- Catalytic decomposition, 187–189
- Cavendish, Henry, 11
- Centre for Renewable Energy Sources (CRES), 31
- Chemical storage, 171
 - ammonia, 181
 - application areas of, 182–183
 - as fuel in high-temperature fuel cells, 186–187
 - catalytic decomposition, 187–189
 - electrolysis, 187
 - energetic consideration, 190
 - hydrogen from, 187
 - hydrogen from ammonia and metal hydride, 189–190
 - liquid-state storage of, 185
 - production from nitrogen and hydrogen, 184
 - production from silicon nitride, 184–185
 - properties of, 181, 182
 - solid-state storage of, 185–186
 - application, 178–180
 - borohydrides, 191
 - ammonia borane, 193–194
 - sodium borohydride, 191–192
 - hydrocarbons as hydrogen carrier, 177–178
 - hydrogen storage in hydrocarbons, 173–176
 - materials and properties, 172–173
- Chemical vapor deposition (CVD), 229, 232
- Chemisorption, 228, 229
- Chlamydomonas reinhardtii, 49
- Claude process, 117, 118
- Clostridium*, 48
 - Clostridium pasteurianum*, 49
- Coal, 18
- Coke formation, 20
- Collins liquefier, 117–118
- Combined heat and power (CHP) system, 157, 158
- Compressed hydrogen, 68, 98–100
 - applications, 111–114
 - materials, 106–109
 - mechanical compressors, 100–101
 - nonmechanical compressors, 101–106
 - properties of, 98
 - sensors, instrumentation, 110
 - tank filling, 110–111
- Covalent organic frameworks (COFs), 236, 238–239
- Cycloalkanes
 - dehydrogenation–hydrogenation system of, 172
 - dehydrogenation of, 173, 176
 - hydrogen storage capacities of, 172
- Decalin dehydrogenation, 180
- Dehydrogenation–hydrogenation system of cycloalkanes, 172
- Dehydrogenation of hydrocarbons, 171
- Desulfurization, 19
- Diaphragm compressor, 101, 102
- Differential scanning calorimetry (DSC), 143, 144
- Dimension considerations, of hydrogen storage options, 212–216
- Direct biophotolysis, 48
- Direct PEM fuel cell (D-PEMFC), 179
- Distribution of hydrogen, 87–89
- DOE technical targets, 113
- Dynetek, 4
- Economic Comission for Europe (ECE), 64–65
- Economic considerations/costs, of hydrogen storage options, 197–200
- Electrochemical hydrogen compressor, 103–104
- Electrolysis, of steam, 38–40
- Electrolysis technology, 27–28
- Enterobacter*, 48
- European New Car Assessment Program (Euro NCAP), 207
- European Wind Energy Association (EWEA), 32
- Failure mode effectiveness and criticality analysis (FMECA), 205
- Federal Motor Vehicle Safety Standards (FMVSS), 207
- Fiber-reinforced design, 201, 215
- Fiber-reinforced polymers (FRP), 127
- Filament winding technique, 2, 198
- Filling stations, 86–87
- Formula H racing, 9
- Fossil fuels, 18
- Freeze-thaw method, 120
- Fuel cells (F/C), development of, 81, 84
- GALILEO, 149
- Gallium arsenide (GaAs), 30
- Gasoline, 171

- Gas storage in underground, 111–112
- GenHy®, 36, 37, 39
- Glass microcontainer. *See* microspheres
- Gleocapsa alpicola, 48, 49
- Graphite nanofibers, 229, 232–233
- Grove, William Robert, 11
- Haber–Bosch process, 190
- Haldor Topsøe convective reformer (HTCR), 19
- Half membrane theory, 5
- Hazardous materials, of hydrogen storage options, 209–212
- HDW (Howaldtwerke Deutsche Werft AG), 162
- Heat exchanger with an auger, 120–121
- Heavy metal hydrides. *See* Intermetallic hydrides
- High pressure electrolyzer, 104–106
- High pressure metal hydride storage tank, 109
- High-surface area materials, 233–234
- High-temperature electrolysis of steam (HTES), 38–40
- High-Temperature Electrolysis of Steam, 38–41
- High-temperature engineering test reactor (HTTR), 45
- High-temperature water splitting
 - and high-temperature nuclear energy and solar energy, 42–45
- History/background, of hydrogen storage, 1
- Hydrocarbons, 22
 - containing hydrogen, 172
 - dehydrogenation of, 171
 - general properties of, 172
 - as hydrogen carrier, 177–178
 - hydrogen storage in, 173–176
- Hydrogen, 11
 - ammonia production from, 184
 - basic thermodynamic data of, 12
 - comparison with other fuels, 14–16
 - mass and volume energy density of, 15
 - energy content of, 12
 - features of, 217
 - hydrocarbons containing, 172
 - parameters, 14
 - phase diagram of, 13–14
 - physical properties of, 12
 - production, 16–18
 - from aluminum, 50–51
 - from biomass, 45
 - coal gasification, 25–27
 - combination with fossil fuels, 18
 - electrolyzers, types of, 33
 - hydrocarbons, partial oxidation and autothermal reforming of, 20–21
 - HyPr-RING method for, 21–23
 - natural gas, steam reforming of, 19–20
 - pathways of, 17
 - Plasma-Assisted Production from, 23–25
 - water-splitting processes, 27
- storage methods, 14
- storage safety aspects, 53–55
- from production to user, 65–66
- human health impact, 62–63
- hydrogen vehicles, 70–73
- incidents with, 61–62
- properties related to safety, 55–61
- regulations, codes, and standards (RCS), 63–65
- safe removal of, 73
- sensors, 63
- in transportation sector, 17
- Hydrogenated polysilanes (HPS), 225–228
- Hydrogen attack, 107
- Hydrogen carrier, hydrocarbons as, 177–178
- Hydrogen chloride gas (HCl), 25
- Hydrogen Components Inc., 149
- Hydrogen cyanide (HCN), 25
- Hydrogen embrittlement, 106–107
- Hydrogen-filling station, 83, 93
- Hydrogen from ammonia and metal hydride, 189–190
- Hydrogen generation by hydrolytic release, 191–192
- Hydrogen MASER, 150
- Hydrogen permeation
 - through metals, 107
 - through nonmetals, 107–108
- Hydrogen-powered vehicles, 96
- Hydrogen Refuelling Stations (HRS), 69
- Hydrogen release from ammonia, 187
 - ammonia electrolysis, 187
 - catalytic decomposition, 187–189
- Hydrogen slush, 120–121
- Hydrogen storage assembly (HSA), 150
- Hydrogen storage in hydrocarbons, 173–176
- Hydrogen storage options
 - comparison with other energy storage systems, 218–222
 - dimension considerations, 212–216
 - economic considerations/costs, 197–200
 - hazardous materials, 209–212
 - safety equipment, 205–209

- safety rules and regulations, 200–205
- sociological considerations, 216–218
- waste materials, 209–212
- Hydrogen sulfide, 25
- Hydrogen transportation, 197
- Hydrogen vehicles, 70–73
- HYDROSOL-2, 43
- HyICE project, 85
- HyPr-RING process, from hydrocarbons, 22
- HyRacer project, 85
- Hystore Technologies Ltd., 149
- IGCC (integrated gasification combined cycle), 25
- IGFC (integrated gasification fuel cell), 25
- Indirect biophotolysis, 48
- Infrastructural requirements, 81, 93–96
 - distribution, 87–89
 - filling stations, 86–87
 - military, 89–91
 - portables, 92–93
 - transportation, 81–85
- Intermetallic hydrides, 135–137
- Internal combustion engines (ICEs), 3, 5, 82, 84
- International Partnership for Hydrogen and Fuel Cells in the Economy (IPHE), 55
- Iodine–sulfur (I–S) cycle, 17
- Joule–Brayton cycle, 118
- Lavoisier, Antoine, 11
- Life cycle assessment (LCA), 40
- Limit load case (LLC), 201, 205
- Linde–Sankey process, 117
- Liners, used materials for, 109
- Liquefaction, 116–120
 - Claude process, 117, 118
 - Collins liquefier, 117–118
 - Joule–Brayton cycle, 118
 - Linde process, 116–117
 - magnetic refrigeration, 118–120
 - thermoacoustic, 120
- Liquid dry ammonia, 185
- Liquid hydrogen, 13, 68
- Liquid hydrogen storage system, 124–125
 - from Linde, 129, 130
- Liquid natural gas (LNG), 126
- Liquid/slush hydrogen, 114
 - applications, 125–131
 - aircraft, 128–131
 - road and rail transportation, 126
- rockets, 131
- sea transportation, 126
- solar power plants, 131
- storage, 125
- vehicles, 127–128
- boil-off, 121–123
- braze materials, 124
- hydrogen slush, 120–121
- insulation, 123–124
- liquefaction, 116–120
- ortho para conversion, 114–115
- properties, 114, 115
- sensors/instrumentation, 124–125
- tank materials, 123
- Liquid storage (LH₂), of hydrogen, 1, 2
- Load vector, 5
- Lower heating value (LHV), 12
- Low-temperature water splitting, 27–28
- Magnesium-based hydrides, 137–139, 165
- Magnesium chloride, 185
- Magnetic refrigeration, 118–120
- Material Safety Data Sheet (MSDS), 55
- Maximum power point tracker (MPPT), 28
- Mechanical compressors, 100–101
 - diaphragm compressor, 101
 - piston compressors, 101
- Metal hydride compressor, 102–103
- Metal hydride fuel-cell (MHFC) stacks, 161
- Metal hydrides (MH), 68, 131–134
 - application, 149–163, 164–165
 - classical
 - intermetallic hydrides, 135–137
 - magnesium-based hydrides, 137–139, 140
 - hydrogen from, 189–190
 - light, 139
 - alanates, 139, 141–143
 - amides-imides, 143–146
 - borohydrides, 146–148
 - outlook, 163, 165–166
- Metal hydride tanks (MHT), 149
- Metal-organic frameworks (MOFs), 229, 235–236, 237
- Methane, 19, 23, 171, 177
 - properties of, 182
- Microspheres, 239–244
 - methods for discharging, 244–245
 - resume, 245–246
- Microwave cavity and shield assembly (MCSA), 150
- Military, 89–91
- Mineral oil, 18
- Mini-self-teaching robot, 92–93

- Multiple interconnected solar cells, 28
- Multiwalled carbon nanotubes (MWNTs), 229, 230
- Nafion®, 34
- Naphthalene hydrogenation, 180
- Natural gas, 18
- NEXTSTEP GmbH, 225
- Nitrogen, ammonia production from, 184
- Nonequilibrium plasma-assisted technologies
 - conversion rates of, 24
 - energy efficiencies of, 26
- Nonmechanical compressors, 101–106
 - electrochemical compressor, 103–104
 - high pressure electrolyzer, 104–106
 - metal hydride compressor, 102–103
- Novel materials, 225
 - carbon-based materials, 228–229
 - activated carbon (AC), 229–233
 - carbon nanotubes (CNT), 229–233
 - covalent organic frameworks (COFs), 236, 238–239
 - graphite nanofibers, 229–233
 - high-surface area materials, 233–234
 - metal-organic frameworks (MOFs), 235–236, 237
 - zeolites, 234–235
 - microspheres, 239–244
 - methods for discharging, 244–245
 - resume, 245–246
 - silicon and hyd polysilane, 225–228
- Original equipment manufacturerAQ2 s (OEMs), 82
- Passenger car, 208
- Passive Hydrogen MASER, 149–150
- Perhalogenated polysilanes, 225
- Permeability coefficient, 242–243
- Photoelectrochemical (PEC) device, 30
- Photovoltaic-electrolysis system, 28–31
- Photovoltaics (PVs), 17
- Piston compressors, 101
- Portables, 92–93
- Pressure storage, of hydrogen, 1, 2
- Pressure swing adsorption (PSA), 97
- Production of hydrogen, 16–18
 - from aluminum, 50–51
 - from biomass, 45
 - coal gasification, 25–27
 - combination with fossil fuels, 18
 - electrolyzers, types of, 33
 - hydrocarbons, partial oxidation and autothermal reforming of, 20–21
 - HyPr-RING method for, 21–23
 - natural gas, steam reforming of, 19–20
 - pathways of, 17
 - plasma-assisted production from, 23–25
 - water-splitting processes, 27
 - low-temperature water splitting, 27–28
- 2-Propanol, dehydrogenation of, 174
- Proton exchange membrane (PEM)
 - electrolyzers, 31, 33, 34–38
- Proton exchange membrane (PEM) fuel cell, 103, 173, 183, 227
 - sodium borohydride as fuel in, 191–192
- Purification of hydrogen, 97
- Regulations, codes, and standards (RCS), 63–65
- Road and rail transportation, 112, 126
- Rockets, 131
- Safety equipment, of hydrogen storage options, 205–209
- Safety rules and regulations, of hydrogen storage options, 200–205
- Schönbein, Christian Friedrich, 11
- Sealing, used materials for, 109
- Sea transportation, 126
- Selective catalytic reduction (SCR), 183
- Sensors, 63
 - compression, 110
 - liquid hydrogen storage system, 124–125
- Siemens, 162
- Silicon nitride, ammonia production from, 184–185
- Silicon production, 225–228
- Single-walled carbon nanotubes (SWNTs), 229, 230
- Slush guns, 121
- Small solar power system (SSPS), 43
- Sociological considerations, of hydrogen storage options, 216–218
- Sodium borohydride, 191, 147, 244
 - as fuel in a PEM-based fuel cell, 191–192
 - hydrogen generation by hydrolytic release, 191–192
- Solar cells, 29
- Solar power plants, 131
- SOLID-H™, 149
- Solid oxide electrolysis cells (SOEC), 33
- Solid-oxide fuel-assisted electrolysis cell (SOFEC), 40, 41, 42
- Solid oxide fuel cell (SOFC), 39, 183

- Solid-state ammonia storage, 185–186
- Space flight programs, 1
- Spawnt Production, 225
- Spawnt Research, 225
- Steam-reforming reaction
 - of natural gas, 19
- Steam-to-carbon (S/C) ratio, 19
- Storage safety aspects, of hydrogen, 53–55
 - human health impact, 62–63
 - hydrogen vehicles, 70–73
 - incidents with, 61–62
 - from production to user, 65–66
 - garage for repairing cars, 70
 - production, 66–67
 - refuelling stations, 67–68
 - storage, 68–70
 - transportation, 68–70
 - properties related to safety, 55–61
 - regulations, codes, and standards (RCS), 63–65
 - safe removal of, 73
 - sensors, 63
- Strontium chloride, 185
- Tank filling, 110–111
 - *See also* filling stations
- Tank supply system, 200
- Thermal decomposition, 187
- Thermoacoustic liquefaction, 120
- Thermogravimetric analyses (TGA), 142
- Thin-film solar cells (TFSCs), 29
- Titanium alloys, 109
- Transportation, hydrogen application for, 81
- TU-155 experimental aircraft, 130
- U212A submarine, 162–163
- United Nations (UN), 64–65
- Unmanned aircraft vehicle (UAV), 90
- Upper heating value (HHV), 12
- Van der Waals coefficients, 14
- Van der Waals equation, 13
- Van't Hoff equation, 135
- Vehicles, 127–128
- Very high temperature gas-cooled reactor (VHTR), 39
- Waste materials, of hydrogen storage options, 209–212
- Water electrolysis, 17
- Water gas shift reaction (WGSR), 19
- Well-to-wheel assessment, 83–84, 96
- Wet-dry multiphase conditions, 175–176
- Wind-electrolysis system, 31–33
- Wind–hydrogen generation system, 31, 32
- World Wind Energy Association (WWEA), 32
- Zeolites, 234–235