

Index

a

- AA'B, ABB', and ABC asymmetric star-block copolymers synthesis 802, 804
- AA/BB approach 628, 630
- AB approach 628
- ABC block terpolymers 110
- abiotic foldamers 235
 - helical aromatic amides
 - design principle 241
 - general synthesis 241
 - representative examples 241–245
 - helical aromatic hydrazides
 - design principle 248
 - synthesis 248–249
 - helical aromatic ureas
 - design principle 245
 - general synthesis 246
 - representative examples 248
 - heterocyclic foldamers 249
 - design principle 249, 251
 - representative examples 251–257
 - phenylene ethynylene foldamers
 - design principle 237
 - general synthesis 237–238
 - oligo(*ortho*-phenylene ethynylene)s (OoPEs) 240
 - representative examples 238–240
- absolute asymmetric polymerization 199–200
 - isotactic oligomers generated within monolayers at air–water interface 202–207
 - isotactic oligopeptides from racemic thioesters of *DL*-Leu and *DL*-Val 226–229
 - isotactic oligopeptides from racemic ValNCA and LeuNCA polymerization in aqueous solution 222–224
 - isotactic oligopeptides generation via polymerization in racemic crystals 213–214
 - – (*RS*)-PheNCA 214–219
 - – (*RS*)-ValNCA and (*RS*)-LeuNCA 219–221
 - racemic β -sheets in α -amino-acids in aqueous solutions 224–226
 - through-space, in inclusion complexes and liquid crystals 200–202
 - in 3-D crystals
 - attempted amplification of homochirality 212–213
 - – planning and materialization 207–211
- acrylamide derivatives 94–96
- 3-acryloylpropyl trimethoxysilane (APTS) 304
- acyclic diene metathesis (ADMET) polymerization 135, 508, 587–588
 - exotic polymer structures
 - daisy-chain polymers 596–597
 - hyperbranched architectures 595
 - – supramolecular graft copolymers 595–596
 - functionalized polyethylenes 588–589
 - – linear ethylene/acrylic acid copolymers 589–591
 - – linear ethylene/vinyl ether copolymers 589
 - – phosphonic acid-functionalized polyethylenes 591–592
 - functional polymers and materials via
 - – conjugated polymers 593–595
 - – latent reactive polycarbosilane and polycarbosiloxane elastomers 592–593

- acyclic diyne metathesis macrocyclization (ADIMAC) 136, 144, 145
 - acyclic diyne metathesis macrocyclization 143–149
 - acyclic diyne metathesis polymerization (ADIMET) 136, 139
 - poly(phenylene ethynylene)s (PPEs) via 138–143
 - adipic acid 693, 694
 - aggregative nucleation 761
 - aliphatic polyesters. *See* polyesters
 - alkylene oxides (AOs) 96
 - 3-alkylthiophenes 156
 - alkyne metathesis polymerization 135–136, 148, 149
 - ADIMAC-acyclic diyne metathesis macrocyclization 143–149
 - catalyst development 136–137
 - dynamic covalent 135, 143, 144
 - poly(phenylene ethynylene)s (PPEs) via ADIMET 138–143
 - all-conjugated block copolymers 477–478
 - α -cyclodextrin 1070, 1115, 1119, 1120, 1121, 1122, 1125
 - α -methylstyrene (α MeSt) 784
 - α -olefins 25, 30, 36, 38, 43, 54, 55, 62
 - alternating copolymers 285, 1141–1142
 - amide-based poly[2]catenanes 492–501
 - A_nB_n hetero-arm star-block copolymers synthesis 802
 - aniline 467
 - anilium hydrochloride 467
 - anionic initiators 83
 - anionic polymerization 81–84, 99–101, 426–430, 822, 903, 909
 - acrylamide derivatives 94–96
 - architectural polymers via 106–107
 - – block copolymers 107–111
 - – complex architectural polymers 119–124
 - – graft copolymers 111–115
 - – star-branched polymers 115–119
 - chain-functionalized polymers 101–106
 - cyclic monomers 82, 96–99
 - (meth)acrylate derivatives 90–94
 - of monomers
 - – 1,3-diene monomers 87–88
 - – styrene derivatives 84–87
 - – 2-and 4-vinylpyridines 89–90
 - practical aspects 124
 - anionic ring-opening polymerization (AROP) 318, 321, 324, 325, 339–340, 341, 342
 - annealing 1094
 - anthracene groups 1125
 - anti-rotamer 564, 565
 - arborization and branching agents 830
 - areal repeat unit 841, 843
 - arm-first method
 - crosslinking monomers (Nodulus approach) 822–824
 - aromaticity 373, 374, 376–377, 384, 388, 394, 406, 409
 - aromatic sextet rule 387
 - arylene ethynylene macrocycles (AEMs) 143
 - angle-dependence on dynamic formation of 147
 - associated pair 164
 - asymmetric stars 821
 - atactic polypropylene (aPP) 27
 - atomic force microscopy (AFM) 1144, 1150, 1154
 - atom transfer radical polymerization (ATRP) 272, 274, 283–284, 286, 287, 288, 323–324, 325, 327–329, 334, 337, 339–341, 356, 362, 432, 544, 602, 695, 807, 825, 834, 835, 937, 938, 950, 956, 960, 1080
 - automotive coating 14, 15
 - Avrami–Evans-type formalism 641
 - azobisisobutyronitrile (AIBN) 431, 432
- b**
- back-biting termination 90
 - base coat 14
 - base-induced cyclodehydrogenation 400–405
 - benzocynes preparation, based on o-phenylene ethynylenes. 150
 - benzoxazine monomers, ring-opening polymerization of 468–469
 - β -butyrolactone (β -BL) 691
 - β -cyclodextrin 940, 942, 1068, 1070, 1071, 1115, 1119, 1121, 1125
 - β -hydrogen transfer 40, 41
 - β -pinene 781–782
 - BF Goodrich Co. (Telene®) 579
 - bi-functional dendrimers 1037, 1043, 1044, 1051
 - 2,2-bis(methylol)-propionic acid dendrimers 1034
 - synthetic strategies evolution for 1047, 1049–1050, 1051
 - bisphenol monomers 681
 - 2,2-bis[4-(1-phenylethenyl) phenyl]propane (BDPEP) 790, 791
 - 2,2-bis[4-(1-tolylothenyl)phenyl]propane (BDTEP) 791
 - bithiophenes 184

- block copolymers 107–111, 608–614,
 795–796, 926, 932, 937–940, 939, 941,
 1142–1144
 – backbones 284
 – coupling methods 316–320
 – dual polymerizations 338–342
 – end-functionalization route to 476
 – functionalized initiator route to 477
 – *in-situ* synthesis of 478
 – with nonlinear architecture 801–802
 – – AA'B, ABB', and ABC asymmetric
 star-block copolymers synthesis 802,
 804
 – – *AnBn* hetero-arm star-block copolymers
 synthesis 802
 – – cationic and anionic polymerization
 combination 804–805
 – – living cationic and anionic ring-opening
 polymerization combination
 805–807
 – – living cationic and radical polymerization
 combination 807–808
 – self-assembly
 – – comparison with molecular brushes
 296–297
 – – core crystallization in solution
 294–296
 – – selective crosslinking in bulk 294
 – supramolecular 1077–1080
 – transformation reactions 320–321
 – – involving anionic and cationic
 polymerizations 329–333
 – – involving anionic and controlled radical
 polymerization 321–325
 – – involving cationic and controlled radical
 polymerization 326–329
 – – involving metathesis polymerization
 333–335
 – – involving same polymerization
 mechanism 337–338
 – – involving Ziegler–Natta polymerization
 335–337
 Bohdanecky-formalism 641
 boron monomers 642–646
 Borstar process 17, 18
 bottlebrush. *See* cylindrical polymer brushes
 branched and hyperbranched polymers
 808–809
 branched macromolecules 941, 943
 Brewster angle microscopy (BAM) 864
 bridged dicyclic polymers 537
 bridged tricyclic polymers 538–543
 Brownian collision rate 768
 Brownian dynamics (BD) simulation 753,
 754–756
Burkholderia cepacia 688
 1,3-butadiene 87, 89, 92, 100
- c**
- Candida antarctica* 687
Candida cylindracea 689
 carbenes 973–975
 – in addition polymerization catalysts (type
 3) 1000–1003
 – in condensation polymerization catalysts
 (type 3) 1003–1004
 – in free radical and ring-opening
 polymerization catalysts (type 3)
 1004–1005
 – as ligands for metal-based polymerization
 catalysts (type 3) 997–998
 – as monomers for polymerizations (type 1)
 976–979
 – NHCs
 – – as condensation polymerization catalysts
 (type 3) 996–997
 – – as group-transfer catalysts (type 3)
 994–996
 – – as monomers for polymerizations
 (type 1) 979–986
 – – polymerization catalysts derived from
 (type 3) 1005–1006
 – – as ring-opening polymerization catalysts
 (type 3) 991–994
 – in olefin metathesis catalysts (type 3)
 998–1000
 – as polymer side groups (type 2) 986–991
 carbocationic polymerization 775–776
 – block copolymers with nonlinear
 architecture 801–802
 – – AA'B, ABB', and ABC asymmetric
 star-block copolymers synthesis 802,
 804
 – – *AnBn* hetero-arm star-block copolymers
 synthesis 802
 – – cationic and anionic polymerization
 combination 804–805
 – – living cationic and anionic ring-opening
 polymerization combination
 805–807
 – – living cationic and radical polymerization
 combination 807–808
 – branched and hyperbranched polymers
 808–809
 – linear diblock copolymers 796–799
 – linear triblock copolymers

- carbocationic polymerization (*contd.*)
 - synthesis using coupling agents 800–801
 - synthesis using difunctional initiators 799–800
 - living cationic polymerization
 - additives in 779–780
 - α -methylstyrene (α MeSt) 784
 - β -pinene 781–782
 - functional polymers by 786–790
 - indene 784–785
 - isobutylene 780–781
 - mechanistic and kinetic details of 776–778
 - monomers and initiating systems 778–779
 - *N*-vinylcarbazol 785
 - *p*-chlorostyrene (*p*-ClSt) 783
 - *p*-methoxystyrene (*p*-MeOSt) 783–784
 - *p*-methylstyrene (*p*-MeSt) 782–783
 - styrene 782
 - 2,4,6-trimethylstyrene (TMeSt) 783
 - vinyl ethers 785–786
 - macromonomers 792
 - synthesis using functional capping agent 793–796
 - synthesis using functional initiator 792–793
 - surface-initiated polymerization and polymer brushes 809
 - telechelic polymers 790–792
- cardanol 685
- Carothers equation 630, 632
- cashew nut shell liquid (CNSL) 685, 686
- catalysis 475, 476, 479, 480, 482
- catalysts 646–648
- catenanes 487
- catenane structures in polymer networks 521–524
- cationic and anionic polymerization combination 804–805
- cationic polymerization 430–431
- cationic ring-opening polymerization (CROP) 326
- chain-end-functional polymers 926–928
- chain-end modification 795
- chain-functionalized polymers 101–106
- chain growth polymerization 426, 475–476, 902
- Gilch synthesis 904–916
 - sulfinyl and sulfonyl routes 903–904
 - Wessling route 902–903
- chain growth Suzuki polycondensation 648–649
- chain-multi-functionalization 104
- chain-transfer agent (CTA) 42, 606, 981–982
- chemical composition 9
- chemical structures 377, 400, 456, 708, 715, 728, 877, 883, 885, 1136, 1138, 1140, 1142, 1143, 1144, 1153
- chemoselectivity 1035–1036
- chlorosilane group of 4-(chlorodimethylsilyl)styrene (CDMSS) 270
- classical nucleation theory (CNT) 759, 761–762
- clear coat 14
- click chemistry 279–281, 498, 512, 515, 543, 622, 834, 923, 1035–1036, 1037, 1047, 1052, 1149
- 1,3-dipolar cycloaddition 923–924
 - polymers from 926
 - chain-end-functional polymers 926–928
 - dendritic polymers 941, 943–954
 - graft copolymers 930–935
 - macrocyclic polymers 954–959
 - polymer networks 959–964
 - polymers with pendant functionality 928–930
 - star polymers 935–941
 - thiol-ene coupling 924–925
- coagulation 765
- coalescence 765
- coatings 14–15
- cobalt-mediated radical polymerization (CMRP) 67
- cobalt complexes for 70
 - coupling 75–76
 - key parameters
 - cobalt complex structure 69–71
 - polymerization conditions 71–73
 - macromolecular engineering 73–75
 - mechanism considerations 67–69
- cocatalyst 47, 60–63
- Coehn's rule 765
- colloidal stability 758
- comb-burst[®] 822
- competition experiment 481
- complex, macromolecular architecture 609, 614, 619, 623
- complex architectural polymers 119–124
- confined geometries, polymerization of 1011
- in inorganic hosts
 - in mesoporous materials 1014–1017
 - in microporous zeolites 1013–1014
 - in organic hosts 1011–1012

- – polymerizability 1012
- – polymer structure control 1013
- in organic–inorganic hybrid hosts 1017–1018
- – polymerization in PCP nanochannels 1018–1019
- – polymerization in PCP one-dimensional channels 1019–1023
- – polymer synthesis in higher-dimensional channels of PCPs 1023–1025
- conjugated polymers 155, 475–476, 593–595, 639, 648
- limitations, remaining 481–482
- mechanism
 - – end-group analysis 478–479
 - – indirect support for intermediate Ni(0)-polymer π -complex 480–481
 - – initial observations and mechanistic proposal 478
 - – rate and spectroscopic studies 480
- polymer preparation via chain-growth methods 476
- – all-conjugated block copolymers 477–478
- – end-functionalized polymers 476–477
- controlled living polymerization (CLP) 827, 831, 832
- controlled polymerization 775, 777, 784
- controlled radical polymerization 316, 321–329, 337–338, 341 *See also* cobalt-mediated radical polymerization
- convergent method 831–832
- cooperative polymerizations 1060
- copper(I)-catalyzed azide-alkyne cycloaddition (CuAAC) 317, 318, 923, 924, 929, 932, 938–939, 943, 944, 945–947, 954, 955, 956, 958, 959, 960–963, 964
- Coprinus cinereus* 682, 686
- core-first method
 - crosslinking monomers 829
 - multifunctional initiators 827–829, 828
- core–shell CPBs, as template 301–306
- core-shell structure
- corona structure cylindrical brushes 288–289
- diblock copolymer side chains 286–288
- Cossee–Arlman mechanism 34–35, 39
- coupling agents, synthesis using 800–801
- coupling methods 316–320
- coupling reactions 468
- covalent fixation process 521
- critical micelle concentration (CMC) 457
- cross-coupling 468, 475, 478, 627, 628, 636, 645–647, 649
- crosslinking 443
 - monomers 822–824, 829
- ¹³C-cross-polarization magic angle spinning (CP MAS) spectrum 592
- crown ether-based poly[2]catenanes, tetracationic cyclophane–aromatic 504–507
- crystal engineering. *See* absolute asymmetric polymerization
- cyclic amines 331
- cyclic monomers 82, 96–99
- cyclic poly(*N*-isopropylacrylamide) 362
- cyclic polymers 351–352, 531, 1144
 - bimolecular approach 352–355
 - ring-expansion approach 364–369
 - unimolecular approach 355
 - – heterodifunctional approach 358–363
 - – homodifunctional approach 355–357
- cyclodehydrogenation 373–375
 - base-induced 400–405
 - Lewis acid-catalyzed oxidative (Scholl reaction) 375–377
 - – hexa-*peri*-hexabenzocoronenes (HBCs) and related systems 377–386
 - – nanographenes and graphene nanoribbons 386–399
 - oxidative photocyclization (Mallory reaction) 406–409
 - surface-assisted 409–415
- cyclodextrin 940, 942, 1068, 1070, 1071, 1115, 1119, 1120, 1121, 1122, 1125
- cyclodextrin-based polyrotaxanes 1113
 - gel formation by mixing host polymers and guest polymers 1126
 - polyrotaxanes 1113
 - – containing cyclodextrins 1114–1125
 - – gels 1126
 - – for medical applications 1126
 - – side-chain 1125–1126
 - rotaxanes containing cyclodextrins 1113–1114
 - tubular polymers 1126
- 1,3-cyclohexadiene 88
- cyclopropanation 988, 989
- cylindrical polymer brushes 263–264
 - properties 297
 - – in bulk 299–300
 - – solution 297–299
 - – thin films on different substrates 300–301
 - synthesis 264–266
 - – block copolymer self-assembly 294–297
 - – combined grafting approach 291–293

- cylindrical polymer brushes (*contd.*)
 - grafting-from strategy 281–285
 - grafting-onto strategy 277–281
 - grafting-through strategy 264, 265, 266–277
 - side-chain composition 286–291
 - as template for 1-D inorganic/hybrid nanostructures 301–308

- d**
- daisy-chain polymers 596–597
- dehalogenation 637
- denaturation phase 1093
- dendrimer-like polymers 819, 822
 - general methods for synthesis of 829–830
 - arborization and branching agents 830
 - convergent method 831–832
 - divergent method 832–835
 - “dendrimer-like star-branched polymers” (DSPs) 120, 121, 122
- dendrimers 943–950, 1027–1028
 - accelerated synthesis of 1030–1031
 - chemoselectivity 1035–1036
 - definition of 1031–1032
 - double exponential growth 1034
 - double-stage convergent growth 1033
 - heteromultifunctional dendrimers 1037, 1043, 1044–1047, 1048
 - hypermonomer strategy 1032–1033
 - need for 1031
 - orthogonal growth 1036–1037
 - synthetic strategies evolution for bis-MPA dendrimers 1047, 1049–1050, 1051
 - classification and synthesis 1028
 - convergent growth approach 1030
 - dendrimer definitions 1028–1029
 - divergent growth approach 1029–1030
- dendritic polymers 941, 943–954
 - dendrimers 943–950
 - dendronized polymers 952–954
 - hyperbranched macromolecules 950–952
- dendronized polymers 268, 275, 282, 952–954, 1131–1133
 - “attach to” approach in 280–281
 - manipulation on surfaces and building objects 1154–1156
 - responsivity
 - single chain folding 1150–1152
 - thermal and mechanical responsiveness 1152–1153
 - synthesis
 - grafting-from route 1144–1148
 - grafting-to route 1148–1150
 - macromonomer route 1133–1144
 - thickness quantification 1150
- Deryaguin, Landau, Verwey, and Overbeek (DLVO) theory 765, 767
- diaryl triazoles 257
- diazoacetates polymerization 978
- diblock copolymers 191
- dibromorylene method 403
- dicyclic polymers 534
 - bridged polymers 537
 - fused polymers 534–535
 - spiro polymers 535–537
- 1,3-diene monomers 87–88
- differential scanning calorimetry (DSC) 591, 1079
- diffuse electrical double layer 767
- difunctional initiators, synthesis using 799–800
- 1,1-diphenylethylene (DPE) 102–103, 105
- 1,3-dipolar cycloaddition 923–924
- discrete oligomers 239
- 1,4-disubstituted-1,2,3-triazoles 253, 256
- divergent method 832–835
- divinylbenzene (DVB) 1016, 1020, 1021
- divinyl esters 688
- DNA block copolymers and DNA networks generated by polymerase chain reaction 1093–1100
- DNA hydrogels mediated by DNA ligases action 1091–1093
- DNA–synthetic polymer hybrids with DNA polymerases 1100–1104
- droplet nucleation 764
- drug-delivery systems, polymeric 19–22
- dual initiators 315, 316, 340, 342
- dual polymerizations 338–342

- e**
- EAA15 591
- EAA21 590
- EAA9 591
- electron spin resonance (ESR) 1019
- electrostatic self-assembly and covalent fixation (ESA-CF) process 531, 533, 534, 535, 537, 538, 543
- electrostatic templating approach 354
- emulsion polymerization 741–742
 - molecular description of 742–745
 - radical polymerization kinetics in 746–747
 - macroscopic kinetics 747–750

- – molecular absorption and radical capture 754–756
- – molecular desorption and radical exit 756–758
- – monomer concentration inside particles 750–753
- – particle aggregation 765–770
- – particle formation 759–765
- enantiomorphic site control 37
- end-functionalized polymers 476–477
- end-group chemistry 478–479, 615–618
- enhanced penetration and retention (EPR) 21
- enzymatic polymerization 466–467, 677–678
- phenolic polymer enzymatic synthesis 678
- – enzymatic curing of biopolymers 683–684
- – enzymatic oxidative polymerization 678–681
- – enzymatic preparation of coatings 685–686
- – functional polymer enzymatic synthesis 681–683
- polyesters 686
- – enzymatic synthesis of functional materials of 691–695
- – polycondensation of dicarboxylic acid derivatives and glycols to 686–689
- – ring-opening polymerization to 689–691
- enzymes 1089, 1091, 1092, 1099, 1100, 1102, 1104–1105, 1109
- epigallocatechin gallate (EGCG) 683
- epoxide-containing polyesters 693
- epoxidized fatty acids 693
- ϵ -CL 689, 694
- Escherichia coli* 986, 1105
- ester–thioester copolymers 688
- ethylene/acrylic acid copolymers, linear 589–591
- ethylene-*co*-acrylic acid (EAA) copolymers 589
- ethylene glycol dimethacrylate (EGDMA) 952
- ethylene/vinyl ether copolymers, linear 589
- 2,4-bis(2-ethylhexylureido)toluene (EHUT) 1066
- exact graft copolymer 111, 112, 113, 114
- exotic polymer structures
- daisy-chain polymers 596–597
- hyperbranched architectures 595

- supramolecular graft copolymers 595–596
- extension phase 1094
- external donor 32

f

- Fischer carbenes 974
- Flory–Fox equation 724
- Flory–Huggins theory 762
- flow-focusing device 423
- fluorescence-activated cell sorting (FACS) 453
- focal units 709
- foldamers 235, 654, 657. *See also* abiotic foldamers
- folding hydrazides 249
- Fourier transform-infrared (FTIR) spectroscopy 458, 681
- functional capping agent, synthesis using 793–796
- functional initiator method 786–788, 792–793
- functionalization. *See* click chemistry
- functionalized particles 452
- functionalized polyethylenes 588–589
- linear ethylene/acrylic acid copolymers 589–591
- linear ethylene/vinyl ether copolymers 589
- phosphonic acid-functionalized polyethylenes 591–592
- functional monomers 604–608
- functional polymers 86, 100, 110
- conjugated polymers 593–595
- latent reactive polycarbosilane and polycarbosiloxane elastomers 592–593
- functional terminator method 788–790
- fused dicyclic polymers 534–535
- fused tricyclic polymers 538

g

- γ -cyclodextrin 1119, 1121, 1125
- gas/liquid and liquid/liquid interfaces, polymerization at 860, 862–870
- gel permeation chromatography (GPC) analysis 145, 173, 287, 288, 323, 352, 358, 398, 498, 501, 504, 517, 522, 633, 639, 641, 642, 786, 940, 954, 1125, 1135
- generations 943
- Gilch synthesis 904–916
- Glaser coupling reaction 468
- Gouy–Chapman theory 767
- gradient polymer elution chromatography (GPEC) 938

- graft copolymers 111–115, 930–935
- grafting-from strategy 264, 265, 281–283, 809, 953, 1144–1148
 - polyinitiator backbone
 - composition 283–285
 - grafting-onto strategy 264, 265, 277, 809, 931–935, 955
 - grafting from strategy and 291
 - side-chain attachment by click chemistry 279–281
 - side-chain attachment by nucleophilic substitution 278–279
- grafting-through strategy 264, 265, 953
 - copolymerization by 272
 - block-type brushes by sequential polymerization 276–277
 - comb-shaped polymers by copolymerization with small monomers 274–276
 - statistical, gradient, and alternating copolymerizations 272, 274
 - grafting from strategy and 291–292
 - homopolymerization, of macromonomers 266
 - anionic polymerization 270–272
 - controlled/living radical polymerization 270
 - free radical polymerization 266–270
- grafting-to route 1148–1150
- graphene 841, 842, 843, 845, 856, 871
 - nanoribbons and nanographenes 386–399
- grazing incidence X-ray diffraction (GIXD) 202, 204, 205
- Grignard metathesis (GRIM) method 160, 179, 180, 181, 184, 185, 186, 189, 190
- Grubbs- and Grubbs–Hoveyda-type initiators 553–556
 - pseudo-halide derivatives of 556–559
- Grubbs metathesis catalyst 355, 356

- h**
- halo- and related monomers 646
- Hansen–Ugelstad–Fitch–Tsai (HUFT) theory 761
- hb polymers
 - molar mass separation and detection 721–726
 - polydispersity multidimensionality 726–731
 - separation techniques for 720–721
 - size determination and scaling parameters of 731–734
- helical aromatic amides
 - design principle 241
 - general synthesis 241
 - representative examples 241–245
- helical aromatic hydrazides
 - design principle 248
 - synthesis 248–249
- helical aromatic ureas
 - design principle 245
 - general synthesis 246
 - representative examples 248
- helical oligomers 237
- heterocyclic foldamers 249
 - design principle 249, 251
 - representative examples 251–257
- heterogeneous nucleation 759, 763
- heterograft brush copolymers 284
- heteromultifunctional dendrimers 1037, 1043, 1044–1047, 1048
- heterophase polymerizations 458, 459, 462
- Hevea brasiliensis* tree 741
- hexa-*peri*-hexabenzocoronenes (HBCs) and related systems 377–386
- high-performance liquid chromatography (HPLC) 630
- homogeneous nucleation 759
- homogeneous single-center
 - cocatalysts 60–63
 - metallocenes 44–46
 - molecular catalysts 44
 - stereochemical microstructure analysis 54–60
 - stereocontrol 46–54
- homopolymers 283–284, 1134–1141
- Horner–Emmons-PPVs 902
- horseradish peroxidase (HRP) 678, 682, 683, 684, 685
- hybrid nanomaterials 306
- hydrogen-bonded polymers 1064, 1066–1068, 1079
- hydrogen dihexadecyl phosphate (HDHP) 864
- hydrophobic polymers 761, 1119–1120
- hyperbranched macromolecules 950–952
- hyperbranched polymers 701–702
 - chain-growth approaches 705–708
 - characterization aspects 708
 - degree of branching determination 715–720
 - substructures, degree of branching, and structure formation 708–715
 - hb polymers, separation techniques for 720–721

- – molar mass separation and detection 721–726
- – polydispersity multidimensionality 726–731
- size determination and scaling parameters of hb polymers 731–734
- step-growth approaches 703–705
- synthetic methodologies 702

i

- imidazolium 996
- inclusion polymerization 1012–1013
- indene 784–785
- inductively coupled plasma mass spectrometry (ICP-MS), laser ablation 637, 638
- industrial perspective 7
 - synthesis 13–22
 - synthetic polymer chemist 8–11
 - new polymer synthesis 11–13
- inimer 950
- inorganic hosts, polymer synthesis in
 - in mesoporous materials 1014–1017
 - in microporous zeolites 1013–1014
- in-reactor blending 19
- interfacial polyreaction, for nanocapsule formation 465
- internal donor 32
- International Union of Pure and Applied Chemistry (IUPAC) 562
- ionic liquids 680
- ionic polymerizations 459–462
- ionic polymers 1121–1125
- isobutylene 780–781
- isodesmic polymerizations 1060
- isoprene 81, 87, 89, 107, 112
- isotactic oligomers
 - generated within monolayers at air–water interface 202–207
- isotactic oligopeptides
 - generation via polymerization in racemic crystals 213–214
 - – (RS)-PheNCA 214–219
 - – (RS)-ValNCA and (RS)-LeuNCA 219–221
 - from racemic thioesters of DL-Leu and DL-Val 226–229
 - from racemic ValNCA and LeuNCA polymerization in aqueous solution 222–224
- isotactic polypropylene (iPP) 27, 36, 37–39, 42, 43, 48, 59
- isothiocyanates 983

k

- kinetics 604, 745, 746–750, 751, 752, 754, 757, 758, 759, 762, 769
 - Kuhn–Mark–Houwink–Sakurada (KMHS) relationship 732, 734
 - Kumada catalyst transfer polycondensation 164
 - Kumada cross-coupling 157–158, 158
 - polythiophenes by 158–165
 - – catalyst influence on regioregularity 174
 - – end group modification 186–188
 - – initiation and catalyst transfer propagation 165–172
 - – mechanistic studies 172–174
 - – non-thiophene monomers 184–186
 - – thiophene-based monomers 174–184
- l**
- laccase 680, 685
 - laccol 685
 - lactones, of mechanism on lipase-catalyzed ring-opening polymerization 690
 - ladder polymers 654, 656
 - laser scanning microscopy (LSM) 453
 - lateral growth 854
 - layered monomer assemblies, polymerization in 873–875
 - layered templates, polymerization in 870–873
 - Lewis acid-catalyzed oxidative (Scholl reaction) 375–377
 - hexa-*peri*-hexabenzocoronenes (HBCs) and related systems 377–386
 - nanographenes and graphene nanoribbons 386–399
 - ligases 1089, 1091–1093, 1105, 1106, 1107, 1108
 - ligation protocols 618–623
 - lignophenols 683
 - linear diblock copolymers 796–799
 - linear polycatenanes 489–490
 - linear triblock copolymers
 - synthesis using coupling agents 800–801
 - synthesis using difunctional initiators 799–800
 - liposomes 19–20
 - living anionic polymerization. *See* anionic polymerization
 - living cationic polymerization
 - additives in 779–780
 - α -methylstyrene (α MeSt) 784
 - – and anionic ring-opening polymerization combination 805–807

- living cationic polymerization (*contd.*)
 - β -pinene 781–782
 - functional polymers by 786–790
 - indene 784–785
 - isobutylene 780–781
 - mechanistic and kinetic details of 776–778
 - monomers and initiating systems 778–779
 - *p*-chlorostyrene (*p*-ClSt) 783
 - *p*-methoxystyrene (*p*-MeOST) 783–784
 - *p*-methylstyrene (*p*-MeSt) 782–783
 - and radical polymerization combination 807–808
 - styrene 782
 - 2,4,6-trimethylstyrene (TMeSt) 783
 - *N*-vinylcarbazol 785
 - vinyl ethers 785–786
 - living polymerization 316, 320, 329, 330, 338, 342
 - living ROMP 561–562
 - alternating copolymerizations 572–573
 - applications in materials science 579
 - with Grubbs and Grubbs–Hoveyda-type initiators 566–568
 - of high-and low-ring-strain monomers 568, 569
 - in ionic liquids 577–579
 - mechanistic investigations 570, 572
 - with M(NR)(CHCR')(OR'')₂-type Schrock initiators 563–566
 - polymerization mechanism changes 573, 575, 576
 - special features of selected Ru-based initiators 568
 - stereoselective and regioselective 570, 571
 - in water 577
 - long-chain branching (LCB) 43
 - lower critical solution temperature (LCST) 928, 932, 936, 957, 1152
- m**
- M(NR)(CHCR')(OR)(X)-type Schrock initiators (X = Pyrrolide, 2,5-Me-Pyrrolide) 552–553
 - M(NR)(CHCR')(OR'')₂-type Schrock initiators 563–566
 - M(NR)(CHCR')(OR'')₂-type Schrock initiators (M = Mo, W) 551–552
 - macrocycles 143–146, 148
 - macrocycle equilibrium between 146
 - polymers 954–959
 - macromonomers 694, 792, 825, 1133–1144
 - multifunctional linking agents 825–827
 - synthesis using functional capping agent 793–796
 - synthesis using functional initiator 792–793
 - main-chain poly[2]catenanes 490, 492–508
 - main-chain polyrotaxanes 1114–1116
 - manacle-isomer 534
 - matrix-assisted laser desorption/ionization-time of flight (MALDI-TOF) mass spectra 203, 206, 215, 221, 223, 225, 227, 228, 230, 356, 478, 522, 539, 541, 542, 629, 630, 638, 726, 726, 945, 956
 - McCullough method 159–160
 - mechanistic transformation, indirect 321
 - mesoporous materials, polymerization in 1014
 - controlled polymerizations 1014
 - polymer nanocomposites 1014–1016
 - templates and 1016–1017
 - metal-catalyzed polymerizations 458–459
 - metallocenes 44–46
 - “metal-template” approach 857
 - methacrylate derivatives 90–94
 - methyl aluminoxane (MAO) 46, 60
 - methyl methacrylate (MMA) 83, 107, 108, 274
 - 2-methyl-7-methylene-1,5-dithiacyclooctane (MDTO) 963, 964
 - 2-methyl-2-oxazoline (MeOZO) 331–332
 - methylpyridinium 1123
 - methyl vinyl ether (MVE) 291
 - Metton® 579
 - micellar nucleation 760
 - microgels 442
 - micro-reactors polymerization 421–423
 - droplet formation 423–425
 - reactions with excess heat production 425
 - – anionic polymerization 426–430
 - – cationic polymerization 430–431
 - – chain growth polymerization 426
 - – radical polymerization 431–433
 - – step growth polymerization 425–426
 - scaling-up 444–446
 - uniform particle formation 433
 - – monodisperse polymer particles
 - continuous production 435–444
 - – by precipitation/dispersion polymerization 434–435
 - microwave and technical-scale microreactor applications 649–651
 - miktoarm and heteroarm stars 821
 - miniemulsion polymerization 449–450
 - controlled radical polymerization 457

- enzymatic polymerization 466–467
 - ionic polymerizations 459–462
 - metal-catalyzed polymerizations 458–459
 - new synthetic approaches in
 - – coupling reactions 468
 - – particles from coordination polymers 469
 - – ring-opening polymerization of benzoxazine monomers 468–469
 - oxidative polymerization 467–468
 - polyaddition 462–466
 - polycondensation 466
 - for polymer nanoparticle formation 451
 - radiation-induced polymerization 457–458
 - radical polymerization 450–457
 - modular design 614
 - molar mass 9, 701, 704, 707, 708, 720–726, 721, 732
 - distribution effects 16–19
 - molecular architecture 9
 - molecular biology techniques 1089
 - DNA block copolymers and DNA networks generated by polymerase chain reaction 1093–1100
 - DNA hydrogels mediated by DNA ligases action 1091–1093
 - DNA–synthetic polymer hybrids with DNA polymerases 1100–1104
 - plasmids and catenated nucleic acid architectures from circular DA molecules 1104–1108
 - molecular brush. *See* cylindrical polymer brushes
 - molecular charm bracelets 957
 - molecular objects 1132, 1148. *See also* dendronized polymers
 - molecular sheet 841, 843, 845
 - molecular shuttle 1122
 - molecular weight control 84, 86, 90, 91, 92, 122, 123
 - molecular weight distributions (MWDs) 33, 782, 793
 - and branching 43–44
 - monodisperse polymers 943
 - monomers 862, 863, 947, 963. *See also individual entries*
 - branched 945, 947
 - chemical structures of 877, 883, 885
 - copolymerization of 452
 - and initiating systems 778–779
 - Morton–Kaizerman–Altier (MKA equation) 752
 - Mortreux catalyst system 140, 141, 148
 - copolymers generated with 142
 - move–connect–prove approach 1154, 1155
 - Mucor miehei* 686
 - multiangle laser light-scattering (MALLS) 723, 724, 725–726, 1143, 1146
 - multiblock copolymers 109
 - multicompartment cylinders (MCCs) 294, 295, 307
 - multicyclic polymers 531–533
 - dicyclic polymers 534
 - – bridged polymers 537
 - – fused polymers 534–535
 - – spiro polymers 535–537
 - oligocyclic polymers 543–544
 - ring polymer with branches (tadpoles) 533–534
 - tricyclic and tetracyclic polymers 537–538
 - – bridged tricyclic polymers 538–543
 - – fused tricyclic polymers 538
 - – spiro 543
 - multifunctional initiators 827–829, 828
 - multifunctional linking agents 825–827
 - multiple modular micro-reactor 445
 - multiscale modeling 742
- n**
- nanocomposites, polymer 1014–1016
 - nanographenes and graphene nanoribbons 386–399
 - nanospace 1018, 1023
 - nanowires 302, 303, 304, 305, 306–308
 - narrow molecular weight distribution 84, 86, 92, 96, 97, 98, 99, 100, 116, 122
 - near edge X-ray absorption fine structure (NEXAFS) spectroscopy 410
 - neutral and charged multiarm star polymers 821
 - N*-heterocyclic carbenes (NHCs) 975, 987, 989, 999, 1001
 - as condensation polymerization catalysts (type 3) 996–997
 - as group-transfer catalysts (type 3) 994–996
 - as monomers for polymerizations (type 1) 979–986
 - polymerization catalysts derived from (type 3) 1005–1006
 - as ring-opening polymerization catalysts (type 3) 991–994
 - variations 556
 - nickel 475, 476, 478, 479, 480–481
 - 9°N_m polymerase 1104

- N*-isopropylacrylamide (NIPAM) 94
 nitronaphthalene method 402
 nitroxide-mediated radical polymerization (NMRP) 318, 321, 326, 328, 340, 342
 non-thiophene monomers 184–186
 nuclear magnetic resonance (NMR) spectroscopy 461, 539, 540
 nucleases 1090, 1093, 1095, 1108, 1109
 nucleophilicity 779–780
N-vinylcarbazol 785
 1,8-octanediol 694
- o**
- olefins coordination polymerization 25–30
 – coordination polymerization
 – – chain termination 40–43
 – – Cossee–Arlman mechanism 34–35, 39
 – – molecular weight distributions and branching 43–44
 – – regiocontrol 39–40
 – – stereocontrol 35–39
 – – Ziegler–Natta catalysts 30–34
 – homogeneous single-center
 – – cocatalysts 60–63
 – – metallocenes 44–46
 – – molecular catalysts 44
 – – stereochemical microstructure analysis 54–60
 – – stereocontrol 46–54
 oligoanthranilamides 245, 246
 oligoaryl-dicarboxamides 241, 243–244, 243
 oligoaryl ureas 248
 oligobenzoyl ureas 248
 oligocyclic polymers 543–544
 oligodeoxynucleotides (ODNs) 1090, 1095, 1107
 oligoheterocyclic ureas 248
 oligohydrazides 248, 250
 oligoindoles 257
 oligo(meta-phenylene ethynylene)s (OmPEs) 238–240
 oligonaphthyridine-pyrimidines 253, 255
 oligopyridine-dicarboxamides 245, 247
 oligopyridine-pyridazines 253, 254
 oligopyridine-pyrimidines 251–253
 oligoquinoline-dicarboxamides 244–245
 oligo(*ortho*-phenylene ethynylene)s (OoPEs) 240
 one-pot synthesis 932, 934, 937, 950, 1032, 1046–1047
 one-step polymerization approach 490
 organic hosts 1011–1012
 – polymerizability 1012
 – polymer structure control 1013
 organic–inorganic hybrid hosts 1017–1018
 – polymerization in PCP nanochannels 1018–1019
 – polymerization in PCP one-dimensional channels 1019–1023
 – polymer synthesis in higher-dimensional channels of PCPs 1023–1025
 organic light-emitting diodes (OLEDs) 637, 651, 914
 organocobalt 68, 77
 organometallic polymer 979, 980, 981, 982, 984
 orthogonal growth, of dendrimers 1036–1037
O-trimethylsilyl-*N*-isopropylacrylamide (*O*-TMS-NIPAM) 94
 oxidative coupling 678–681
 oxidative photocyclization (Mallory reaction) 406–409
 oxidative polymerization 467–468
 oxyacids 688
 [2.2]paracyclophane 905–906, 907, 908, 910, 916
p-chlorostyrene (*p*-ClSt) 783
- p**
- pegylation 1090
 pendant functionality, polymers with 928–930
 Pentem® 579
 periodic network 848, 852, 857, 861, 867, 868
 persistence length 1154
 persistent carbenes 974
 persistent radical effect (PRE) 68
 perylene diimides 400
 perylene monoimide 401
 phenanthroline-based poly[2]catenanes 501–504
 phenolic polymer enzymatic synthesis 678
 – enzymatic curing of biopolymers 683–684
 – enzymatic oxidative polymerization 678–681
 – enzymatic preparation of coatings 685–686
 – functional polymer enzymatic synthesis 681–683
 phenylene ethynylene foldamers
 – design principle 237
 – general synthesis 237–238

- oligo(*ortho*-phenylene ethynylene) (OoPEs) 240
- representative examples 238–240
- phenyl vinyl sulfoxide 99
- phosphaalkene, anionic polymerization of 101
- phosphonic acid-functionalized polyethylenes 591–592
- photochemical activation 560–561
- photoirradiation, polyrotaxanes preparation by 1125
- π -complex 164
- π -conjugated polymers 1121
- π -polymer 110
- plasmids and catenated nucleic acid architectures, from circular DA molecules 1104–1108
- p*-methoxystyrene (*p*-MeOSt) 783–784
- p*-methylstyrene (*p*-MeSt) 782–783
- Poisson–Boltzmann equation 767
- polyacetylene synthesis, by thermal degradation 100
- poly(acrylic acid) (PAA) 834
- polyaddition 462–466
- poly(alkyl isocyanate)s 100
- poly(3-alkyl)thiophene (P3AT) 156
- polyamides and polyurethanes 1120
- poly(amidoamine) (PAMAM) dendrimer 863–864
- polyarylenes 628, 637, 639
- polycarbosilane and polycarbosiloxane elastomers, latent reactive 592–593
- polycatenanes 487–488
 - catenane structures in polymer networks 521–524
 - classes of 488–489
 - main-chain
 - – linear polycatenanes 489–490
 - – main-chain poly[2]catenanes 490, 492–508
 - polymeric catenanes 515–521
 - properties of 525–526
 - side-chain 508, 510–515
- poly(chloroethyl vinyl ether) (PCEVE) 278
- polycondensation 466
- polycyclic aromatic hydrocarbons (PAHs) 386–399, 409
 - versatile synthesis of triangle-shaped 390
 - with zigzag peripheries 389
- poly(cyclooctene) (Vestenamer 8012[®]) 579
- polydispersity 16, 138, 1149
 - index (PDI) 567, 648, 940, 1142
 - multidimensionality 726–731
- polyesters 686
 - enzymatic synthesis of functional materials of 691–695
 - polycondensation of dicarboxylic acid derivatives and glycols to 686–689
 - ring-opening polymerization to 689–691
- poly(ϵ -caprolactone)s (PCLs) 834, 940
- polyethylene 16, 26
- poly(ethylene glycol) (PEG) 681, 1116, 1117
- poly(ethylene oxide) (PEO) 317, 323, 324, 331, 823, 832–834
- poly(3-hexyl)thiophene (P3HT) 156, 157, 162, 163, 166, 167, 169, 170, 173, 188, 189, 190
- poly(2-hydroxyethyl methacrylate) (PHEMA) 279, 286, 288, 290, 291, 932
- polyion complex micelles 1090
- polyisobutylene (PIB) 328, 777, 780–781, 787, 789, 794, 795, 800
- poly(macromonomer) 112
- polymerase chain reaction (PCN), DNA block copolymers and DNA networks generated by 1093–1100
- polymer brushes 809
- polymer chain-end control 37
- polymer colloids 449, 450, 467
- polymeric catenanes 515–521
- polymeric cylinders from self-assembly, as template 306–308
- polymer macrocycles 351, 352, 357, 364, 366, 369
- polymer networks 959–964
- polymer particle 759
- polymersomes 20–21
- poly([2-(methacryloyloxy)ethyl] trimethylammonium iodide) (PMETA1) 298
- poly(methyl methacrylate) (PMMA) polymers 91, 112, 116, 122, 123, 274, 295, 871, 932, 1022
- poly(*m,p*-phenylene)s and kinked polyarylenes 654–661
- poly(*N*-isopropylacrylamide) (PNIPAM) 94, 928, 957, 959
- poly(norborn-2-ene) (Norsorex[®]) 579
- polyolefin 18, 25, 27–30, 33, 42–44, 54, 588, 589, 590, 591, 592
- poly(oligo(ethylene glycol) methyl ether methacrylate) (POEGMA) 291, 304, 306
- polyols 692
- poly(oxy-2,6-dimethyl-1,4-phenylene) poly(phenylene oxide) (PPO) 682, 683
- poly(phenylene ethynylene)s (PPEs) 136
 - via ADIMET 138–143

- poly(phenylene-related polymers with integrated heteroatoms) 661–664
- poly(phenylene vinylene)s (PPVs) 901–902
 - chain-growth syntheses of 902
 - – Gilch synthesis 904–916
 - – nanoparticles 595
 - – sulfinyl and sulfonyl routes 903–904
 - – Wessling synthesis 902–903
 - step-growth syntheses of 902
- poly(*p*-phenylene) (PPP) 627, 651–654, 655
- poly(phenyl vinyl sulfoxide) 110
- polypropylene 26, 27, 36, 37–39, 42, 43, 53
- polyrotaxanes. *See* cyclodextrin-based polyrotaxanes
- polystyrene cyclization 360, 362
- polytetrahydrofuran (PTHF) 326, 327, 521
- polythioesters, lipase-catalyzed synthesis of 688
- polythiophenes 155–157
 - copolymers
 - – block copolymers 190–193
 - – random and alternating 188–189
 - by Kumada cross-coupling 158–165
 - – catalyst influence on regioselectivity 174
 - – end group modification 186–188
 - – initiation and catalyst transfer propagation 165–172
 - – mechanistic studies 172–174
 - – non-thiophene monomers 184–186
 - – thiophene-based monomers 174–184
 - polyurethanes 462, 463
 - poly(vinylferrocene) 100
 - porcine pancreatic lipase (PPL) 689, 692
 - porous coordination polymers (PCPs) 1017
 - nanochannels and polymerizations 1018–1019
 - one-dimensional channels and polymerizations 1019
 - – polymerizability and molecular weight 1019–1020
 - – reaction sites control 1020–1021
 - – stereocontrols 1021–1023
 - polymer synthesis in higher-dimensional channels of 1023
 - – layered polymer 1023–1024
 - – porous polymer 1024–1025
 - porphyrin 864
 - positive-type photoresist systems 681
 - Potts method 251–252, 253
 - precipitation nucleation 761
 - prepolymers 463
 - protective strategy 85, 86, 92, 93
 - protodeboronation 637
 - *Pseudomonas aeruginosa* 986
 - *Pseudomonas fluorescens* 688
 - pseudorotaxane 489
 - *Pycnoporus coccineus* (PCL) 680
 - *Pyrococcus woesei* 1104
- q**
 - quasi-living polymerization 163
 - quaterylene diimides 401
- r**
 - racemic β -sheets in α -amino-acids in aqueous solutions 224–226
 - radiation-induced polymerization 457–458
 - radical chain polymerization 903, 904, 908, 909, 910–911, 913
 - radical desorption
 - effective 757
 - equilibrium 756–757
 - net 757
 - simple 756
 - radical polymerization 431, 450–457
 - controlled 432–433, 457
 - solution free 431–432
 - radical polymerization kinetics 746–747
 - average number of radicals per particle
 - – molecular absorption and radical capture 754–756
 - – molecular desorption and radical exit 756–758
 - macroscopic kinetics 747–750
 - monomer concentration inside particles 750–753
 - number of particles
 - – particle aggregation 765–770
 - – particle formation 759–765
 - random and alternating copolymers 188–189
 - random and gradient copolymers 284–285
 - reactive polyesters 694
 - redispersion microreactor 650
 - regiochemical isomers, by 3-alkylthiophene polymerization 156
 - repetitive oligomers 253
 - reversed-phase chromatography (RPC) 534
 - reversible addition-fragmentation polymerization (RAFT) 318, 324–325, 328, 356, 362, 363, 368, 457, 601–602, 827, 937, 959
 - hetero-Diels–Alder (RAFT-HDA) approach 619, 621
 - sequential design
 - – block copolymers 608–614
 - – end-group chemistry 615–618

- functional monomers 604–608
 - ligation protocols 618–623
 - modular design 614
 - molecular weight range 602–604
 - reversible-termination (RT) mechanism 68
 - rigid-rod polymers 849
 - ring-chain equilibrium mechanism 1060
 - ring closure 359, 367
 - ring-expansion approach 364–369
 - ring-expansion metathesis polymerization (REMP) 366, 367, 1144
 - ring-opening metathesis polymerization (ROMP) 271, 276, 333, 334–335, 341, 459, 547–548, 957, 998, 999, 1000, 1142
 - latent initiators of 559
 - photochemical activation 560–561
 - thermal activation 559–560
 - living 561–562
 - alternating copolymerizations 572–573
 - applications in material science 579
 - with Grubbs and Grubbs–Hoveyda-type initiators 566–568
 - of high-and low-ring-strain monomers 568, 569
 - in ionic liquids 577–579
 - mechanistic investigations 570, 572
 - with $M(NR)(CHCR')(OR'')_2$ -type Schrock initiators 563–566
 - polymerization mechanism changes 573, 575, 576
 - special features of selected Ru-based initiators 568
 - stereoselective and regioselective 570, 571
 - in water 577
 - well-defined transition metal-based initiators for 548, 550
 - Grubbs- and Grubbs–Hoveyda-type initiators 553–556
 - $M(NR)(CHCR')(OR)(X)$ -type Schrock initiators ($X = \text{Pyrrolide}, 2,5\text{-Me-Pyrrolide}$) 552–553
 - $M(NR)(CHCR')(OR'')_2$ -type Schrock initiators ($M = \text{Mo}, \text{W}$) 551–552
 - *N*-heterocyclic carbene variations 556
 - pseudo-halide derivatives of Grubbs- and Grubbs–Hoveyda initiators 556–559
 - ring-opening polymerization (ROP) 96, 97, 468–469, 689–691, 991–994, 1004–1005
 - ring polymer with branches (tadpoles) 533–534
 - ring walk mechanism 165, 170, 172
 - rotaxanes, containing cyclodextrins 1113–1114
 - rylene diimides 400
- s**
- scanning electron microscopy (SEM) 872, 1023, 1148
 - scanning force microscopy (SFM) 1097, 1098
 - scanning tunneling microscopy (STM) 864, 878, 879, 881, 882, 883
 - Schrock carbenes 974
 - Schrock catalysts 551
 - Schrock tungsten alkylidyne 137
 - selective polymerization 682, 691, 692, 693, 695
 - self-assembled monolayer (SAM) 844, 875
 - self-assembly 1057, 1067, 1068, 1074, 1075, 1081, 1083
 - self-condensing vinyl polymerization (SCVP) 705, 706, 707, 809
 - self-healing materials 1080–1083
 - sequential coupling process 944
 - shape-persistence 136, 143, 148
 - polymers 849
 - short-chain branching (SCB) 43
 - side-chain composition
 - block-type heterografted cylindrical brushes 290–291
 - core-shell-corona structure cylindrical brushes 288–289
 - core-shell diblock copolymer side chains 286–288
 - homopolymer side chains 286
 - side-chain polycatenanes 508, 510–515
 - side-chain polyrotaxanes 1125
 - polymers with alkyl chain 1125
 - polymers with aromatic groups 1126
 - single chain folding 1150–1152
 - site-transformation method 805
 - size-exclusion chromatography (SEC) 534, 536, 539, 541, 543, 721, 723, 724, 725, 726, 728, 729, 732, 733, 911, 1033, 1139
 - small-angle neutron scattering (SANS) 731, 732, 1148
 - small-angle X-ray scattering (SAXS) 731, 1079
 - Smoluchowski fast coagulation rate 769
 - Smoluchowski number 754, 755
 - sodium dodecyl sulfate (SDS) 456
 - solid-phase method 239–240
 - solid-state chemistry 200, 208, 214, 215, 222, 229

- solid substrates, polymerization on
 - 875–876
 - Solprene® 821
 - Solvay company 31
 - sorbitol 693, 694
 - soybean peroxidase (SBP) 682
 - spiro dicyclic polymers 535–537
 - spiro tricyclic and tetracyclic polymers 543
 - Staphylococcus aureus* 986
 - star-block copolymers 821
 - star-branched polymers 115–119
 - star-like polymers 819
 - core-first approach to 829
 - general methods for synthesis of
 - – arm-first method 822–824
 - – core-first method 827–829
 - – macromonomer approach 825–827
 - types 821
 - star polymers 623, 935–941
 - static light-scattering (SLS) 725
 - step growth polymerization 425–426, 475, 902
 - stereoblock polypropylene (sbPP) 27–28
 - stereoregularities 91, 94
 - steric stabilization 767–768
 - stilbazoles 407
 - stilbenes photocyclization 407, 408
 - styrene 782
 - derivatives 84–87
 - Styroflex® 821
 - Styrolux® 821
 - sulfinyl and sulfonyl routes 903–904
 - supernaphthalene 390, 393
 - supramolecular graft copolymers 595–596
 - supramolecular polymers 1057–1058, 1061–1065, 1078
 - based on hydrogen-bonding bis-urea motif 1066–1068
 - and chemistry 1058
 - materials 1077
 - – self-healing materials 1080–1083
 - – supramolecular block copolymers 1077–1080
 - mechanisms 1060–1061
 - photoswitchable 1072
 - in water 1068, 1070–1076
 - surface-assisted cyclodehydrogenation 409–415
 - surface-initiated polymerization and polymer brushes 809
 - surfmers chemical structure, for radical polymerization 456
 - Suzuki polycondensation (SPC) 627–630, 1135
 - performing
 - – molar mass determination 639–642
 - – monomer purity and stoichiometry 630–632
 - – polymerization and end-capping 632–635
 - – purification and side reactions 635–639
 - polyphenylenes and related polymers
 - – miscellaneous 665–667
 - – poly(*m,p*-phenylene)s and kinked polyarylenes 654–661
 - – polyphenylene-related polymers with integrated heteroatoms 661–664
 - – poly(*p*-phenylene)s 651–654
 - recent progress
 - – boron monomers 642–646
 - – catalysts 646–648
 - – chain growth 648–649
 - – halo- and related monomers 646
 - – microwave and technical-scale microreactor applications 649–651
 - syndiotactic polypropylene (sPP) 27, 36, 37, 38
 - syn-rotamer 564
 - synthetic bilayer membranes 871
- t**
- targeted delivery 20
 - telechelic macromolecules 926
 - telechelic polymers 531, 532, 533–534, 535, 536, 537, 539, 540, 543, 544, 694, 790–792, 927, 956, 957, 960–961
 - template-directed stepwise polymerization approach 490
 - TEMPO 321, 322
 - terminal deoxynucleotidyl transferase (TDT) 1100, 1102
 - terminal-functionalized polymers 694
 - TERMINI (for irreversible TERMinator multifunctional INItiator) 835
 - terrylene diimides 402
 - 4-(*tert*butyldimethylsilyloxy) styrene 86
 - tetrahydrofuran (THF) 85, 89, 157, 161, 184, 186, 188, 354, 457
 - 2,2,6,6-tetramethylpiperidine-*N*-oxyl (TEMPO) 903, 909, 911
 - thermal activation 559–560
 - thermal and mechanical responsiveness 1152–1153
 - thermolytic synthesis 856
 - Thermus aquaticus* 1095
 - thienyl lithium 159

- thiol-ene
 - click chemistry 945, 960
 - coupling 924-925, 952, 964
 - reactive polymer chains 960
 - thiophene-based monomers 174-184
 - thiophene dimers and trimers 171
 - thiols 685
 - 3-D crystals, absolute asymmetric polymerization in
 - attempted amplification of homochirality 212-213
 - planning and materialization 207-211
 - through-space asymmetric polymerization, in inclusion complexes and liquid crystals 200-202
 - "tolane-bis-benzyl" (TBB) defect 905, 913
 - topoisomerases 1105
 - topoisomers 1104
 - topological polymer 531, 532, 534, 535, 536, 537, 538, 540, 541, 542, 543
 - transformation reactions 320-321
 - involving anionic and cationic polymerizations 329-333
 - involving anionic and controlled radical polymerization 321-325
 - involving cationic and controlled radical polymerization 326-329
 - involving metathesis polymerization 333-335
 - involving same polymerization mechanism 337-338
 - involving Ziegler-Natta polymerization 335-337
 - transmission electron microscopy (TEM) 1079
 - tricyclic and tetracyclic polymers 537-538
 - bridged tricyclic polymers 538-543
 - fused tricyclic polymers 538
 - spiro tricyclic and tetracyclic polymers 543
 - 2-triisopropoxysilyl-1,3-butadiene 89
 - 2,4,6-trimethylstyrene (TMeSt) 783
 - tubular polymers 1126
 - two-dimensional liquid chromatography (2D-LC) 729-730
 - two-dimensional polymers 841-846, 857-860, 886-890
 - approaches to
 - - polymerization at gas/liquid and liquid/liquid interfaces 860, 862-870
 - - polymerization in layered monomer assemblies 873-875
 - - polymerization in layered templates 870-873
 - - polymerization on solid substrates 875-876
 - - thermolytic synthesis 856
 - general synthesis on rational synthesis of 852-858
- u**
- ultrathin film 845
 - ureido-pyrimidinone (UPy) 1058, 1059, 1062, 1063, 1064, 1084
 - urushi 685
 - urushiols 685
- v**
- Vanzo equation 752
 - vinyl acetate (VAc) 606
 - vinyl esters 688
 - vinyl ethers 785-786
 - vinyl monomers 81
 - anionic polymerizability of 82
 - vinylpyridines 89-90
- w**
- Wessling route 902-903
- x**
- xanthine oxidase (XO) 683
 - X-ray photoelectron spectroscopy (XPS) 456, 458
 - X-ray powder diffraction (XRPD) 1023, 1024
- z**
- zeolites 1013-1014
 - Ziegler catalysts 16
 - Ziegler-Natta (ZN) catalysts 28, 30-31
 - fifth generation 34
 - first generation 31
 - fourth generation 33
 - second generation 31
 - solution-soluble 37
 - third generation 32-33
 - Ziegler-Natta polymerization 335-337

