

Index

a

AC (alternating current) calorimeter 194f, 217
 Accelerating rate calorimeter (ARC) 198, 204
 Accuracy 133, 233ff
 Activation energy 39, 110, 264
 – phase transition 39
 Active measuring system 74
 Activity monitor 159f
 Actual value (controller) 128
 Adiabatic
 – calorimeter 68, 73, 75f, 77, **190**
 – – measured curve 86f
 – calorimetry 68
 – condition **75f**
 – flow calorimeter 199
 – reaction calorimeter 198, 204
 – scanning calorimeter 200
 – scanning condition 77
 – whole body calorimeter 169, 199
 Alternating current (AC) calorimeter 194f, 217
 Aluminum (heat capacity) 197
 Ammonia (gas-liquid transition) 138
 Amount of substance, measurement 19
 Aneroid 13
 – calorimeter 151
 Animal 10, 169, 256ff
 Aperiodic limit (controller) 130
 Apparatus function 103, 105, **106**, 169, 189, 232, 234, 243
 – Calvet calorimeter 166, 169
 – fluctuations 107
 – measurement 106
 Application of calorimetry 2f, 246ff
 Approximation, reversible 41
 ARC (accelerating rate calorimeter) 198, 204
 Arrhenius equation 110f

Artifacts 245f

Artificial nose 225

b

Bacteria 2, 259ff
 Balances 19
 Baseline 91ff, 98, 113, 121
 – DSC 98
 – drift 160, 231f
 – stability 242
 – step change 71, 98, 159
 Battery calorimeter 160
 Berthelot bomb 45, 58, 148
 Binary system 54f
 Biological studies 2, 10, 13, 82, 160, 186, 212, 225, 256ff
 – smearing of the measured curve 82
 Boersma method 181
 Boiling curve 55
 Boiling point 55
 Bomb calorimeter 132, 150
 Books on calorimetry 4
 Boundary conditions 31f, 38, 40, 44f, 56, 59
 Brönsted method 12
 Bunsen ice calorimeter 10, 135

c

Calibration 14, 15, 19f, 140, 146f, 155, 158, 163, 175, 188, 200, 239ff
 – enthalpy 241
 – factor 14, 97, 98f, 119, 154f, 157, 164, 170, 173, 180f
 – flow calorimeter 170
 – heat 239ff
 – heat flow calorimeter 157f
 – heat flow rate 224f, 239ff
 – material 241f
 – temperature 239, 241
 Caloric problems 246ff

- Calorie (unit) 3
- Calorific value of gas 2f, 265ff
- Calorimeter 125
 - 3 ω 195
 - AC (alternating current) 194, 217
 - accelerating rate (ARC) 204
 - adiabatic 75f, 86, **190**, 199
 - reaction 198, 204
 - scanning 200
 - aneroid 151
 - bomb 132, 150
 - calibration 239ff
 - Calvet **161**, 256
 - characteristics 132, 230ff, 239ff
 - contactless energy supply 196
 - heat exchange sample-surroundings 144f
 - linear temperature change of surroundings 178f
 - liquid-gas phase transition 137f
 - non-linear temperature change 186
 - phase transitions 134
 - reacting calorimeter substance 202
 - reaction vessel 144ff, 202
 - thermally isolated sample 190f
 - thermoelectric compensation 142
 - uncontrolled heat exchange 145
 - zero temperature difference against surroundings 197
 - characterization 132, 230ff, 239ff
 - chip 177, 214ff
 - choice 237ff
 - classification 131
 - combustion 13, 148, 265ff
 - compensation 9, 12, 74, 78, 141, 183
 - cooling methods 126
 - deformation 139
 - description 131
 - drop 151, 223
 - electric compensation 12, 141
 - evaluation 229ff
 - flash 220
 - flow 15, 170, 199
 - functional components 125
 - gas 266f
 - gas combustion 2f, 150, 177, 266f
 - heat flow 15, **178**
 - heating methods 126
 - high pressure 221f
 - high temperature 176, 201, 222f
 - ice 9, 135
 - isoperibol 175, 145, **154**
 - isothermal 174, **134**
 - large volume 160
 - liquid 13, 145, 151
 - low temperature 192
 - manufacturers 211
 - microchip 177, 214ff
 - mixing 145, 202
 - phase transition 9, 134
 - photo 206
 - power compensated 78, 99, **183ff**
 - pressure 206
 - quasi-adiabatic 201
 - reaction 202ff
 - relaxation 224
 - requirements 237f
 - scanning 76, 93f, 145, **178**
 - selection 238, 247f, 256, 259f, 262f, 265f
 - substance 13, 128, 134f, 151, 158, 202
 - system 125
 - testing 239ff
 - titration 132, 143
 - twin 69, 71, 156, 164, 168, 179
 - whole-body 169, 199
- Calorimetric bomb 135
- Calorimetry
 - adiabatic 68, 75, 190
 - application 246ff
 - books 4f
 - classification 131
 - conferences 5
 - definition 1
 - developments 213ff
 - examples 2
 - high pressure 221f
 - high temperature 222f
 - isoperibol 75, 154
 - isothermal 74, 134
 - journals 5
 - levitation 223
 - measuring principles 16
 - methods 9
 - microchip 214ff
 - modes of operation 73
 - nomenclature 131
 - scanning 93f, 178
 - trends 213ff
 - ultrafast 217ff
- Calvet calorimeter **161**, 256
 - theory 162f
- Cement calorimeter 207
- Certified reference material 241f
- Characteristics of calorimeters 132
- Characterization of calorimeters 132, 230ff, 239ff
- Charge (electric) 32

- Chemical composition 29
 - Chemical energy 32, 34, 40, 43, 45
 - Chemical potential 40
 - Chemical reaction 38, 45, 81, 109f, 261ff
 - kinetic parameters 109f, 263f
 - Chemistry, example 225, 261ff
 - Classification of calorimeters 131
 - construction principle 145
 - measuring principle 132
 - operation condition 73, 78, 132
 - Clausius-Clapeyron equation 39, 53, 138
 - Coefficient of convection heat transfer 65
 - Combined standard uncertainty 133
 - Combustion
 - calorimeter 58, 148
 - gas 2f, 177, 265ff
 - calorimetry, example 265ff
 - heat 10, 13, 58, 150
 - Compensation
 - calorimeter 9, 134
 - electric effect 12f, 134, 141
 - of the thermal effect 134
 - phase transition 9, 134f
 - Component of a thermodynamic system 47f, 52ff, 58
 - example 53ff
 - Compression energy 34f
 - Concentration 52, 54, 143, 170, 198
 - Condensation 50
 - Condition
 - adiabatic 75f, 190
 - isoperibol 75, 78, 154
 - isothermal 74, 78, 134
 - scanning 76, 78, 178
 - Conduction of heat 61
 - Conductivity, thermal 16, 62
 - Conferences (calorimetry) 5
 - Conservation of energy 43
 - Construction principle 125, 131
 - Contactless energy transfer 196f
 - Control
 - behavior 130
 - example 130
 - electronic 76f
 - system 128ff
 - Controller 128
 - Convection 64
 - Convolution 102
 - integral 102, 104, 106f
 - solution 105
 - theorem 105
 - Cooling, electric 12, 126
 - Copper (heat capacity) 197
 - Coverage factor 133
 - Creep case (controller) 130
 - Crucible 243f
 - Crystallization 219
 - Crystallinity
 - polyethylene 219, 247ff
 - polyethylene terephthalate 247ff
 - Curing reaction 262
 - Curve-normalization (measured effect) 103, 106
- d**
- Damping (controller) 129
 - Decomposition 109f
 - Deconvolution, *see*: Desmearing
 - Deformation 140
 - calorimeter 139
 - liquid-gas phase transition 139
 - calorimetry 139f
 - heat 140
 - tensor 31, 34
 - work 139
 - Degree of crystallinity 247ff
 - Degrees of freedom 32, 53f
 - Density of water 11
 - Desmearing 92, 93, 98, 101ff, 109, 161, 163, 167, 217, 232
 - application limits 107
 - error 107
 - procedure 105f
 - quality 107
 - resolution 107
 - Detection limit 133
 - Dewar flask 192
 - Dickinson formula 146
 - Differential (mathem.)
 - exact 33
 - total 33, 35
 - Differential measurement 69
 - Differential scanning calorimeter (DSC) 93ff, 178ff
 - measured curve 93
 - Differential thermal analysis (DTA) 181f
 - Dirac function 102, 189, 165
 - Displacement energy 34, 35
 - Drift 136, 191f, 231f
 - of baseline 160
 - of ice calorimeter 136
 - Drop calorimeter 151f, 223
 - examples 151, 152, 153
 - DSC (differential scanning calorimetry) 93ff, 178ff
 - heat flow 179

- measured curve 93f
- power-compensated 78, 99, 183ff
- measured curve 93f
- stepscan 189
- temperature modulated 187
- multifrequency 189
- DTA (differential thermal analysis) 181f

e

- Electric
 - compensation 134, 143
 - cooling 12, 126
 - energy 34
 - equivalent diagram (circuit) 162
 - field strength 34
- Electromagnetic field 152
- Electromotive force 22
- Emittance 66
- Energy 1, 33, 35, 57
 - equivalent 14
 - forms 32, 34
 - Gibbs free 37
 - stored 139
 - supply, contactless 196
 - transition 51, 57
- Enthalpy 33, 37, 45, 48, 58, 137, 154
 - calibration material 241
 - mixing 144, 175
 - transition 48, 57, 181
- Entropy 40, 42f, 46, 48, 50, 53, 56, 67
 - change 41, 43, 50
 - increase of 40, 67
 - maximum 40
- Enzyme thermistor 225
- Epoxy resin 262
- Equation of heat conduction 61
 - solution 61f
- Equilibrium, thermodynamic 38
 - criterion 40
 - condition 47
 - heterogeneous 47
- Equivalent diagram, electric 162, 167f
- Error 232ff
 - measurement 133
 - random 116, 133
 - sources 126, 142, 147, 196
 - systematic 116, 133
 - total 233f
- Evaluation 81ff, 109ff, 245
 - calorimeter 230ff
 - measured curves 81ff
 - measurement (examples) 248ff, 258, 260, 263f, 267

- Evaporation 140ff, 151, 159, 189
- Event function 103
- Exact differential 33, 35
- Example, illustrative calorimetric 213ff
 - biology 225, 256ff
 - chemistry 225, 261ff
 - combustion of gas 265ff
 - low temperature physics 224
 - material science 247ff
 - medicine 225f, 259ff
 - plasma physics 224f
- Expanded uncertainty 133
- Extension wires 27
- Extensive variables 34f
- External variables 32
- Extreme condition 40, 220ff

f

- Feedback control 130
 - Firms (manufacturers) 211
 - First law of thermodynamics 42
 - Flow measurement 21
 - Flow calorimeter 15, 144, 170
 - adiabatic 191
 - calibration factor 170
 - examples 175, 176, 177
 - high pressure 176
 - high temperature 176
 - isoperibol 170
 - isothermal 144
 - problems 175
 - quasi-adiabatic 170
 - Flow tube 170, 173
 - Fluids 144, 170f
 - heat of reaction 144, 174, 202
 - Foodstuffs (combustion heat) 150
 - Forms of energy 32, 34
 - Fourier transform 105
 - Free energy (Gibbs energy) 37
 - Freezing point 54
 - Frequency (temperature modulation) 186f, 194
 - Frequency factor (kinetics) 109f
 - Fuels 150, 177
 - Functions of state 31
 - Fundamental form 35, 37, 44, 56
 - calorimetry 36, 38
 - Furnace 73ff
 - Further reading 4f
- g**
- Gas combustion calorimeter 150, 177, 265ff
 - Gas-liquid phase transition calorimeter 137f

Gaseous substances 177, 199, 202

– gross heating value 150, 177

Gibbs function (Gibbs energy) 37, 39, 47f

– one-component system 48

Gibbs fundamental form 35

Gibbs phase rule 52

– examples 53f

Gibbs-Thomson equation 216

Grashof number 65

Green's function 103, 232

Gross heating value 150, 177

Guideline 229ff, 235ff

h

Heat 1, 3, 31f, 34

– calibration material 241

– combustion 10, 13, 58, 137, 148, 149f, 266ff

– deformation 140

– evaporation 138, 140

– formation 150

– fusion 70, 135, 153

– calibration material 241

– sample size dependence 216f

– mixing 143, 144, 170

– organisms 2, 10, 137, 169

– reaction 2, 9, 15, 31, 46, 144, 148, 158, 174, 202

– solution 12, 141, 202

– transition 11, 38, 56, 58, 113f, 134, 178

Heat balance equation 219

Heat capacity 13f, 44, 45, 145f, 151, 162f, 180,

187f, 190, 194, 196, 200

– apparent 187f, 189

– calibration material 242

– of a calorimeter 13, 146f, 151, 157, 171, 177

– complex 187f, 189, 194f

– fluids 172f, 175f, 199

– gas 199

– non-reversing 188

– reversing 188

– specific 1, 100, 109, 147, 170, 172, 191, 197

– total 188

Heat-conduction 61

– equation 61

– solution 61f, 63

– parasitic

– path 89, 92ff

Heat exchange

– sample-surrounding 144

– uncontrolled 145

Heat flux 61f, 63, 66

Heat flow rate 87ff, 101ff, 109, 113, 154ff, 161, 163ff, 179ff

– model calculation 84ff, 162f

Heat flow calorimeter 15, 155, 178

– baseline fluctuations 159

– Boersma type 181

– Calvet type 181

– calibration 157

– disc-shaped 182

– examples 159f

– function principle 156

– problems with 155, 159

– properties 155, 178

– theory of 155f

– time constant 157

Heat flow DSC 93, 179

– application 256ff

– measured curve 93f

Heat flow rate 15, 63

– calibration material 242

Heat leak 12, 14f, 61, 64, 66, 69f, 73, 87f, 96,

126, 134, 162, 171, 173, 190, 192

Heat pulse 88f, 106, 165ff, 189, 192

Heat radiation 65f

Heat relaxation 102

Heat shield 192

Heating rate 76, 99ff

Heat transport 61ff, 66, 81f, 86, 154ff, 172, 201

– conduction 61

– convection 64

– effect on baseline 98

– importance in calorimetry 68

– radiation 65f

– transfer 67

Helium, liquid 131, 192

Helmholtz function (Helmholtz energy) 37, 46

Heterogeneous

– equilibrium 47

– system 47

High pressure 176

– calorimetry 221f

High temperature 176, 201

– calorimetry 222f

Homogeneous system 47

Honeybee 257ff

Hornet 258f

Hydrogen, catalytic oxidation 225

i

Ice calorimeter 10, 135

– applications 137

Ignition 148ff

Illustrative example (calorimetry) 213ff, 246ff

Independent variables 32ff

Inert substance 98
 Infection diagnostics 225f, 259ff
 Integral, definite 35
 Intensive variables 34
 Internal variables 32
 Intrinsic noise (of sensor) 129
 Iron (heat capacity) 197
 Irreversible process 41, 46
 Isolated system 40, 46
 Isoperibol 75, 154, 170
 – calorimeter 75, 78, 89, 154, 170
 – with controlled heat exchange 154
 – measured curve 90ff
 – condition 75, 134, 145
 – definition 75
 – scanning condition 78
 Isothermal
 – calorimeter 73f, 78, 134, 265ff
 – with electric compensation 141
 – condition 74
 – flow calorimeter 144
 – titration calorimeter 143
 ITC (isothermal titration calorimeter) 143
 – applications 144
 IUPAC 240

j

Joule (unit) 3
 Joule effect 17, 126ff, 196
 Journals (calorimetry) 5

k

Kinetics 109f, 144, 174, 177, 198, 204
 Kinetic
 – analysis 111
 – data 110
 – energy 32, 34
 – model 263f
 – parameters (measurement) 109f, 261ff

l

Laplace, *see*: Lavoisier
 Laser beam 224f
 Latent heat 9, 56, 138, 149, 151
 Lavoisier ice calorimeter 10
 Laws of thermodynamics 42ff
 Leak, thermal, *see*: Heat leak
 Legal metrology 2
 Levitation calorimetry 223
 Limit of detection 133
 Linear
 – behaviour 105
 – response 102, 123

Linearity 106, 133, 232f
 Liquid
 – calorimeter 145
 – metals as calorimeter substance 153, 202
 – substances 145ff, 148f, 185
 Liquid-in-glass thermometer 23
 Living organism 2, 10, 135, 169, 256ff
 Long-time noise, *see*: Noise
 Low temperature calorimeter 192

m

Magnetic field 224
 Manufacturers (calorimeter) 211
 Material science 2
 – example 247ff
 Measured curve 81ff, 86, 98, 100, 104
 – adiabatic calorimeter 86
 – biological system 82
 – calorimeter types 86ff
 – chemical reaction 81, 109f
 – dependence on parameters
 – desmearing 101ff, 106
 – differential scanning calorimeter
 93f, 178ff
 – disturbances 108
 – endothermic process 97
 – evaluation 81
 – exothermic process 87, 97
 – heat pulse 90, 93
 – heat flow calorimeter 93
 – isoperibol calorimeter 88, 89
 – normalization 103, 106
 – phase transition 83
 – power compensated differential scanning
 calorimeter 99, 183
 – smearing of 81ff
 Measurement 229ff, 244f, 257, 260,
 263, 267
 – calorimetric problems 81
 – electric quantities 21f
 – error 116f
 – evaluation 245, 248ff, 258, 260, 263f, 267
 – interpretation 245f, 251f, 260f, 264, 268
 – material quantities 20
 – sample preparation 243f
 – temperatures 22f
 – thermodynamic state functions 43
 – uncertainty estimation 115ff, 119, 246,
 252ff, 259, 261, 265, 268f
 – variables of state 56
 Measuring
 – effect 9
 – error 133

- instruments in calorimetry 20
- principle 16, 131
- problem (characterization)
- system 73ff
- active 130f
- passive 132
- Medicine, example from 169, 259ff
- Melting 70
- Melting point 241
- reference material 241
- sample size dependence 216
- Metal, liquid 151f
- Metamorphosis, biological 256
- Metastable state 38f, 50
- Methane 267ff
- Microcalorimeter 132, 151, 160, 161
 - application 226
- Microchip
 - calorimetry 214ff
 - flow calorimeter 177
- Microorganisms 2, 259ff
- Mixing 160
 - calorimeter 145f, 202
 - applications 145
 - classic 145
 - calorimetry 13, 144, 147
 - enthalpy 144
- Mode of operation, *see*: Operation condition
- Model calculation 84ff
- Monographs (calorimetry) 4
- Multiphase systems 47

n

- Naming of calorimeters 131
- Nanocalorimeter 214ff
- Natural gas 265ff
- NBS-calorie 3
- Nernst-calorimeter 153, 191
- Nernst's method 192
 - contactless energy transfer 196
- Newton's law of cooling 65, 67
- Nickel (specific heat capacity) 197
- Nitrogen (gas-liquid transition) 131, 134, 139f, 184, 192
- Noise 129, 133, 160, 177, 179f, 183, 230ff, 242, 246
 - intrinsic 129
 - long-time 231f
 - short-time 231
- Nomenclature 131
- Non-steady state 181
- Normal (Standard) 241f

- Normalization of curves 103, 106
- NTC-resistor 26

o

- 3ω technique 195
- One-component system 48, 52, 53f, 56, 58
- Operation condition 73, 78
 - adiabatic 75f, 78, 190ff
 - adiabatic scanning 77, 200
 - isoperibol 75, 78, 145, 154ff
 - isoperibol scanning 78, 184
 - isothermal 74, 78, 134ff
 - modulated 145, 187
 - scanning 145, 178
- Organism (living) 2, 10, 135, 169, 256ff
- Oscillating case (controller) 130
- Oxygen 148

p

- Passive measuring system 74
- Path 32f, 39, 41f, 58
 - reversible 41, 43
- Peltier
 - coefficient 126
 - cooling 128
 - cooling power 128
 - effect 17, 28f, 126
 - power 126
- Phase 47
 - diagram 55
 - rule (Gibbs) 52f, 58
 - examples 53f
 - transition 9, 47, 50, 56f, 83, 111, 134ff
 - calorimeter 9f, 134
 - liquid-gas 138
 - one-component systems 48, 52f, 56
 - temperature 111
 - two-component systems 52, 54
 - variables of state (measurement) 56
- Photo calorimeter 206
- Picker calorimeter 175
- Pfaundler, *see*: Regnault
- Plasma 224f
- Platinum 176, 183f, 192
 - resistance thermometer 25, 183f
- Polyethylene 217, 248ff
 - crystallization 219
- Polyethylene terephthalate 219, 248
- Polypropylene 219
- Poorly adiabatic 88
- Potential function, thermodynamic 33, 34, 56
 - minimum 39, 47

- Power compensated calorimeter 78, 99f, 183ff
 - application 247ff, 261ff
- Precision 133
- Preexponential factor 110, 264
- Preset value (controller) 128
- Pressure 31, 32, 34, 54f, 58, 144, 149f, 169, 176
 - calorimeter 176, 206
 - measurement 21
 - perturbation calorimeter 206
- Principles of measurement 9, 131
- Privalov calorimeter 185
- Process 31ff, 41, 56
 - cyclic 33
 - irreversible 41
 - path 33, 35, 58
 - reversible 41
 - steady state 40
- Proceedings, conference 5
- p-T diagram 53f
- Pt-100-sensor (thermometer) 25f
- Pulse heating calorimeter 189, 201
- Pulse-like event (heat pulse) 88f, 106, 192
- Purity 29
 - determination 114f
- Pyrometer 23, 26, 153, 197, 201
- q**
- Quasi-adiabatic 73, 170, 201
- Quasi-isothermal 73, 134, 142, 169
- r**
- Radiation 65
 - heat transfer 65f
 - shield 66, 68, 146, 151, 155, 176, 191ff, 199
- Random error 133
- Raoult's law 55
- Reaction
 - analysis 109f
 - calorimeter 198, 202ff
 - chemical 45, 109f, 171, 174, 189f, 198, 202
 - kinetics 109f, 144, 177, 198, 204, 261ff
 - parameters 110, 264
 - order 110, 264
 - rate 109f, 261ff
 - vessel 134, 144–155, 173, 202ff
- Recursion method (desmearing) 105f
- Reconstruction
 - temperature field 101f
 - true thermal event 101ff
- Reference 70
 - junction (thermocouples) 27
 - material 70, 99, 102f, 241f
 - sample 70
- Regnault and Pfaundler correction method 88, 146, 150
- Relaxation, thermal 81, 154
- Relaxation calorimeter 224
- Regression, linear method
- Repeatability 133, 235, 245f
 - measurement 133
- Reproducibility 133, 235
- Resistance
 - NTC 26
 - thermal 64, 74ff, 92, 95, 144, 154–171, 181, 190–195
 - thermometer 25
- Resolution 133
- Resolution
 - measurement
- Response
 - calorimeter 103, 105
 - example 107
 - function 232, 234
 - linear (theory) 102
- Reversible 41
 - approximation 41
 - limit 41
 - path 41
 - process 41
- Reversing heat capacity 188
- Rotational energy 34
- s**
- Sample
 - container 243f
 - crucible 243f
 - deformation, *see*: deformation calorimeter
 - heat transfer 180
 - preparation 243f
 - size dependence 216f
 - temperature relaxation 81f
- Scanning
 - calorimeter 76, 93f, 145, 178
 - adiabatic 200
 - Boersma type 181
 - Calvet type 161, 181
 - power compensated 183ff
 - condition 76, 178
 - adiabatic 77
 - isoperibol 78
 - surroundings 77, 178
- Second law of thermodynamics 42f
- Selection of a calorimeter 238, 247f, 256, 259f, 262f, 265f

- Semiconductor thermometer 23, 26
- Sensitivity 11, 13f, 129, 133–198, 230
 - controller 129
 - ice calorimeter 135f
 - measurement
- Separation (into subsystems) 51
- Set value (controller) 130
- Short-time noise, *see*: Noise
- Silicon
 - chip 214ff
 - membrane 214ff
- Single-component system 47
- Smearing
 - biological thermal effects 82
 - measured curve 63, 71, 102
 - thermal event 71
- Solution calorimeter 202
- Space of states 33, 39, 41, 48
- Space craft 224f
- Specific heat capacity 1, 13f, 147, 170, 172, 191, 197
 - fluids 170, 175
 - gases 199
 - low temperatures 191
 - measurement 10, 14, 100, 109
 - Nernst method 192
- Stability, chemical 109f
- Stable state 49, 60
- Standard
 - enthalpy of formation 148
 - material 241f
 - reference substances
 - uncertainty 133
 - combined 133
 - variables 33, 36
- State 31
 - aggregation 47
 - equation 32
 - equilibrium 38, 41
 - final 33
 - function (thermodynamic) 32, 42
 - measurement 43
 - initial 33
 - metastable 38f
 - space of 33, 39, 41, 48
 - stable 49, 60
 - unstable 51
 - variables 32, 38
- Steady state 40, 129f, 140, 154ff, 179
- Steam table calorie 3
- Stepscan DSC 189
- Stirrer
 - correction
 - heat generation 12
- Stored energy 139
- Stress tensor 31, 33
- Subsystems 40f
- Supercooling 50, 51, 223
- Superheating 50, 51
- Superposition principle 104f, 107
- Surface
 - coefficient of heat transfer 67
 - energy 34f, 50
- Surroundings 73ff
- System
 - binary 55
 - description 36f, 41
 - heterogeneous 47
 - homogeneous 47
 - isolated 40, 46
 - multiphase 47
 - one component 48, 52, 53f
 - ternary 55
 - thermodynamic 31, 42
 - two component 52, 54f
- Systematic error 133
- t**
- Temperature 22, 31, 33
 - absolute 23, 28, 43
 - calculation 63, 85
 - calibration material 241
 - differences (measurement-method) 13ff
 - field 61ff, 85, 94, 101
 - local 15
 - measurement 22, 23
 - relaxation 81, 88
 - scale 23
 - time-dependent 13, 178
- Temperature modulated DSC 187
- Terminology 230ff
- Ternary system 55f
- Testing of calorimeters 239ff
- Theory
 - Calvet calorimeter 163ff
 - heat flow calorimeter 178ff
- Thermal
 - conductance 66
 - conductivity 16, 62, 178ff
 - effect 9
 - leakage, *see*: Heat leak
 - resistance 64, 74ff, 92, 95, 142, 155–171, 181, 190–195
- Thermistor 26, 175
- Thermocouple 27f, 126f
 - electromotive force 22, 28, 127

- extension wires 27
- reference junction 28
- reference thermostat 28
- series connection 27f
- Thermodynamic
 - boundary conditions 38, 40f, 44f, 47f, 59
 - equilibrium 38
 - fundamentals 35
 - laws 42
 - potential functions 35, 47f, 50, 56
 - measurement 56
 - potentials 33, 35
 - process 32
 - state functions 43, 56
 - state 32
 - system 31, 42
 - thin films 216f
 - variables 31
- Thermoelectric
 - compensation (calorimeter) 142
 - effect, *see*: Peltier effect
- Thermometer 23
 - gas 24
 - liquid in glass 23
 - platinum resistance 25
 - resistance 25
 - semiconductor 26
 - vapor pressure 24
- Thermopile 27f, 142f, 156, 161f, 177, 181, 185f
- Thermostat 126, 128, 131, 142–205
 - thermocouple reference junction 28
- Thermovoltage 28
- Third law of thermodynamics 43
- Three-component system 55
- Tian
 - calorimeter 142
 - equation 163
- Time
 - constant 88, 93, 102, 109, 129, 142, 155–188, 218, 238
 - adiabatic calorimeter 86f, 190ff
 - Calvet calorimeter 166ff
 - DSC 178ff
 - flow calorimeter 170ff
 - isoperibol calorimeter 93, 154
 - lag 81, 86, 88, 171
- Titration calorimeter 132, 143f
 - isothermal 143
- Total differential 33
- Total error 116
- Transition (phase) 9, 47, 50, 56f
 - energy 57
 - enthalpy 57
- Trends in calorimetry 213ff
- Twin
 - calorimeter 69, 71, 156, 162, 168, 179
- design 94, 96, 98, 111, 143, 154ff, 160, 175ff, 183
- Two-component system 52, 54f
- Two-phase system 48f, 50f
- u**
- Ultrafast calorimetry 218f
- Uncertainty 133
 - desmearing 107
 - estimation 115ff, 246, 252ff, 259, 261, 265, 268f
 - example 119
 - random 235
- Unexpected phases 56
- Units XV, 3
 - conversion 3
- v**
- Vapor
 - calorimeter 137ff
 - pressure 25, 145
 - thermometer 23, 24
- Variables 31
 - extensive 34f
 - external 32
 - independent 32
 - intensive 34f
 - internal 32
 - standard 33
 - state 31, 32, 38
 - measurement 43, 56
 - thermodynamic 31
- Volume 20, 34
 - measurement 20
- w**
- Water
 - density 11
 - gas-liquid transition 138
 - value 14, 82, 147
- Weighing 20
- Whole-body calorimeter 169, 199
- Work, mechanical 32, 34, 53, 58, 139
- z**
- Zeroth law of thermodynamics 42