

# Subject Index

## A

$A_n$  spin system 32  
 $A_2B_2$  spin system 123  
 $A_2X_2$  spin system 123  
 $AA'BB'$  ( $[AB]_2$ ) spin system 70, 124  
 $AA'XX'$  ( $[AX]_2$ ) spin system 124  
 $AB$  spin system 74, 77, 118, 315, 320  
 $AB_2$  spin system 120  
 $ABC$  spin system 125  
 $ABX$  spin system 121  
 $AK_2$  spin system 120  
 $AMX$  spin system 31, 121  
 $AX$  spin system 27, 116  
 $AX_2$  spin system 29, 120  
 $AX_n$  spin system 30  
Absolute value 15, 264, 265  
– see also Magnitude spectrum  
Absorption 7  
– signal 15  
Abundance, isotopic 3  
Accumulation 16, 35  
Acetylacetone 68  
– keto-enol Tautomerism 334  
Acetylation 146, 160  
Acetylene, magnetic anisotropy 48, 42, 66  
Acid anhydrides 68  
Acids 59, 68  
Acquisition time 17  
Activation energy (Arrhenius,  $E_A$ ) 320  
Activation enthalpy ( $\Delta H^\ddagger$ ) 321  
Activation enthalpy, free ( $\Delta G^\ddagger$ ) 321  
Activation entropy ( $\Delta S^\ddagger$ ) 321  
Activation parameters, limits of error 322  
Additivity (of substituent effects)  
– see Substituent increments 141 ff.  
Alcohols 59, 147, 335  
Aldehydes 48, 58, 67, 95, 327  
Alkali metals 40, 81  
Alkali earth metals 40, 81  
Alkanes 54, 59, 141, 154, 176  
Alkenes 49, 56, 63, 142, 157  
Alkynes 49, 57, 66, 96  
Allenes 66, 96  
Allowed transitions 7, 118, 299  
 $\alpha$ -effect 62

Amides, hindered rotation in 327  
Amidines, hindered rotation in 328  
Amines 59, 350  
Amino acids 69  
Aminoboranes, hindered rotation in 328  
Amplification factor (NOE) 211, 216, 221  
– see also Enhancement factors 301  
Amplifier 21  
– see Pulsed NMR Spectrometer 18  
Angular momentum (of nucleus) 2  
Anisotropy effects (on  $\delta$ ) 47, 146  
Annulene, [18]- 50, 332, 334  
APT – see Attached proton test 206  
Arenes 49, 56, 64, 95, 100, 143, 158  
Aromaticity 50  
Arrhenius equation 320  
Assignment of  $^1H$  and  $^{13}C$  signals 139 ff.  
Asymmetrical atom 75, 329  
Atropisomerism 76  
Attached proton test (APT) 187, 206, 294  
– see also Spin-echo, J-modulated  
Average excitation energy ( $\Delta E$ ) 45

## B

Back-folding 21  
Base pairs 361  
Benzene 49, 52, 100  
– disubstituted 70  
– isotope effect (deuterium) 51  
– ring current 49  
– solvent anisotropic 51  
 $\beta$ -effect 62  
Biopolymers 360 ff.  
Biosynthesis studies 355 ff.  
BIRD sequence 225  
Bloch equation 13, 178  
Boltzmann constant 6, 321  
Boltzmann distribution 6  
Bond angle and  $J(H,H)$  87, 87  
Boron ( $^{10}B$ ,  $^{11}B$ ) NMR 38, 79  
Broad-band decoupling  
– see Decoupling,  $^1H$  broad band 134  
Brownian motion 46  
Bullvalene, valence tautomerism 333

## C

Calcium NMR ( $^{43}\text{Ca}$ ) 81  
Carbohydrates 93, 146, 337  
Carbon, isotopes of 3  
Carbonyl group, magnetic anisotropy of 49  
Carr-Purcell pulse sequence 179  
Carr-Purcell-Meiboom-Gill pulse sequence 388, 390  
 $\text{C},\text{H}$ -COSY 255 ff. – see also HETCOR  
Chair conformation, cyclohexane 92, 323  
Charge density 44  
Chemical equivalence 114  
Chemical exchange – see Dynamic NMR Spectroscopy 313  
Chemical shift 22, 43 ff.  
– anisotropy (CSA) 46  
– averaging of 46, 51, 60, 313 ff.  
– definition 24  
–  $\delta$ -scale 24  
– dependence on  
– – anisotropic neighbors 47  
– – charge density 44  
– – electric field 47, 51  
– – hydrogen bonding 51, 146  
– – pH 378  
– – magnetic field strength 4  
– – ring current effects 49, 331  
– – solvent 47, 51, 69, 146, 161  
– – substituents 47, 53 ff.  
– – temperature 146, 161  
– empirical correlations for predicting 141, 154  
– heavy atom effect on 62, 65, 65, 66  
– reference 24, 26  
– typical values for  
– –  $^{13}\text{C}$  45  
– –  $^1\text{H}$  44  
Chiral molecules 72, 150  
Chiral shift reagents 150  
Chiral solvents 152  
Coalescence temperature 314  
Cobalt NMR ( $^{59}\text{Co}$ ) 40  
Complex formation 147  
Complex pulse sequences 187 ff.  
Composite pulses 134  
Computer 21, 125  
– programs for  
– – DNMR spectroscopy 308  
– – spectrum analysis 125, 161  
Conformational analysis 90  
Connectivities 233, 265  
Contact interaction 147  
– see also Fermi contact term  
Continuous-wave (CW) method 8  
Contour plot 244

Contrast agent ( $\text{Gd}^{3+}$ ) 391  
Coordinate system, rotating 10  
Cope rearrangement 333  
Copolymers 348  
Correlation peaks 264 – see also Cross peaks  
Correlation time 169  
COSY (correlated spectroscopy) 254 ff.  
– see also  $\text{C},\text{H}$ -,  $\text{H},\text{C}$ -,  $\text{H},\text{H}$ -COSY  
– reverse 271  
Coupling – see Spin-spin coupling 26, 85 ff.  
Coupling constant, indirect or scalar 26, 85 ff.  
– absolute value 86  
– averaged 90 ff.  
– correlation between  $J(\text{C},\text{H})$  and  $J(\text{H},\text{H})$  101  
– direct 27, 350  
– residual 136  
– sign 33, 86, 88, 104, 117, 122  
– – definition 117  
Cross peaks 264  
Cross-polarization, -relaxation 194, 286, 288, 351  
Cryomagnet 9  
CW (Continuous wave) method 8  
Cycloalkanes 55, 62, 88, 92, 97  
Cycloalkenes 98  
Cyclohexane ( $d_{11}$ )  
– coupling constants 92, 96  
– ring inversion 323, 330  
Cyclopropane 55, 62, 87, 88, 93, 97

## D

2D NMR spectroscopy – see Two-dimensional NMR spectroscopy 239 ff.  
Data  
– accumulation 16  
– acquisition 17  
– banks 161  
– points 35  
– storage 17  
Decay curve 14 – see also FID  
Deceptively simple spectra 126  
Decoupling 129, 145, 159  
– gated 135  
–  $^1\text{H}$  broad-band 134  
–  $^1\text{H}$  off-resonance 136, 294  
–  $^1\text{H}$  selective 137, 145, 159  
– heteronuclear 133  
– heteronuclear selective 137  
– homonuclear 130  
– inverse gated 135  
– with composite pulses (CPG) 134  
Degassing 173, 184, 305  
Delay time 170, 195  
 $\delta$ -scale 24, 377  
DEPT 226 ff., 294

Detection 21  
 Detector, phase-sensitive 20  
 Deuteration 52, 60, 74, 145, 160, 174, 323  
 Deuterium NMR ( $^2\text{H}$ ) 17, 40, 52, 78  
 Deuterium isotope effects 52  
 Diads 344  
 Diagonal peaks 264  
 Diamagnetic shielding term 44  
 Diastereomers 72  
 Diastereotopic groups (or protons) 74, 344  
 Difference spectroscopy (NOE) 307  
 Digitization 21  
 Dihedral angle 89, 99  
 Dimethylformamide  
   – NOE 297, 306  
   – DNMR 313, 319, 321  
 Dipolar coupling 26, 239, 284, 301  
 Dipolar relaxation 168, 299  
 Dipol, nuclear 2  
 Directional quantization 4  
 Dispersion signal 15, 264  
 DNA (deoxyribonucleic acid) 365  
 Double cone for  
   – precession 4, 6, 12  
   – magnetic anisotropy effects 48  
 Double helix 366  
 Double quantum coherence 234, 289  
 Double quantum transition 8, 234, 299  
 Double resonance experiments 129 ff.  
 Dynamic NMR Spectroscopy (DNMR)  
   313 ff.

**E**

Echo 179, 199, 208 – see also Spin-echo  
 Effective magnetic field 22  
 Electric field effects (on  $\delta$ ) 47, 51  
 Electric quadrupole moment ( $Q$ ) 3, 40, 106, 350  
   – see also Relaxation 169; Line-width 183  
 Electromagnet 9  
 Electron-nuclear coupling 103  
 Electronegativity effects 54, 89, 94  
 Emission 7, 211  
 Enamines, hindered rotation in 328  
 Enantiomers 72 – see also Chiral molecules  
 Enantiotopic groups 74  
 Energy  
   – activation ( $E_A$ ) 320  
   – levels 6, 116, 298  
   – of magnetic dipoles 5  
 Enhancement factors 301  
 Enrichment,  $^{13}\text{C}$  160, 356 ff.  
   – see also Isotopic labeling  
 Enthalpy of activation ( $\Delta H^\ddagger$ ) 321  
   – free ( $\Delta G^\ddagger$ ) 321

Entropy of activation ( $\Delta S^\ddagger$ ) 321  
 Entropy process 178  
 Equilibration processes 337  
 Equilibrium 6, 167  
   – constant 322  
 Equivalence 70  
   – chemical 114  
   – magnetic 114  
 Ethane, derivatives  
   – chemical shifts 54, 62  
   – hindered rotation 322  
   – vicinal coupling 89  
 Europium(III) chelate complex 147 ff.  
 Ethanol, proton exchange 335  
 Evolution phase 241  
 Exchange 60, 284 – see Dynamic NMR Spectroscopy 313  
   – intermolecular 316, 324, 335  
   – intramolecular 313 ff.  
 Excitation energy, average ( $\Delta E$ ) 45, 49, 66  
 EXSY 284, 335  
 External standard 25  
 Eyring equation 321

**F**

Fermi contact term 103  
 FID (Free induction decay) 14  
 Field  
   – frequency stability 17  
   – gradients, linear 195  
   – homogeneity 17, 20  
   – inhomogeneities 17, 178, 184  
   – sweep 8  
 First-order process 168, 314  
 First-order spectrum 33  
 Fluorine ( $^{19}\text{F}$ ) 39, 80  
 Flux density, magnetic 4, 9  
 Folding 21, 39  
 Forbidden transitions 8, 234, 299  
 Fourier transformation 14  
   – two-dimensional 243  
 Four-spin systems  
    $(\text{A}_2\text{B}_2, \text{A}_2\text{X}_2, \text{AA}'\text{BB}', \text{AA}'\text{XX}')$  124  
 Free induction decay (FID) 14  
 Frequency  
   – domain spectrum 15  
   – sweep 8  
 FT – see Fourier transformation 14

**G**

$\gamma$ -effect 62  
 Gated decoupling 135  
 Geminal coupling 87, 99

- Glucose 92, 337  
 Gradient  
   – phase 382  
   – read 382  
   – slice selecting 382  
 Gradient-echo experiment 198  
 Gradient, pulsed field 195 ff., 382  
 Gradient-selected (gs-)HMBC 276  
 Gradient-selected (gs-)HMQC 276  
 Gradient-selected (gs-)TOCSY 282
- H**
- Half-heigh width 35, 183  
 Hammett constants 65, 154  
 H,C-COSY 271  
 H,D coupling 105  
 Heavy atom effect 62, 65, 66  
 Heisenberg's uncertainty principle 183  
 Heteronuclear couplings 107 ff.  
 Heteronuclides  
   – see “Other” Nuclides 38, 78, 107  
 HETCOR (C,H-COSY) 255 ff.  
 Heterotactic triads 346  
 H,H-COSY 263 ff., 294  
   – long-range 269  
 High-resolution NMR 1  
   – of solids 46  
 Hindered rotation 76, 313, 325 ff.  
 HOHAHA 230 – see also Selective TOCSY  
 Homogeneity, field 17, 20  
 Homonuclear decoupling 130  
 Homotopic groups 74  
 Hückel rules 50  
 Hund’s rule 104  
 Hybridization and coupling constants 86, 87, 97  
 Hydrogen bonding 60, 69, 334  
 Hydroxyl proton/group 60, 146, 176, 334, 335  
 HMBC (gs-) 276  
 HMQC 271  
 HSQC 271
- I**
- Imaginary part of signal 16  
 INADEQUATE  
   – one-dimensional 233 ff., 294  
   – two-dimensional 289 ff., 294  
 Incremental relationships 54, 140 ff.  
   – see also Substituent increments  
 Inductive effects 43, 54, 98  
 INEPT 213 ff.  
   – refocussed 216  
   – reverse 221  
 Inhomogeneity, field 178, 184
- Inensitive nuclides 2, 9, 16, 210  
 Integral, Integration 34  
 Intensities in multiplets 31  
 Intensity 34  
   – of  $^{13}\text{C}$  signals 35  
   – of  $^1\text{H}$  signals 34  
   – enhancement through NOE 36, 301  
 Interferogram (FID) 14  
 Internal standard 24, 78  
 Inversion  
   – of ring compounds 323, 330  
   – at N and P atoms 329  
 Inversion recovery method 170  
*In vivo* experiments 375 ff.  
 Iron NMR ( $^{57}\text{Fe}$ ) 38, 82  
 Isochronous nuclei 75, 115  
 Isotactic polymers, diads, triads 344  
 Isotope effects 51, 160  
 Isotope-selective pulse 223  
 Isotopic abundances 3  
 Isotopic labeling 40, 100, 160, 356, 370  
   – double ( $^{13}\text{C}$ ) 358  
 Iteration 125
- J**
- J-modulated spin-echo 199 ff., 294  
 J-values 85 ff. – see Spin-spin coupling
- K**
- Karplus relationship 90, 365  
 Keto-enol tautomerism 68, 334  
 Ketones 67  
 Kinetic measurements – see Dynamic NMR spectroscopy 313 ff.
- L**
- Labeling – see Isotopic labeling 160, 356  
 Lamb formula 44  
 Lanthanide shift reagents 147 ff.  
 Laocoon III program 318  
 Larmor precession frequency 4, 7  
 Lifetime  
   – in dynamic processes 317  
   – of spin state 106, 130, 183  
 Line broadening 106, 170 – see also Line-width  
 Line shape 15, 35  
   – analysis, complete 317  
   – Lorentzian 184  
 Line-width 35, 178, 183  
 Lock unit 17  
 Long-range coupling 85, 96, 100  
 Long-range COSY 263

Longitudinal relaxation 13  
LSR (Lanthanide shift reagents) 147 ff.

## M

Macromolecules 175, 343 ff.  
Magic angle 350  
Magic angle spinning (MAS) 350  
Magnesium NMR ( $^{25}\text{Mg}$ ) 81  
Magnet 9, 18  
Magnetic equivalence 114  
Magnetic flux density 4, 9  
Magnetic field  
– alternating 10  
– effective 22  
– gradients 195, 381 ff.  
– homogeneity/inhomogeneity 17, 178, 379  
– static 4  
Magnetic moment 2  
– induced 47  
Magnetic quantum number 4  
Magnetic resonance microscopy 385  
Magnetic resonance spectroscopy,  $^1\text{H}$  MRS 391 ff.  
Magnetic resonance tomography, imaging (MRI) 381 ff.  
Magnetization  
– macroscopic 6, 10, 162  
– transfer 211, 257  
– transverse 11, 190  
Magnetogyric ratio 2, 105, 211, 301  
– negative 40  
Magnitudes spectrum 15, 264  
MAS, magic angle spinning 350  
McConnell equation 48  
Mesomeric effects 46, 63  
Mesomeric limiting structures/  
  canonical forms 56, 65, 313  
Metabolites 376  
Mixing phase, time 241, 244, 261  
Molecular motions 46, 169, 306  
– anisotropic 176  
Molecular size, effect on  $T_1$  175  
Multiplets 26 ff. – see also Spin-spin coupling  
Multiplicity rules 30  
Multislice procedure 387  
Mutarotation 337

## N

Natural abundance 3, 233  
Negative signal 12, 265  
Newman projection formulas 75  
Nitrogen NMR ( $^{14}\text{N}$ ,  $^{15}\text{N}$ ) 38, 79

## NMR

– discovery of 1  
– dynamic (DNMR) 313 ff.  
– high-resolution 1  
– microscopy 385  
– pulsed 9  
– in solids 1, 27, 46, 349  
– tomography, imaging 381 ff.  
– two-dimensional 239 ff.  
NOE (Nuclear Overhauser Enhancement/Effect)  
  36, 169, 284, 297 ff., 363  
– dependence on  
  – gyromagnetic ratios 301  
  – internuclear distance 301  
  – difference spectroscopy 307  
  – indirect 302  
  – suppression of 37  
NOESY 284 ff., 294  
Noise 16  
– decoupling – see Decoupling,  $^1\text{H}$  broad-band 134  
Non-equivalent nuclei 114  
Nuclear magnetic resonance – see NMR  
Nuclear Overhauser effect/enhancement  
  – see NOE 297 ff.  
Nuclear spin 2  
Nuclei  
– chemically equivalent 114  
– equivalent 32, 70, 104  
– isochronous 75, 115  
– magnetically equivalent 114  
Nucleus  
– angular momentum of 2  
– magnetic moment of 2  
– spin of 2  
Nuclides  
– insensitive 2, 9, 210, 215, 310  
– properties of (table) 3  
– sensitive 2, 8, 210, 215  
Nyquist frequency 21

## O

Off-resonance decoupling 136  
Oligosaccharides 367 ff.  
Order of a spectrum 33  
“Other” Nuclides 36, 78, 107  
Overhauser effect (NOE)  
– electron-nuclear 298  
– nuclear 297 ff. – see also NOE  
Oxygen  
– dissolved 173, 184, 305  
– nuclear properties 3  
Oxygen NMR ( $^{17}\text{O}$ ) 36, 80

## P

Paramagnetic species 37, 147, 169, 173, 305  
– see also Lanthanide shift reagents;  
Oxygen, dissolved  
Paramagnetic shielding term 45, 66  
Parts per million, ppm 25  
Pascal's triangle 31  
Pascual-Meier-Simon rule 142  
Pauli exclusion principle 103  
Pentads 346  
Peptides 361 ff.  
Permanent magnet 9  
PFG 18, 195 – see Pulsed field gradient  
pH within the cells 379  
Phase coherence 12, 178  
Phase correction 16  
Phase cycle 223, 371  
Phase-sensitive detector/detection 20, 264  
Phenols 60  
Phosphorus NMR ( $^{31}\text{P}$ ) 38, 81  
– *in vivo* 377  
Planck constant 2  
Platinum NMR ( $^{195}\text{Pt}$ ) 82  
Point dipole model 48  
Polarization transfer 210 ff.  
Polymers, Synthetic 343 ff.  
Polynucleotides 365  
Populations (of Energy levels) 6, 12, 210 ff., 298  
Potassium NMR ( $^{39}\text{K}$ ) 81  
Precession 4  
– classical picture of 4, 6  
– frequency 4  
Preparation phase 232  
Presaturation 225  
PRESS (point resolved Spectroscopy) 392  
Probe-Head 19  
Prochiral center 77, 329  
Progressively connected transitions 118  
Projection, filtered back 382, 384  
Proteins 361 ff.  
Protein structures  
– sequence, primary 362  
– three-dimensional, secondary 363 ff.  
Protonation 51  
Proton exchange 335  
– alcohols 335  
– ammonium ions 337  
Pseudo-asymmetric carbon atom (in polymers) 344  
Pseudocontact interaction 147  
Pulse 9  
– angle 10  
– duration (length, width) 9  
– generator 9  
– “hard” 10

– power 36

– repetition rate or time 37  
– “soft” 232, 382

Pulsed field gradients (PFG) 18, 195, 225, 376, 381

Pulsed gradient Spin Echo Experiment 208 ff.

Pulsed NMR-spectrometer 18

Pulsed NMR Method 9

## Q

Quadrature detection 21

Quadrupolar broadening 106, 184

Quadrupolar relaxation 169

Quadrupole moment, electric 3, 40, 106

Quantitative analysis 35

Quantum number

– angular momentum 2  
– magnetic or directional 4

Quaternary carbon atoms/nuclei 136

## R

Radio-frequency (r.f.) field 7

Rate constant 284, 315, 317

Reaction pathways in biochemistry 355 ff.

Real part of signal 15

Receiver 20

– see The Pulsed NMR Spectrometer 18

Reduced coupling constant 136

Reference compound 24

Reference spectra 161

Regressively connected transitions 118

Relaxation 13, 167 ff., 298, 386

– agents 37

– by chemical shift anisotropy 168

– by paramagnetic species 37, 147, 169

– by quadrupolar nuclei 169

– by scalar coupling 168

– by spin rotation 168, 175

– dipolar 168, 174, 299, 301

– longitudinal (Spin lattice) 13

– mechanisms 168

– transverse (Spin-spin) 13

Relaxation time

– longitudinal or spin-lattice  $T_1$  36, 160, 168 ff., 386

– – measurements 160, 170

– transverse or spin-spin  $T_2$  177 ff., 386

– – measurements 179

Repetition rate/time (pulse) 35

Resolution 184, 375

– digital 36

Resonance 7

Resonance condition 7, 23, 382

- Reverse H,C-COSY 271  
 – HMBC (gs-) 276  
 – HMQC 271  
 – HSQC 271  
 Reverse INEPT 221  
 Ring current effects 49, 331  
 Ring inversion 323, 330  
 Ring size effects 95, 97, 175  
 ROESY 284 ff., 363, 370  
 Roof effect 28, 119  
 Rotating coordinate system 10  
 Rotation 174, 325  
 – hindered 76, 313, 326  
 – rapid 91, 326  
 Rotation barriers 326  
 Rotational isomers 75, 91
- S**
- Sample changer 19  
 Sample tubes, coaxial 19  
 Satellites in  
 –  $^{13}\text{C}$  spectra 233, 289  
 –  $^1\text{H}$  spectra 33, 126, 137  
 Saturation 7, 133  
 – transfer 130  
 Saturation Transfer Difference  
   NMR Spectroscopy (STD) 371  
 Scalar coupling 28 – see also Spin-spin coupling  
 Segmental mobility 176  
 Selection rules 8  
 Selective decoupling 137  
 Selective population inversion (SPI) 210 ff.  
 Selective TOCSY 230  
 Sensitive nuclides 2, 9, 210, 215, 301  
 Sensitivity 3, 187, 210, 376  
 Shielding anisotropy 46  
 Shielding constant 22 – see also Chemical shift  
 Shielding term  
 – diamagnetic 44  
 – paramagnetic 45  
 Shift reagents 147 ff.  
 Shim coils 20  
 Shoolery's rule 54, 141  
 Signal broadening 106, 147, 183, 313  
   – see also Line-width 183  
 Signal-to-noise ratio (S:N) 16  
 Silicon NMR ( $^{29}\text{Si}$ ) 82  
 Single quantum transition 8  
 Slice selection 382  
 Sodium NMR ( $^{23}\text{Na}$ ) 40, 81  
 Solid state NMR 349 ff.  
 Solvents  
 – chiral 152  
 – deuterated 132
- effects on  $\delta$  47, 51, 146, 161  
 – suppression of signals 132, 176  
 Spectral width 10, 36, 40, 80  
 Spectrometer  
 – CW 8  
 – pulsed 18  
 Spectrum  
 – accumulation 16  
 – first-order 33  
 – higher-order 33, 112, 126  
 – simulation 123, 124, 125  
 – zero-order 33  
 Spectrum analysis 111 ff.  
 – computer-aided 125, 161 ff.  
 SPI (Selective population inversion) 210 ff.  
 Spin (of nucleus) 2  
 Spin decoupling 130 – see Decoupling  
 Spin density (of unpaired electron) 147  
 Spin-echo 179, 199, 386  
 – J-modulated 199 ff.  
 Spin functions 5  
 Spin-lattice relaxation 13 – see also Relaxation  
 Spin-locking 193 ff., 232, 281, 287  
 Spin-orbit coupling 62  
 Spin-rotation relaxation 168  
 Spin-spin coupling  
 – H,H; C,H 26, 85 ff.  
 – dipolar/direct 27, 284  
 – equivalent nuclei 105  
 – geminal (H,H) 87, 99  
 – indirect 26, 28, 85 ff.  
 – long-range 96, 100  
 – mechanisms 103  
 –  $\pi$ -electron effects on 78  
 – reduced 136  
 – s-fraction effect on 97, 103  
 – sign of, definition 86, 104, 117, 122  
 – substituent effects on 94, 98  
 – temperature dependence of 91  
 – through space 106  
 – vicinal  
 – (C,H) 99  
 – (H,H) 87 ff., 101  
 – C,C 233  
 – H,D 105  
 – heteronuclear 107  
 – P,P 377  
 Spin-spin relaxation 13 – see also Relaxation  
 Spin systems, nomenclature 113  
 Spin-tickling 132  
 Stacked plot 244  
 Standard, Reference compound 24, 26  
 – external 25  
 – internal 24

- Stereoregularity (of polymers)  
   – see Tacticity 343 ff.  
 Steric effects 62, 154  
 Sub-spectra  
   – ABX 122  
   – DEPT 226  
 Substituent increments 54, 141, 154  
 Sugars 92  
 Suppression of the water signal 132, 177,  
   339, 391  
 Surface coils 377  
 Susceptibilities 48  
 Sweep (CW) 8  
 Symmetry 70, 111, 123  
 Syndiotactic polymers, diads, triads 344
- T**
- T<sub>1</sub> 13, 168 – see Relaxation time,  
   longitudinal or spin-lattice  
 T<sub>2</sub> 13, 177 – see Relaxation time,  
   transverse or spin-spin  
 Tacticity 343 ff.  
 Taft constants 65, 154  
 Temperature effects on  
   –  $\delta$  146, 161  
   –  $J$  91  
   – populations of energy levels 6  
 Tetradis 346  
 Tetramethylsilane 24  
 Thioamids, hindered rotation in 327  
 Three-spin systems  
   (A<sub>3</sub>; AB<sub>2</sub>; AK<sub>2</sub>; AX<sub>2</sub>; ABX; AMX) 29, 31  
 Time-averaged spectra 46, 60  
   – see Dynamic NMR Spectroscopy 313  
 Time domain spectrum 15  
 Tin NMR (<sup>119</sup>Sn) 82  
 TOCSY 281 ff., 364  
   – selective 230  
 Tomography, magnetic resonance 381 ff.  
 Torsion angle  
   see also Dihedral angle 89 ff.  
 Transfer NOE (trNOE) 304, 371
- Transition probabilities W 299  
 Transition metals 82  
 Transitions  
   – allowed 8, 118, 299  
   – double quantum 8, 234, 299  
   – forbidden 8, 234, 299  
   – progressively/regressively connected 118  
   – single quantum 8, 299  
   – zero quantum 7, 234, 299  
 Transmitter frequency 8, 20  
 Transverse relaxation T<sub>2</sub> 13  
 Triads 346  
 Triple resonance experiments 131  
 Tritium NMR (<sup>3</sup>H) 78  
 TROSY 364  
 Two-spin systems (A<sub>2</sub>; AB; AX) 27, 116 ff.  
 Two-dimensional (2D) NMR spectroscopy 239 ff.  
   – J-resolved 249
- U**
- Unpaired electrons 147, 169
- V**
- Valence tautomerism 333  
 Vicinal coupling  
   – (C,H) 97  
   – (H,H) 89 ff.  
 Volume selection, selectivity 376, 380, 382  
 Voxel 384
- W**
- Walden inversion 329, 337  
 WIN-DAISY (program) 318
- Z**
- Zeeman levels 5  
 Zero-crossing point 173, 177  
 Zero quantum transition 8, 234, 299